




KA-BAR[®] 2019



Pictured: 7509

When you see this icon, know that these KA-BARs are being made by family, friends and neighbors right here in the USA.



| | |
|---|----|
| Leather Handled Fighting/Utility Knives..... | 4 |
| Kraton G [®] Handled Fighting/Utility Knives..... | 8 |
| Military Commemorative Fighting/Utility Knives..... | 12 |
| Ek Commando Knife Co..... | 14 |
| E.W. Stone Knife..... | 15 |
| KA-BAR 120th Commemorative Fighting/Utility Knives | 16 |
| Becker Knife & Tool Designs..... | 18 |
| Jarosz Knives..... | 22 |
| TDI Law Enforcement..... | 24 |
| TDI Law Enforcement / Hinderer Knives..... | 26 |
| Dozier Designs..... | 26 |
| MULE Folders..... | 28 |
| G10 MULE Folders..... | 28 |
| KABAR [®] Folders..... | 30 |
| Leather Handled Hunters..... | 32 |
| Heavy Cutting Tools..... | 33 |
| Johnson Adventure [®] Blades..... | 34 |
| Snody Knives..... | 35 |
| Original Zombie [®] Knives..... | 36 |
| KA-BAR [®] Lifestyle & Accessories..... | 38 |
| KA-BAR [®] Product Specification Chart..... | 40 |
| KA-BAR [®] Product Overview and Size Comparison Chart..... | 44 |
| Care, Storage & Sharpening..... | 47 |
| KA-BAR [®] Glossary of Terms..... | 48 |
| Limited Lifetime Warranty..... | 49 |
| Manufacturer Representatives..... | 49 |

“K’d A Bar” were the words of an Alaskan hunter, who sent a letter to Union Cutlery after a close encounter with a Kodiak bear. The hunter shot the bear, but did not kill the Kodiak. Angered, the bear charged the hunter, knocking him to the ground away from his firearm. In a desperate move, the hunter was able to free his Union Cutlery hunting knife and killed the bear. He was so thankful for the help he sent a letter to the Union Cutlery Company describing how he “K’d A Bar”.

The leadership of Union Cutlery was so impressed and honored by the hunter’s letter they adopted “KA-BAR” as a trademark and began using the mark on a number of knives.

At the beginning of World War II, the United States Marine Corps Fighting/Utility Knife was marked with the now iconic “KA-BAR” trademark. In 1952 Union Cutlery Company officially changed our name to KA-BAR[®].

We are proud of our heritage and continue our legacy with a collection of KA-BAR[®] manufactured knives designed and authenticated by the leading outdoorsmen, survivalists, uniformed professionals and military experts in the U.S.





Pictured: 1217



“The KA-BAR®” is a field use knife that we have been making since WWII. These specifications are for our CURRENT production and reflect the evolution and improvement of the knife design and materials over the years.

For even more information, please visit our YouTube and Vimeo channels where you can find several videos authenticating KA-BAR products against similar products.

- ① Blade Length: 7" • Overall Length: 11.875" • Approximate Weight: 0.7 lb (knife only)
- ② Differential Heat Treated High Carbon Cro-Van Steel for Easy Sharpening
- ③ Grind Extends to Fuller
- ④ Smooth Black Epoxy Powder Coating is Baked On
- ⑤ Downward Bent Guard
- ⑥ KA-BAR/OLEAN NY Blade Mark
- ⑦ USMC Blade Mark on Pile Side
- ⑧ Distinct Oval Shaped Handle
- ⑨ Stacked Leather Washers and Traction Grooves in Handle
- ⑩ Pinned Butt Cap
- ⑪ Visible Rat Tail Tang in Butt Cap



LEATHER HANDLED FIGHTING/UTILITY KNIVES

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering.
Sheaths denoted with (MC) are MOLLE compatible.



USMC
Leather Sheath

USMC
Hard Plastic Sheath (MC)

USMC Serrated
Leather Sheath

USMC Serrated
Hard Plastic Sheath (MC)

U.S. ARMY Serrated
Leather Sheath

U.S. ARMY Serrated
Hard Plastic Sheath (MC)

U.S. ARMY
Leather Sheath

U.S. ARMY
Hard Plastic Sheath (MC)

USN
Leather Sheath

USN
Hard Plastic Sheath (MC)

USMC Short
Leather Sheath

USA Short
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1217S-USMC

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1216S-KA-BAR*

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1217S-USMC

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1216S-KA-BAR*

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1220S-U.S.ARMY

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1216S-KA-BAR*

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1220S-U.S.ARMY



Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1216S-KA-BAR*

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1225S-USN

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1216S-KA-BAR*

Blade Length: 5.25"
Blade Width: 0.906"
Overall Length: 9.5"
Sheath: 1250S-USMC

Blade Length: 5.25"
Blade Width: 0.906"
Overall Length: 9.5"
Sheath: 1251S-U.S.A.



Item: #1217*

Item: #5017

Item: #1218*

Item: #5018

Item: #1219*

Item: #5019

Item: #1220*

Item: #5020

Item: #1225*

Item: #5025

Item: #1250*

Item: #1251*

LEATHER HANDLED FIGHTING/UTILITY KNIVES

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering.
Sheaths denoted with (MC) are MOLLE compatible.



USMC Short Serrated
Leather Sheath

Blade Length: 5.25"
Blade Width: 0.906"
Overall Length: 9.25"
Sheath: 1250S-USMC

Pile Side Serration:



Item: #1252*



USA Short Serrated
Leather Sheath

Blade Length: 5.25"
Blade Width: 0.906"
Overall Length: 9.25"
Sheath: 1251S-U.S.A.

Pile Side Serration:



Item: #1261*



Dog's Head Utility
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 12"
Sheath: 1317S-Dog's Head

Item: #1317



Single Mark KA-BAR
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1217I

Item: #1320




Big Brother Leather
Leather Sheath

Designed in cooperation with Strategic Edge Impact Global Enterprise (S.E.I.G.E.) of Webster, NY

Blade Length: 9.25"
Blade Width: 1.75"
Overall Length: 14.25"
Sheath: 2217S-U.S.A.

Top Edge Serration:



Item: #2217

KA-BAR® is unable to ship this item to certain states including CA and MA.



Mark I
Leather Sheath

Blade Length: 5"
Blade Width: 1.125"
Overall Length: 9.375"
Sheath: 2225S-USN

Item: #2225



KA-BAR®

Pictured: 1250

On December 9, 1942, Union Cutlery submitted the 1219C2, USMC KA-BAR knife pattern to the United States Marine Corps in hopes that it would become general issue to that branch of the military.

After some refinements to the original design, the USMC KA-BAR knife became so well recognized for its quality that "Kabar" became the name by which many referred to this knife pattern.

Today, the original USMC Fighting and Utility Knife remains the first choice for many men and women of service who carry it as their personal knife option.



KRATON G® HANDLED FIGHTING/UTILITY KNIVES

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering.
Sheaths denoted with (MC) are MOLLE compatible.



**KA-BAR®
Skeleton**

Hard Plastic Sheath

Blade Length: 2.5"
Blade Width: 0.75"
Overall Length: 6.125"
Sheath: 1118S

Item: #1118BP

Available in Blister Pack Only



**Full Size
Black KA-BAR®**

Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.75"
Sheath: 1211S-KA-BAR®

Item: #1211*



**Full Size
Black KA-BAR®**

Hard Plastic Sheath (MC)

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.75"
Sheath: 1216S-KA-BAR®

Item: #1213*



**Full Size
Black KA-BAR®
Serrated**

Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.75"
Sheath: 1211S-KA-BAR®

Pile Side Serration:



Item: #1212*



**Full Size
Black KA-BAR®
Serrated**

Hard Plastic Sheath (MC)

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.75"
Sheath: 1216S-KA-BAR®

Pile Side Serration:



Item: #1214*



Tanto

Hard Plastic Sheath (MC)

Blade Length: 8"
Blade Width: 1.188"
Overall Length: 12.875"
Sheath: 1245S-KA-BAR®

Pile Side Serration:



Item: #1245*



Short Tanto

Leather Sheath

Blade Length: 5.25"
Blade Width: 0.906"
Overall Length: 9.375"
Sheath: 1256S-KA-BAR®

Item: #1254*



Short Tanto

Hard Plastic Sheath (MC)

Blade Length: 5.13"
Blade Width: 0.907"
Overall Length: 9.375"
Sheath: 5016S-KA-BAR®

Item: #5054



**Short Tanto
Serrated**

Leather Sheath

Blade Length: 5.25"
Blade Width: 0.906"
Overall Length: 9.375"
Sheath: 1256S-KA-BAR®

Pile Side Serration:



Item: #1255*



**Short Tanto
Serrated**

Hard Plastic Sheath (MC)

Blade Length: 5.13"
Blade Width: 0.906"
Overall Length: 9.375"
Sheath: 5016S-KA-BAR®

Pile Side Serration:



Item: #5055*



Short KA-BAR®

Leather Sheath

Blade Length: 5.25"
Blade Width: 0.906"
Overall Length: 9.25"
Sheath: 1256S-KA-BAR®

Item: #1256*



Short KA-BAR®

Hard Plastic Sheath (MC)

Blade Length: 5.25"
Blade Width: 0.906"
Overall Length: 9.25"
Sheath: 5016S-KA-BAR®

Item: #1258*

KRATON G® HANDLED FIGHTING/UTILITY KNIVES

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering.
Sheaths denoted with (MC) are MOLLE compatible.

KRATON G® HANDLED FIGHTING/UTILITY KNIVES

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering.
Sheaths denoted with (MC) are MOLLE compatible.



Short KA-BAR® Serrated
Leather Sheath

Blade Length: 5.25"
Blade Width: 0.906"
Overall Length: 9.25"
Sheath: 1256S-KA-BAR®



Item: #1257

Short KA-BAR® Serrated
Hard Plastic Sheath (MC)

Blade Length: 5.25"
Blade Width: 0.906"
Overall Length: 9.25"
Sheath: 5016S-KA-BAR®



Item: #1259*

Fighter
Leather/Cordura® Sheath

Blade Length: 8"
Blade Width: 1.50"
Overall Length: 12.813"
Sheath: 1271S-KA-BAR®



Item: #1271

Combat Kukri
Heavy-Duty Polyester Sheath (MC)

Blade Length: 8.5"
Blade Width: 2.625"
Overall Length: 13.5"
Sheath: 1280S



Item: #1280

D2 Extreme
Nylon/Cordura® Sheath (MC)

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 12"
Sheath: 8017S



Item: #1281

Made from 0.175" D2 Tool Steel

D2 Extreme
Hard Plastic Sheath (MC)

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 12"
Sheath: 1216S-KA-BAR®



Item: #1282

Made from 0.175" D2 Tool Steel

D2 Extreme
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 12"
Sheath: 1211S-KA-BAR®




Item: #1283

Made from 0.175" D2 Tool Steel

Big Brother Kraton G®

Leather Sheath
Designed in cooperation with Strategic Edge Impact Global Enterprise (S.E.I.G.E.) of Webster, NY

Blade Length: 9.25"
Blade Width: 1.75"
Overall Length: 14.25"
Sheath: 2211S-KA-BAR®



Item: #2211

KA-BAR® is unable to ship this item to certain states including CA and MA.

Mark I
Hard Plastic Sheath (MC)

Blade Length: 5"
Blade Width: 1.125"
Overall Length: 9.25"
Sheath: 2221S-KA-BAR®



Item: #2221

Full Size Foliage Green
Hard Plastic Sheath (MC)

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.75"
Sheath: 5011S-KA-BAR®



Item: #5011

Full Size Foliage Green Serrated
Hard Plastic Sheath (MC)

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.75"
Sheath: 5011S-KA-BAR®



Item: #5012*

ThunderHorse Throwing

A competition grade throwing knife designed by Knife Throwing Hall of Fame member KJ Jones.

Blade Length: 10.25"
Blade Width: 2.0625"
Overall Length: 15.625"



Item: #1120

Made from 1095 Cro-Van Steel

KRATON G® HANDLED FIGHTING/UTILITY KNIVES

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering.
Sheaths denoted with (MC) are MOLLE compatible.



NEW



MILITARY COMMEMORATIVE FIGHTING/UTILITY KNIVES

MILITARY COMMEMORATIVE FIGHTING/UTILITY KNIVES



Presentation Grade USMC
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1217S-USMC

Features:
Brass/Gold Plated
Butt Cap and Guard

Item: #1215



OEF Afghanistan U.S. ARMY
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1220S-U.S. ARMY

Item: #9168-U.S. ARMY



OEF Afghanistan USMC
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1217S-USMC

Item: #9169-USMC



OEF Afghanistan USN
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1225S-USN

Item: #9170-USN



Vietnam U.S. ARMY
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1220S-U.S. ARMY

Item: #9139-U.S. ARMY



Vietnam USMC
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1217S-USMC

Item: #9140-USMC



Vietnam USN
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1225S-USN

Item: #9141-USN



Operation Iraqi Freedom U.S. ARMY
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1220S-U.S. ARMY

Item: #9127-U.S. ARMY



Operation Iraqi Freedom USMC
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1217S-USMC

Item: #9128-USMC



Operation Iraqi Freedom USN
Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1225S-USN

Item: #9131-USN

EK COMMANDO KNIFE CO.



Ek Model 4
Celcon® Hard Plastic Sheath

Ek Model 5
Celcon® Hard Plastic Sheath

Ek Commando Presentation Knife
Leather Sheath

Blade Length: 6.625"
Blade Width: 1.125"
Overall Length: 12.75"
Sheath: EK43S-KA-BAR/Ek

Blade Length: 6.875"
Blade Width: 1.25"
Overall Length: 13"
Sheath: EK45S-KA-BAR/Ek

Blade Length: 6.5"
Blade Width: 0.938"
Overall Length: 12.5"
Sheath: EK13S-Ek Logo

Item: #EK44

Item: #EK45

Item: #EK13

KA-BAR® is unable to ship this item to certain states including CA and MA.

KA-BAR® is unable to ship this item to certain states including CA and MA.



Pictured: EK45

The "Ek Commando Knives" were designed for close quarters and were quickly adopted by the US Marine Raiders, US Army Rangers, First Special Service Force and Office of Strategic Services Operational Groups. Americans have since carried Ek Commando Knives in World War II, Korea, Vietnam, Afghanistan, Iraq and countless other locations in between.

As war raged in the Pacific Theater, many Marines' equipment succumbed to the harsh conditions of jungle warfare. Exposed to salt water, rain, extreme heat and humidity, some USMC KA-BAR handles were left devastated. Enter Eugene Stone, who created a mold to cast metallic handles for the knives, whose blades were still in excellent working order. Stone cast the handles from scrap material from a variety of downed Japanese aircraft.

E.W. STONE KNIFE

E.W. Stone Knife
Leather Sheath

Blade Length: 7"
Blade Width: 1.25"
Overall Length: 12.313"
Sheath: 1217EWSS-KA-BAR®

Item: #1217EWS



Sold with JRE semi-custom leather sheath and Gerstner golden oak case with nickel corners, hinges and draw latch.

Each knife comes with a certificate of authenticity, a DVD of Bill Stone telling his father's story and how he came to work with KA-BAR® on this limited edition project, and custom-designed packaging.

Proudly made in the USA.



KA-BAR® 120TH COMMEMORATIVE FIGHTING/UTILITY KNIVES

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering.



KA-BAR® 120TH Anniversary U.S. ARMY

Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1220S-U.S. ARMY

Item: #9190*-U.S. ARMY

KA-BAR® 120TH Anniversary USMC

Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1217S-USMC

Item: #9191*-USMC

KA-BAR® 120TH Anniversary USN

Leather Sheath

Blade Length: 7"
Blade Width: 1.188"
Overall Length: 11.875"
Sheath: 1225S-USN

Item: #9192*-USN

KA-BAR® 120TH Anniversary Dog's Head

Leather Sheath


Blade Length: 7"
Blade Width: 1.188"
Overall Length: 12"
Sheath: 1317S-Dog's Head

Item: #9193



The KA-BAR Story is a four episode documentary covering the first 120 years of KA-BAR history.

The documentary highlights the first years of KA-BAR including many important events for KA-BAR, including a move, leadership changes, the KA-BAR name, and the creation of our most famous knife, the turbulent period from the 1960s to 1990s and the return of KA-BAR to Olean, NY in the 1990s.



Pictured: 9191-USMC

Logos and imagery are an important part of the KA-BAR® story.


From the Dog's Head - which has been used since the early 20th Century, though for unknown reasons - to the iconic North American "The Union" shield, KA-BAR® has always had a strong visual presence.

The most famous is the "Kill A Bear" logo, which illustrates an important part of how KA-BAR® got its name.

KA-BAR continues to celebrate our 120th anniversary by offering this laser engraved commemorative knife that features our world famous brand name, "KA-BAR®", a roaming bear and "The Union" shield presented in a Victorian-era style logo.

BECKER KNIFE AND TOOL DESIGNS

Sheaths denoted with (MC) are MOLLE compatible.



Pictured: BK2

Ethan Becker is an avid outdoorsman who enjoys martial arts and hunting. He founded Becker Knife and Tool Corporation in the early 1980s to design the industrial-strength tactical and survival knives he had always wanted for himself.

What we love about Ethan is that you can find him around a campfire, telling stories and testing his next Becker Knife and Tool design.

BECKER KNIFE AND TOOL DESIGNS

Sheaths denoted with (MC) are MOLLE compatible.



Becker Companion
Hard Plastic Sheath (MC)

Blade Length: 5.25"
Blade Width: 1.625"
Overall Length: 10.5"
Sheath: BK2S-KABAR/
BKandT

Item: #BK2



Becker Companion
Heavy-Duty Polyester Sheath (MC)

Blade Length: 5.25"
Blade Width: 1.625"
Overall Length: 10.5"
Sheath: BK22S

Item: #BK22

Made from 0.188" 1095 Cro-Van Steel



Becker Tac Tool
Hard Plastic Sheath (MC)

Blade Length: 7"
Blade Width: 1.563"
Overall Length: 12.5"
Sheath: BK3S-KABAR/
BKandT



Item: #BK3



Becker Combat Utility
Heavy-Duty Polyester Sheath (MC)

Blade Length: 7.25"
Blade Width: 1.813"
Overall Length: 12.75"
Sheath: BK7S

Item: #BK7

Made from 0.188" 1095 Cro-Van Steel



Becker Combat Bowie
Heavy-Duty Polyester Sheath (MC)

Blade Length: 9.25"
Blade Width: 1.875"
Overall Length: 14.75"
Sheath: BK9S

Item: #BK9

Made from 0.188" 1095 Cro-Van Steel



Becker Crewman
Heavy-Duty Polyester Sheath (MC)

Blade Length: 5.5"
Blade Width: 1.563"
Overall Length: 11"
Sheath: BK10S

Item: #BK10

Made from 0.188" 1095 Cro-Van Steel



Becker/Reinhardt Kukri
Polyester Sheath

Blade Length: 13.25"
Blade Width: 2.375"
Overall Length: 18.75"
Sheath: BK21S

Item: #BK21

Made from 0.188" 1095 Cro-Van Steel



Becker Necker
Locking Hard Plastic Sheath (MC)

Blade Length: 3.25"
Blade Width: 1.125"
Overall Length: 6.75"
Sheath: BK11S-KABAR/
BKandT

Item: #BK11*

Made from 0.188" 1095 Cro-Van Steel



Becker Remora
Hard Plastic Sheath

Blade Length: 2.5"
Blade Width: 0.719"
Overall Length: 5.125"
Sheath: BK13S

Item: #BK13CP

Made from 0.188" 1095 Cro-Van Steel Available in Clam Pack Only

BECKER KNIFE AND TOOL DESIGNS

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering.
Sheaths denoted with (MC) are MOLLE compatible.



Becker Eskabar

Locking Hard Plastic Sheath (MC)

Blade Length: 3.13"
Blade Width: 1.125"
Overall Length: 7"
Sheath: BK11S-KABAR/
BKandT

Item: #BK14*



Becker Short Drop Point

Cordura® Sheath (MC)

Blade Length: 4.375"
Blade Width: 1.25"
Overall Length: 9.13"
Sheath: BK15S

Item: #BK16

Made from 0.188" 1095 Cro-Van Steel
Bonus Set of Handles - Brown



Becker Skeleton Knife

Hard Plastic Sheath

Blade Length: 3.25"
Blade Width: 1.0"
Overall Length: 6.438"
Sheath: BK23S

Item: #BK23BP

Available in Blister Pack Only



Becker Kephart

Leather Sheath

Blade Length: 5.125"
Blade Width: 1.1875"
Overall Length: 9.688"

Item: #BK62



Ultramid® Becker Handle Kit

for Full Size Becker knives

4-Pack of handles for Full Size Becker knives:

- Blue
- Red
- Green
- Hot Pink

Allen Wrench size: 5/32

Item: #BKHNDLKIT




Micarta® Becker Handle Set

for Full Size Becker knives

Natural canvas Micarta® handle set for Full Size Becker knives.

Allen Wrench size: 5/32

Item: #BK77HNDL



Micarta® Becker Handle Set

for Becker Neckers

Green canvas Micarta® handle set for Becker Neckers.

Allen Wrench size: 7/64

Item: #BK11HNDL



Zytel® Becker Handle Kit

for Becker Eskabars

Kit includes one set each Black and Blaze Orange Zytel® handles for Becker Eskabars.

Allen Wrench size: 7/64

Item: #BK14HNDL



Micarta® Becker Handle Set

for Short Becker knives

Green canvas Micarta® handle set for Short Becker knives.

Allen Wrench size: 9/64

Item: #BK16HNDL



G10 Becker Handle Set

Contoured, textured G10 handles for Full Size Becker knives. Made by VZ Grips.

Allen Wrench size: 5/32

Item: #BK2VZ



Belt Clip

The Becker Necker and Eskabar sheaths are designed to work with the TDI Metal Belt Clip. #1480CLIP sold separately.

Fits maximum belt height of 1.75", width of 1.25" and thickness of 0.25"

Item: #1480CLIP

BKandT Fastener Info

The standard fastener sizes for the handles of the Full Size BKandT Knives are as follows:
Handle Cap Screws: 10 - 32 x 5/8"
Nuts: 10 - 32

The standard fastener sizes for the handles of the Short BKandT Knives are as follows:
Handle Cap Screws: 8 - 32 x 1/2"
Nuts: 8 - 32.

BECKER KNIFE AND TOOL DESIGNS

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering.
Sheaths denoted with (MC) are MOLLE compatible.



Pictured: 7509



Jesse Jarosz grew up in the Nebraska countryside hunting, fishing, trapping, and working with his hands.

Today, Jesse continues exploring the outdoors and creating hard use knives for his adventures in his new home in Montana.

JAROSZ KNIVES

Sheaths denoted with (MC) are MOLLE compatible.



Jarosz Rambler Skeleton

Hard Plastic Sheath

Blade Length: 2.38"
Blade Width: 0.813"
Overall Length: 6"
Sheath: 7001S

Item: #7001BP

Available in Blister Pack Only



Jarosz Globetrotter

Polyester Sheath (MC)

Blade Length: 3.5"
Blade Width: 1.188"
Overall Length: 7.75"
Sheath: 7502S

Item: #7502

Made from 0.165" 1095 Cro-Van Steel



Jarosz Turok

Celcon® Hard Plastic Sheath

Blade Length: 6.25"
Blade Width: 1.563"
Overall Length: 11.5"
Sheath: 7503S-KABAR/Jarosz

Item: #7503

Made from 0.188" 1095 Cro-Van Steel



Jarosz Folder

Blade Length: 3.5"
Blade Width: 1.125"
Overall Length: 8.125"
Handle: GFN

Item: #7505

Features Tip-up or Tip-down Carry Option



Jarosz Tanto Folder

Blade Length: 3.5"
Blade Width: 1.063"
Overall Length: 8.125"
Handle: GFN

Item: #7506

Features Tip-up or Tip-down Carry Option



Jarosz Choppa

Heavy-Duty Polyester Sheath (MC)

Blade Length: 9.38"
Blade Width: 1.688"
Overall Length: 15.25"
Sheath: 7507S

Item: #7507

Made from 0.188" 1095 Cro-Van Steel



Jarosz Wharncliffe Flipper

Blade Length: 3.375"
Blade Width: 1.250"
Overall Length: 8.375"

Item: #7508

Features Tip-up or Tip-down Carry Option and Flipper Opener



Jarosz Spearpoint Flipper

Blade Length: 3.5"
Blade Width: 1.250"
Overall Length: 8.5"

Item: #7509

Features Tip-up or Tip-down Carry Option and Flipper Opener

JAROSZ KNIVES

Sheaths denoted with (MC) are MOLLE compatible.

TDI LAW ENFORCEMENT

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering. Sheaths denoted with (MC) are MOLLE compatible.



TDI Shark Bite
Hard Plastic Sheath

Blade Length: 2.75"
Blade Width: 1.438"
Overall Length: 5.5"
Sheath: Ultramid® B3EG6

Note: Both the knife and sheath are made from Ultramid® B3EG6 hard plastic.

Item: #9908

Bonus Item: Adjustable Neck Chain



Original TDI Half-Serrated
Hard Plastic Sheath with Belt Clip

Blade Length: 2.313"
Blade Width: 1.25"
Overall Length: 5.625"
Sheath: 1477S-Hard Plastic

Mark Side Serration:



Item: #1477CB*

Features a Reversible Belt Clip



Last Ditch Knife
Hard Plastic Sheath

Blade Length: 1.75"
Blade Width: 0.78"
Overall Length: 3.625"
Sheath: 1478S

Item: #1478BP

Available in Blister Pack Only



Original TDI
Hard Plastic Sheath with Belt Clip

Blade Length: 2.313"
Blade Width: 1.25"
Overall Length: 5.625"
Sheath: 1480S

Item: #1480*

Features a Reversible Belt Clip



Original TDI Serrated
Hard Plastic Sheath with Belt Clip

Blade Length: 2.313"
Blade Width: 1.25"
Overall Length: 5.625"
Sheath: 1480S

Mark Side Serration:



Item: #1481*

Features a Reversible Belt Clip



Large TDI
Hard Plastic Sheath with Nylon Webbing Straps (MC)

Blade Length: 3.688"
Blade Width: 1.25"
Overall Length: 7.75"
Sheath: 1482S

Item: #1482

Features Reversible Straps



Large TDI Tanto Serrated
Hard Plastic Sheath with Nylon Webbing Straps (MC)

Blade Length: 3.688"
Blade Width: 1.25"
Overall Length: 7.75"
Sheath: 1482S

Mark Side Serration:



Item: #1485

Features Reversible Straps



TDI Flipper Folder

Blade Length: 3.5"
Blade Width: 1.0625"
Overall Length: 8.25"

Item: #2490

Features a Pocket Clip



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406



Belt Clip

Fits maximum belt height of 1.75", width of 1.25" and thickness of 0.25"

Item: #1480CLIP



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406

Item: #9406



TDI Self-Defense Cane

Overall Length: 39"
Weight: 2.15 lb
Wall Thickness: 0.125"

0.100 thick 5052-H32 powder coated aluminum cane has a 1.0" diameter and can be cut shorter for fit.

Item: #9406



TDI LAW ENFORCEMENT HINDERER KNIVES



TDI/Hinderer Hindrance

Locking Hard Plastic Sheath with Belt Clip

Blade Length: 3.563"
Blade Width: 1.25"
Overall Length: 7.25"
Sheath: 2485S

Item: #2485

Features a Reversible Belt Clip



TDI/Hinderer Hell Fire

Locking Hard Plastic Sheath with Belt Clip

Blade Length: 3.563"
Blade Width: 1.25"
Overall Length: 7.25"
Sheath: 2486S

Item: #2486

Features a Reversible Belt Clip



G10 TDI/Hinderer Handle Set

Contoured, textured G10 handles for TDI/Hinderer Hindrance and Hell Fire knives. Made by VZ Grips.

Item: #2485VZ

DOZIER DESIGNS




Folding Hunter


Blade Length: 3"
Blade Width: 0.875"
Open Length: 7.25"

Item: #4062

Features a Reversible Pocket Clip and Thumb Stud




#4062BL Blue




#4062BO Blaze Orange




#4062CB Coyote Brown



#4062FG Foliage Green




#4062GY Gray



#4062PK Pink



#4062RD Red



#4062ZG ZK Green



Folding Thumb Notch

Blade Length: 3"
Blade Width: 1.0"
Open Length: 7.25"

Item: #4065

Features a Reversible Pocket Clip



Mini Dozier Folder

Blade Length: 2.38"
Blade Width: 0.688"
Open Length: 5.75"

Item: #4072

Features a Reversible Pocket Clip and Thumb Stud



Dozier Skeleton

Hard Plastic Sheath

Blade Length: 2.75"
Blade Width: 0.813"
Open Length: 6.375"
Sheath: 4073S

Item: #4073BP

Available in Blister Pack Only

DOZIER DESIGNS



Pictured: 4062RD

For most of his life Bob Dozier has made and sold knives that have been celebrated for their quality and field use. For almost two decades Bob Dozier has designed knives for KA-BAR.

Bob's Folding Hunter design is a KA-BAR favorite, celebrated amongst KA-BAR fans for its ruggedness that punches far beyond its price.



MULE FOLDERS

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering.



Black MULE
Polyester Sheath

Blade Length: 3.875"
Blade Width: 1.125"
Open Length: 9.125"
Handle: Zytel®
Sheath: 3050S-KA-BAR®

Item: **#3050***



Features a Reversible Pocket Clip



Black MULE Serrated
Polyester Sheath

Blade Length: 3.875"
Blade Width: 1.125"
Open Length: 9.125"
Handle: Zytel®
Sheath: 3050S-KA-BAR®
Mark Side Serration:



Item: **#3051***

Features a Reversible Pocket Clip



Desert MULE Serrated
Polyester Sheath

Blade Length: 3.875"
Blade Width: 1.125"
Open Length: 9.125"
Handle: Zytel®
Sheath: 3052S-KA-BAR®
Mark Side Serration:



Item: **#3053***

Features a Reversible Pocket Clip

G10 MULE FOLDERS



G10 MULE

Blade Length: 3.938"
Blade Width: 1.063"
Open Length: 9.25"
Handle: G10

Item: **#3062**

Features a Reversible Pocket Clip



G10 MULE Serrated

Blade Length: 3.938"
Blade Width: 1.063"
Open Length: 9.25"
Handle: G10
Mark Side Serration:



Item: **#3063**

Features a Reversible Pocket Clip



G10 MULE Tanto

Blade Length: 3.938"
Blade Width: 1.063"
Open Length: 9.25"
Handle: G10

Item: **#3064**

Features a Reversible Pocket Clip



G10 MULE Tanto Serrated

Blade Length: 3.938"
Blade Width: 1.063"
Open Length: 9.25"
Handle: G10
Mark Side Serration:



Item: **#3065**

Features a Reversible Pocket Clip



KA-BAR®

Pictured: 3053

This heavy-duty piece of equipment is the folding knife's answer to the traditional KA-BAR fixed blade. Sturdy construction and pure heft ensure this knife will withstand any test you dare put it through.

Follow us across any of our social media channels for continuing updates and new product releases throughout the year.



KA-BAR® FOLDERS

* Clam Pack available for these items. Simply place a "CP" following the item number when ordering.

KA-BAR® FOLDERS



NEW
Mark 98 Folder

Blade Length: 3.5"
Blade Width: 1.063"
Overall Length: 8.188"

Item: **#3066**

Features Tip-up or Tip-down Carry Option and Flipper Opener



NEW
Coypu Folder

Blade Length: 3.750"
Blade Width: 1.250"
Overall Length: 9"

Item: **#3085**

Features Seat Belt Cutter and Window Shatter Tip



Warthog Folder

Blade Length: 3"
Blade Width: 1.125"
Open Length: 7.563"
Handle: G10

Item: **#3072***

Features a Pocket Clip




Warthog Folder Serrated

Blade Length: 3"
Blade Width: 1.125"
Open Length: 7.563"
Handle: G10

Item: **#3073***

Features a Pocket Clip



Warthog Tanto Folder

Blade Length: 3"
Blade Width: 1.063"
Open Length: 7.563"
Handle: G10

Item: **#3074***

Features a Pocket Clip



Warthog Tanto Folder Serrated

Blade Length: 3"
Blade Width: 1.063"
Open Length: 7.563"
Handle: G10

Item: **#3075***

Features a Pocket Clip



Original HOB0
Nylon Sheath

Fork, knife and spoon pieces come apart.

Blade Length: 3"
Blade Width: 0.563"
Open Length: 6.625"
Sheath: 1300S-KA-BAR®

Item: **#1300**

Features a Pocket Clip



Agama Folder

Blade Length: 3.75"
Blade Width: 1.125"
Open Length: 8.5"
Handle: G10

Item: **#3076**

Features a Pocket Clip



Gila Folder

Blade Length: 3.875"
Blade Width: 1.375"
Open Length: 8.875"
Handle: G10

Item: **#3077**

Features a Pocket Clip



Komodo Folder

Blade Length: 3.5"
Blade Width: 1.125"
Open Length: 7.875"
Handle: G10

Item: **#3078**

Features a Pocket Clip



Tegu Folder

Blade Length: 2.875"
Blade Width: 0.938"
Open Length: 6.875"
Handle: G10

Item: **#3079**

Features a Pocket Clip



Folding Hunter

Blade Length: 3.875"
Blade Width: 0.781"
Open Length: 8.875"
Handle: G10

Item: **#3189**

Features a Reversible Pocket Clip

LEATHER HANDLED HUNTERS



Little Finn
Plastic Lined Leather Sheath

Blade Length: 3.625"
Blade Width: 0.531"
Overall Length: 7"
Sheath: 1226S-KA-BAR®

Item: #1226

Features Brass Guard and Aluminum Butt Cap



Hunter
Plastic Lined Leather Sheath

Blade Length: 4.13"
Blade Width: 0.656"
Overall Length: 8.125"
Sheath: 1232S-KA-BAR®

Item: #1232

Features Brass Guard and Aluminum Butt Cap



Skinner
Plastic Lined Leather Sheath

Blade Length: 4.375"
Blade Width: 0.938"
Overall Length: 8.25"
Sheath: 1233S-KA-BAR®

Item: #1233

Features Brass Guard and Aluminum Butt Cap



Game Hook
Plastic Lined Leather Sheath

Blade Length: 3.25"
Blade Width: 1.438"
Overall Length: 7.25"
Sheath: 1234S-KA-BAR®

Item: #1234

Features Brass Guard and Aluminum Butt Cap



Marine Hunter
Plastic Lined Leather Sheath

Blade Length: 5.875"
Blade Width: 1.125"
Overall Length: 10.75"
Sheath: 1235S-KA-BAR®

Item: #1235

Features Brass Guard and Aluminum Butt Cap



Bowie
Plastic Lined Leather Sheath

Blade Length: 6.938"
Blade Width: 1.188"
Overall Length: 11.813"
Sheath: 1236S-KA-BAR®

Item: #1236

Features Brass Guard and Aluminum Butt Cap

HEAVY CUTTING TOOLS



Cutlass Machete
Leather/Cordura® Sheath

Blade Length: 11"
Blade Width: 2.375"
Overall Length: 16.5"
Sheath: 1248S

Item: #1248



Kukri Machete
Leather/Cordura® Sheath

Blade Length: 11.5"
Blade Width: 3.5"
Overall Length: 17"
Sheath: 1249S


Item: #1249



Heavy-Duty Warthog
Leather/Cordura® Sheath

Blade Length: 6.75"
Blade Width: 2.438"
Overall Length: 12.25"
Sheath: 1278S

Item: #1278



Pictured: 1249

Whether setting up camp or securing the perimeter, our heavy duty cutting tools are designed to perform under the most rigorous conditions.



JOHNSON ADVENTURE® BLADES

Sheaths denoted with (MC) are MOLLE compatible.



Pictured: 5602

Johnson Adventure® Blades are designed by Steve Johnson, an industrial engineer by trade and adrenaline junkie at heart.

The Adventure® knives are built to withstand abuse and never fail, even in the most demanding conditions like rugged terrain and extreme temperatures.



Adventure® Piggyback®
Hard Plastic Sheath

Blade Length: 2.5"
Blade Width: 0.813"
Overall Length: 6"
Sheath: 5599S

Item: #5599BP

Available in Blister Pack Only



Adventure® Gamestalker®
Nylon Sheath (MC)

Blade Length: 4"
Blade Width: 1.125"
Overall Length: 8"
Sheath: 5602S

Item: #5602

Made from 0.188" 440A Stainless Steel



Adventure® Wharnstalker®
Nylon Sheath (MC)

Blade Length: 4.094"
Blade Width: 1.0"
Overall Length: 8"
Sheath: 5602S

Item: #5604

Made from 0.188" 440A Stainless Steel



Adventure® Potbelly®
Heavy-Duty Polyester Sheath (MC)

Blade Length: 7.625"
Blade Width: 1.75"
Overall Length: 13.125"
Sheath: 5600S

Item: #5600

Made from 0.25" 1095 Cro-Van Steel
Bonus Blade - #5599 Knife Only



Adventure® Parangatang®
Cordura® Sheath (MC)

Blade Length: 14.125"
Blade Width: 1.875"
Overall Length: 19.625"
Sheath: 5603S

Item: #5603

Made from 0.188" 1095 Cro-Van Steel

Pictured: 5103



Mike Snody prides himself on producing world-class, investment-grade cutlery for the most extreme, discerning and demanding knife collectors and users on the planet.

SNODY KNIVES



Snody Boss
Leather Sheath

Blade Length: 3.5"
Blade Width: 1.0"
Overall Length: 6.90"
Sheath: 5101S

Made from 0.125" S35VN stainless steel

Item: #5101

Bonus Set of Purple Handles, 550 Cord and Bead



Snody Big Boss
Leather Sheath

Blade Length: 4.563"
Blade Width: 1.563"
Overall Length: 9"
Sheath: 5102S

Made from 0.188" S35VN stainless steel

Item: #5102

Bonus Set of Purple Handles, 550 Cord and Bead



Snody Snake Charmer
Hard Plastic Sheath

Blade Length: 2.313"
Blade Width: 1.0"
Overall Length: 6.5"
Sheath: 5103S

Made from 0.125" S35VN stainless steel

Item: #5103

Bonus Items: 550 Cord and Bead

ORIGINAL ZOMBIE® KNIVES

Sheaths denoted with (MC) are MOLLE compatible.



Acheron Skeleton Knife

Hard Plastic Sheath

Blade Length: 3.125"
Blade Width: 0.719"
Overall Length: 6.375"
Sheath: 5699S

Item: #5699BP

Available in Blister Pack Only



Famine Tanto

Nylon Sheath (MC)

Blade Length: 7.63"
Blade Width: 1.438"
Overall Length: 13.13"
Sheath: 5700S

Pile Side Serration:



Item: #5700

Bonus Blade - #5699 Knife Only
Bonus Set of Handles - ZK Green



War Sword

Nylon Sheath (MC)

Blade Length: 9.75"
Blade Width: 1.5"
Overall Length: 15.5"
Sheath: 5701S

Item: #5701

Bonus Blade - #5699 Knife Only
Bonus Set of Handles - ZK Green



Pestilence Chopper

Nylon Sheath (MC)

Blade Length: 10.25"
Blade Width: 1.625"
Overall Length: 15.75"
Sheath: 5701S

Item: #5702

Bonus Blade - #5699 Knife Only
Bonus Set of Handles - ZK Green



Zomstro

Nylon Sheath (MC)

Blade Length: 9.38"
Blade Width: 2.875"
Overall Length: 15.5"
Sheath: 5705S

Item: #5705

Bonus Blade - #5699 Knife Only
Bonus Set of Handles - ZK Green



Swabbie

Nylon Sheath (MC)

Blade Length: 12.5"
Blade Width: 2.5"
Overall Length: 18"
Sheath: 5706S

Item: #5706

Bonus Blade - #5699 Knife Only
Bonus Set of Handles - ZK Green

KA-BAR



Pictured: 5702

In an ever-changing world, the need for preparedness has never been greater. Without notice, the game can change and the rules no longer apply.

Questioning your gear at a crucial moment is not an option. Whether setting up camp or securing your perimeter, the Original Zombie® Knives are designed to perform under the most rigorous, unexpected and apocalyptic situations.

Are you prepared?



**KA-BAR®
Lake Effect
Ice Scraper**

Ultramid® ice scraper makes short work of cleaning ice off your windshield and can be used alternately as a self-defense tool. Blade Width: 0.938"

Item: #9906



**KA-BARLEY
Bottle Opener**

Made of GFN-PA66 and featuring the traditional KA-BAR oval-shaped handle, the KA-BARLEY makes light work of prying off bottle caps.

Item: #9907



**KA-BAR®
Spork**

Made from food and water approved Grilamid. Dishwasher safe.

Equipped with a fork/ spoon combo and has a 2.5" plastic serrated knife in the handle. The Spork weighs 0.1 lb.

Item: #9909



**KA-BAR®
Chopsticks**

Made from food and water approved Grilamid. Dishwasher safe. Overall Length: 9.5"

Item: #9919



NEW
**Backpack
Kaster**

Made from Ultramid® and measures 6.25" in length. The handle has a hollow storage compartment. The head is where your fishing line attaches and a clamp secures your line and lure in place when not in use.

Item: #9921



Sheath not included

NEW
**KA-BAR®
Attachment
System**

The KA-BAR Attachment System works with our hard plastic sheaths to make many of our knives MOLLE compatible as well as allowing for horizontal belt carry. The system includes two sets of hardware, one large and one small, to fit a variety of sheaths.

Item: #9916



NEW
**KA-BAR®
Playing Cards**

Face cards are custom-designed with old-timey characters imagined from earlier times, including the wiley bear and the fierce hunter from which KA-BAR derived its name.

Item: #9914



**KA-BAR®
Retro Posters**

Inspired by World War II propaganda posters, these designs are perfect for your dorm, work shop, home office or man cave.

Pack features all four poster designs. Each poster measures 24" x 30".

Item: #9915



**Dome
Presentation
Case**

Dimensions: 17.313" x 6.375" x 5.125"
Weight: 2.6 lb
Display any KA-BAR® Fighting/Utility knife up to 13".

Knife sold separately.

Item: #1431



**Walnut
Presentation
Case**

Dimensions: 14.875" x 5.875"
Weight: 2.6 lb
Display any KA-BAR® up to 13".

Item: #1437

KA-BAR® PRODUCT SPECIFICATION CHART

New items are noted in bold • "Weight" indicates bulk knife weight in pounds. Does not include sheath or packaging. • Blade Width is measured at widest point of blade. • Blade thicknesses noted are +/- .003 to .006. Clean-made US products were measured before processing. • Cro-Van = Chrome Vanadium • SS = stainless steel • CR = Cryogenically quenched stainless steel • TPR = Thermoplastic resin CP or Clam Pack = plastic shell packaging for hanging merchandise. • BP or Blister Pack = cardboard backing with clear front for hanging merchandise.

| Item # | Page | Bulk Weight* | Overall/Open Length | Blade Length | Blade Width | Blade Stamp | Steel | Thickness | Grind | Angle | HRC | Lock | Handle | Sheath | Mft'd |
|-------------|-----------|--------------|---------------------|---------------|----------------|----------------------------|---------------------|---------------|-------------|------------|--------------|------------|-----------------------------|--------------|------------|
| BK2 | 18 | 1 | 10.5" | 5.25" | 1.625" | KA-BAR/BKandT | 1095 Cro-Van | 0.25" | flat | 20° | 56-58 | N/A | Ultramid® | BK2S | USA |
| BK3 | 18 | 1.15 | 12.5" | 7" | 1.563" | KA-BAR/BKandT | 1095 Cro-Van | 0.25" | flat | 20° | 56-58 | N/A | Ultramid® | BK3S | USA |
| BK7 | 19 | 0.85 | 12.75" | 7.25" | 1.813" | KA-BAR/BKandT | 1095 Cro-Van | 0.188" | flat | 20° | 56-58 | N/A | Ultramid® | BK7S | USA |
| BK9 | 19 | 1.05 | 14.75" | 9.25" | 2.063" | KA-BAR/BKandT | 1095 Cro-Van | 0.188" | flat | 20° | 56-58 | N/A | Ultramid® | BK9S | USA |
| BK10 | 19 | 0.75 | 11" | 5.5" | 1.563" | KA-BAR/BKandT | 1095 Cro-Van | 0.188" | flat | 20° | 56-58 | N/A | Ultramid® | BK10S | USA |
| BK11 | 19 | 0.2 | 6.75" | 3.25" | 1.125" | KA-BAR/BKandT | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | 1095 Cro-Van | BK11S | USA |
| BK13CP | 19 | 0.1 | 5.125" | 2.5" | 0.719" | KA-BAR/BKandT | 1095 Cro-Van | 0.125" | hollow | 20° | 55-57CR | N/A | 1095 Cro-Van | BK13S | USA |
| BK14 | 20 | 0.20 | 7" | 3.13" | 1.125" | KA-BAR/BKandT | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | 1095 Cro-Van | BK11S | USA |
| BK16 | 20 | 0.4 | 9.13" | 4.375" | 1.25" | KA-BAR/BKandT | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Ultramid® | BK15S | USA |
| BK21 | 19 | 1.4 | 18.75" | 13.25" | 2.375" | KA-BAR/BKandT | 1095 Cro-Van | 0.188" | flat | 20° | 56-58 | N/A | Ultramid® | BK21S | USA |
| BK22 | 18 | 1 | 10.5" | 5.25" | 1.625" | KA-BAR/BKandT | 1095 Cro-Van | 0.25" | flat | 20° | 56-58 | N/A | Ultramid® | BK22S | USA |
| BK23BP | 20 | N/A | 6.438" | 3.25" | 1.0" | KA-BAR/BKandT | 5Cr15 SS | 0.125" | hollow | 18° | 57-59 | N/A | 5Cr15 SS | BK23S | CHINA |
| BK62 | 20 | 0.4 | 9.688" | 5.125" | 1.25 | KA-BAR/BKandT | 1095 Cro-Van | 0.158" | flat | N/A | 56-58 | N/A | Walnut | BK62S | USA |
| EK13 | 14 | 0.55 | 12.5" | 6.5" | 0.938" | KA-BAR/EK | 440C SS | 0.154" | flat | 20° | 55-58 | N/A | Walnut | EK13S | USA |
| EK44 | 14 | 0.65 | 12.75" | 6.625" | 1.125" | KA-BAR/EK | 1095 Cro-Van | 0.154" | flat | 20° | 56-58 | N/A | Glass Filled Nylon | EK43S | USA |
| EK45 | 14 | 0.65 | 13" | 6.875" | 1.25" | KA-BAR/EK | 1095 Cro-Van | 0.154" | flat | 20° | 56-58 | N/A | Glass Filled Nylon | EK45S | USA |
| 1118BP | 8 | N/A | 6.125" | 2.5" | 0.75" | KA-BAR | 5Cr15 SS | 0.125" | hollow | 18° | 57-59 | N/A | 5Cr15 SS | 1118S | CHINA |
| 1120 | 11 | 1.25 | 15.625" | 10.25" | 2.0625" | KA-BAR/ThunderHorse | 1095 Cro-Van | 0.195" | N/A | N/A | 57-58 | N/A | 1095 Cro-Van | N/A | USA |
| 1211 | 8 | 0.7 | 11.75" | 7" | 1.188" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 1211S | USA |
| 1212 | 8 | 0.7 | 11.75" | 7" | 1.188" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 1211S | USA |
| 1213 | 8 | 0.7 | 11.75" | 7" | 1.188" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 1216S | USA |
| 1214 | 8 | 0.7 | 11.75" | 7" | 1.188" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 1216S | USA |
| 1215 | 12 | 0.7 | 11.875" | 7" | 1.188" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1217S | USA |
| 1217 | 4 | 0.7 | 11.875" | 7" | 1.188" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1217S | USA |
| 1217EWS | 15 | 0.9 | 12.313" | 7" | 1.25" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Aluminum | 1217EWS | USA |
| 1218 | 4 | 0.7 | 11.875" | 7" | 1.188" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1217S | USA |
| 1219 | 4 | 0.7 | 11.875" | 7" | 1.188" | U.S. ARMY | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1220S | USA |
| 1220 | 5 | 0.7 | 11.875" | 7" | 1.188" | U.S. ARMY | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1220S | USA |
| 1225 | 5 | 0.7 | 11.875" | 7" | 1.188" | USN | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1225S | USA |
| 1226 | 32 | 0.1 | 7" | 3.625" | 0.531" | KA-BAR | DIN 1.4116 SS | 0.094" | hollow | N/A | 55-57 | N/A | Leather | 1226S | TAIWAN |
| 1232 | 32 | 0.2 | 8.125" | 4.13" | 0.656" | KA-BAR | DIN 1.4116 SS | 0.11" | hollow | N/A | 55-57 | N/A | Leather | 1232S | TAIWAN |
| 1233 | 32 | 0.2 | 8.25" | 4.375" | 0.938" | KA-BAR | DIN 1.4116 SS | 0.11" | hollow | N/A | 55-57 | N/A | Leather | 1233S | TAIWAN |
| 1234 | 32 | 0.2 | 7.25" | 3.25" | 1.438" | KA-BAR | DIN 1.4116 SS | 0.11" | hollow | N/A | 55-57 | N/A | Leather | 1234S | TAIWAN |
| 1235 | 32 | 0.45 | 10.75" | 5.875" | 1.125" | KA-BAR | DIN 1.4116 SS | 0.125" | hollow | N/A | 55-57 | N/A | Leather | 1235S | TAIWAN |
| 1236 | 32 | 0.45 | 11.813" | 6.938" | 1.188" | KA-BAR | DIN 1.4116 SS | 0.125" | hollow | N/A | 55-57 | N/A | Leather | 1236S | TAIWAN |
| 1245 | 8 | 0.7 | 12.813" | 8" | 1.188" | USA | 1095 Cro-Van | 0.165" | hollow | 20° | 56-58 | N/A | Black Kraton G [®] | 1245S | USA |

| Item # | Page | Bulk Weight* | Overall/Open Length | Blade Length | Blade Width | Blade Stamp | Steel | Thickness | Grind | Angle | HRC | Lock | Handle | Sheath | Mft'd |
|-------------|-----------|--------------|---------------------|--------------|----------------|---------------------|---------------------|---------------|-------------|------------|--------------|------------------|-----------------------------|--------------|---------------|
| 1248 | 33 | 1.1 | 16.5" | 11" | 2.375" | KA-BAR | 5K5 | 0.165" | hollow | N/A | 52-54 | N/A | TPR | 1248S | TAIWAN |
| 1249 | 33 | 1.3 | 17" | 11.5" | 3.5" | KA-BAR | 5K5 | 0.165" | hollow | 22° | 52-54 | N/A | TPR | 1249S | TAIWAN |
| 1250 | 5 | 0.4 | 9.5" | 5.25" | 0.906" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1250S | USA |
| 1251 | 5 | 0.4 | 9.5" | 5.25" | 0.906" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1251S | USA |
| 1252 | 6 | 0.4 | 9.25" | 5.25" | 0.906" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1250S | USA |
| 1254 | 9 | 0.4 | 9.375" | 5.25" | 0.906" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 1256S | USA |
| 1255 | 9 | 0.4 | 9.375" | 5.25" | 0.906" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 1256S | USA |
| 1256 | 9 | 0.4 | 9.25" | 5.25" | 0.906" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 1256S | USA |
| 1257 | 10 | 0.4 | 9.25" | 5.25" | 0.906" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 1256S | USA |
| 1258 | 9 | 0.4 | 9.25" | 5.25" | 0.906" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 5016S | USA |
| 1259 | 10 | 0.4 | 9.25" | 5.25" | 0.906" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 5016S | USA |
| 1261 | 6 | 0.4 | 9.25" | 5.25" | 0.906" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1251S | USA |
| 1271 | 10 | 0.75 | 12.813" | 8" | 1.50" | USA | 1095 Cro-Van | 0.165" | hollow | 20° | 56-58 | N/A | Black Kraton G [®] | 1271S | USA |
| 1278 | 33 | 1.05 | 12.25" | 6.75" | 2.438" | KA-BAR | 5K5 | 0.25" | flat | N/A | 52-54 | N/A | TPR | 1278S | TAIWAN |
| 1280 | 10 | 0.9 | 13.5" | 8.5" | 2.625" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 1280S | USA |
| 1281 | 10 | 0.75 | 12" | 7" | 1.188" | USA | D2 | 0.175" | flat | 20° | 59-60CR | N/A | Black Kraton G [®] | 8017S | USA |
| 1282 | 10 | 0.75 | 12" | 7" | 1.188" | USA | D2 | 0.175" | flat | 20° | 59-60CR | N/A | Black Kraton G [®] | 1216S | USA |
| 1283 | 11 | 0.75 | 12" | 7" | 1.188" | USA | D2 | 0.175" | flat | 20° | 59-60CR | N/A | Black Kraton G [®] | 1211S | USA |
| 1300 | 31 | 0.35 | 6.625" | 3" | 0.563" | KA-BAR | 3Cr13 SS | 0.078" | flat | 25° | 52-54 | Lock Back | 3Cr13 SS | 1300S | CHINA |
| 1317 | 6 | 0.7 | 12" | 7" | 1.188" | KA-BAR/Dog's Head | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1317S | USA |
| 1320 | 6 | 0.7 | 11.875" | 7" | 1.188" | KA-BAR | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1217I | USA |
| 1477CB | 24 | 0.2 | 5.625" | 2.313" | 1.25" | KA-BAR/TDI | AUS 8A SS | 0.125" | hollow | 15° | 57-59CR | N/A | Coyote Brown Zytel® | 1477CBS | TAIWAN |
| 1478BP | 24 | 0.15 | 3.625" | 1.75" | 0.75" | KA-BAR/TDI | 9Cr18 SS | 0.078" | flat | 18° | 58-59CR | N/A | 9Cr18 SS | 1478S | TAIWAN |
| 1480 | 24 | 0.2 | 5.625" | 2.313" | 1.25" | KA-BAR/TDI | AUS 8A SS | 0.125" | hollow | N/A | 57-59CR | N/A | Black Zytel® | 1480S | TAIWAN |
| 1481 | 24 | 0.2 | 5.625" | 2.313" | 1.25" | KA-BAR/TDI | AUS 8A SS | 0.125" | hollow | N/A | 57-59CR | N/A | Black Zytel® | 1480S | TAIWAN |
| 1482 | 24 | 0.4 | 7.75" | 3.688" | 1.25" | KA-BAR/TDI | AUS 8A SS | 0.188" | hollow | N/A | 57-59CR | N/A | Black Zytel® | 1482S | TAIWAN |
| 1485 | 25 | 0.4 | 7.75" | 3.688" | 1.25" | KA-BAR/TDI | AUS 8A SS | 0.188" | hollow | 15° | 57-59CR | N/A | Black Zytel® | 1482S | TAIWAN |
| 2211 | 11 | 0.9 | 14.25" | 9.25" | 1.75" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 2211S | USA |
| 2217 | 6 | 0.9 | 14.25" | 9.25" | 1.75" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 2217S | USA |
| 2221 | 11 | 0.5 | 9.25" | 5" | 1.125" | USN | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G [®] | 2221S | USA |
| 2225 | 6 | 0.5 | 9.375" | 5" | 1.125" | USN | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 2225S | USA |
| 2485 | 26 | 0.35 | 7.25" | 3.563" | 1.25" | KA-BAR/TDI/Hinderer | 1095 Cro-Van | 0.188" | flat | 20° | 56-58 | N/A | Black Zytel® | 2485S | USA |
| 2486 | 26 | 0.35 | 7.25" | 3.563" | 1.25" | KA-BAR/TDI/Hinderer | 1095 Cro-Van | 0.188" | hollow | 20° | 56-58 | N/A | Black Zytel® | 2486S | USA |
| 2490 | 25 | 0.3 | 8.25" | 3.5" | 1.0625" | KA-BAR/TDI | AUS 8A SS | 0.125" | flat | 18° | 52-54 | FrameLock | G10 | N/A | TAIWAN |
| 3050 | 28 | 0.45 | 9.125" | 3.875" | 1.125" | KA-BAR | AUS 8A SS | 0.125" | hollow | 20° | 57-59CR | Lock Back | Black Zytel® | 3050S | TAIWAN |
| 3051 | 28 | 0.45 | 9.125" | 3.875" | 1.125" | KA-BAR | AUS 8A SS | 0.125" | hollow | 20° | 57-59CR | Lock Back | Black Zytel® | 3050S | TAIWAN |


KA-BAR® PRODUCT SPECIFICATION CHART

New items are noted in bold • "Weight" indicates bulk knife weight in pounds. Does not include sheath or packaging. • Blade Width is measured at widest point of blade. • Blade thicknesses noted are +/- .003 to .006. Clean-made US products were measured before processing. • Cro-Van = Chrome Vanadium • SS = stainless steel • CR = Cryogenically quenched stainless steel • TPR = Thermoplastic resin CP or Clam Pack = plastic shell packaging for hanging merchandise. • BP or Blister Pack = cardboard backing with clear front for hanging merchandise.


| Item # | Page | Bulk Weight* | Overall/Open Length | Blade Length | Blade Width | Blade Stamp | Steel | Thickness | Grind | Angle | HRC | Lock | Handle | Sheath | Mft'd |
|---------------|-----------|--------------|---------------------|--------------|---------------|----------------------|------------------|---------------|---------------|------------|----------------|-------------------|-------------------------|------------|---------------|
| 3053 | 28 | 0.45 | 9.125" | 3.875" | 1.125" | KA-BAR | AUS 8A SS | 0.125" | hollow | 20° | 57-59CR | Lock Back | Desert Zytel® | 3052S | TAIWAN |
| 3062 | 28 | 0.6 | 9.25" | 3.938" | 1.063" | KA-BAR | 420 SS | 0.125" | hollow | 15° | 52-54 | Lock Back | G10 | N/A | CHINA |
| 3063 | 28 | 0.6 | 9.25" | 3.938" | 1.063" | KA-BAR | 420 SS | 0.125" | hollow | 15° | 52-54 | Lock Back | G10 | N/A | CHINA |
| 3064 | 29 | 0.6 | 9.25" | 3.938" | 1.063" | KA-BAR | 420 SS | 0.125" | hollow | 15° | 52-54 | Lock Back | G10 | N/A | CHINA |
| 3065 | 29 | 0.6 | 9.25" | 3.938" | 1.063" | KA-BAR | 420 SS | 0.125" | hollow | 15° | 52-54 | Lock Back | G10 | N/A | CHINA |
| 3066 | 30 | 0.3 | 8.188" | 3.5" | 1.063" | KA-BAR | 5Cr15 SS | 0.138" | hollow | N/A | 53-56 | Liner Lock | G10 | N/A | CHINA |
| 3072 | 30 | 0.3 | 7.563" | 3" | 1.125" | KA-BAR | 420 SS | 0.11" | hollow | N/A | 52-54 | Liner Lock | G10 | N/A | CHINA |
| 3073 | 30 | 0.3 | 7.563" | 3" | 1.125" | KA-BAR | 420 SS | 0.11" | hollow | N/A | 52-54 | Liner Lock | G10 | N/A | CHINA |
| 3074 | 30 | 0.3 | 7.563" | 3" | 1.063" | KA-BAR | 420 SS | 0.11" | hollow | N/A | 52-54 | Liner Lock | G10 | N/A | CHINA |
| 3075 | 30 | 0.3 | 7.563" | 3" | 1.063" | KA-BAR | 420 SS | 0.11" | hollow | N/A | 52-54 | Liner Lock | G10 | N/A | CHINA |
| 3076 | 31 | 0.3 | 8.5" | 3.625" | 1.125" | KA-BAR | 420 SS | 0.11" | hollow | N/A | 50-52CR | Liner Lock | G10 | N/A | CHINA |
| 3077 | 31 | 0.4 | 8.875" | 3.875" | 1.375" | KA-BAR | 420 SS | 0.11" | hollow | N/A | 50-52CR | Liner Lock | G10 | N/A | CHINA |
| 3078 | 31 | 0.3 | 7.875" | 3.5" | 1.125" | KA-BAR | 420 SS | 0.11" | hollow | N/A | 50-52CR | Liner Lock | G10 | N/A | CHINA |
| 3079 | 31 | 0.25 | 6.875" | 2.875" | 0.938" | KA-BAR | 420 SS | 0.11" | hollow | N/A | 50-52CR | Liner Lock | G10 | N/A | CHINA |
| 3085 | 30 | 0.45 | 9" | 3.75" | 1.25" | KA-BAR | 5Cr15 SS | 0.115" | hollow | N/A | 53-56 | Liner Lock | G10 | N/A | CHINA |
| 3189 | 31 | 0.35 | 8.875" | 3.875" | 0.781" | KA-BAR | 5Cr15 SS | 0.1" | hollow | N/A | 52-54 | Lock Back | G10 | N/A | CHINA |
| 4062 | 26 | 0.15 | 7.25" | 3" | 0.875" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | Black Zytel® | N/A | TAIWAN |
| 4062BL | 27 | 0.15 | 7.25" | 3" | 0.875" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | Blue Zytel® | N/A | TAIWAN |
| 4062BO | 27 | 0.15 | 7.25" | 3" | 0.875" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | Blaze Orange Zytel® | N/A | TAIWAN |
| 4062CB | 27 | 0.15 | 7.25" | 3" | 0.875" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | Coyote Brown Zytel® | N/A | TAIWAN |
| 4062FG | 27 | 0.15 | 7.25" | 3" | 0.875" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | Foliage Green Zytel® | N/A | TAIWAN |
| 4062GY | 27 | 0.15 | 7.25" | 3" | 0.875" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | Gray Zytel® | N/A | TAIWAN |
| 4062PK | 27 | 0.15 | 7.25" | 3" | 0.875" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | Pink Zytel® | N/A | TAIWAN |
| 4062RD | 27 | 0.15 | 7.25" | 3" | 0.875" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | Red Zytel® | N/A | TAIWAN |
| 4062ZG | 27 | 0.15 | 7.25" | 3" | 0.875" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | ZK Green Zytel® | N/A | TAIWAN |
| 4065 | 27 | 0.15 | 7.25" | 3" | 1.0" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | Black Zytel® | N/A | TAIWAN |
| 4072 | 27 | 0.05 | 5.75" | 2.38" | 0.688" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | Black Zytel® | N/A | TAIWAN |
| 4072ZG | 27 | 0.05 | 5.75" | 2.38" | 0.688" | KA-BAR/DOZIER | AUS 8A SS | 0.11" | hollow | N/A | 56-58CR | Lock Back | ZK Green Zytel® | N/A | TAIWAN |
| 4073BP | 27 | 0.10 | 6.375" | 2.75" | 0.813" | KA-BAR/DOZIER | 5Cr15 SS | 0.125" | hollow | 18° | 57-59 | N/A | 5Cr15 SS | 4073S | CHINA |
| 5011 | 11 | 0.65 | 11.75" | 7" | 1.188" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Foliage Green Kraton G® | 5011S | USA |
| 5012 | 11 | 0.65 | 11.75" | 7" | 1.188" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Foliage Green Kraton G® | 5011S | USA |
| 5017 | 4 | 0.65 | 11.875" | 7" | 1.188" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1216S | USA |
| 5018 | 4 | 0.65 | 11.875" | 7" | 1.188" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1216S | USA |
| 5019 | 4 | 0.65 | 11.875" | 7" | 1.188" | U.S. ARMY | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1216S | USA |
| 5020 | 5 | 0.65 | 11.875" | 7" | 1.188" | U.S. ARMY | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1216S | USA |
| 5025 | 5 | 0.65 | 11.875" | 7" | 1.188" | USN | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1216S | USA |
| 5054 | 9 | 0.35 | 9.25" | 5.13" | 0.906" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G® | 5016S | USA |

| Item # | Page | Bulk Weight* | Overall/Open Length | Blade Length | Blade Width | Blade Stamp | Steel | Thickness | Grind | Angle | HRC | Lock | Handle | Sheath | Mft'd |
|-------------|-----------|--------------|---------------------|---------------|---------------|--------------------------|---------------------|----------------|---------------|------------|--------------|------------------|-----------------|--------------|---------------|
| 5055 | 9 | 0.35 | 9.25" | 5.13" | 0.906" | USA | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Black Kraton G® | 5016S | USA |
| 5101 | 35 | 0.15 | 6.9" | 3.5" | 1.0" | KA-BAR/Snody | S35VN SS | 0.125" | flat | 20° | 58-62 | N/A | Zytel® | 5101S | USA |
| 5102 | 35 | 0.4 | 9" | 4.563" | 1.563" | KA-BAR/Snody | S35VN SS | 0.188" | flat | 20° | 58-62 | N/A | Zytel® | 5102S | USA |
| 5103 | 35 | 0.1 | 6.5" | 2.313" | 1.0" | KA-BAR/Snody | S35VN SS | 0.125" | hollow | 20° | 58-62 | N/A | S35VN SS | 5103S | USA |
| 5599BP | 34 | 0.05 | 6" | 2.5" | 0.813" | KA-BAR/"A" | 5Cr15 SS | 0.11" | flat | 18° | 52-54 | N/A | 5Cr15 SS | 5599S | CHINA |
| 5600 | 34 | 1.1 | 13.125" | 7.625" | 1.75" | KA-BAR/"A" | 1095 Cro-Van | 0.25" | flat | 20° | 56-58 | N/A | GFN-PA66 | 5600S | USA |
| 5602 | 34 | 0.25 | 8" | 4" | 1.125" | KA-BAR/"A" | 440A SS | 0.188" | hollow | 20° | 55-58 | N/A | GFN-PA66 | 5602S | USA |
| 5603 | 35 | 1.3 | 19.625" | 14.125" | 1.875" | KA-BAR/"A" | 1095 Cro-Van | 0.188" | flat | 20° | 56-58 | N/A | GFN-PA66 | 5603S | USA |
| 5604 | 34 | 0.25 | 8" | 4.094" | 1.0" | KA-BAR/"A" | 440A SS | 0.188" | hollow | 20° | 55-58 | N/A | GFN-PA66 | 5602S | USA |
| 5699BP | 36 | 0.05 | 6.375" | 3.125" | 0.719" | KA-BAR/ZK | 5Cr15 SS | 0.11" | hollow | 18° | 52-54 | N/A | 5Cr15 SS | 5699S | CHINA |
| 5700 | 36 | 0.95 | 13" | 7.5" | 1.438" | KA-BAR/ZK/USA | 1095 Cro-Van | 0.188" | flat | 20° | 56-58 | N/A | GFN-PA66 | 5700S | USA |
| 5701 | 36 | 0.95 | 15.25" | 9.688" | 1.5" | KA-BAR/ZK/USA | 1095 Cro-Van | 0.188" | flat | 20° | 56-58 | N/A | GFN-PA66 | 5701S | USA |
| 5702 | 36 | 1 | 15.75" | 10.25" | 1.625" | KA-BAR/ZK/USA | 1095 Cro-Van | 0.188" | flat | 20° | 56-58 | N/A | GFN-PA66 | 5701S | USA |
| 5705 | 36 | 1.6 | 15.5" | 9.75" | 2.875" | KA-BAR/ZK/USA | 1095 Cro-Van | 0.25" | flat | 20° | 56-58 | N/A | GFN-PA66 | 5705S | USA |
| 5706 | 36 | 1.6 | 18" | 12.5" | 2.5" | KA-BAR/ZK/USA | 1095 Cro-Van | 0.25" | flat | 20° | 56-58 | N/A | GFN-PA66 | 5706S | USA |
| 7001BP | 22 | 0.10 | 6" | 2.38" | 0.813" | KA-BAR/Jarosz | 5Cr15 SS | 0.125" | hollow | 18° | 57-59 | N/A | 5Cr15 SS | 7001S | CHINA |
| 7502 | 22 | 0.35 | 7.75" | 3.5" | 1.188" | KA-BAR/Jarosz | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Ultramid® | 7502S | USA |
| 7503 | 23 | 0.75 | 11.5" | 6.25" | 1.563" | KA-BAR/Jarosz | 1095 Cro-Van | 0.188" | flat | 20° | 56-58 | N/A | Ultramid® | 7503S | USA |
| 7505 | 23 | 0.35 | 8.125" | 3.5" | 1.125" | KA-BAR/Jarosz | AUS 8A SS | 0.15" | hollow | 15° | 56-58 | Liner Lock | GFN | N/A | TAIWAN |
| 7506 | 23 | 0.30 | 8.125" | 3.5" | 1.063" | KA-BAR/Jarosz | AUS 8A SS | 0.15" | hollow | 15° | 56-58 | Liner Lock | GFN | N/A | TAIWAN |
| 7507 | 23 | 1.0 | 15.25" | 9.38" | 1.688" | KA-BAR/Jarosz | 1095 Cro-Van | 0.188" | flat | 20° | 56-58 | N/A | Ultramid® | 7507S | USA |
| 7508 | 23 | 0.30 | 8.375" | 3.375" | 1.25" | KA-BAR/Jarosz | AUS 8A SS | 0.1455" | hollow | N/A | 57-59 | FrameLock | G10 | N/A | TAIWAN |
| 7509 | 23 | 0.30 | 8.5" | 3.5" | 1.25" | KA-BAR/Jarosz | AUS 8A SS | 0.1455" | hollow | N/A | 57-59 | FrameLock | G10 | N/A | TAIWAN |
| 9127 | 13 | 0.7 | 11.875" | 7" | 1.188" | U.S. ARMY | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1220S | USA |
| 9128 | 13 | 0.7 | 11.875" | 7" | 1.188" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1217S | USA |
| 9131 | 13 | 0.7 | 11.875" | 7" | 1.188" | USN | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1225S | USA |
| 9139 | 13 | 0.7 | 11.875" | 7" | 1.188" | U.S. ARMY | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1220S | USA |
| 9140 | 13 | 0.7 | 11.875" | 7" | 1.188" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1217S | USA |
| 9141 | 13 | 0.7 | 11.875" | 7" | 1.188" | USN | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1225S | USA |
| 9168 | 12 | 0.7 | 11.875" | 7" | 1.188" | U.S. ARMY | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1220S | USA |
| 9169 | 12 | 0.7 | 11.875" | 7" | 1.188" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1217S | USA |
| 9170 | 12 | 0.7 | 11.875" | 7" | 1.188" | USN | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1225S | USA |
| 9190 | 16 | 0.7 | 11.875" | 7" | 1.188" | U.S. ARMY | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1220S | USA |
| 9191 | 16 | 0.7 | 11.875" | 7" | 1.188" | USMC | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1217S | USA |
| 9192 | 16 | 0.7 | 11.875" | 7" | 1.188" | USN | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1225S | USA |
| 9193 | 16 | 0.7 | 12" | 7" | 1.188" | KA-BAR/Dog's Head | 1095 Cro-Van | 0.165" | flat | 20° | 56-58 | N/A | Leather | 1317S | USA |
| 9908 | 29 | 0.15 | 5.5" | 2.75" | 1.438" | KA-BAR/TDI | N/A | 0.363" | N/A | N/A | N/A | N/A | Ultramid® | Ultramid® | USA |


KA-BAR® PRODUCT OVERVIEW AND SIZE COMPARISON CHART



KA-BAR® PRODUCT OVERVIEW AND SIZE COMPARISON CHART



KA-BAR® PRODUCT OVERVIEW AND SIZE COMPARISON CHART



KA-BAR® PRODUCT OVERVIEW AND SIZE COMPARISON CHART



CARE, STORAGE AND SHARPENING

Care for Your KA-BAR
Wipe blades after use with a dry, soft cloth. If knives are exposed to salt water, wash with mild dish detergent, rinse with tap water, then wipe with a dry, soft cloth.

Storing
Treat blade with a light coating of mineral oil before storing in a dry area separate from its sheath. If possible, store in paper sleeve provided with the knife at purchase.

Sharpening
Keep knives sharp by touching up edges as needed. Most KA-BAR® knives can be sharpened using an Arkansas stone or commonly available sharpening system. Most knives can easily be touched up using a coarse or hard stone.

When bringing back a very dull edge, a coarse or hard stone should be used first, followed by a finer, softer stone. Knives made with D2 steel require diamond or ceramic sharpeners. Knives should at no time be sharpened on a belt sander or bench grinder. These machines ruin a factory-sharpened edge.