## LIGHTING ADVENTURE SINCE 1970



#### 

## **KC VISION**

To create performance lighting products that drive life's adventures.

## KC MISSION & HISTORY

Our mission is to bring performance built, rigorously tested lighting products to consumers all over the world. We are committed to putting ingenuity, quality and value at the heart of every product we create while delivering a very personal level of customer service and support.

We are obsessed with thinking beyond what is possible and a passion to create the impossible. Our teams push each other to innovate and evolve all without losing focus on keeping it simple for our customers. Since 1969 KC has seen a perpetual evolution of people, process and product but we hustle everyday like it was the first when our founder, Pete Brown, created the Daylighter<sup>®</sup> out of a need for safety to see in the dark. We create performance lighting solutions that drive life's adventures.

# PRODUCTS









## LED Lights 😆

- **08** KC FLEX<sup>™</sup> LEDS
- 12 Gravity<sup>®</sup> LEDS
- **18** LED Headlights
- **19** LED Fog Lights
- C-Series LEDS 20
- 24 LZR LEDS
- Cyclone LEDS 25

## Halogen Lights 😆

- 28 Apollo Pro
- Daylighter® 30
- 32 Headlights
- **33** Rally 400
- 33 SlimLite®

### Vehicle Specific 😆 Systems

- **36** UTV Systems
- Jeep Systems 38
- Jeep Headlights 40
- Jeep Rock Light Kits 42
- Truck Systems 44
- 45 Mounts Bars &
  - Universal Mounts

## Accessories >

- 48 Flashlights
- **Covers & Shields** 48
- Replacement Parts 50
- **50** Dealer Displays

With over 40 years of lighting design, engineering and manufacturing experience KC leads the industry in offering the most diverse lighting selection available. We offer a full selection of lighting solutions across price, performance and features.



An LED is a semiconductor based light source. They are considered to be a form of solid state lighting (which means it doesn't rely on incandescence, instead using electroluminescence). LEDs have many advantages over traditional incandescent lights such as lower energy consumption, longer life, smaller size, increased physical resistance and are switched/powered digitally.



Advancing beyond Halogen, High-intensity discharge produces a lot more light and is much more power efficient. HID bulbs have no filament but instead tungsten electrodes. These electrodes are sealed in a guartz tube which is filled with both gas (usually Xenon) and various metal salts which produce an extremely intense light when ignited.

## HALOGEN 🔒

To overcome inefficiencies of standard incandescent light bulbs, halogen technology was created. Halogen bulbs are a form of incandescent light but uses a tungsten filament instead. This allows halogen to be brighter than standard incandescent lights.

KC beam patterns are designed from the ground up drawing from real world user application needs. Depending on the variables like distance, speed, terrain and weather, our beam patterns are engineered to address the visibility challenges customers face across a variety of environments.


## » OFF-ROAD :

### SPOT BEAM

, 	1	
1	1	
	1	

» Focused light prioritizing maximum distance and illumination needed at high speeds applications or remote areas.


### SPREAD BEAM



prioritizes horizontal, peripheral visibility and clarity.



### DRIVING BEAM



» Provides a rectangular shaped beam pattern designed to supplement primary headlight visibility, safely. Driving Beams meet street legal SAE and ECE standards.






### FLOOD BEAM




» Flood beams create an Omni-directional beam of light that illuminates larger general areas ideal for use as area work lights and backup lights.

### COMBO BEAM



Combination of different optics **>>** creating a beam that has a balance of distance and width.

### WIDE-40 BEAM



» A 40 degree wide beam with an effective cut-off designed to significantly increase visibility while cornering.



### FOG BEAM

	I	I	
I I	I	I	I
i i	I	l	l
1	1	1	

» Extremely Wide and Low pattern that prioritizes lower ground visibility used with primary headlights. Fog beams meet street legal SAE and ECE standards.



KC LEDs are designed to maximize output while minimizing power draw. Our Performance LED lights are powered by Cree® LEDs, engineered with quality electronic components and designed with the best-of-breed features. KC LED Lights feature solid state rigidity, efficient energy consumption, longer life, compact form factor and are switched & powered digitally.



price, performance and features.



## 

FLEX your lighting possibilities with KC's NEW modular and expandable high performance LED lighting platform. KC's unique FLEX LEDs offer powerful lighting performance plus custom personalization never before available. Available in Single, Dual, and Quad models shown here.




Vehicle

FLEX LED » Dual & 50" Array




- > Precision Reflector Optics
- > IP68 Rated Die-Cast Aluminum Housings
- > Protected Against EMI Interference
- > Systems include switch & wiring harness with waterproof connectors



FLEX (	Juad
--------	------


Pattern	Beam Watts	Amp Draw	Lumens	LUX @10M	Width	Height	Depth
Spread	10	1.0	975	170	2.45"	2.55"	2.87"
Spot	10	1.0	975	250	2.45"	2.55"	2.87"
Spot	20	2.0	1,950	500	4.45"	2.45"	3.25"
Spread	20	2.0	1,950	350	4.45"	2.45"	3.25"
Combo	20	4.0	3,900	800	4.45"	4.55"	3.25"



## ARRAY LIGHT BARS

10", 20", 30", 40", and 50" KC FLEX™ LED Array light bars feature a modular design that allows users to join them together using special connectors to expand the width or stack them to create infinite configurations. 10" FLEX LED Array light bars are available in a choice of Spot, or Combo Beam patterns while the 20", 30", 40", and 50" FLEX LED Array light bars come in Combo Beam patterns. Vehicle

See page



FLEX LED » Quad & 30" Array /


#### FLEX LED » Dual & 50" Array /

## **FEATURES** ≈

- > KC's unique FLEX™ LED Power Bar provides a power pass through so you can connect multiple FLEX LED Array light bars together with only one power lead
- > 5,700K Color Temperature
- > 50,000 Hour LED Life

## SPECIFICATIONS ≈

» Colored Bezels in Gold Black, Red & Blue



Light Bar Beam Model/Description System Pattern 10" FLEX LED Array 273 Spot 10" FLEX LED Array Combo 275 274 20" FLEX LED Array Combo 30" FLEX LED Array 276 Combo 277 40" FLEX LED Array Combo 278 50" FLEX LED Array Combo \* \*Specifications are per light

## **BEAM PATTERNS** ≈





#12724 "Linker Kit" allows the FLEX light bars to be connected end-to-end to create any desired configuration

>

UN

0,000


- > Precision Reflector Optics
- > IP68 Rated Die-Cast Aluminum Housings
- > Protected Against EMI Interference

> Systems include switch & wiring harness with waterproof connectors

» Additional KC FLEX Accessories See page 49

FLEX LED » 10" Array

Watts	Amp Draw	Lumens	LUX @10M	А	В	С
50	5.0	4,875	1,200	11.37"	2.00"	3.25"
50	5.0	4,875	1,200	11.37"	2.00"	3.25"
100	10.0	9,750	1,900	21.37"	2.00"	3.25"
150	15.0	14,625	2,700	31.37"	2.00"	3.25"
200	20.0	19,500	3,700	41.37"	2.00"	3.25"
250	25.0	24,375	4.400	51.37"	2.00"	3.25"



## GRAVITY<sup>®</sup> LED PRO

KC's new Pro6 LED Light Bar is an LED off-road lighting system unlike any you've seen before. The Pro6 is engineered to take lighting visibility to new heights while being configurable and modular. All Pro6 LED Light Bars are priced with vehicle specific mounting kits.






UTV pecific Mou See page 36




Pro6 » Singles



Pro6 » Straight










## **FEATURES** ≈

- > Powered by Gravity<sup>®</sup> LED G6 optical inserts
- > Precision Reflector Optics
- > Aluminum Housing & Polycarbonate Lens
- > 50,000 Hour LED Life
- > Precision Reflector Optics

SPECIFICATIONS ≈



Pro6 LED » Light Bar


Pair Pack System	Single Light	Pattern	Bea Lum
Gravity LE	D Pro6 Singl	e	
91301	91300	Spot	2,3
91303	91302	Driving	2,3
91305	91304	Wide-40	2,3
Light Bar System	Mode	/Description	Beam Pattern
Growity LE		Light Bon	

Gravity LE	D Prob LED Light Bar								
91306	Universal - 5 Ring LED Light Bar	Combo	11,500	100W	8.15	420,000	32.87"	6.00"	3.32"
91307	Universal - 6 Ring LED Light Bar	Combo	13,800	120W	9.78	515,000	39.12"	6.00"	3.32"
91308	Universal - 8 Ring LED Light Bar	Combo	18,400	160W	13.04	670,000	51.62"	6.00"	3.32"
91311	F150 - 8 Ring LED Light Bar Kit	Combo	18,400	160W	13.04	670,000	51.62"	6.00"	3.32"
91312	Jeep TJ - 8 Ring LED Light Bar Kit	Combo	18,400	160W	13.04	500,000	51.62"	6.00"	3.32"
91313	Jeep JK - 8 Ring LED Light Bar Kit	Combo	18,400	160W	13.04	500,000	51.62"	6.00"	3.32"
91314	Universal - 7 Ring LED Light Bar	Combo	16,100	140W	11.41	610,000	45.38"	6.00"	3.32"
91315	Universal - 9 Ring LED Light Bar	Combo	20,700	180W	14.67	720,000	57.88"	6.00"	3.32"
91331	Tacoma - 8 Ring LED Light Bar Kit	Combo	18,400	160W	13.04	670,000	51.62"	6.00"	3.32"
* *Universal L	ght Bars do NOT include mounts								

## **BEAM PATTERNS** ≈



- > Pro6 Bar adjust from Radius to Straight & Hybrid Radius
- > Customize beam pattern by rotating optical inserts
- > Pro6 Singles have a unique XYZ ball joint mounting system for maximum adjustment



## **GRAVITY**<sup>®</sup> LED G34 **FEATURES** ≈

- > G34 features **SAE & ECE street legal** beam patterns designed with Cree<sup>®</sup> and Nichia LEDs
- > Precision Aluminum housing and reflector optics
- > Ideal for bumpers and A-Pillars. Includes harness, switch and mounting hardware
- > Available in Street Legal Driving, Fog & Wide-40 beam patterns

## **GRAVITY**<sup>®</sup> **LED G46 FEATURES** ≈

- > G46 features SAE & ECE street legal beam patterns designed with Cree® LEDs
- > Air cooled fin aluminum housing and polycarbonate lens






Gravity LED » G34

3.15"

## **SPECIFICATIONS** ≈



Lumens

Beam

Pattern



		Pair Packs include: 2 Lights with Wiring Harness and Swite							
	Watts	Amp Draw	Candela	Width	Height	Depth			
	16W	1.35	60,000	3.85"	3.80"	3.15"			
ľ									

431	1431	Driving	2,300	16W	1.35	60,000	3.85"	3.80"	3.15"		
432	1432	Fog	1,686	16W	1.35	11,000	3.85"	3.80"	3.15"		
433	1433	Wide-40	2,300	16W	1.35	13,000	3.85"	3.80"	3.15"		
	*Specifications are per light *Single Lights do NOT include wiring harness										

## **BEAM PATTERNS** ≈


#### FOG BEAM


Pair Pack Single

System Light

Gravity LED G34










## SPECIFICATIONS ≈



Pair Pack System	Single Light							
Gravity L	ED G46							
711	1711	Driving	2,300					
* *Specifications are per light								

\* \*Single Lights do NOT include wiring harness

## **BEAM PATTERNS** ≈



14

- > System includes wiring harness, switch, stone guards and mounting hardware for easy install
- > Available in a Street Legal Driving beam pattern



Gravity LED » G46



## **GRAVITY**<sup>®</sup> **LED DAYLIGHTER**<sup>®</sup> & **PRO-SPORT FEATURES** ≈

- > Patented GRD<sup>TM</sup> reflector optics technology > Daylighter<sup>®</sup> is available in Black or Stainless
- Steel housings > Adjustable mounts allow for easy light aiming for beam stability
- > Gravity LEDs available in Spot, Driving SAE/ECE street legal and Wide-40 patterns

Daylighter Also in Halogen See page 30




- > Carbon POD<sup>®</sup> with Gravity<sup>®</sup> LED G7 is KC's flagship performance off-road light in a spot beam pattern
- > Constructed from injection molded DuPont<sup>™</sup> Carbon Fiber housing



Gravity LED » Daylighter®



SPOT BEAM



Gravity LED » Pro-Sport

System	Light	Pattern	Finish	Lumens	Watts	Draw	Candela	Width	Height	Dept
Pair Pack	Single	Beam	Electrol.	1	10/	Amp	Ormalala		Listate	Dent

#### Gravity LED Daylighter

650	1650	Spot	Stainless	2,300	20W	1.63	215,000	6.22"	8.42"	5.38"
651	1651	Spot	Black	2,300	20W	1.63	215,000	6.22"	8.42"	5.38"
652	1652	Driving	Stainless	2,300	20W	1.63	131,000	6.22"	8.42"	5.38"
653	1653	Driving	Black	2,300	20W	1.63	131,000	6.22"	8.42"	5.38"


#### **Gravity LED Pro-Sport**

643	1643	Spot	Black Polymax	2,300	20W	1.63	215,000	6.22"	8.42"	5.38"
644	1644	Driving	Black Polymax	2,300	20W	1.63	131,000	6.22"	8.42"	5.38"
645	1645	Wide-40	Black Polymax	2,300	20W	1.63	39,000	6.22"	8.42"	5.38"

\* \*Specifications are per light \* \*Single Lights do NOT include wiring harness

## **BEAM PATTERNS** ≈


#### DRIVING BEAM







## SPECIFICATIONS ≈



Pair Pack System	Single Light	Beam Pattern	Lumens	Watts	Amp Draw	Candela	Width	Height	Depth
Gravity	LED Carbor	Pod							
9643	96431	Spot	4,904	40W	3.09	410,000	7.40"	8.43"	6.63"
* * Specifica	ations are per	r light							

\*\*Single Lights do NOT include wiring harness

## **BEAM PATTERNS** ≈



## **GRAVITY**<sup>®</sup> **LED CARBON POD**<sup>®</sup> **G7**

- > KC's Carbon POD<sup>®</sup> are fitted with an adjustable Rally Ring system for precise aiming
- > System includes harness, and 30A illuminated switch





Gravity LED » Carbon POD LED



## **GRAVITY<sup>®</sup> LED HEADLIGHTS FEATURES** ≈

- > All-new Gravity<sup>®</sup> LED 7" Headlight and Pro 7" Jeep JK Headlights are **DOT** Compliant
- > Features patented GRD<sup>™</sup> & GPO<sup>™</sup> reflector optics technology
- > High/Low beams with built-in DRL, and anti-flicker capacitors
- > \*\*Excludes 2017 Jeep JK: Rubicon, Sahara, or models fitted with OEM Mopar LED Headlights

## **GRAVITY**<sup>®</sup> **LED FOG LIGHTS FEATURES** ≈

- > Gravity<sup>®</sup> LED replacement Fog Light features SAE & ECE street legal fog beam pattern
- > Magnesium housing and clear Polycarbonate lens



Gravity LED » G4 for Jeep JK

SPECIFICATIONS ≈

Single

Light

1493

1494

1495

1496

1497

1498

n/a

n/a

\* \*Specifications are per light \* \*Single Lights do NOT include wiring harness

Gravity LED G4 Fog Lights

Beam

Pattern

Clear/Fog

Clear/Fog

Amber/Fog

Amber/Fog

Clear/Fog

Amber/Fog

Clear/Fog

Amber/Fog

Pair Pack

System

493

494

495

496

497

498

500

501

3.44"

0

G4 for Jeep JK

Application

Universal

Jeep JK 07-17

Universal

Jeep JK 07-17

Jeep JK 10-17

Jeep JK 10-17


Tacoma 12-16

Tacoma 12-16




Gravity LED » 7" Headlight


## SPECIFICATIONS ≈



7" Headlights



Gravity LED » Pro 7" Headlight




DOT STREET LEGAL


Pro	7"	Hear	llights
FIU	/	1 IEau	illyins

Pair Pac System	0	Model/ Description	Watts Low/High Beam	Amp Draw	Candela Low/High Beam	А	В	С	D	
Gravity	Gravity LED 7" Headlights									
42351	4235	Jeep JK (07-17)	18W/22W	1.80	41,500/77,500	7.00"	6.69"	3.72"	3.54"	
42361	4236	Jeep TJ (97-06)	18W/22W	1.80	41,500/77,500	7.00"	6.69"	3.72"	3.54"	
Gravity	LED Pro 7	7" Headlights								
42341	4234	Jeep JK (07-17)	18W/25W	1.88	40,000/70,000	7.00"	6.42"	5.09"	3.54	
* *Specific * *Single L	* *Specifications are per light * *Single Lights do NOT include wiring harness									

## **BEAM PATTERNS** ≈



**BEAM PATTERNS** ≈



**GRAVITY® LED** 


18

- > Available in Clear & Amber LEDs
- > Universal, Toyota & Jeep applications
- > System includes factory wire connectors and bracket for easy mounting





KC HiLiTES C-Series LED Light Bars feature bright and efficient Cree® LEDs with combo 12° Spot and 30° Spread reflectors. Available in 6"-50" widths, perfect for hoods, front bumper, and grille applications on Jeeps, Trucks, UTVs and more.






## **FEATURES** ≈

- > Light Bars Available in 6",10", 20", 30", 40" & 50" size models
- > Combo Beam: 12° Spot & 30° Spread
- > 50,000 Hour LED Life
- > 6000K Color Temperature

## SPECIFICATIONS $\approx$



Light Bar System	Model/ Description	Beam Pattern	Watts	Amp Draw	Lumens	А	В	С	D	E
C-SERIES LED Light Bars										
314	C6 - 6" LED Light Bar	Combo	36W	2.20	3,240	3.40"	3.09"	8.88"	7.38"	4.72"
334	C10 - 10" LED Light Bar	Combo	60W	3.60	5,400	3.40"	3.09"	12.88"	11.38"	4.72"
335	C2O - 20" LED Light Bar	Combo	120W	8.20	10,800	3.40"	3.09"	22.88"	21.38"	4.72"
336	C30 - 30" LED Light Bar	Combo	180W	12.00	16,200	3.40"	3.09"	32.88"	31.38"	4.72"
337	C40 - 40" LED Light Bar	Combo	240W	15.90	21,600	3.40"	3.09"	42.88"	41.38"	4.72"
338	C50 - 50" LED Light Bar	Combo	300W	19.75	27,000	3.40"	3.09"	52.88"	51.38"	4.72"

## **BEAM PATTERNS** ≈



> Die-Cast Mounting Brackets

- > End Caps with GORE® Vent Membranes for Extreme Resistance to Moisture and Dust > Operates on 9 to 32 Volts
- > Includes Wiring Harness with Waterproof Connectors

» Additional C-Series LED Accessories See page 48



KC HiLiTES 3" C3 LED features both Osram & Cree® LEDs in 8° Spot or 90° Flood beam patterns, inside an impact resistant die-cast aluminum design and durable Lexan lens. Also available in a Clear Backup System. Systems includes: (2) C3 LED lights with brackets and complete wiring harness.





C-Series LED » C3 /








## FEATURES ≈

- > 3" 12W C-Series C3 LED Lights
- > Spot or Flood Beams: 8° Spot & 90° Flood
- > 50,000 Hour LED Life
- > 6000K Color Temperature
- > Cree XBD LEDs for C3 Amber
- > Osram LEDs for C3 Clear


## $\text{SPECIFICATIONS} \approx$



Pair Pack System	Single Light	Beam Pattern	LED Color	Lumens	Watts	Amp Draw	Candela	Width	Height	Depth
C-Series L	ED C3 Ligh	its								_
330	1330	Spot	Clear	1,080	12W	1.0	39,000	3.22"	3.42"	3.14"
332	1332	Flood	Clear	1,080	12W	1.0	5,500	3.22"	3.42"	3.14"
315	1315	Spot	Amber	1,080	12W	1.0	12,000	3.22"	3.42"	3.14"
* * Specificatio	ons are per li	ght								

\* Single Lights do NOT include wiring harness

## BEAM PATTERNS ≈



- > On-Board Thermal Management for Efficiency
- > Amp Draw: 1.0A
- > Voltage: 9V-32V
- > Deluxe Wiring Harness
- > Die-Cast Mounting Brackets w/hardware
  - » Additional C-Series LED Accessories See pg 48

Pair Packs include: 2 Lights with Wiring Harness and Switch


## ZR LED 3" CUBE, FLUSH MOUNT & 4" ROUND **FEATURES** ≈

- > 3" LZR Cube LED Lights feature a 20W > Finned Turbine Die-Cast Aluminum Compact Square Face 3" Design with Polycarbonate Lens
- > 4" LZR Round LED Lights feature 24W forward Facing Reflector Optics
- Housing Design
- > Spread/Spot/Flood Beam Patterns
- > Voltage: 9V-36V



### LZR Series LED » 4" Round


#### SPECIFICATIONS $\approx$ 2.32







LZR Series LED » Flush Mount



Pair Pack System	Single Light	Beam Pattern	Lumens	Watts	Amp Draw	Candela	Width	Height	Depth			
LZR Serie	LZR Series - 4" Round LED											
300	1300	Spot	1,832	24W	1.95	20,000	4.00"	4.75"	2.32"			
LZR Serie	s - 3" Cube I	ED Flood & Spo	ot									
303	1303	Flood 60x60	1,952	20W	1.95	5,000	3.00"	3.90"	3.25"			
304	1304	Flood 40x40	1,952	20W	1.95	9,000	3.00"	3.90"	3.25"			
310	1310	Spot	1,952	20W	1.95	27,500	3.00"	3.90"	3.25"			
LZR Serie	s - Flush Mo	unt										
312	1312	Flood	900	10W	.90	1,200	3.00"	3.90"	2.56"			
* *Specificat	**Specifications are per light											

\*Single Lights do NOT include wiring harness

## **BEAM PATTERNS** ≈

#### FLOOD BEAM




	0	SPO	T BE	AM	
	-				




## **CYCLONE LEDS FEATURES** ≈

- > 5W 2.2" Multi-functional Accessory Light > Flood Beam Pattern
- > IP 68 Rated Waterproof Die-Cast Aluminum Housing
- > Available in 6 Lens Colors: Clear, Diffused, Amber, Red, Blue and Green




eyelene EE	E Eighte							
1350	Cyclone LED Light	Clear	Flood	5W	0.42	516	2.20"	0.53"
1351	Cyclone LED Light	Diffused	Flood	5W	0.42	516	2.20"	0.53"
1352	Cyclone LED Light	Amber	Flood	5W	0.42	516	2.20"	0.53"
1353	Cyclone LED Light	Red	Flood	5W	0.42	516	2.20"	0.53"
1354	Cyclone LED Light	Blue	Flood	5W	0.42	516	2.20"	0.53"
1355	Cyclone LED Light	Green	Flood	5W	0.42	516	2.20"	0.53"
354	Cyclone LED Universa	l Under Hood	d Lighting I	Kit - One (	Clear Cycl	one LED I	_ight, wirir	ig harness wi
355	Cyclone LED Universa	l Under Hood	d Lighting I	Kit - Two	Clear Cycl	one LED I	_ight, wirir	ng harness wi
1356	Cyclone Tube Mount A	Adapter Kit -	fits 1.75"-	3" dia. tu	ıbes (inclu	des strap	)	
13561	Cyclone Tube Mount Adapter Kit - fits 1"- 3" dia. tubes (includes strap)							
13562	Cyclone Tube Mount A	Adapter (no s	strap)			_		

## **BEAM PATTERNS** ≈



- > Voltage: 6V-16V
- > LED Source: Samsung 5630 LEDs
- > Amp Draw: 0.42A
- > Each Light Sold Individually

tts	Amp Draw	Lumens	Width	Depth	
					_



Cyclone



vith mounts & weatherproof switch vith mounts & weatherproof switch



# HALOGEN

Halogen is a proven performance lighting technology and has been for over 40 years. KC has harnessed the explosive light output of halogen through our precision engineered reflector optic designs. Halogen lighting products feature high performance output, lower cost of ownership and a wide selection to fit every application.

KC Halogens utilize the highest quality 55W, 100W and 130W bulbs. When combined with our precision engineered reflector optics, our Halogen lighting solutions provide tremendous light output at a fraction of the cost across a variety of sizes and shapes.





## **APOLLO PRO HALOGEN**

KC Apollo Pro lights feature a super tough black Polymax housing with an integrated stone guard. The Polymax housing is made in the U.S.A. and features a flat "space efficient" profile. Available in 5" diameter and 6" diameter models.






## **FEATURES** ≈

- > Tough black Polymax housing
- > Computer designed polished reflector
- > Optical quality glass lens





6" Apollo Pro

Pair Pack System	c Single Light	Beam Pattern	Finish	Watts	Amp Draw	Candela	Width	Height	Depth
6" Apollo	Pro Series								
150	1150	Spot	Black	100W	8.3	200,000	6.00"	6.75"	3.50"
151	1151	Spread	Black	100W	8.3	120,000	6.00"	6.75"	3.50"
152	1152	Fog	Black	100W	8.3	40,000	6.00"	6.75"	3.50"
6" Apollo	Pro Fog Li	ghts for Jeep W	/rangler TJs	(Inclutdes	D.E. style c	connector that p	lugs directly	into factory w	viring harness)
n/a	1134	1997-04 TJ	Black	55W	4.58	25,000	6.00"	6.75"	3.50"
n/a	1135	2005-06 TJ	Black	55W	4.58	25,000	6.00"	6.75"	3.50"
5" Apollo	Pro Series								
450	1450	Spot	Black	55W	4.58	72,000	4.87"	5.50"	3.37"
451	1451	Spread	Black	55W	4.58	45,000	4.87"	5.50"	3.37"
452	1452	Fog	Black	55W	4.58	20,000	4.87"	5.50"	3.37"
	ions are per li nts do NOT in	ight clude wiring harne	SS						

## **BEAM PATTERNS** ≈






APOLLO PRO **HALOGEN** 

- > Built-in protective stone guard
- > Available in 5" dia. 55-watt or 6" dia. 100-watt Spot, Driving and Fog light models







5" Apollo Pro

Pair Packs include: 2 Lights with Stone Guards & Pre-Terminated Relay Wiring Harness /



## DAYLIGHTER® HALOGEN

The KC Daylighter<sup>®</sup> is known as "The Original Off-Road Light". Using specialized 6-inch diameter, shock mounted housing has made them not only a popular choice for off-road applications, but also proves useful for agricultural and commercial applications where durability is a key factor.




Available in Black Powder Coat, Chrome or Stainless Steel Finishes.





## FEATURES ≈


- > 6" diameter steel shock mounted housing
- > Available in 100-watt or 130-watt halogen
- > Chrome, Black or Stainless Steel Finishes



Pair Pack System	Single Light	Beam Pattern	Finish	Watts	Amp Draw	Candela	Width	Height	Depth
237	1237	Spot	Chrome	100W	8.3	200,000	6.19"	8.42"	5.34"
238	1238	Spot	Black	100W	8.3	200,000	6.19"	8.42"	5.34"
239	1239	Spot	Stailness	100W	8.3	200,000	6.19"	8.42"	5.34"
n/a	1608	Flood	Stainless	100W	8.3	32,000	6.19"	8.42"	5.34"
n/a	1609	Flood	Black	100W	8.3	32,000	6.19"	8.42"	5.34"
n/a	1619	Flood	Chrome	100W	8.3	32,000	6.19"	8.42"	5.34"
630	1630	Spot	Chrome	130W	10.83	285,000	6.19"	8.42"	5.34"
631	1631	Spot	Black	130W	10.83	285,000	6.19"	8.42"	5.34"
632	1632	Spot	Stainless	130W	10.83	285,000	6.19"	8.42"	5.34"
633	1633	Spread	Chrome	130W	10.83	175,000	6.19"	8.42"	5.34"
634	1634	Spread	Black	130W	10.83	175,000	6.19"	8.42"	5.34"
635	1635	Spread	Stainless	130W	10.83	175,000	6.19"	8.42"	5.34"

\* \*Specifications are per light \* \*Single Lights do NOT include wiring harness

## BEAM PATTERNS ≈



- ן ר
- > Spot, Driving, Fog or Flood beam patterns
- > Optical quality glass lens
- > For off-road use only





## **HEADLIGHTS H4 HALOGEN FEATURES** ≈

- > Direct replacement headlights for 97-06 Wrangler TJs or 07-17 Wrangler JKs
- > Hard coated polycarbonate lens
- > KC precision multi-surface reflector optics
- > Includes 55/60-watt H4 halogen bulb > Street legal SAE & DOT compliant or
- Off-Road ONLY Euro Style Beam headlight models available

## **RALLY 400 FEATURES** ≈

- > 4" diameter black powder coated steel housing
- > 55 watt H3 halogen bulb
- > Reflector optics and clear glass lens
- > Easy aiming two axis mounting
- > Spread beam pattern








Euro Beam Halogen Headlights

Also in LED See page 18

- H4 Halogen Headlights » for TJ
- H4 Halogen Headlights » for JK
- SPECIFICATIONS ≈



H4 7"



Pair Packs include: replaceable H4 Halogen bulbs and easy plug n play wiring

	Pair Pack System	Single Lights	Model/Description	Watts Lo/Hi	Amp Draw	Raw Lumens	Diameter	Depth
	H4 Haloge	n Headlight	s - DOT Approved					
	42301	4230	1997-06 Jeep TJ	55/60	4.58/5.0	1,100/1,650	7.00"	4.75"
-	42302	n/a	2007-17 Jeep JK	55/60	4.58/5.0	1,100/1,650	7.00"	4.75"
	Euro Beam	n Halogen H	leadlights - For Off-Road	Use Only				
	42311	4231	1997-06 Jeep TJ	55/60	4.58/5.0	1,100/1,650	7.00"	3.90"


### BEAM PATTERNS ≈

LOW/HIGH BEAM

OE Halogen Headlights



Rally 400



Pair Pack System	Single Lights	Beam Pattern	Finish	Watts	Amp Draw	Candela	Width	Height	Depth
Rally 400	Rally 400								
490	1490	Spread	Black	55W	4.58	40,000	4.12"	4.40"	2.60"
SlimLite	SlimLite								
121	1121	Spot	Black	130W	10.83	285,000	6.12"	6.50"	2.75"
124	1124	Spread	Black	100W	8.3	120,000	6.12"	6.50"	2.75"
127	1127	Fog	Black	100W	8.3	40,000	6.12"	6.50"	2.75"
Replacen	Replacement Fog Lights for Jeep TJs - 6" SlimLite Steel Housing (Includes O.E. style connector that plugs directly into factory wiring harness)								
n/a	1131	1997-04 TJ	Black	55W	4.58	25,000	6.12"	6.50"	2.75"
n/a	1133	2005-06 TJ	Black	55W	4.58	25,000	6.12"	6.50"	2.75"
	* Specifications are per light								

\* \*Single Lights do NOT include wiring harness

## **BEAM PATTERNS** ≈


SPO	T BE	AM		
	-			
			1	

## **SLIMLITE**<sup>®</sup> **FEATURES** ≈

- > 6" dia. steel housing with flat profile
- > Precision polished reflector
- > Optical quality glass lens
- > Available in 130-watt Spot beam or 100W Spread and Fog light models



Slimlite®



## FOG BEAM

## VEHICLE SPECIFIC LIGHTING SYSTEMS

Beyond creating the best lighting products available on the market, making it easy to mount them is a priority at KC. We are committed to developing turn-key lighting systems that achieve a balance between ease of installation, aesthetic design and stability. From overhead mounts and a-pillars to bumpers and backup kits KC offers a variety of lights, mounts and bracket combinations to ensure you are up and running quickly.



## **UTV SYSTEMS**

Performance Lighting for your UTV is crucial while traversing through off-road terrains at night. KC HiLiTES UTV lighting options allow you to see the path ahead and steer clear of potentially hazardous obstacles that may arise. KC's full line of UTV overhead mounts give you the choice to run KC Gravity Pro6, FLEX Series, or C-Series LED Light Bars for the perfect balance of light performance, style and durability.





## **FEATURES** ≈

- > 3 different LED light bars with overhead mounts > Kits include light bar, mounts, wiring harness and > Mounts for Can-Am, Yamaha, Polaris and Arctic switch
- Cat vehicles

## SPECIFICATIONS ≈

Lighting Kit No.	Model/Description	Beam Pattern	Additional Information
UTV Ligh	ting Kit for Can-Am (Maverick/Commande	r) Non X3 N	Nodels
91316	Pro6 LED Light Bar Overhead Kit	Combo	Kit Includes (6-Light) Bar and Can-Am Mounts
91325	40" C-Series LED Light Bar Overhead Kit	Combo	Kit Includes 40" Light Bar and Can-Am Mounts
91326	40" KC FLEX LED Light Bar Overhead Kit	Combo	Kit Includes 40" Light Bar and Can-Am Mounts
UTV Ligh	ting Kit for Yamaha YXZ 1000R		
91310	Pro6 LED Light Bar Overhead Kit	Combo	Kit Includes (6-Light) Bar and Yamaha Mounts
91323	40" C-Series LED Light Bar Overhead Kit	Combo	Kit Includes 40" Light Bar and Yamaha Mounts
91324	40" KC FLEX LED Light Bar Overhead Kit	Combo	Kit Includes 40" Light Bar and Yamaha Mounts
UTV Ligh	ting Kit for Polaris RZR 900/1000		
91309	Pro6 LED Light Bar Overhead Kit	Combo	Kit Includes (5-Light) Bar and Polaris Mounts
91320	G34 LED Headlight Kit	Combo	Kit Includes (4) G34 Lights and Polaris Mounts
91321	30" C-Series LED Light Bar Overhead Kit	Combo	Kit Includes 30" Light Bar and Polaris Mounts
91322	30" KC FLEX LED Light Bar Overhead Kit	Combo	Kit Includes 30" Light Bar and Polaris Mounts
UTV Ligh	ting Kit for Arctic Cat Wildcat 2012-16		
91327	Pro6 LED Light Bar Kit	Combo	Kit Includes (6-Light) Bar and Arctic Cat Mounts
91328	40" C-Series LED Light Bar Overhead Kit	Combo	Kit Includes 40" Light Bar and Arctic Cat Mounts
91329	40" KC FLEX LED Light Bar Overhead Kit	Combo	Kit Includes 40" Light Bar and Arctic Cat Mounts
Universa	Lighting Systems		
91306	Universal - 5 Ring LED Light Bar	Combo	System Includes Light Bar and Wiring Harness
91307	Universal - 6 Ring LED Light Bar	Combo	System Includes Light Bar and Wiring Harness
91308	Universal - 8 Ring LED Light Bar	Combo	System Includes Light Bar and Wiring Harness
91314	Universal - 7 Ring LED Light Bar	Combo	System Includes Light Bar and Wiring Harness
91315	Universal - 9 Ring LED Light Bar	Combo	System Includes Light Bar and Wiring Harness
* *Specs for * *Specs for	C-Series see page: 21, 23 Pro6 see page: 13		

- \*\*Specs for Prob see page: 13 \*\*Specs for KC FLEX see page: 9, 11 \*\*Universal Lighting Systems DO NOT include mounts

> Overhead mounts also sold separately

## **JEEP SYSTEMS**

These systems are a great and simple way to add extra lighting power to your Jeep. Whether you're driving on the street or traversing off-road trails, KC HiLiTES has the most complete line of performance lighting solutions designed and engineered specifically for your Jeep.



Gravity LED Pro6 Lighing System for JK



powder coat finish

### SPECIFICATIONS $\approx$



Jeep JK Overhead Bracket Set #7323



Jeep JK 20" Hood Mount Bracket Set #73407



Jeep JK A-Pillar Brackets #7316

EEP

street legal beam pattern > Heavy duty steel mounting brackets feature black > Fog light systems available in LED or Halogen, for easy plug-n-play OEM Jeep bumpers

Part No. Model/Description				
LED Syst	ems for Jeep			
364	JK LED System - C20 LED Bar & Ho	od Mount Bracket Kit		
365	TJ LED System - C20 LED Bar & Ho	od Mount Bracket Kit		
366	JK LED System - C50 LED Bar & Ov	erhead Mount Bracket Kit		
367	JK LED System - C30 LED Bar & Ho	od Mount Bracket Kit		
368	JK LED System - C20 LED Bar & Gr	ille Mount Bracket Kit		
369	TJ LED System - C50 LED Light Bar	and Overhead Mount Kit		
91312	TJ LED System - Pro6 LED Light Bar	and Overhead Mount Kit		
91313	JK LED System - Pro6 LED Light Bar	and Overhead Mount Kit		
Light Mo	unt Brackets for Jeep			
7311	Windshield Hinge Light Mount Brack	kets for TJ (1997-06)		
7316	Windshield Hinge Light Mount Brack	ket for JK (2007-17)		
7317	Windshield Side Mount Light Bracke	t for JK (2007-17)		
7321	Windshield Light Mount Brackets for	° CJ & YJ (1976-95)		
7323	Bracket Set Only - For C50 JK Wind	shield		
7324	Bracket Set Only - For C30 Hood Mc	punt		
7325	Bracket Set Only - for C20 JK Grille I	Mount		
73406	A-Pillar Double Bracket for JK (2007	7-17]		
73407	Hood Mount Brackets for JK (2007-	-17) fits C20 & 20" KC FLEX		
73420	Hood Mount Bracket for TJ (1997-C	06) fits C20 & 20" KC FLEX		
Gravity L	ED G4 Fog Lights			
494	Clear G4 Fog Lights for Jeep JK (20	107-09]		
496	Amber G4 Fog Lights for Jeep JK (2	2007-09)		
497	Clear G4 Fog Lights for Jeep JK (20	10-17]		
498	Amber G4 Fog Lights for Jeep JK (2	2010-17)		
* * Specs for	or G4 fog lights see page: 19			
Part No.	Description/Year	Mounting Tabs		
Mount Li	ght Bars			
7400	TJ Bumper Mount (1997-06)	2-Tab		
74071	JK Bumper Mount (2007-17)	2-Tab		
7416	TJ Overhead Light Bar (1997-06)	4-Tab		
7417	JK Overhead Light Bar (2007-17)	5-Tab		
**Specs for C-Series see page: 21, 23 **Specs for Pro6 see page: 13 **Specs for KC FLEX see page: 9, 11				

## JEEP HEADLIGHTS

H4 7" Replacement Halogen Headlights feature 55/60 Watt Halogen H4 bulbs, in a DOT street legal approved beam pattern, UV treated Lexan lens and multi-surface reflector optics. Systems includes replaceable H4 Halogen bulbs and easy Plug-N-Play wiring.

Gravity® LED 7" Headlights are fully DOT compliant and feature patented GRD LED technology, high/low beams with built-in DRL and anti-flicker capacitors. Both produce great visibility and clarity. \*\* Excludes 2017 Jeep JK: Rubicon, Sahara, or models fitted with OEM Mopar LED Headlights



Halogen - TJ » #42301



LED - TJ/JK/Universal » #42351/



DOT TREET LEGA

Halogen - JK » #42302



LED - JK » #42341




## **FEATURES** ≈


Replacement LED Headlights

- > DOT Compliant 18W Low/22W High
- > Easy Plug-N-Play installation to factory connectors > Features unbreakable hard coated
- > Built-in DRL on (07-17 Wranglers Only)


## SPECIFICATIONS ≈



H4 Halogen 7" Headlight



Gravity LED 7" Headlight



Gravity LED Pro 7" Headlight



Jeep JK » 7" Halogen Headlight

### Replacement Halogen Headlights > DOT Compliant 55/60 Watt Halogen Bulb Polycarbonate Lens and Precision Reflectors


Pair Pack System	Model/Description		Watts	Diameter
H4 Haloge	n Headligh	ts		
42301	Jeep Wra	angler TJ (97-06)	55W/60W	7.00"
42302	Jeep Wra	ingler JK (07-17)	55W/60W	7.00"
Euro Beam	Halogen H	leadlights (for off-ro	ad use only)	
42311	Jeep Wr	angler TJ (97-06)	55W/60W	7.00"
Pair Pack System	Single Light	Model Description	Watts	Diameter
Gravity LED	) 7" Headli	ghts		
42351	4235	Jeep JK (07-17)	18W/22W	7.00"
42361	4236	Jeep TJ (97-06)	18W/22W	7.00"
Gravity LED	) Pro7" He	adlights		
42341	4234	Jeep JK (07-17)	18W/25W	7.00"



## **JEEP ROCK LIGHT KITS**

Rock lights are an essential lighting accessory for any serious off road vehicle owner, providing added safety and assurance when traveling over potentially hazardous obstacles in the road. KC's Cyclone LED rock lights kits are available in 4 or 6 light configurations, featuring a power bar for easy wiring and installation inside wheel wells or underbodies of Jeep JKs. KC Cyclones deliver 516 lumens per light in various lens colors to provide optimum lighting underneath your vehicle when going over bumpy surfaces.





JEEP



#### Jeep JK » 2 Amber Cyclones & 4-Cyclone LED Kit in Clear

## **FEATURES** ≈

- > Rock Light Kits available in 4 or 6- Cyclone LED Systems
- > 5-Color Variations: Clear, Amber, Red, Blu or Green

### SPECIFICATIONS $\approx$



6-Cyclone Rock Light Kit include: 6 Cyclones, Wiring Harness, Hi-Capacity Busbar, Mounts & Complete Hardware /


Part No.	Model/ Description	Color Lens	No. of Lights	Width	Depth	
Cyclone LED Rock Light Kits						
91020	Cyclone LED Rock Light Kit - 07-17 Jeep JK	Clear	4PC	2.20"	0.53"	
91021	Cyclone LED Rock Light Kit - 07-17 Jeep JK	Amber	4PC	2.20"	0.53"	
91022	Cyclone LED Rock Light Kit - 07-17 Jeep JK	Red	4PC	2.20"	0.53"	
91023	Cyclone LED Rock Light Kit - 07-17 Jeep JK	Blue	4PC	2.20"	0.53"	
91024	Cyclone LED Rock Light Kit - 07-17 Jeep JK	Green	4PC	2.20"	0.53"	
91025	Cyclone LED Rock Light Kit - 07-17 Jeep JK	Clear	6PC	2.20"	0.53"	
91026	Cyclone LED Rock Light Kit - 07-17 Jeep JK	Amber	6PC	2.20"	0.53"	
91027	Cyclone LED Rock Light Kit - 07-17 Jeep JK	Red	6PC	2.20"	0.53"	
91028	Cyclone LED Rock Light Kit - 07-17 Jeep JK	Blue	6PC	2.20"	0.53"	
91029	Cyclone LED Rock Light Kit - 07-17 Jeep JK	Green	6PC	2.20"	0.53"	



е	> Easy Plug-N-Play Installation
	> Designed to mount to factory locations
ue	> 5W per light & Amp Draw: 0.42A
	> Kit is resistant to moisture & dust



4-Cyclone Rock Light Kit include: 4 Cyclones, Wiring Harness, Hi-Capacity Busbar, Mounts & Complete Hardware



## TRUCK SYSTEMS FEATURES ≈

> Whatever your lighting need, KC offers a wide variety of LED Lighting Systems and accessories that dramatically improve light performance for your truck

FORD ≈

Part No.

343

501

91331

Ford Lighting Systems

> From Fog Lights to Light Bars, vehicle specific mounts and light kits, KC's line of products will never leave you in the dark

Gravity G34 SAE/ECE LED Fog Light Kit - for Ford F250-F550 (99-16)


73415 Ford F-150/Raptor (Cowl) A-Pillar Light Bracket Set

91311 Gravity LED Pro 6 Light Bar Kit - for Ford F150/Raptor (04-16)



# SPECIFICATIONS ≈

Gravity LED G34 Fog Light Kit - Ford #343



Gravity LED G4 Fog Lights - Tacoma #500

DODGE/	'RAM ≈		
Part No.	Model/Description		
Dodge/Ram Lighting Systems			
370	C20 LED Lower Bumper Mount Kit - for Dodge Ram 2500-3500 (04-15)		
CHEVY 8	$a\mathrm{GMC}$ $pprox$		
Part No.	Model/Description		
Chevy/G	MC Lighting Systems		
345	Gravity G34 SAE/ECE LED Fog Light Kit - for Chevy 2500-3500 (15-16)		
73419	GM 2500/3500; A-Pillar (Cowl) Light Bracket Set (15-16)		
TOYOTA	≽		
Part	No. Model/Description		
Toyota Li	ghting Systems		
344	30" KC FLEX LED Bumper Mount Kit - for Toyota Tacoma (05-15)		
372	C20 LED Light Bar & Behind the Grille Bracket Kit - for 4Runner (14-17)		
373	20" KC FLEX LED & Behind the Grille Bracket Kit - for 4Runner (14-17)		
380	C50 Overhead LED Light Bar Kit - for Toyota Tacoma (05-16)		
500	Gravity LED G4 Fog Lights Clear - for Toyota Tacoma (12-16)		

Gravity LED G4 Fog Lights Amber - for Toyota Tacoma (12-16)

Gravity LED Pro 6 Light Bar Kit - for Toyota Tacoma (05-16)

## MOUNT BARS & UNIVERSAL MOUNTS FEATURES >>

- > KC Light Bars are a great way to mount additional lighting to your truck
- > Bars & mounts are made from durable textured black powder coat finish

## SPECIFICATIONS $\approx$

Part No.	Description/ Year
KC Light	Mounting Bars for Jeep
7400	2-Tab Front End Bumper Light Bar - for TJ W
74071	2-Tab Front End Bumper - for JK Wrangler (C
7416	4-Tab Overhead Light Bar - for TJ (97-06)
7417	5-Tab Overhead Light Bar - for JK (07-17)

Part No.	Description/ Year
KC Univer	rsal Tube Clamp Mounts
7300	Mount Brackets for 0.75" to 1.0" Tube Clar
73001	Mount Brackets for 0.75" to 1.00" Tub Clan
7301	Mount Brackets for 1.25" to 1.5" Tube Clan
73011	Mount Brackets for 1.25" to 1.5" Tube Clan
7307	Tube Clamp Mount Brackets for 1.75" to 2.
73071	Tube Clamp Mount Brackets for 1.75" to 2.
7308	Tube Clamp Mount Brackets for 2.25" to 2.
73081	Tube Clamp Mount Brackets for 2.25" to 2.
7309	Tube Clamp Mount Brackets for 2.75" to 3.
73091	Tube Clamp Mount Brackets for 2.75" to 3.

#### Ford Raptor » Pro6 Light Bar Kit #91311 /







- > Bolts securely to existing factory holes no drilling required
- > Kits include lights, wiring harness, complete hardware & switch

Vrangler (97-06) (07-17)

mp (ea) - Black mp (pair) - Black mp (ea) - Black mp (pair) - Black .O" Diameter (ea) - Black .O" Diameter (pair) - Black .5" Diameter (pair) - Black .0" Diameter (ea) - Black .0" Diameter (pair) - Black



Universal Tube Clamp Mount #7307



# ACCESSORIES

KC offers a wide variety of lighting accessories for LED, HID and Halogen lights. Everything from wiring components, harnesses, and relays to an assortment of Light Covers, Shields, and Protective Stone/Rock guards, KC provides high quality accessories to ensure your lights are running properly for years to come.

In addition to lighting and wiring accessories, KC offers portable LED flashlights and multi-function work lights available in fixed or adjustable focus variations.



## LED FLASHLIGHTS/ACCESSORIES **FEATURES** ≈

- > LED Adjustable Focus Flashlight features a 3W LED providing 400 lumens of output
- > Adjustable focus, spot or spread beam patterns with 2-function high/low power modes
- > KC Soft Vinyl & Hard Plastic Light Covers to protect your lights and keep the lenses clean

## **LIGHT ACCESSORIES FEATURES** ≈

- > Hard plastic covers for Daylighter<sup>®</sup>, ProSport, Slimlite & Gravity LED Pro6
- > Acrylic Light Covers fit C3, LZR Cubes, KC FLEX LED





LED Adjustable Focus Flashlight #9923



» Additional Replacement Covers See pg 50



KC Hard Plastic Covers



6" Clear #7207 6" Blue #7204 6" Amber #7206 For Daylighter<sup>®</sup>, Slimlites & ProSport Series Lights 3" LZR Cube #72001 3" C3 Cube #72003

#### KC FLEX Shields



Single Clear	#7208	Single Amber	#72082		
Dual Clear	#72083	Dual Amber	#72085		
10" Clear	#72086	10" Amber	#72088		
20" Clear	#72089	20" Amber	#72091		
30" Clear	#72092	30" Amber	#72094		
40" Clear	#72095	40" Amber	#72097		
50" Clear	#72098	50" Amber	#72100		

KC Replacement Vinyl Light Covers

6" Daylighter 6" Slimlite #5110 6" Daylighter 6" Slimlite #5101 6" Daylighter 6" Slimlite #5205



KC Hard Plastic Round Covers

#5105






6" Daylighter #5202 6" Slimlite



6" Daylighter 6" Slimlite #5124













Stacker End Brackets #12725

15" Power Lead #12721

6" Daylighter 6" Slimlite

> Customize your KC FLEX LED with colored Bezels. Available in Gold, Black, Red, and Blue > All KC FLEX Bezels come with a Bezel tool

3" LZR Cube #72000 3" C3 Cube #72002 10" C-Series Amber #72021 10" C-Series Black #72011

#### KC FLEX Bezels



\* \* All Bezels come with Bezel tool



Linker Kit #12724



Front Linker Kit #12727



FLEX Stacker Kit #12726

## **REPLACEMENT PARTS/DISPLAYS** FEATURES ≈

KC replacement lenses, wiring harnesses, and bulbs are identical to the originals and available> Display Units available to dealers for Cyclonefor all KC lights. From wiring kits andLED, LED Headlights, LZR LEDs and more replacement light bulbs we have the parts needed to get you back on the road.

#### KC Dealer Display Units

## SPECIFICATIONS ≈

Part No.	Description/ Year			
KC Pre-Terminated Relay Harness				
6307	H13 to H4 Headlight Conversion Cable (Halogen)			
6315	Relay Harness Kit			
6316	Add on Harness (for 2 additional lights)			
Non-Relay Wiring Kit				
6308	Wiring Harness with 2-Pin Deutsch Connectors			
63082	Wiring Harness for two Cyclone LEDs			
Replacement Parts				
3028	Daylighter Lens Holder (ea)			
3033	Tubing Stainless (ft)			
3116	Switch; Oval Rocker 30 amp (ea)			
3123	Switch Panel; for Oval Rocker (ea)			
3300	Relay; 12V-40 amp (ea)			
31021	Dampener; for C-Series LED Light Bars			
91317	Center Bump Stop Assembly for Pro6 Light Bar			



Cyclone LED Display Unit #94095

			Color			
Replacement Light Bulbs & Lens						
H-3 Halogen		5W	Clear			
H-4 Halogen 55W		//60W	Clear			
H-3 Halogen 10		WO	Clear			
Description		Color	Туре			
Replacement Lenses						
6" Lens/Reflector Ha	ogen	Clear	Driving			
6" Lens/Reflector Halogen		Clear	Fog			
5" Lens/Reflector Halogen		Clear	Driving			
5" Lens/Reflector Halogen		Clear	Fog			
8" Lens/Reflector Halogen		Clear	Spot			
5" Lens/Reflector Halogen		Clear	Spot			
6" Lens/Reflector HID		Clear	Spot			
6" Lens/Reflector Halogen		Clear	Spot			
4" Rally 400		Clear	Driving			
6" Lens/Reflector		Clear	Flood			
	H-3 Halogen H-3 Halogen H-3 Halogen Description ment Lenses 6" Lens/Reflector Hal 6" Lens/Reflector Hal 5" Lens/Reflector Hal 5" Lens/Reflector Hal 5" Lens/Reflector Hal 6" Lens/Reflector Hal 6" Lens/Reflector Hal 6" Lens/Reflector Hal 4" Rally 400	H-3 Halogen 5 H-4 Halogen 55W H-3 Halogen 10 Description ment Lenses 6" Lens/Reflector Halogen 6" Lens/Reflector Halogen 5" Lens/Reflector Halogen 8" Lens/Reflector Halogen 8" Lens/Reflector Halogen 6" Lens/Reflector Halogen 6" Lens/Reflector Halogen 6" Lens/Reflector Halogen 4" Rally 400	H-3 Halogen 55W   H-4 Halogen 55W/60W   H-3 Halogen 100W   Description Color   ment Lenses Color   6" Lens/Reflector Halogen Clear   6" Lens/Reflector Halogen Clear   5" Lens/Reflector Halogen Clear   5" Lens/Reflector Halogen Clear   8" Lens/Reflector Halogen Clear   8" Lens/Reflector Halogen Clear   6" Lens/Reflector Halogen Clear   4" Rally 400 Clear			

#### Part No. Description

Replacement Plastic Covers & Stone Guards						
5106	6" Daylighter/Slimlite - WT cover w/ BK KC					
5200	6" Daylighter/Slimlite - BK w/Daylighter logo					
5309	5"x7" 57 Series - BK cover w/ WT KC logo					
7210	6" Stone Guard Daylighter/Slimlite - BK					
7213	6" Stone Guard Daylighter/Slimlite - YL					
7216	6" Stone Guard Apollo - BK w/ WT KC logo					
7217	5" Sone Guard Apollo - BK w/ WT KC logo					
7218	4" LZR Round Stone Guard - BK					
7219	4" Stone Guard Rally 400 - BK w/ WT KC logo					
7220	G46 Stone Guard - BK w/ WT KC logo					
72101	6" Stone Guard Daylighter/Slimlite - BK					
Replacement Vinyl Covers						
5117	6" Daylighter/Slimlite - BK w/WT KC logo					

#### Part No. Description Counter Top Displays 94092 Gravity LED Headlights (#4234,#4236) 94095 Cyclone LED Display (Includes 30 Cyclones) 94170 LED Display (#1300,#1330,#1350,#1353) 94172 LED Display (#1334,#1350,#1353) 94175 FLEX LED (#271,#1269,#1350,#1352)

