



VERIFY YOU HAVE ALL THE COMPONENTS BEFORE STARTING THE INSTALLATION. REFER TO THE ENGINEERING DRAWINGS AT THE END OF THIS DOCUMENT FOR A COMPLETE PARTS LIST




Front of Bronco

The image here shows the underside of your Bronco with no skid plates installed. If your Bronco has skid plates you will need to remove the mounting bolts in the locations circled here.

Your new skid plate should fit with the stock OEM skid plates, however you may need to loosen mounting bolts during installation.




Install the Cross Member Bracket using the M10 Hex Bolts and Washers in the position shown on the chassis cross member directly in front of your transfer case. Leave these bolts loose while you finish the installation.



Have a helper hold the skid plate in place while you install the bolts as shown. Or you can use a floor jack to hold the skid plate in position.

Install Ø1/2" Hex Bolts, Nuts and Washers through the skid plate and Cross Member Bracket




If you are replacing the stock skid plate, you can install the stock bolts in this position.

Use existing gas tank support (or skid plate) bolt in this position. Your Transfer Case Skid Plate will sit on top of the support (or skid plate) as shown.

Use the M12 Hex Bolt and washer provided in this position.

DO NOT FORCE THIS
BOLT IF THE THREADS
ARE TIGHT. VERIFY YOU
HAVE THE CORRECT BOLT
BEFORE TIGHTENING.

Be sure to tighten all bolts evenly and securely.







BLACK-OPS SERIES

TRANSFER CASE SKID PLATE SHIPPING SHEET

Packaged by:

On:





CROSS MEMBER BRACKET
2BSP2021-23
(x1)

TRANSFER CASE SKID PLATE
4BSP2021-03
(x1)

