

Lucas Slick Mist Interior Detailer

Safety Data Sheet Lucas

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/10/2015

Revision date: 10/19/2015

Supersedes: 08/10/2015

Version: 2.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Identification

Product form : Mixture
Product name : Lucas Slick Mist Interior Detailer
Product code : 10514

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Cleaning and protecting agent.

1.3. Details of the supplier of the safety data sheet

Lucas Oil Products, Inc

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Sens. 1 H317 - May cause an allergic skin reaction

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : Warning
Hazard statements (GHS-US) : H317 - May cause an allergic skin reaction
Precautionary statements (GHS-US) : P261 - Avoid breathing mist, spray
P272 - Contaminated work clothing must not be allowed out of the workplace
P280 - Wear eye protection, protective gloves
P302+P352 - If on skin: Wash with plenty of water
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P363 - Wash contaminated clothing before reuse
P501 - Dispose of contents/container to an authorized waste collection point

2.3. Other hazards

Other hazards not contributing to the classification : Harmful to aquatic life with long lasting effects.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixture

| Name | Product identifier | % | Classification (GHS-US) |
|---|---------------------|----|--|
| bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate | (CAS No) 41556-26-7 | <1 | Flam. Liq. 4, H227 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

All treatments should be based on observed signs and symptoms of distress in the patient.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing mist, spray.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing mist, spray.
- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep only in original container.
Incompatible products : None known.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Hand protection : In case of repeated or prolonged contact wear gloves. nitrile rubber gloves. Glove thickness is minimum 4 mm.
Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Colorless
Odor : odorless
Odor threshold : No data available
pH : 7 - 8
Melting point : Not applicable
Freezing point : 0 °C
Boiling point : 100 °C
Flash point : > 100 °C
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : No data available
Explosive limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Vapor pressure : No data available
Relative density : No data available
Relative vapor density at 20 °C : No data available
Solubility : Material is mostly water.
Log Pow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure : Dermal

Acute toxicity : Not classified

bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7)

| | |
|---------------|--------------------------|
| LD50 oral rat | 2369 (2369 - 3920) mg/kg |
|---------------|--------------------------|

| | |
|---------------|---------------------------|
| ATE US (oral) | 2369.000 mg/kg bodyweight |
|---------------|---------------------------|

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after skin contact : May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7)

| | |
|-------------|----------------|
| LC50 fish 1 | 0.97 mg/l 96 h |
|-------------|----------------|

| | |
|----------------|--------------|
| EC50 Daphnia 1 | 20 mg/l 24 h |
|----------------|--------------|

12.2. Persistence and degradability

bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7)

| | |
|----------------|-----------|
| Biodegradation | 38 % 28 d |
|----------------|-----------|

12.3. Bioaccumulative potential

bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7)

| | |
|---------|------|
| Log Pow | 0.37 |
|---------|------|

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : None known

Effect on the global warming : None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations.

Lucas Slick Mist Interior Detailer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not considered a dangerous good for transport regulations

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate (41556-26-7)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on Taiwan National Chemical Inventory

Listed on the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC).

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Revision date : 10/19/2015

Indication of changes :

| | | | |
|----|--|----------|---|
| 2 | Classification | Modified | Classification based on composition changes |
| 3 | Composition/Information on ingredients | | Revised |
| 14 | Classification | Removed | Transportation classification based on composition revision |

Data sources : European Chemicals Agency (ECHA) Registered Substances list.
Internal Company test data.
Component Supplier SDSs.

Lucas Slick Mist Interior Detailer

Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations and acronyms : ATE: Acute Toxicity Estimate.
EC50: Environmental Concentration associated with a response by 50% of the test population.
GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
LD50: Lethal Dose for 50% of the test population.
SDS: Safety Data Sheet.

Full text of H-phrases:

| | |
|-------------------|--|
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Flam. Liq. 4 | Flammable liquids Category 4 |
| Skin Sens. 1 | Skin sensitization Category 1 |
| H227 | Combustible liquid |
| H317 | May cause an allergic skin reaction |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |

NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard : 0 - Materials that will not burn.
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

| Product Name | Product Number | Ingredient Name | Ingredient CAS Number | Ingredient Function |
|--------------------------------|----------------|---|-----------------------|------------------------------------|
| Lucas Interior Detailer | 10514 | | | |
| | | DI water | 7732-18-5 | Solvent |
| | | dimethicone | 63148-62-9 | Gloss enhancer and sealant |
| | | bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate | 41556-26-7 | Hindered Amine Light Stabilizer |
| | | Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | 82919-37-7 | Hindered Amine Light Stabilizer |
| | | Distillates (petroleum), hydrotreated light | 64742-47-8 | Solvent |
| | | Amides, C16-18 and C18-unsatd., N,N-bis(hydroxyethyl) | 68603-38-3 | Emulsifier and emulsion stabilizer |
| | | Methyl Salicylate | 119-36-8 | Fragrance |
| | | Cinnamic Aldehyde | 104-55-2 | Fragrance |
| | | Benzaldehyde | 100-52-7 | Fragrance |
| | | Orange Terpenes (Food Grade) | 5989-27-5 | Fragrance |
| | | Dipropylene Glycol | 25265-71-8 | Solvent and co-emulsifier |
| | | Coumarin | 91-64-5 | Fragrance |
| | | 5-Chloro-2-methyl-4-isothiazolin-3-one | 26172-55-4 | Preservative |
| | | Citrus Terpenes | 94266-47-4 | Fragrance |