



Running Board Bracket Kit

For proper installation and best possible fit, please read all instructions BEFORE you begin.

Important Safety Information



- Do not stand on Lund running board or bracket while vehicle is in motion.
- Do not use the brackets as a jacking point for the vehicle.
- Do not use the bracket system or running boards to fasten cargo.
- Periodically check all components for tightness.
- Be sure to wear safety glasses while installing brackets.
- When using power tools, read and understand all operating instructions.

Contents **NOTE:** Actual product may vary from illustration. 5/16 Square 5/16" Flange 8mm x 30mm 8mm Flat 8mm Lock Front Brackets Center and Rear Brackets Head Bolts (4) Nut (12) Hex Bolts (12) Washers (12) Washers (12) (2)(4)**Tools Required** Ratchet and Extension Socket Set Wheel Chocks Safety Glasses **Preparation Before Installation** • Park your vehicle in a clean, level location. Check to make sure the vehicle is in park, or for manual drive models, place the transmission in first gear. Engage the parking brake. Chock wheels. • Unpack the kit and identify the parts according to the content descriptions. • An assistant is recommended to help position the running board properly during the installation. Installation Steps NOTE: Actual application may vary slightly from illustrations. Starting on the passenger side of the vehicle, remove the existing (2) factory bolts located by the front tire opening securing the factory







