

TIE-DOWN SYSAFERASE

1' VERSATIE™ TRACK KIT

522012

2' VERSATIE™ TRACK KIT

522024

4' VERSATIE™TRACK KIT

522048

6' VERSATIE™ TRACK KIT

522072

8' VERSATIE™TRACK KIT

522096

JEEP® TRACKS™

TJ Wrangler® 52293;
TJ Wrangler® Unlimited (LJ) 52292;
2 Door JK Wrangler® 52294;
4 Door JK Wrangler® 52292;

EXTRAS:

TRACK 1 BILLET ARROWHEAD

16210



SINGLE STUD RING



VERSATIE™ TRACK KITS

Mac's VersaTie[™] Track Kits are convenient all-in-one track packages. We provide everything from the track to the single stud tie-down rings as well as stainless steel fastener sets for the precision drilled and countersunk mounting holes. We use stainless steel to prevent electrolysis and rust, keeping your tie-down solution solid for many years to come. In typical Mac's style, we provide a more secure nylon insert nut (as opposed to a simple nut) to assure a lasting installation.



VERSATIE KITS INCLUDE

(2) Lengths of Mac's VersaTie™ Track-1

(2) Single Stud Tie Down Rings (The 4' and Longer Kits Come with 4 Rings)

All Required Stainless Steel 1.5" Hardware



JEEP® TRACKS™

Mac's new Jeep Tracks™ utilize the stock holes and hardware (no drilling required) for mounting your hardtop in your TJ and JK Wrangler® - now your cooler will stay secured as you roll down the hill. Works equally as well with soft-top Jeeps®. Works with or without the top in place.

INCLUDES

(2) Lengths of Track(4) Single Stud RingsStainless Attachment Hardware









TIE-DOWN SYSAFERASE

4 VERSATIE™ ANCHOR
PLATE ASSEMBLIES
INCLUDED WITH FLOOR
AND RAIL TRUCK KIT










BACKING PLATE VIEW



TRUCK TRACKS™

Mac's Truck Tracks™ are the perfect adjustable tie-down system for any truck. It's versatile enough for any load – bikes, construction materials, mixed loads – and it's stronger than the bed itself. If your truck can take the weight, Mac's Truck Tracks keep it in place. Unlike competitive systems that slide, VersaTie™ fittings can be removed and replaced with only 1/2" travel. No need to slide the fitting to the end of the bed to remove it. Cleaning is a breeze, too – the surface can be maintained with a scuff pad and the channel blown out with an air hose. Remember – your truck isn't fully loaded 'til it's got Truck Tracks™.

TRUCK TRACKS™ INCLUDE

(2) Bed Rails

(4) Removable Single Stud Tie Down Rings All Stainless Steel 1" Mounting Hardware

TRUCK TRACKS™ FLOOR AND RAIL INCLUDE

(2) Bed Rails

(4) Removable Single Stud Tie Down Rings Four point VersaTie™ Pack

All Stainless Steel 1" Mounting Hardware

TRUCK TRACKS™

Full Size Long Bed Ford/Dodge/GN 521001

Full Size Short Bed Ford 521002

Full Size Short Bed Dodge/GN 521003

Extra Single Stud Rings (each) 310001

TRUCK TRACKS™ FLOOR AND RAIL

Full Size Long Bed Ford/Dodge/GM 521004

Full Size Short Bed Ford 521005

Full Size Short Bed Dodge/GM 521006

ront Track, With Two Single Stud Rings

Quality Nutsert Tool 748699

Disposable Nutsert Tool 748601

1/4" Stainless Steel Nutsert (each)

Extra Single Stud Rings (each 310001








THEODOWN SYSAFERASE


VERSATIE™ TRACK

Mac's superior quality VersaTie™ Track allows complete customization of your tie-down systems. The clean, high-strength track allows flexibility of installation, and adjustable tie-down positions in one-inch increments. Aircraft quality aluminum extrusions are fully CNC machined for secure connections. Track can be flush or surface mounted on interior or exterior surfaces by riveting, bolting, screwing, gluing, or welding. Perfect for floor, wall, ceiling, and roof mounting.




VERSATIE™ TRACK1

The clean, contoured edges of this track make it perfect for surface mounting and easy installation.




VERSATIE[™] TRACK 2

The square-edged extrusion is ideal for recessed mount installation where a smooth, flush finish is required.



VERSATIE ™ TRACK 3

The wider contoured extrusion provides a smoother transition for surface mounted track.



VERSATIE ™ TRACK 4

Designed for recessed mounting where the wide, smooth, contoured flange will cover cut edges for a clean finish.









ARROWHEAD FOR VERSATIE™ TRACK

Finish off your track section with our our billet aluminum arrowhead track ends.



VERSATIE™ FILLER TRACK

Mac's Filler Track is made of tough extruded vinyl and designed to fill the empty channel of VersaTie™ track to keep it free of debris. (Note: Filler track is only recommended for track that has been recessed.)



MACS TECH TIP

VersaTie[™] Track Load Capacities How to Use the Chart*

It is important not to exceed the load capabilities of the track. Below are listed maximum load capabilities of the track calculated using a double stud ring at varying angles. All tracks were tested using 1/4" flat head screws fastened every two inches. Please review the installation safety notes in this brochure for safe tie-down procedures. Note: x°/y° where x° = angle from centerline of track, y° = vertical angle of pull.

z axis
x axis y axis

Track	0°/0°	0°/30°	0°/60°	0°/90°	45°/0°	45°/30°	45°/60°	90°/0°	90°/30°	90°/60°
VT-Track-1	4995	4710	7010	6075	5935	4610	5185	3935	3460	4565
VT-Track-2	8150	7275	9000	10800	10150	7238	7825	7425	6475	7200
VT-Track-3	6572	5992	8005	8042	8042	5924	6505	5680	4967	5882
VT-Track-4	8150	7275	9000	10800	10150	7238	7825	7425	6475	7200

VERSATIE[™] CONNECTORS

Mac's VersaTie™ Connectors provide fast, secure tie-down points at one-inch increments in any profile of VersaTie™ Track. Easy to use, the fasteners can be quickly positioned along tracks anywhere they are needed.

CAPACITY

NUMBER

SINGLE STUD TIE DOWN RING

DOUBLE STUD TIE DOWN RING

DOUBLE STUD IDLER FITTING

DOUBLE STUD FITTING W/ PEAR-SHAPED RING


VERSATIE™ THREADED STUD

4 PRONG KNOB*



COOL DEAL:

vehicle. Also great for ultra low clearance applications.



SINGLE STUD TIE DOWN RING


This VersaTie[™] connector has a cadmium-plated alloy steel stud, anodized aluminum body and stainless steel ring for quick, secure one-hand installation. Ring tilts and rotates full 360 degrees.





DOUBLE STUD TIE DOWN RING


For maximum strength loads, this fitting utilizes a dual stud connection and high-strength stainless steel ring. Excellent for vehicle tie-down applications.












DOUBLE STUD IDLER FITTING

This triangular ring is set up for a 2" strap to run through the flat edge. Use this tool to get around air dams, close fenders. and diffusers. Triangle design allows for pulling off-angle.




DOUBLE STUD FITTING WITH PEAR SHAPED RING

This fitting utilizes a "pear" ring that allows it to be pulled off angle from the track. Ideal for applications where the track is installed close to obstructions such as cabinets, walls, etc.

VERSATIE™ THREADED STUD

This fitting provides a hand-tightened, rattle-free track connection where guick release capability is not required. Ideal for adjustable shelving, work benches, tools, and equipment. Threaded Stud is rated for 5,000 lb in tension and 2,000 lb in shear.



4 PRONG KNOB

This molded phenolic knob features a 3/8" x 24 threaded brass insert with a throughhole. This is just the ticket for quick release of brackets and components from Mac's Threaded Stud Fitting. Ideal for motorcycle wheel chock spreader bars!

^{*} The four-prong knob is not weight rated and is used for convenience only.

TIE-DOWN SYSAFERASE

E-TRACK, A-TRACK & FITTINGS

Mac's E-Track and A-Track is used in a variety of applications: vehicle transportation, commercial, and industrial. Available in steel and aluminum with a wide variety of interchangeable hardware. E-Track fittings work in both E-Track and A-Track.





2-POSITION

4-POSITION

E TRACK MOUNTING PLATE

This quality stamped piece provides a 2 or 4 position attachment point for E or A-Track fittings. Zinc plated for corrosion resistance.






E-TRACK BEAM SOCKET

Designed for use with standard commercial grade lumber. No load rating due to varying strength of lumber.





ROPE TIE-OFF FITTING

Mac's 2" Rope Tie-Offs are designed to be used with light-duty ratchet or cam straps for interior van applications. Available in black only.





ROUND RING OR D-RING FITTING 3,000 LBS*

Series E or A-Track fitting with 2" Round Ring or D-Ring.





ROUND RING HEAVY-DUTY FITTING 6,000 LBS*

Series E or A heavy-duty fitting with 2" Round Ring. Easy access thumb release.





E-TRACK IDLER FITTING

Just the ticket for axle strap or wheel net applications where body clearance is critical. Works with either E or A-Track and features a roller to reduce strap wear.



MAC'S ALUMINUM A-TRACK

Mac's Aluminum A-Track has a thickened edge for load beam support. Keep this in mind when mounting as the fittings only go one way.



HORIZONTAL E-TRACK

Industry Standard Horizontal E-Track. Painted Black Steel.



VERTICAL E-TRACK

Vertical E-Track is ideal for floor-mounted E-Track when hauling cars. Keeping the slots in line with the track allows the ring to conform to the angle of pull without bending the track-a common problem with Horizontal E-Track.

E-TRACK MOUNTING PLATE

2 Position 270004 **4 Position** 270005

E-TRACK BEAM SOCKET

320003

ROPE TIE-OFF FITTING

3,000 lb* 12100.

ROUND RING OR D-RING FITTING

Round Ring

3,000 lb* 32000

D-Ring

3,000 lb* 32000

ROUND RING HEAVY DUTY FITTING

,000 lb* 320

E-TRACK IDLER FITTING

5,000 lb* 32000

LENGTH SHIPPING NUMBER

MAC'S ALUMINUM A-TRACK

2' Ships 280003
5' Ships 280002
8' Ships 280004
10' Truck Freight Only 280001

HORIZONTAL E-TRACK (PAINTED BLACK STEEL)

5' Ships 5 kg. 28000 8' Ships 5 kg. 28000

VERTICAL E-TRACK (PAINTED BLACK STEEL)

5' Ships 5 5 270007 8' Ships 5 5 270012

VERSATIE™ PACK

SINGLE STUD TIE-DOWN RING







STAINLESS MACHINE SCREW



STAINLESS BACKING PLATE

IMAGE IS NOT TO SCALE





Mac's VersaTie[™] Anchor Plate Tie Downs are as slick as they are secure. Take the ring out, and you have a low profile, rounded anchor plate that won't get in the way of other loads. Slide the ring in and you are ready for a 1,000 lb.* load! Perfect for hauling motorcycles, carts and just about anything else that fits in the back of a truck! Our exclusive stainless steel backing plate is threaded for easy installation - drill two 1/4" holes and screw it together.







UNDER BED VIEW OF BACKING PLATE



VERSATIE™ THREADED STUD

4 PRONG KNOB

VERSATIE™ ANCHOR PLATE ASSEMBLY FOUR PACK

w/1" STAINLESS HARDWARE

w/1.5" STAINLESS HARDWARE

w/2.5" STAINLESS HARDWARE 520425

SINGLE STUD TIE DOWN RING

ANODIZED ANCHOR PLATE FOR 1/4" FASTENERS

STAINLESS BACKING PLATE FOR 1/4" FASTENERS

MAC'S ANCHOR PLATE ASSEMBLY

w/1" STAINLESS HARDWARE

w/1.5" STAINLESS HARDWARE

w/2.5" STAINLESS HARDWARE

VERSATIE™ **THREADED STUD**

4 PRONG KNOB

Assembly comes with all three components and stainless fasteners.

MACS TECH TIP

Tech Tip #1 - When installing your anchor plate packs, it's a good idea to put a dab of Loc-Tite[™] on the threads for more security.

Tech Tip #2 - When installing, alternate between both screws to secure the backing plate evenly.

TIE-DOWN SYSTERAST

CAPACITY

NUMBER

SURFACE-MOUNTED D-RING

12.000 lb*

330001

BACKING PLATE FOR SURFACE-MOUNTED D-RING AND IDLER

47201

SURFACE-MOUNTED IDLER

10 000 lb* 3300

WELD-ON D-RING

12,000 lb* 33001 16,000 lb* 33001

LIGHT-DUTY SURFACE-MOUNT D-RING

900 lb* 33000

RECESSED D-RING

5,000 lb* 33000

BACKING PLATE FOR RECESSED D-RING

472005

RECESSED 360° SWIVEL D-RING

6,000 lb* 33000

Stainless Steel

6,000 lb* 33000

BACKING PLATE FOR SWIVEL D-RING

472006

BILLET 5,000 lb ALUMINUM D-RING

5,000 lb* 46300

BILLET 10,000 Ib ALUMINUM D-RING

10,000 lb* 4630

BACKING PLATE FOR BILLET D-RINGS


5,000 lb*

46301

0.000 lb* 4630

DECK HARDWARE






SURFACE-MOUNTED D-RING

This forged D-Ring is surface mounted for ease of installation. Zinc plated for corrosion resistance. Weld-on also available.






SURFACE-MOUNTED IDLER

This surface-mounted fitting is typically used as an idler fitting for a strap to pass through. Smooth surface helps protect webbing from abrasion. A perfect fit for 2" Straps. Ideal for Wheel Nets!






LIGHT-DUTY SURFACE-MOUNT D-RING

These handy surface-mounted D-rings work great for individual tie-down locations. 1" mounting hardware included. Sold in pairs with mounting hardware included.









RECESSED D-RING

An industry standard, this 5,000 lb. capacity D-Ring lifts from the recess for easy use. Zinc plated for corrosion resistance.



RECESSED 360° SWIVEL D-RING


Heavy duty 6,000 lb. capacity swivel D-Ring offers 360° rotation for maximum tie-down convenience. D-Ring lifts from recess for easy use. Zinc plated and stainless steel available.



BACKING PLATE FOR RECESSED D-RING

Cut from 1/4" thick steel. This piece is a must to achieve the full capacity of the D-Ring.





BACKING PLATE FOR SWIVEL D-RING

Cut from 1/4" thick steel. This piece is a must to achieve the full capacity of the D-Ring.




BILLET 5,000 LB ALUMINUM D-RING

Hole Diameter: .3125"

Recessed D-Ring that is fully CNC machined from billet aluminum. Aluminum backing plate available.







BILLET 10,000 LB ALUMINUM D-RING

Recessed D-Ring that is fully CNC machined from billet aluminum. Aluminum backing plate available.



BELOW IS A CLOSEUP OF
THE WHEEL NET SYSTEM
FORD COMMISSIONED
US TO MAKE TO HOLD AN
OCCUPIED EXPLORER ON
AN ARTICULATED DRIVING
SIMULATOR. JUST ANOTHER
EXAMPLE OF EXACTLY HOW
MUCH ABUSE OUR
TIE-DOWNS ENDURE.







WE SIMPLY COULD NOT COMPROMISE ANYTHING

"When Ford Motor Company showcased the "First in the World" indoor Dragstrip Dyno Display in their booth at the SEMA Show, Mac's Tie Downs were their only choice for safety and security. We simply could not compromise anything with an indoor display that featured a Mustang blasting down a simulated 1/4 mile dragstrip on a chassis dyno with hundreds of people standing in front of the car. A failure of a critical safety system would be catastrophic – that is why we trust Mac's Tie Downs to make sure that nothing is left to chance. Mac's quality and commitment to safety is unmatched in the industry today!"

BOB ADAMS



Global Auto Shows and Events Ford Motor Company (retired)



TIE-DOVNS

PRO PACK INCLUDES

(4) 10K* Ratchet Straps

(4) 10K* Axle Straps



REMOVABLE/ MACHINE-WASHABLE PROTECTIVE FLEECE

THROUGH-THE-WHEEL









WASHABLE PAD

STRAP WRAPS INCLUDED

REMOVABLE



PHOTO COURTESY OF MILLER INDUSTRIES

PRO PACK

You don't have to be a professional to appreciate all the benefits of our newest tie down package. You just have to want the ultimate protection available to transport your vehicle. The 40" through-the-wheel Pro Pack has four of our best selling ratchet straps and four axle straps that have been made 40" long to accommodate today's larger wheel and tire combinations. To that we add 32" of padded fleece sleeve protectors so the only surface touching your nice wheels is a 3/8" foam pad...covered in soft black fleece. This is the most protective strap package on the market.



STRAP COLORS

PRO PACK							
LENGTH	BLACK	BLUE	RED	YELLOW			
6' 8'	511606	Straps & Twisto 512606 512608	513606				
6' 8'	511646	512646 512648	513646				
		Straps & Direc					
6' 8'		512616 512618					
6' 8'		512656					

Direct Hook

ULTRA PACK

Mac's best-selling tie-down package is back, and it's better than ever. The Ultra Pack features separate axle straps and ratchet straps. The hardware on a separate axle strap is shaped to allow for tight clearance applications. Our fulllength sleeve is designed to stay in place (unlike competitive sliding products) and is made from the thickest material available. All straps in this pack have more than twice the number of stitches than most competitors' straps. Four each ratchet straps and axle straps are included in the signature Mac's black duffle bag for a complete tie-down solution.



STRAP COLORS

ULTRA PACK						
LENGTH	BLACK	BLUE	RED	YELLOW		
	w/ Twisted S	nap Hook				
6'	511206		513206	514206		
8'	511208	512208	513208	514208		
		14"				
	Twisted Snap	Hook				
	/ Divort Ho.	al. Databat				
6'	w/ Direct Hoo 511216		513216	514216		
8'	511218	512218	513218			
	Direct Hook	4*				
	w/ Chain Ext	ension				
6'	511226		513226	514226		
8'	511228	512228	513228	514228		
	100	18"	9			
	Chain Extens	ion				







CONNECTED TO AXLE STRAP

TWISTED SNAP HOOK



DIRECT HOOK RATCHET

ULTRA PACK INCLUDES


(4) 10K* Ratchet Straps (4) 10K* 24" Axle Straps (4) Strap Wraps (1) Mac's Black Duffle Bag



TIE-DOVNS


















PHOTO COURTESY OF MILLER INDUSTRIES

TOW PACK

If you want to use your factory shipping hook locations instead of a wheel or axle style solution, Mac's has you covered with our Tow Pack. Whether your vehicle was designed for J-hooks, T-hooks or R-hooks, we strike the perfect balance between a factory solution and ease of a strap package.



HARDWARE	BLACK	BLUE	RED	YELLOW
Mini J T-Hook R-Hook Transit	w/ Twisted Sna 511501 511502 511503 511504	512501 512502 512503 512504	513501 513502 513503 513504	514501 514502 514503 514504
		14"		
	Twicted Span L	00//		

	w/ Direct Ho	ok Ratchet		
	511511	512511	513511	5145
k	511512	512512	513512	5145
k	511513	512513	513513	5145
	511514	512514	513514	5145



Direct Hook

Mini . T-Hoo R-Hoo

Mini J T-Hoo R-Hoo

	w/ Chain Exter	nsion		
	511521	512521	513521	514521
	511522	512522	513522	514522
k	511523	512523	513523	514523
it	511524	512524	513524	514524
	SACE.	300 D		

Chain Extension

TOW HOOKS (Zinc Plated)

IOW HOOKS (Zinc Plated)	
Transit Cluster	340001
Mini J	340002
T-Hook	340003
R-Hook	340004
8" J-Hook	340005
15" J Hook	340006



SUPER PACK INCLUDES

- (4) 10K* Combination Axle Straps
- (4) Strap Wraps
- (1) Mac's Black Duffle Bag









SUPER PACK

Mac's Super Pack is ideal for more open applications where clearance is not an issue. Combining the axle straps and ratchet straps keeps costs down while maintaining the same high quality the industry has come to expect from Mac's. We've twisted the hooks on our straps to keep them aligned for maximum strength and ease of use. The pack comes in one of Mac's popular black bags for neat portability.



SUPER PACK

ા	RAP	COL	URS

SUPER F	ACK			
LENGTH	BLACK	BLUE	RED	YELLOW
	w/ Twisted Sna	ap Hook		
6'	511106	512106	513106	514106
8'	511108	512108	513108	514108
		14"		
	Twisted Snap H	look		
	w/ Direct Hool	k Ratchet		
6'	511116	512116	513116	514116
8'	511118	512118	513118	514118
	G.C.	4"		
	Direct Hook			
	w/ Chain Exter	nsion		
6'	511126		513126	514126
8'	511128	512128	513128	514128
	-0-0	18"		

Chain Extension

AXLE STRAPS

COMPARE MAC'S AXLE STRAP WITH A LEADING COMPETITOR'S STRAP.

Design, materials, and workmanship are all the highest quality on the Mac's strap. When you put ours next to theirs, we think the differences are obvious. Mac's 10,000 lb.* rated Axle Strap uses 12,000 lb.* webbing, and thick, full-length sleeve protector. Mac's charges only a little more for our superior quality straps. We think it's worth the difference, and so will you.

MAC'S PROTECTIVE SLEEVE IS TWICE AS THICK WITH FULL-LENGTH PROTECTION.

MEDIUM DUFFLE BAG

A Heavy-Duty 18" x 8" x 8" bag designed to store your straps and hardware. Designed to hold (4) 2" ratchet assemblies, plus a little more.





BRIDLE

122936 123936 124936

COMBO BRIDLE

Combination Axle Strap style 121937 122937 123937


MEDIUM DUFFLE BAG

LARGE PADDED DUFFLE BAG



SUPERIOR STITCHING:

Here we have pulled back the protective sleeve so you can take a close look at our sewing compared to theirs.



DUFFLE BAG We needed a bigger bag for our bigger packs, so here it is! Padded sides keep the rectangular shape. Sized exactly right for carry on luggage! 22" x 9" x 9"

LARGE PADDED



12,000 LB.* RATED WEBBING (SEE RED LINE)

COARSE WEBBING WITH NO STRENGTH INDICATOR





BRIDLE & COMBO BRIDLE



2" STRAPS



STRAP COLORS

				STRAP COLORS		
LENGTH	BLACK	BLUE	RED	YELLOW		
RATCHET	STRAPS					
	w/ Twisted S	Snap Hooks				
6'	121006	122006	123006	124006		
8'	121008	122008	123008	124008		
10'	121010	122010	123010	124010		
w/ Flat Snap Hooks						
6'	121106	122106	123106	124106		
8'	121108	122108	123108	124108		
10'	121110	122110	123110	124110		
	w/ Wire Hoo	oks				
12'	121212		123212	124212		
1 6'	121216	122216	123216	124216		
27'	121227	122227	123227	124227		
30'	121230	122230	123230	124230		
	w/ Flat Hoo	ks				
12'	121312	122312	123312	124312		
1 6'	121316	122316	123316	124316		
27'	121327	122327	123327	124327		
30'	121330	122330	123330	124330		
COMBINA	ATION AXL	E STRAP				
6'	121406	122406	123406	124406		

6'	121406	122406	123406	124406
8'	121408	122408	123408	124408
10'	121410	122410	123410	124410

ADJUSTABLE TIE-BACK STRAP

48" 121548 122548 123548 124548

FIXED LENGTH TIE-BACK STRAP

24"	121624	122624	123624	124624
36"	121636	122636	123636	124636
48"	121648	122648	123648	124648

PROTECTIVE FLEECE SLEEVES STRAP WRAP

20" 416002 4160

DYNO SLEEVES DIRECT HOOK KIT

5"x36" 999305 421020



DIRECT HOOK KIT

Converts a 2" wide ratchet handle to a shorter one with this bolt on kit!



DYNO SLEEVE

Mac's Dyno Heat Shield protects up to 600 degrees* – because we all know what hot pipes do to straps!



STRAP WRAP

Mac's strap wrap is more than just hook and loop fastener. It's webbing with a square ring andhook and loop fastener sewn on along with an embossed rubber pull handle. This thing is meant to last. Great for keeping your straps tidy. Also works well for garden hoses, air line, etc.



PROTECTIVE FLEECE

The ultimate protection for fine finishes. This sleeve features an integral piece of foam padding and a hook and loop fastener construction. Attach over 2" webbing. Ideal for use on Axle Straps or Combination Axle

COMBINATION AXLE STRAP

Our most popular automotive tie down. This 10,000 lb* unit combines an axle strap and a ratchet strap into one assembly. Features include: wide-handle ratchet, adjustable loop diameter, and full-sleeve protector.

ADJUSTABLE TIE-BACK STRAP

This 10,000 lb.* strap offers approximately 12" of adjustment by simply sliding the delta ring to the desired position. Typically used in pairs on one end of the vehicle with ratchet straps used for tension on the other end.



Simple, strong, and convenient. Ideal for applications that demand strength without adjustability.







RATCHET STRAPS

WITH TWISTED SNAP HOOKS

This 10,000 lb.* rated allpurpose strap features twistedsnap hooks on both ends with a wide-handle ratchet.

This 10,000 lb.* rated all-purpose strap

features flat snap hooks on both ends



WITH FLAT SNAP HOOKS

with a wide-handle ratchet.

WITH WIRE HOOKS

This 10,000 lb.* rated all-purpose strap features wire hooks on both ends with a wide-handle ratchet.



WITH FLAT HOOKS

This 10,000 lb.* rated all-purpose strap features flat hooks on both ends with a wide-handle ratchet.














TREE TRUNK PROTECTOR

Wrap a Tree Trunk Protector around that woody friend before yanking on it with a few thousand pounds. Protect the environment while saving your rig.





No sweatshops here; this photo is only a mile away from Mac's factory where we all enjoy what we call "the good life." That little city in the background is Sandpoint, Idaho, named America's Most Beautiful Small Town 2011 by USA Today and Rand McNally.



SIZE	BREAKING STRENGTH	NUMBER				
RECOVERY STRAPS						
2" X 20'	17,000 lb*	128020				
2" X 30'	17,000 lb*	128030				
3" X 20'	27,000 lb*	134020				
3" X 30'	27,000 lb*	134030				
4" X 20'	37,000 lb*	140020				
4" X 30'	37,000 lb*	140030				
6" X 20'	57,000 lb*	160020				
6" X 30'	57,000 lb*	160030				
TREE TRUNK PROTECTOR						
3" X 8'	27,000 lb*	130108				
4" X 8'	37,000 lb*	140108				

RECOVERY STRAPS

Our Recovery Straps feature premium-quality nylon webbing, super-strong stitching, and lined eyes for maximum durability.



LOGISTIC RATCHET STRAP

LOGISTIC CAM STRAP

Mac's Aluminum A-Track





LOGISTIC STRAPS

Mac's logistic straps are built here in the USA to exacting standards. We offer the best quality available in industry standard lengths, configurations, and color codes. All straps shown here have a safe working load limit of 1,000 lbs.* Will work with E-Track and A-Track.


LOGISTIC CAM STRAP



LOGISTIC RATCHET STRAP



2" CUSTOM STRAPS



CUSTOM ORDER ID CODE

FIXED / RUNNING END HARDWARE:

- A Flat Snap Hook 10k*
- B Flat Snap Hook 5k*
- C Twisted Snap Hook 10k*
- D Flat Hook 10k*
- E Narrow Flat Hook 5k*
- F D-Ring 5k*
- G Delta Ring -10k*
- H Bolt Fitting
- J E-Clip
- K Wire Hook 10k*
 L VersaTie[™] Single Stud Ring
 M VersaTie[™] Double Stud Ring
- N VersaTie[™] Idler
- P VersaTie[™] Double
- Stud Pear Ring
- R J-Hook 16k*
- S R-Hook 16k*
- T T-Hook 16k*
- V Transit Cluster 16k*

STRAP LENGTH:

72", 96", 120", 144" Custom

STRAP COLOR:

- K Black
- B Blue
- R Red
- Y Yellow

TENSIONER:

- M Wide Handle 10k*
- N Short Narrow Handle 10k*
- P Stainless Wide Handle 10k*
- Q Mini Ratchet 5k*
- R Direct Hook Ratchet 10k*
- S Cam Tensioner 1.2 k*

HOW TO ORDER CUSTOM 2" TIE-DOWN STRAPS

To order a 2" custom strap, choose the necessary components of your desired strap, identify the corresponding identification code and list them in the following sequence:

FIXED END HARDWARE COLOR & LENGTH TENSIONER TYPE RUNNING END HARDWARE = 2-AR72MA R | | DETERMINES ASSEMBLY LENGTH

For example: To order a red 2" x 72" ratchet strap with a flat snap hook on the fixed end, and a flat snap hook on the running end (as shown above). The order number would be: 2-AR72MA

Note: Other hardware and webbing is available.

WHEEL METS





TO BE THE BEST, WE RELY ON THE BEST...

Our motto at CytoSport is "Driven by Science – Inspired by Performance" and nothing out-performs Mac's Tie Downs . When it comes to getting our Muscle Milk Porsche RS Spyder to the track, whether it's across the country or around the world, Team CytoSport trusts nothing less than Mac's to ensure our vehicle arrives in prime racing condition.

Quality products, exceptional service and peace of mind. Mac's Tie Downs wins in every class.

GREG PICKETT

MUSCLE MILK Founder CytoSport™ Inc. and American Racing Legend



VHEEL ZETS

FIXED POINT

WHEEL NETS METHODS

Why would you choose one system over another? The fixed point with ratchet works excellently, when tying down cars of identical wheelbases, parked in exactly the same location on the trailer each time.

The fixed point with wrench operated lashing winch is useful for tight quarters where a standard ratchet might be problematic.

E-Track has been in use for over 50 years, and the broad install base means parts are plentiful. Our idlers are the lowest in the industry; clearing air dams and splitters by a larger margin.

VersaTie™ has twice as many locations to connect to and has the lowest adjustable idler available. For ultra-low profile vehicles, there is no substitute.



STRAP COLORS

BLACK BLUE YELLOW RED

FIXED POINT CUSTOM WHEEL NET KIT

w/ Ratchet

511360 512360 513360

w/ Lashing Winch

511361 512361 513361

E-TRACK CUSTOM WHEEL NET KIT

w/ Ratchet

511362 512362 513362

VERSATIE™ CUSTOM WHEEL NET KIT

w/ Ratchet

511363 512363 513363

Purchase (2) kits and we'll throw in the Strap Wraps and Large Black Duffle to keep everything perfect!

















CUSTOM WHEEL NET KIT WITH RATCHET **INCLUDES** (2) Wheel Nets with Direct Hook Ratchet

- (4) D-Rings with Backing Plates
- (2) Idlers with Backing Plates

FIXED POINT CUSTOM WHEEL NET KIT WITH LASHING **WINCH INCLUDES**

- (2) Wheel Nets with Lashing Winches
- (4) D-Rings with Backing Plates
- (2) Idlers with Backing Plates

E-TRACK **CUSTOM WHEEL NET** KIT WITH RATCHET **INCLUDES**

- (2) Wheel Nets with E-Clips
- (2) E-Track Idlers
- (2) 8' Lengths of E-Track

VERSATIE™ **CUSTOM WHEEL NET** KIT WITH RATCHET **INCLUDES**

- (2) Wheel Nets with VersaTie™ Double-Stud Rings
- (2) VersaTie™ Idlers
- (2) 8' Lengths of VersaTie™ Track







WHEEL NETS



STRAP COLORS

SIZE	BLACK	BLUE	RED	YELLOW				
NET ONLY (no ratchet)								
Small	121801	122801	123801	124801				
Medium	121803	122803	123803	124803				
Large	121805	122805	123805	124805				

WHEEL NET ASSEMBLY (includes ratchet)

This solution requires tie down rings just in front and behind each wheel Direct hook ratchet assembly included.

Small	511301	512301	513301	514301
Medium	511303	512303	513303	514303
Large	511305	512305	513305	514305

TIRE BLOCK STRAP

	w/ Twisted	Snap Hook Bo	th Ends			
10'	121810	122810	123810	124810		
w/ E-clip Both Ends						
10'	121910	122910	123910	124910		

INDIVIDUAL TIRE BLOCK

421018

Please Note:

VersaTie™ Track and E-Track hardware can be sewn directly to the net for an additional charge!

STANDARD WHEEL NETS





TIRE BLOCK STRAP



TWISTED SNAP HOOK



E-CLIP

MACS TECH TIP

Note proper angle of ends. Wheels should be tied down near the centerline of the tire, slightly ahead of the front and slightly behind the rear most point.


CORRECT



TOO CLOSE



00 FAR





TIRE BLOCK

For those who need a 'one size fits all' tire tie down, Mac's offers the Tire Block. A set of three Tire Blocks threaded onto a standard 2" strap keep the strap from migrating off the tire with the rubber 'teeth' that bite into the tire's grooves. When used with an idler and track system, the tire block makes for a very flexible tie-down system. Ideal for commercial carriers.



WHEEL METS

VHEEL ZETS



ULTRA LOW CLEARANCE



EXTRA HEIGH



SPREADER BAR STYLE



SHOW CARS





CUSTOM WHEEL NETS

Mac's custom wheel nets are for those tires that are bigger, taller, wider, or just more unusual than a normal street tire.





Step #3



Step #4





VHEEL NETS

DRAG PACK INCLUDES

(2) Rear Dragster Nets

(4) Recessed D-Rings

(2) Front Dragster Nets

(4) Backing Plates for Recessed

(4) Anchor Plate Assemblies (1) Large Padded Duffle Bag








WHEEL CRADLE

Mac's rubber wheel cradles keep everything in the same place, every time. They do an excellent job preventing wheel movement and augmenting tie-down straps.



MACS TECH TIP

MPORTANT! Before tying your dragster down, inflate the rear tires to a level that will allow the wheel nets to do their work! Lack of pressure in the rear tires can negate the effect of the net.



DRAG PACK

Mac's Drag Pack is the ideal solution for getting your dragster from your garage to the track and back again safely. The rear nets use a CNC-machined billet aluminum bar to spread the stress over the whole tire. Using a single strap on an oversized, soft tire can damage the tire in transit. All necessary D-Rings and connectors are included.



STRAP COLORS

BLACK BLUE

RED YELLOW

DRAG PACK

Everything you need to tie down one dragster, rear net fits 13+" wide to 34" tall 511390 512390 513390 514390

In nostalgia size, fits 10+" wide to 34" tall

511392 512392 513392 514392

REAR NET DRAG PACK

w/D-Rings and Backing Plates, fits 13+" wide to 34" tall 121850 122850 123850 12485

124850

In nostalgia size, fits 10+" wide to 34" tall

122852 123852 124852

REAR NET ASSEMBLY

Pair, no D-rings, fits 13+" wide to 34" tall

123834 121834 122834

In Nostalgia Size

123837 121837 122837 123837

FRONT NET DRAG PACK

Pair w/ VersaTie[™] ends sewn on, VersaTie[™] anchor plate assembly included.

111502 112502 113502

FRONT NETS

Pair w/ Flat Snap Hooks, no mounting hardware

113501 114501 111501 112501

WHEEL CRADLE

Dragster Front

L-Shaped Chock 700004

Anchor Plate Assembly



Recessed D-Ring







POWER SPORTS





LEADING CLIENTS ON HIGH-THRILL ADVENTURES, NOTHING CAN BE LEFT TO CHANCE...

Whether it is motocross or the Baja 1000, leading motorcycle adventure tours in Baja or instructing U.S. Military personnel on how to drive, the adventure doesn't begin until I have both wheels on the ground. That is why I rely on Mac's Tie Downs to ensure that my bike arrives safely and in perfect driving condition. Nothing compares to the thrill of tearing through hundreds of miles of desert terrain, and nothing compares to Mac's Tie Downs for reliability, quality and peace of mind.

CHRIS HAINES



Hall-of-Famer, 13 time Baja 1000 winner, and owner of Chris Haines Motorcycle Adventure Company



POMER SPORSER CLAMP

SUPERCLAMP FRONT CLAMP

740301

SUPERCLAMP BACK CLAMP

740302

EXTRA DECK HOOKS

Threaded Style

EXTRA DECK HOOKS

T-Slot 740312

SPYDER TIE-DOWN COMPLETE SYSTEM

140304

ATV/UTV COMPLETE SYSTEM

74030

ATV/UTV FRONT CHOCKS ONLY

740306

SUPERGLIDES

w/Screws. Includes (8) 30" x 8.25" pieces for 20' total.

SUPERGLIDES TRIM KIT

40'

740311



MAC'S SUPERCLAMP

Mac's SuperClamp line is quite simply the best composite construction specialty tie-down available. There is no better way to tie down a snowmobile, Spyder, ATV or UTV.

FRONT CLAMP



REAR CLAMP



SUPERGLIDES



ATV/UTV FRONT CHOCKS



SPYDER STRAPS



SUPERGLIDES TRIM KIT



ATV/UTV REAR CLAMPS



SUPERGLIDES

SuperGlides give you great traction in the trailer while making a sturdy surface for your sled's skis to glide across. The durable composite construction will last much longer than a rubber or wood floor. Available with or without the aluminum trim.



MOTORCYCLE



ARROWHEAD END CAPS



FLEECE SLEEVE & SOFT LOOP

HEAVY DUTY VERSATIE™ FITTINGS





ULTIMATE BIKE PACK

This is how we do it at Mac's. Our patented VersaTie™ track, Mac's quality straps with everything you need for a full installation. This is the strongest, most flexible and straight-up coolest complete bike tie-down system in existence. Want to bring a friend? Buy the Twin Kit and get a matching set utilizing the same center track. Everything you need for a two-place trailer.

ULTIMATE PACKS INCLUDE

BIKE PACK	TWIN PACK	
(4)	(8)	1" x 6' Ratchet Straps
(4)	(8)	18" Soft Loop Extensions
(4)	(8)	Protective Fleece Sleeves
(4)	(8)	Mac's Strap Bands
(4)	(6)	6' Lengths of VersaTie™ Track (Profile 3)
(4)	(6)	VersaTie™ Billet Aluminum Arrowheads
(1)	(2)	Lock Chock
(2)	(4)	VersaTie [™] Threaded Stud Fittings
(2)	(4)	VersaTie [™] Phenolic Four Prong Knobs
(1)	(2)	VersaTie [™] 40" Wheel Chock Spreader Bar
(4)	(8)	VersaTie [™] Double Stud Pear Shaped Rings
(1)	(1)	Medium Black Duffle Bag

Kits include all necessary all stainless 1 1/2" hardware!



ULTIMATE BIKE PACK (Everything you need for a One-Bike Trailer) BLACK BLUE RED YELLOW GREEN PURPLE SILVER

510081	510082	510083	510084	510085	510086	510087
STOOST	310082	310003	270024	210003	370000	STOOP!

ULTIMATE TWIN PACK (Everything you need for a Two-Bike Trailer)

510091 510092 510093 510094 510095 510096 510097



POWER SPORTORCYCLE

STRAP COLORS

16" PROTECTIVE FLEECE

STRAP BANDS

416008

SMALL BLACK DUFFLE BAG

610001

VERSATIE™PACK

520410

MOTORCYCLE PACK

BLACK BLUE RED YELLOW GREEN PURPLE SILVER

STRAP RINGS

330009

HANDLEBAR HARNESS WITH CUP

737016

HANDLEBAR HARNESS

737015

MOTORCYCLE PACK

Mac's founder. Colin McLemore. has been into bikes since way back. Harleys, Hondas, BMWs they all have a special place in his heart (and his garage!) That's just one of the reasons we're so adamant about the quality of our motorcycle packages and products. Because there's a right way to tie down your bike, and at the end of the day, all that counts is that it's in the same pristine condition as when it left your garage. Hey, everyone here at Mac's uses them, and we wouldn't steer you wrong.



16" PROTECTIVE FLEECE

The ultimate protection for fine finishes. Full-length, thick-padded fleece sleeve.



STRAP BANDS

A great method for keeping your straps tidy.



SMALL BLACK DUFFLE BAG

A heavy-duty bag designed to store your straps and hardware. Plenty of room for storage of tie downs for one bike.



VERSATIE[™] PACK

These anchor plates and rings offer a low profile, quick-release, four-point tie-down system with a safe Working Load of 1,000 lbs.* Set of four.





STRAP RINGS

Transform virtually any 8mm fastener into a tie-down point on your bike or ATV! Stainless Steel. Made in the USA!



HANDLEBAR HARNESS WITH CUP

This Canyon Dancer™ design adds a hard rubber 'cup' to prevent the harness from migrating inward and damaging grips and controls.



MOTORCYCLE PACK

INCLUDES

(4) 1" x 6' Ratchet Straps

(4) 1" x 18" Soft Loops

HANDLEBAR HARNESS

Time-proven Canyon Dancer™ design that grabs the handgrips to provide a forward tie-down point in limited clearance applications.

MOTORCYCLE

LOCK CHOCK

Made of 3/16" carbon steel plate and 5/8" solid thick-walled tubing, the Lock Chock is made to last. A generous chrome plate finish makes it shine – just like your ride. An optional Narrow Tire Kit is available for tires 3.5" wide and narrower.

THE SAFEST EASIEST WAY FOR ONE PERSON TO LOAD A BIKE!


















MAC'S WEDGE™

This chock is truly universal. Constructed from mandrel bent steel tubing, this chock will handle virtually all motorcycle tires. Due to its unique "wedge shaped" design, the narrower the tire, the further into the chock it sits. The bike sits on top of a base plate when secured for ultimate stability. In addition, the Mac's Wedge™ can be integrated with our VersaTie™ track by the use of a spreader bar allowing the chock to be adjusted front to rear in the trailer in 1" increments. Our innovative mounting system prevents Mac's Wedge™ from popping out of place, eliminating the biggest problem with other wheel chocks.

WEDGE-SHAPED DESIGN ESTABLISHES A UNIVERSAL FIT





40" SPREADER BAR



NARROW TIRE KIT

MAC'S TECH TIP

Using the Lock Chock is a one minute, one person job. Simply roll the front wheel of your bike in and let the self-locking chock do the work. The rear cradle uses simple, gentle leverage to firmly lock the bike - it does not flip or snap into position. To release, simply pull backward with about the same force as pulling off a center stand.

LOCK CHOCK

LOCK CHOCK NARROW TIRE KIT

MAC'S WEDGE™

472013

40" SPREADER BAR



ANCHOR PLATE ASSEMBLY

ANCHOR PLATE ASSEMBLY



STAINLESS, THREADED
BACKING PLATE FOR



MAC'S TECH TIP

Tech Tip #1 - When installing the anchor plates, select a point slightly ahead and behind each tire. This will ensure an even weight distribution and keep everything where you left it.

Tech Tip #2 - Make sure your tires are properly inflated when using these nets – they need to hold their shape for secure travel.

ATV PACK



ATV PACK INCLUDES

- (2) Rear Nets
- (2) Front Nets
- (4) Strap Bands
- (1) Medium Duffle Bag

Anchor plate version comes with all mounting hardware.

Mac's ATV Wheel Net Pack is the ideal way to transport any ATV. We've talked with so many customers who are compressing their suspensions with conventional ratchet straps, and they seem to have one of two problems:

EITHER


1) Connecting to the chassis and compressing the suspension so it can't compress further is hard on suspension components.

OR

2) They don't compress the suspension, and as the trailer bounces up and down the straps are snapped from loose to taut over and over again until they break.

SOLUTION: To solve these issues, Mac's has designed a wheel net that grabs the ATV where the stress should be – at the tires. This method allows the ATV to move the way it was designed without undue strain on the straps. Four nets (two large, two medium) come with all the mounting hardware you need and a slick Mac's storage bag to boot.





UTV PACK

Mac's Side by side UTV Tie-Down Pack When the UTV market started exploding, we needed something a little heftier than our standard Moto pack, and still not as costly as our car tie-down kits. This 5,000# kit is what we came up with. Four 7' (6' working length) combo straps, identical in function to our Super pack, but changed a bit for better UTV geometry come in this set, along with four Strap Wraps. We put it all together with our classic duffle bag for a complete kit; everything you need to strap down one UTV up to 1650#! Only available in Black.





SIDE BY SIDE UTV PACK





UTV PACK INCLUDES

(4) 7' 5K* Combination Axle Straps


(4) Strap Bands

(1) Mac's Black Duffle Bag





GHT CARGERAL UTILITY











STRAP BANDS

A great method for keeping your straps tidy.



SMALL BLACK **DUFFLE BAG**

A heavy-duty bag designed to store your straps and hardware. Plenty of room for storage of 4-6, 1" tie downs.

UTILITY RATCHET PACK INCLUDES

- (4) 1" x 6' or 1" x 10' Ratchet Straps
- (4) 1" x 18" Soft Loops
- (4) Strap Bands
- (1) Small Black Duffle Bag

UTILITY CAM PACK INCLUDES

- (4) 1" x 6' or 1" x 10' Cam Straps
- (4) 1" x 18" Soft Loops
- (4) Strap Bands
- (1) Small Black Duffle Bag





UTILITY RATCHET PACK

510111 510112 510113 510114 510115 510116 510117

UTILITY CAM PACK

510121 510122 510123 510124 510125 510126 510127 510131 510132 510133 510134 510135 510136 510137

STRAP BANDS

SMALL BLACK DUFFLE BAG







STRAPS



SOFT LOOPS (PAIR)

STRAP COLORS

LENGIH BLACK	BLUE	RED	TELLOW	GREEN	PURPLE	SILVER
				115218 115224		

1" RATCHET STRAPS

6'	111106	112106	113106	114106	115106	116106	117106
8'	111108	112108	113108	114108	115108	116108	117108
10'	111110	112110	113110	114110	115110	116110	117110
12'	111112	112112	113112	114112	115112	116112	117112

1" CAM STRAPS

6'	111006	112006	113006	114006	115006	116006	117006
8'	111008	112008	113008	114008	115008	116008	117008
10'	111010	112010	113010	114010	115010	116010	117010
12'	111012	112012	113012	114012	115012	116012	117012

INII	INTEGRAL SOFT LOOP								
	Ratchet w/ S-Hooks								
6'	111306 112306 113306	114306	115306	116306	117306				
	Ratchet w/ Flat Snap Hooks								
6'	111406 112406 113406	114406	115406	116406	117406				
	Cam Buckle w/ S-Hooks								



SOFT LOOPS

The perfect addition to a ratchet or cam buckle strap. Eliminates metal hardware contacting the load. Ideal for looping around handle bars, triple trees, etc. Made from 4,000 lb.* double-stitched webbing. (Sold in pairs)



1" RATCHET STRAP

Made with high-quality, easy-to-operate, widehandle ratchet and large vinyl-coated S-hooks. Constructed of 4,000 lb.* polyester webbing and rated at 2.800 lbs* max.



1" CAM STRAPS

This strap uses a heavy-duty cam buckle that prevents slipping. Made with large 4,000 lb.* polyester webbing and rated at 1.200 lbs* max.

INTEGRAL SOFT LOOP RATCHET WITH VINYL COATED S-HOOKS

Constructed with a flat snap hook on the running end for maximum safety, these straps integrate a soft loop with flat snap hook and D-Ring combo. Time-tested for safe, convenient load transportation. Rated at 2,800 lbs.* max.

INTEGRAL SOFT LOOP RATCHET WITH FLAT SNAP HOOKS

A Mac's exclusive! This assembly integrates a ratchet strap with a soft loop. No more looking for lost soft loops. Vinyl coated S-hook on running end. Rated at 2,800 lbs.* max.

INTEGRAL SOFT LOOP CAM WITH VINYL COATED S-HOOKS


Just like the above strap, but made with a cam buckle and S-hooks for lighter loads. Safe working load of 400 lbs.*.







1" CUSTOM STRAPS



CUSTOM ORDER ID CODE

FIXED / RUNNING END HARDWARF.

- A Flat Snap Hook
- B D-Ring
- C Wire Hook
- D Vinyl Coated S-Hook
- E VersaTie[™] Single Stud Ring F VersaTie™ Double Stud Ring
- G VersaTie™ Idler
- H VersaTie™ Double Stud Pear Ring

STRAP LENGTH:

72", 96", 120", 144"

STRAP COLOR:

- K Black
- B Blue
- R Red
- Y Yellow G Green
- P Purple
- S Silver

TENSIONER:

- M Ratchet
- N Ratchet Stainless Steel
- P Cam Tensioner

HOW TO ORDER CUSTOM 1" TIE-DOWN STRAPS

tification code and list them in the following sequence:




I DETERMINES ASSEMBLY LENGTH

For example: To order a red 1" x 72" ratchet strap with a flat snap hook on the fixed end, and a flat snap hook on the running end (as shown above). The order number would be: 1-AR72MA

Note: Other hardware and webbing is available.

SPECIALTY GEAR





IT WAS QUICK AND STEADY THAT WON THE RACE

The new pivot from Mac's Tie-Downs allows the angle of the engine and trans to be easily adjusted while on the hoist to ease engine installation and removal of even the most unwieldy engine combinations. Thanks to their clever preparation, and the Mac's Pivot Plate, the Hot Rod Barn team completed the swap in just 35 minutes, from removal to running and driving. The beauty of the pivot is that you can control the engine and transmission with the turn of a ratchet, allowing the engine to glide right in.

JUSTIN DERMODY

of Hot Rod Barn Team 2010 Holley LS Fest Engine Swap Champions



SPECIALTY GEAR

MAC'S PIVOT

.200 lb* Capacity 701001

PIVOT ADAPTERS

Ford 5.0L 302 EFI 701302

Ford 4.6L & 5.4L OHC V8 701046

Ford 1932-1953

and Vortech 454

Flathead V8 7012

GM Throttle Body Injector 701987

GM 502 Ramjet

GM LS-1 - LS-9 70135

GM V8 Fuel Injection 701305

Mac's always has more adapters in development.







MAC'S PIVOT





SPECIALITY GEAR

CHASSIS STABILIZER

Mac's Chassis Stabilizer is the perfect companion to most any tie-down system. Simply slide the deflated stabilizer under the chassis and inflate it. Inflated, the stabilizer will cushion the harsh effects of trailering.

CHASSIS STABILIZER INCLUDES

18" Chassis Stabilizer Hose Kit Gate Valve



WHEEL CRADLE

CHASSIS STABILIZER

Deflated height 1.75". Inflated height 10".

Deflated height 1.125". Inflated height 4".

Dragster Front 700005

18" Diameter

L-Shaped Chock

PIT RAMP

70001

FLOOR JACK CRADLE

70000:

WALL BRACKET

700002

RECTANGULAR WALL BRACKET

70001



WALL BRACKET



L- SHAPED CHOCKS



PIT RAMP



RECTANGULAR STABILIZER

Mac's Rectangular Stabilizer is designed for low clearance cars and for use with beaver tail trailers. It's sleek 1 $^1/_8$ inch height design allows it to slide under the lowest race cars. It is recommended for applications where the chassis is $1 ^1/_8$ inches to 3 inches from the trailer floor.

RECTANGULAR STABILIZER INCLUDES

Rectangular Stabilizer Hose Kit Gate Valve



RECTANGULAR

WALL BRACKET

FLOOR JACK CRADLE



WHEEL CRADLE

Mac's rubber wheel cradles keep everything in the same place, every time. They do an excellent job preventing wheel movement and augmenting tie-down straps.









SPECIALITY GEAR

TRAIL D-VISE INCLUDES Hitch Pin Clip Handle









TRAIL D-VISE

Now even better. Mac's has improved this great product by adding pipe jaws, an integrated handle and a convenient bottle opener. In addition rock-crusher tough "Slip-Not"™ material is used for jaw faces. The new cross drilling allows the Vise to rotate on 90° increments.

- Fits any standard 2" x 2" receiver tube/trailer hitch
- Opens to more than 8" Wide enough to press most U-joints
- "Slip-Not" ™ material for main jaws, plus triple pipe jaws for the ultimate grip

Mac's Trail D-Vise make those remote repairs easier and more effective. Simply slide the D-Vise into your receiver, pin it and you have a stout vise in the middle of nowhere!

The Trail D-Vise gives you workbench vise capabilities right off the back of your vehicle. Use for fabrication, repair, welding, cutting, pressing, straightening and more!

FIRE EXTINGUISHER BRACKETS

Why bother having a fire extinguisher if you can't get to it in time to make a difference?

Now Mac's Custom Tie-Downs has a solution: the new Quick-Release Fire Extinguisher Bracket combines Mac's trademark rugged construction with the convenience of a quick-release pin and the ability to accommodate most standard hand-held extinguishers.

Like all Mac's products, the Quick Release Extinguisher Bracket is made in the USA, featuring CNC machined billet aluminum construction and stainless steel hardware. The bracket is available with tubular or flat panel mounts for use on roll bars, cages, floor pans or most anywhere within easy reach.



TRAIL D-VISE 797979

FIRE EXTINGUISHER BRACKETS

Flat Panel Mount 712830

Tubular Mount

1.25" dia. 712821

1.5" dia. 712822

1.75" dia. 712824

2.00" dia. 71282



FLAT PANEL BRACKETS



TUBULAR MOUNT



SPECIALITY GEAR

JEEP® BOX INCLUDES

Integral Locking Floor Cover Moveable Dividers Versatie Tie-Down Track Removable Tie-Down Fittings Sliding Drawer Cover









FULL HEIGHT MOVEABLE DIVIDERS



ALUMINUM HINGE POINT



MITERED CORNERS ON VT TRACK

JEEP® BOX

Rugged all-aluminum construction, OEM quality fit and finish. Lightweight and customizable, stow cargo out of the elements and away from thieves. Drawer lid makes perfect work table for food prep while camping.

The Mac's Jeep Box is easily installed behind the rear seats in any 2007+ Jeep Wrangler 4-door. The factory floor storage wells are still accessible due to the Jeep Box's innovative tilting design. Lightweight powdercoated aluminum construction allows the Jeep Box to include a fully locking drawer and a separate lock to keep the unit itself safely secured in the back of the Jeep. The factory floor cover is replaced with an aluminum integral floor that is part of the box for maximum security and durability.

To offer double protection against the elements, the interior drawer features a gasket on all sides, so rain and mud will all stay on the outside, where it belongs. The Mac's Jeep Box utilizes the factory rear seat bolt holes for mounting, but does not require the removal of the rear seats. Every Jeep Box comes standard with an integral locking floor cover, moveable dividers for modular interior space, Mac's famous VersaTie tie-down track, removable fittings for even more gear space and a sliding drawer cover to offer more flat work surface.

The Jeep Box also features an exclusive pivot mount that allows you to swing the entire unit up and forward, out of the way in case you need access to the factory storage wells. The entire storage system, from mounting plate to powder-coated drawer unit can be installed in 15 minutes without any drilling, allowing for easy removal if desired.

JEEP BOX 2007+ 4-DOOR

702010

SPECIALTY GEAR

CANOPY PARTS

AUTOMATIC LATCHING RAFTER END

Mac's aluminum rafter ends eliminate the hardest part of canopy frame manufacturing. The automatic latching mechanism allows the rafter to positively connect to the padeye without requiring the end user to climb the trailer. This can be a terrific selling point when your padeyes are mounted 14' up. With our parts, you can erect and dismantle the canopy frame while standing on the ground.

RAFTER END 2" X 2"

Rafter end designed to fit 2" x 2" x .125" tubing with internal cable routing.







RAFTER END

2" x 2" 63220

2" x 3 " 632301

GUSSETED PADEYE

2" x 4" 47100

RAFTER END 2" X 3"

Rafter end designed to fit 2" x 3" x .125" tubing with internal cable routing.



GUSSETED PADEYE 2" X 4"

Mac's padeyes feature fully stainless steel construction. Each unit is expertly T.I.G. welded, then electropolished and passivated sealed for maximum corrosion resistance.



