



20 **METHOD**™ 17  
**RACE WHEELS**  
**LIGHTER. STRONGER. FASTER.**





METHOD



**STREET**

**SERIES**

— STREET SERIES —

# 311 VEX

SIZE	OFFSET	BACKSPACE	LUGS	LOAD RATING
16x8	0mm	4.50"	5 and 6 Lug/ 8 Lug	2650 lbs./ 3640 lbs.
17x8.5	0mm	4.75"	5 and 6 Lug/ 8 Lug	2650 lbs./ 3640 lbs.
18x9	-12mm, +18mm	4.50", 5.75"	5 and 6 Lug/ 8 Lug	2650 lbs./ 3640 lbs.

TITANIUM WITH MATTE BLACK LIP // MATTE BLACK



— STREET SERIES —





# 310 CON6

SIZE	OFFSET	BACKSPACE	LUGS	LOAD RATING
17x8.5	0mm	4.75"	5 and 6 Lug/ 8 Lug	2650 lbs./ 3640 lbs.
18x9	-12mm, +18mm	4.50", 5.75"	5 and 6 Lug/ 8 Lug	2650 lbs./ 3640 lbs.
20x9	0mm, +18mm	5", 5.75"	5 and 6 Lug/ 8 Lug	2650 lbs./ 3640 lbs.

BRONZE WITH MATTE BLACK LIP // MATTE BLACK

— STREET SERIES —



# 309 GRID

SIZE	OFFSET	BACKSPACE	LUGS	LOAD RATING
16x8	0mm	4.5"	5 and 6 Lug/ 8 Lug	2650 lbs./ 3640 lbs.
17x8.5	0mm	4.75"	5 and 6 Lug/ 8 Lug	2650 lbs./ 3640 lbs.
18x9	-12mm, 0mm, +18mm	4.50", 5", 5.75"	5 and 6 Lug/ 8 Lug	2650 lbs./ 3640 lbs.
20x9	+18mm	5.75"	5 and 6 Lug/ 8 Lug	2650 lbs./ 3640 lbs.

TITANIUM WITH MATTE BLACK LIP // MATTE BLACK





— STREET SERIES —





# 308 ROOST

SIZE	OFFSET	BACKSPACE	LUGS	LOAD RATING
17x8.5	0mm	4.75"	5 and 6 Lug	2500 lbs.
18x9	-12mm, +18mm	4.50", 5.75"	5 and 6 Lug	2500 lbs.
20x9	0mm, +18mm	5", 5.75"	5 and 6 Lug	2500 lbs.

BRONZE // MATTE BLACK

— STREET SERIES —



# 307 HOLE

SIZE	OFFSET	BACKSPACE	LUGS	LOAD RATING
15x8	-24mm	3.5"	5 and 6 Lug	2500 lbs.
16x8	0mm	4.50"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3600 lbs.
17x8.5	0mm	4.75"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3640 lbs.
18x9	-12mm	4.50"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3640 lbs.

MATTE BLACK



— STREET SERIES —



# 306 MESH

SIZE	OFFSET	BACKSPACE	LUGS	LOAD RATING
16x8	0mm	4.50"	5 and 6 Lug / 8 Lug	2500 lbs. / 3600 lbs.
17x8.5	0mm	4.75"	5 and 6 Lug / 8 Lug	2500 lbs. / 3600 lbs.
18x9	-12mm, +18mm	4.50", 5.75"	5 and 6 Lug / 8 Lug	2500 lbs. / 3600 lbs.
20x9	+18mm	5.75"	5 and 6 Lug / 8 Lug	2500 lbs. / 3600 lbs.

MATTE BLACK



— STREET SERIES —







# 305 NV

SIZE	OFFSET	BACKSPACE	LUGS	LOAD RATING
16x8	0mm	4.50"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3600 lbs.
17x8.5	0mm	4.75"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3640 lbs.
17x8.5 *	0mm	4.75"	8x6.5, 8x180	4500 lbs.
18x9	-12mm, +18mm, +25mm	4.50", 5.75", 6.0"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3640 lbs.
18x9 *	+18mm	5.75"	8x6.5, 8x180	4500 lbs.
20x9	+18mm, +25mm	5.75", 6"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3640 lbs.

\* HD - HEAVY DUTY APPLICATION - MATTE BLACK ONLY

MATTE BLACK WITH MACHINED FACE //  
BRONZE WITH MATTE BLACK LIP // MATTE BLACK

—| STREET SERIES |—



# 304 DOUBLE STANDARD

SIZE	OFFSET	BACKSPACE	LUGS	LOAD RATING
15x8	-24mm	3.50"	5 and 6 lug	2100 lbs.
15x10	-50mm	3.50"	5 and 6 lug	2100 lbs.
16x8	0mm	4.50"	5 and 6 Lug/ 8 Lug	2100 lbs./ 3200 lbs.
17x8.5	0mm	4.75"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3640 lbs.
18x9	-12mm, +18mm, +25mm	4.50", 5.75", 6.0"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3640 lbs.

DIAMOND CUT MACHINED //  
MATTE BLACK WITH MACHINED LIP // MATTE BLACK



— STREET SERIES —





# 302 FAT FIVE

SIZE

17x8.5

OFFSET

0mm

BACKSPACE

4.75"

LUGS

5 and 6 Lug/ 8 Lug

LOAD RATING

2500 lbs./ 3600 lbs.

MATTE BLACK

— STREET SERIES —





# 301 THE STANDARD

SIZE	OFFSET	BACKSPACE	LUGS	LOAD RATING
15x7	-6mm	3.75"	5 and 6 Lug	2100 lbs.
16x7 *	0mm	4"	6 and 8 Lug	3600 lbs.
16x8	0mm	4.50"	5 and 6 Lug/ 8 Lug	2100 lbs./3200 lbs.
17x7.5	+35mm	5.60"	5 Lug	3000 lbs.
17x7.5 **	+20mm, +50mm	5", 6.25"	5 and 6 Lug/ 8 Lug	3000 lbs./3600 lbs.
17x8.5	0mm, +25mm	4.75", 5.70"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3600 lbs.
17x9	-12mm	4.50"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3600 lbs.
18x9	-12mm, +18mm	4.50", 5.75"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3600 lbs.
20x9	+18mm	5.75"	5 and 6 Lug/ 8 Lug	2500 lbs./ 3600 lbs.

\* TRAILER WHEEL APPLICATION \*\* CARGO VAN APPLICATION

DIAMOND CUT MACHINED // MATTE BLACK



**RALLY**

**SERIES**



— RALLY SERIES —



## 502 RALLY

SIZE

OFFSET

LUGS

LOAD RATING

17x8

+38

5x100, 5x108, 5x114.3

1850 lbs.

18x8

+38

5x100, 5x108, 5x114.3

1850 lbs.

BRONZE // TITANIUM



## 502 VT-SPEC

SIZE

15x7

OFFSET

+15

LUGS

5x100, 5x114.3

LOAD RATING

2100 lbs.

SILVER // MATTE BLACK  
INCLUDES STAINLESS STEEL LUG HOLE INSERTS

— RALLY SERIES —



## 501 RALLY

SIZE	OFFSET	LUGS	LOAD RATING
17x8	+42	5x100, 5x108, 5x114.3	1850 lbs.
18x8	+42	5x100, 5x108, 5x114.3	1850 lbs.

BRONZE // TITANIUM



# 501VT-SPEC

**SIZE**

15x7

**OFFSET**

+48

**LUGS**

4x108, 5x100, 5x114.3

**LOAD RATING**

1900 lbs.

SILVER // MATTE BLACK  
INCLUDES STAINLESS STEEL LUG HOLE INSERTS



**RACE**

**SERIES**

—RACE SERIES—





# 105 BEADLOCK

SIZE	BACKSPACE	BOLT PATTERN	LOAD
17x8.5	4.75"	5x5.5, 6x5.5, 6x135mm, 8x6.5, Blank	3600 lbs.
17x9	3.5"	5x4.5, 5x5.0, 6x6.5, Blank	3600 lbs.
20x9	4.5"	5x5.0, 6x5.5, 6x135mm, 6x6.5, 8x6.5, Blank	3500 lbs.

MACHINED FACE WITH MATTE BLACK RING // MATTE BLACK  
INCLUDES FORGED 6061 RING AND GRADE 8 ZINC-PLATED HARDWARE

—RACE SERIES—







# 102 BEADLOCK

- 2 LBS LIGHTER THAN 101 BEADLOCK WITH THE SAME LOAD RATING
- FLOW-FORMED CONSTRUCTION FOR WEIGHT SAVINGS AND IMPROVED MATERIAL PROPERTIES
- INCREASED ROOM FOR BRAKE CALIPER CLEARANCE
- V2 RING OFFERS GREATER STRENGTH, LESS DEFLECTION AND EASIER INSTALLATION

**SIZE**

17x9

**BACKSPACE**

4.5"

**BOLT PATTERN**

5x5.5, 6x5.5

**LOAD**

3400 lbs.

RAW MACHINED  
INCLUDES V2 FORGED 6061 RING AND GRADE 8 ZINC-PLATED HARDWARE

— RACE SERIES —



# 101 BEADLOCK

SIZE	BACKSPACE	BOLT PATTERN	LOAD
15x8	3.5"	5x4.5, 5x4.75, 5x5.5, Blank	2400 lbs.
16x8	6.25"	5x4.5, 5x5.5, Blank	1900 lbs.
17x9	4.5"	5x5, 5x5.5, 6x135mm, 6x6.5, Blank	3400 lbs.

RAW MACHINED  
INCLUDES FORGED 6061 RING AND GRADE 8 ZINC-PLATED HARDWARE



# 101 NON-BEADLOCK

SIZE

17x8.5

BACKSPACE

4.5"

BOLT PATTERN

Blank

LOAD

3400 lbs.

RAW MACHINED

— RACE SERIES —



# 101 BUGGY BEADLOCK

SIZE	BACKSPACE	BOLT PATTERN	LOAD
15x4.5	1.75"	5x205	1600 lbs.
15x5.5	2.75"	5x205	2100 lbs.
15x7	2.25", 3"	5x205	2100 lbs.
16x4.5	1.75"	5x205	1600 lbs.
17x6.5	2.25", 3"	5x205	3100 lbs.
17x8	2.5"	5x205	3000 lbs.

RAW MACHINED

INCLUDES FORGED 6061 RING AND GRADE 8 ZINC-PLATED HARDWARE



# 101 NON-BEADLOCK

SIZE	BACKSPACE	BOLT PATTERN	LOAD
15x4	1.75"	5x205	1600 lbs.
15x6.5	3"	5x205	2100 lbs.
16x4	1.75"	5x205	1600 lbs.

RAW MACHINED

Accept no compromises, choose only quality custom wheels and rims.