



Big Block Ford WP308

In The Box You Will Find:

- 1 Pump
- 4 4" x 5/16" – 18 stainless socket head bolts
- 4 5/16" AN washers
- 2 Flange gaskets
- 1 Wiring harness with 20 amp fuse
- 2 Contingency stickers

The inlet fitting must be ordered separately to match your lower radiator hose or AN fitting

To Do The Job You Will Need:

- Scraper and or wire brush
- Brake cleaner
- Sealant; Form A Gasket (Aviation), Form A Gasket 2 (Non-Hardening), Gaskacinch or RTV silicone
- Thread sealant; RTV silicon or liquid pipe thread sealant
- 1/4 hex socket
- 1/2 drive ratchet
- spanner wrench or see **Inlet** section for substitute procedure

Mounting The Back Plate

Remove stock [water pump](#), clean and degrease the gasket surface. Apply sealant to both sides of factory gasket and tack to the backside of the Meziere back plate P/N WP109. Align gasket to bolt holes and bolt to timing cover using 3/4 x 5/16 – 18 hardware provided.

Mounting Pump

Be sure to use a proper sealant on both sides of the mounting flange gaskets. Bolt pump in place using 4x5/16-18 provided. **Tighten all four bolts to the recommended 30 ft. / lbs.**

Inlet

Our hose inlets use -20 O-Ring seal. Using Meziere part numbers than begin with “WN” they are available in sizes from -12 AN to -24 AN and smooth hose from 1 1/4 to 1 3/4.

Wiring

The **BLUE** wire connects to **positive (+)**

The **BLACK** wire connects to chassis ground or battery **negative (-)**

TO AVOID MOTOR FAILURE, be sure to use the fuse holder supplied with the harness or install your own 10 to 20 amp fuse and holder. **WARNING: NOT USING A PROTECTION CIRCUIT WILL VOID YOUR WARRANTY.**

Running

Fill the cooling system. Replace fill cap and turn on pump. Remove fill cap and top off coolant level. Recheck level after one heat cycle. **DO NOT RUN PUMP DRY for more than a few seconds.**

Beauty Tip

Your pump comes to you polished and waxed. An occasional waxing will allow dirt or debris to be wiped right off the pump and also offer some protection from UV light (the anodized color on your pump can fade from prolonged exposure to sunlight).

Thank you for your purchasing our product. Feel free to contact us if we can be of further assistance and enjoy your pump for a long, long time.

WARNING: NOT USING A FUSE CIRCUIT WILL VOID YOUR WARRANTY.