



## 2019 Product Catalog



*North America's Most Popular Brand of Portable Heaters & Accessories*

# TABLE OF CONTENTS

## HEATERS

Buddy® Indoor Safe Portable Heaters	6-12
Golf Cart Heater	13
Tank Tops	14-15
Radiant Vent Free Heaters	16-17
Blue Flame Vent Free Heater	18-19
Cabinet Heater	20
Portable Radiant Heaters	21
Forced Air Diesel & Kerosene	24-25
Forced Air Propane Heaters	26-27
HERO® Cordless Forced Air Propane Heaters	28
Radiant Kerosene Heaters	29
Portable Electric Heaters	30
Mounted Electric Heaters	31
Convection Heaters	32
Radiant Tube Heater	33
Radiant Garage & Workshop Heaters	34-35
Unit Heater & Accessories	36-37
Warmers	38-39
Catalytic Heaters	40
Tent Fan	41
Camping Angle Iron Stoves & Accessories	41
Portable Shower Systems	42
Propane Torches	43















## HOSES, FITTINGS & ACCESSORIES

Plan-O-Grams	44-45
Hose Assemblies	46-48
Propane Regulators	48-49
Brass Fittings and Accessories	50-52
Accessory Kits	53
Gas Mate™ Quick Connector Kits	54
Propane Accessories	55
Tank Top Replacement Parts	56
Mr. Heater FADK/FALP Replacement Parts	57-58
Mr. Heater Buddy® and Vent Free Replacement Parts	59
BaseCamp Gaslight Replacement Parts	60

## INDEX

Complete Product Index	61-66
------------------------	-------


## ICON LIBRARY

 Ice Fishing	 Side by Side	 Garage
 Hunting	 Golf Cart	 Outdoor Sports
 Hiking	 Tractor	 BTU
 Construction	 Camping	 Heating Area
 Workshop	 Home	

## ACRONYM LIBRARY

- POL - Prest-O-Lite (Put on Left)
- PSI - Pounds Per Square Inch
- wc - Water Column

### Buddy® Heaters



Pages 6 - 11

### Tank Top Heaters




Pages 14 - 15

### Forced Air



Pages 22 - 28

### Hoses, Fittings & Accessories



Pages 44 - 60








# Radiant Heat




Radiant heat dispersion pattern

## RADIANT HEAT FEATURES

Radiant heat technology uses infrared heat energy from a radiant burner to heat people or objects placed in its path. Similarly, the sun radiates heat to objects without interference from wind.

-  **Point and heat!** Heat people or objects directly in front of the heater
-  **Positive heat recovery.** Heated objects will remain heated even when exposed to wind
-  **Efficient heating.** Heated objects will retain heat longer than the surrounding air
-  **Quiet source of heat**
-  **Available for use with a thermostat**



Radiant heat raises the temperature of people & or objects in its path.

## GENERAL BUYING INFORMATION

Prices and terms are subject to change without notice. Orders will be billed at prices and terms in effect on the date of shipment.

Terms: Net 30

All orders are accepted and the above terms extended with the approval of the Mr. Heater Credit Department.

**Freight Terms:** Shipments are F.O.B. Factory (Cleveland, Ohio; Bedford, Ohio; Portland, Oregon; Depending on Shipment of Origin).

All orders for Mr. Heater products will be shipped to one destination within the 48 continental United States according to one of the following freight policies at Mr. Heater's discretion.

**Package Quantities:** Orders must be in package quantities. Mr. Heater Inc. also reserves the right to alter quantities ordered, if necessary, to conform to package quantities.

**Merchandise Return Authorization:** Merchandise may not be returned without the prior approval of Mr. Heater Inc. Please fax your return request to the Customer Service Department at 1-800-321-0552. Upon receipt, the request will be reviewed and if appropriate a return material authorization number (RMA#) will be issued. Merchandise returned without prior approval will be subject to refusal and returned freight collect; or if accepted, a handling charge of 25% of purchase price will be deducted from the credit memo.

Authorized merchandise returned for credit, repair or replacement must be shipped with TRANSPORTATION CHARGES PREPAID. Full credit will be issued for original invoice subject to a handling and repacking charge of 25%. Merchandise returned transportation collect will be charged back by invoice or deducted from credit.

Credit allowances for obsolete, shelf-worn or damaged merchandise will be solely at the discretion of Mr. Heater Inc. This merchandise is subject to an additional 10% handling charge and costs of new packaging.

# Forced Air Heat



## FORCED AIR HEAT FEATURES

Forced air or convective heat technology works by blowing heated air into an enclosed space. Forced air heat is able to quickly and efficiently heat a space but, this heat can be lost quickly if cold air is introduced into the space for any prolonged period of time e.g. repeatedly opening and closing your garage door.



**Heats a space quickly and efficiently**



**Effectively circulates air in the space**




**Quickly heats larger spaces**




**Disperses heat evenly throughout a space**



**Available for use with a thermostat**



Forced air heat dispersion pattern



Forced air heat circulates warm air in an area to quickly and efficiently heat a space.

**Indemnification:** Notwithstanding any provisions for indemnification contained in any purchase orders or other documents generated or used by the Customer, Mr. Heater Inc. assumes no responsibility to indemnify or otherwise defend or protect Customer or any other purchaser of its products for liability resulting from Customer's actual or alleged independent conduct, or the actual or alleged independent conduct of Customer's agents or employees including but not limited to, resale of products purchased from Mr. Heater: (1) with any product alterations not authorized by Mr. Heater (2) without all instructions and warnings provided by Mr. Heater (3) with oral or written instructions inconsistent with those provided by Mr. Heater (4) which have been used or damaged by Customer or returned by Customer after retail sale, or (5) in violation of any state or local statute or ordinance.

Enerco, based in Cleveland Ohio, has been at the forefront of infrared combustion technology since 1957. This market leading technology has allowed Enerco to build expertise in consumer heating products as well as heavy duty commercial and construction heating products. Starting in 1984, Enerco's Mr. Heater Brand has delivered innovative technology and unmatched quality and service as America's Most Popular Brand Of Heater's. From its Original Tank Tops to its patented Buddy Heaters, millions of consumers have enjoyed high quality comfortable heat. Mr. Heaters Contractor Series Forced Air Propane and Kerosene Heaters have become the industry standard for dependability while its unit heaters have expanded the garage to usable workspace in the winter months. 2011 marked the launch of HERO-The World's First Cordless Forced Air Propane Heaters featuring Quiet Burner Technology®. Through innovative products, innovative marketing, and world class customer service, Mr. Heater is leading the way in portable heat!

Product specifications and appearance are subject to change without notice. Product images may not be precise.



**Buddy**  
**RED**

Buddy RED is recognized worldwide for comfortable, safe, portable heat.

**Buddy**<sup>®</sup>

**INDOOR SAFE,  
PORTABLE  
RADIANT HEAT**



# Buddy® Heater Comparison Chart



**LITTLE  
Buddy**



**Portable  
Buddy**



**Hunting  
Buddy**



**BIG Buddy**

Model #	MH4B	MH9BX	MH12HB	MH18B
Stock #	F215100	F232000	F232035	F274805
UPC	089301151000	089301320000	089301320352	089301004825
Stock # for Mass/ Canada (Outdoor Use Only)	F215120	F232050	F232045	F274806
UPC for Mass/ Canada (Outdoor Use Only)	089301151208	089301320505	089301320451	089301004832
Heat Settings	3,800 BTU	4,000 / 9,000 BTU	6,000 / 12,000 BTU	4,000 / 9,000 / 18,000 BTU
Heat Up To:	95 Sq. Ft.	225 Sq. Ft.	300 Sq. Ft.	450 Sq. Ft.
Ignition	Piezo	Piezo	Electronic	Piezo
Fuel/Tank Size	1 lb. Propane Cylinder	1 lb. Propane Cylinder	1 lb. Propane Cylinder	(2X) 1 lb. Propane Cylinder
Run Time 1# Propane Cylinder	5.6 hours	5.4 Hrs. Low 2.4 Hrs. High	3.5 Hrs. Low 1.8 Hrs. High	11 Hrs. Low (Two 1 lb) 4.8 Hrs. Med. (Two 1 lb) 2.8 Hrs. High (Two 1 lb)
Attach to 20# Propane Tank	NO	YES	YES	YES
Run Time on (1) 20# Tank	N/A	108 Hrs. Low 48 Hrs. High	72 Hrs. Low 36 Hrs. High	108 Hrs. Low 48 Hrs. Med. 24 Hrs. High
Patented Swivel Regulator	NO	YES	YES	YES

## BUDDY® HEATER FEATURES

- Indoor safe  
(Certified outdoor use only in Massachusetts/Canada)
- Accidental tip-over safety shut-off
- Low oxygen safety shut-off (ODS)
- Portable radiant heat
- Certified

## COMMON USES

- Camping
- Ice fishing
- Hunting
- Workshop
- Outdoor sports

Buddy heaters are not designed for permanent installation or for use above an altitude of 7,000 ft. Always check local codes for permitted uses.

**NOTICE:** Not for use in a "dwelling home" in California

\* Certified indoor use in the USA except Massachusetts. Outdoor use only in Massachusetts & Canada.

ONLY USE BUDDY HOSES WHEN CONNECTING ANY BUDDY HEATER TO 20 lb. BULK PROPANE TANKS

NEVER use third party accessories or attachments with this heater (including attachments for warming or cooking); doing so will void the product warranty, is extremely dangerous, and may result in personal injury or death to you or others.

# Little Buddy® Heater

## LITTLE **Buddy**™



**LITTLE BUDDY®**  
**Portable Radiant Heater**  
Model # - MH4B  
Stock # - F215100  
UPC - 089301151000

**(Massachusetts/Canada Only)\***  
Model # - MH4B  
Stock # - F215120  
UPC - 089301151208



3,800 BTU



Heats Up to 95 Sq. Ft.



Runs 5.6 Hours on  
1 lb. Propane Cylinder

- One handed push button ignition
- 8" round stand uses little floor space (Included)
- Tip-over safety shut-off
- Automatic low oxygen shut-off system (ODS)
- Connects directly to one 1 lb. disposable propane cylinder
- Certified



# Portable Buddy® Heater

Portable  
**Buddy®**



## **PORTABLE BUDDY®** Portable Radiant Heater

Model # - MH9BX  
Stock # - F232000  
UPC - 089301320000

**(Massachusetts/Canada Only)\***

Model # - MH9BX  
Stock # - F232050  
UPC - 089301320505



4,000 / 9,000 BTU



Heats Up to 225 Sq. Ft.



Runs 5.4 on Low & 2.4 Hours on High with 1 lb. Propane Cylinder

- Single control start knob
- Swivel regulator
- Automatic low oxygen shut-off system (ODS)
- Tip-over safety shut-off
- Includes Piezo igniter
- Connects to one 1lb. cylinder or to a 20 lb. tank with optional hose
- Certified

# Hunting Buddy® Heater

## Hunting Buddy™



### **HUNTING BUDDY®** Portable Radiant Heater

Model # - MH12HB  
Stock # - F232035  
UPC - 089301320352

**(Massachusetts/Canada Only)\***

Model # - MH12HB  
Stock # - F232045  
UPC - 089301320451



6,000 / 12,000 BTU



Heats Up to 300 Sq. Ft.



Runs 3.5 Hrs. on Low 1.8 Hrs. on High  
with 1 lb. Propane cylinder

- Silent electronic ignition
- Automatic low oxygen shut-off system (ODS)
- Tip-over safety shut-off
- Connects to one 1 lb. cylinder or to a 20 lb. tank with optional hose
- Certified


# BIG Buddy®





**BIG BUDDY®**  
**Portable Radiant Heater**

Model # - MH18B  
Stock # - F274805  
UPC - 089301004825  
**(Massachusetts/Canada Only)\***

Model # - MH18B  
Stock # - F274806  
UPC - 089301004832

 4,000 / 9,000 / 18,000 BTU

 Heats Up to 450 Sq. Ft.

 Runs Approximately 11 Hrs. on Low, 4.8 hrs. on Medium & 2.8 Hrs. on High with two 1 lb. Propane cylinders

- Swivel regulators
- Automatic low oxygen shut-off system (ODS)
- Tip-over safety shut-off
- Connects to two 1 lb. cylinders or to a 20 lb. tank with optional hose
- Certified

# Buddy Heater Accessories



## **BUDDY® HEATER CARRYING BAG**

### **Portable Buddy® Carrying Bag**

Stock # - F232078

UPC - 089301320789

### **Big Buddy® Carrying Bag**

Stock # - F274889

UPC - 089301748897

## **10' BUDDY® SERIES HOSE ASSEMBLY**

### **Use with 5 - 20 lb. Propane Tanks**

Stock # - F273704

UPC - 089301737044

(Swivel 1" - 20 Male Throwaway Cylinder Thread x Soft Nose Excess Flow POL with Handwheel) Connects propane appliances that are designed to be connected to 1 lb. propane bottles to 5 - 20 lb. tanks.

**Hand tighten swivels on both ends.**

**No Fuel Filter required.**



**NEW**

## **8' UNIVERSAL PROPANE HOSE & GAUGE ASSEMBLY**

### **Use with 5 - 20 lb. Propane Tanks**

Stock # - F273705

UPC - 089301005198

(Acme Nut x 1" - 20 Male Throwaway Cylinder Thread) Connects propane appliances that are designed to be connected to 1 lb. propane bottles to 5 - 20 lb. tanks.

**Works on any appliance that uses a disposable cylinder. Hand tighten swivel on both ends. Recommended use with F273699 Fuel Filter.**



## **PROPANE HOSE ASSEMBLIES**

### **5' Propane Hose Assembly**

Stock # - F273701

UPC - 089301737013

### **12' Propane Hose Assembly**

Stock # - F273702

UPC - 089301737020

(Swivel 1" - 20 Male Throwaway Cylinder Thread x Excess Flow Soft Nose POL with Handwheel) Connects appliances that are designed for disposable propane cylinders to a 5 - 20 lb. tank.

**Hand tighten swivel on both ends. Recommended use with F273699 Fuel Filter.**



## **12' BIG BUDDY® HOSE WITH REGULATOR**

### **Use with 5 - 20 lb. Propane Tanks**

Stock # - F271803

UPC - 089301718036

(Quick Connect x Regulator with Acme Nut) - Used to hook a Big/Tough Buddy to a 20 lb. propane tank.

## **PROPANE HOSE ASSEMBLIES WITH ACME NUT**

### **5' Propane Hose Assembly**

Stock # - F273703-60

UPC - 089301703605

### **12' Propane Hose Assembly**

Stock # - F273703-144

UPC - 089301031449

(Appliance End fitting/Acme Nut x 1" - 20 Male Throwaway Cylinder Thread) Used to connect portable appliances to a 20 lb. propane tank.

**Recommended use with F273699 Fuel Filter.**



## **UNIVERSAL FUEL FILTER**

### **Use with 20 lb. Propane Tank**

Stock # - F273699

UPC - 089301736993

Required for use with all Portable Buddy, Hunting Buddy & Big Buddy Heaters when attaching to a 20 lb. propane tank. Most commonly used with F273701(5') & F273702(12') propane hose assemblies.



## **GOLF CART HEATER**

### **Portable Radiant Heater**

Model # - MH4GC  
Stock # - F242010  
UPC - 089301000223



4,000 BTU



Heats Up to 100 Sq. Ft.



Runs 5.5 Hours on 1 Lb.  
Propane Cylinder

- Wind resistant protective screen
- Universal cup holder stand
- High-intensity radiant heat
- Automatic low oxygen shut-off system (ODS)
- Tip-over safety shut-off
- Outdoor Use Only
- Certified

# ***OUTDOOR RADIANT HEAT***



# Tank Top Comparison Chart



Model #	MH15C	MH15	MH15T	MH30T	MH45T	MH540T
Stock#	F242300	F242200	F242100	F242650	F242915	F242540
UPC	089301423008	089301422001	089301421004	089301426504	089301429154	089301000629
Heat Settings	10,000 / 12,500 / 15,000 BTU	10,000 / 12,500 / 15,000 BTU	10,000 / 12,500 / 15,000 BTU	10,000 / 12,500 / 15,000 / 20,000 / 25,000 / 30,000 BTU	10,000 / 12,500 / 15,000 / 20,000 / 25,000 / 30,000 / 37,500 / 45,000 BTU	30,000 / 36,000 / 45,000 BTU
Number of Burner Heads	1	1	1	2	3	1
Adjustable Burner Heads	Heater Position Cooker Position	No	Yes	Yes	Yes	Yes
Spark Ignition Available	No	No	Yes #F242105 MH15TS	Yes #F242655 MH30TS	No	No
Fuel/Tank Size	1 lb. Propane Cylinder	1 lb. Propane Cylinder	20 lb. Propane Cylinder	20 lb. Propane Cylinder	20 lb. Propane Cylinder	20 lb. Propane Cylinder
Run Time on (1) 20 Lb. Tank	N/A	N/A	29 hours	14.5 hours	9.5 hours	9.5 hours
Tip-Over Safety Shut-Off	No	No	Yes	Yes	Yes	Yes



## 540 TANK TOP HEATER

- 3 Heat Settings: 30,000, 36,000, 45,000 BTU
- 360° Burner Head
- Multi-Directional Bracket
- No Electricity Needed
- Push Button TE Valve
- Safety Shut-off Tip Over Switch
- Mounts to a 20 lb. cylinder
- Outdoor Use Only
- Certified



### MH15TS with Piezo spark ignition

Stock # - F242105  
Not available in Canada



### MH30TS with Piezo spark ignition

Stock # - F242655  
Not available in Canada

## TANK TOP HEATERS COMMON USES

- No electricity needed
- Outdoor use only
- Certified
- Camping
- Ice fishing
- Hunting
- Construction sites

# ***RADIANT VENT FREE HEATERS***





# Radiant Vent Free Heaters



Model #	MHVFRD10LP	MHVFRD10NG	MHVFRD20LPT	MHVFRD20NGT	MHVFRD30LPT	MHVFRD30NGT
Stock #	F299810	F299811	F299820	F299821	F299830	F299831
UPC	089301000902	089301001138	089301000933	089301001145	089301001053	089301001152
BTU Rating	10,000	10,000	18,000	20,000	30,000	30,000
Burn Rate Per Hr.	.463 lbs/hr	.001 MCF/hr	.926 lbs/hr	.020 MCF/hr	1.389 lbs/hr	.030 MCF/hr
Heats Up To: (Approx. Sq. Ft.)	300	300	700	700	1000	1000
Fuel	Propane	Natural Gas	Propane	Natural Gas	Propane	Natural Gas
Minimum Recommended Tank Size	20 lb.	N/A	20 lb.	N/A	20 lb.	N/A
Ignition	Piezo	Piezo	Electronic	Electronic	Electronic	Electronic
Integrated Blower Fan	No	No	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201
Thermostat	No Low - High	No Low - High	Yes	Yes	Yes	Yes

Not Approved for use in California or Canada. Always check local codes for permitted uses. 4,500 ft. high altitude restriction.

## VENT FREE RADIANT HEATERS

- Legs & hardware included
- Low oxygen safety shut-off (ODS)
- Certified

### Remote Propane Installation Kit

Stock # - F273684  
UPC - 089301002555

For connecting Vent Free heaters to a remote Propane tank kit includes:

1. Two stage regulator with POL connection (F273863)
2. Handwheel (F273783)
3. 12' hose assembly (71163-144)
4. 3/8" MP x 3/8" MF adapter (F276262)
5. 3/8" female X 3/8" male street elbow



### Blower Fan Kit

Stock # - F299201  
UPC - 089301001183

Available for 20,000 & 30,000 BTU units.




### Vent Free Ice-House Heater

Model # - MHVFIH10LP  
Stock # - F299815  
UPC - 089301003521



 10,000 BTU

 Heats Up to 300 Sq. Ft.

- Hose & regulator included

### Vent Free Ice-House Heater with Thermostat

Model # - MHVFIH10LPT  
Stock # - F299813  
UPC - 089301003187

This 10,000 BTU Propane Ice House Vent Free heater is the perfect heating solution for your ice house or fishing shanty. Unit includes a hose & regulator. The glass on the standard vent free unit has been replaced with a metal heat shield for added durability. This heater is also available with a thermostat for superior control of the temperature in your space.

# ***BLUE FLAME VENT FREE HEATERS***



# Blue Flame Vent Free Heaters



Model#	MHVFBF10LP	MHVFBF10NG	MHVFBF20LPT	MHVFBF20NGT	MHVFBF30LPT	MHVFBF30NGT
Stock #	F299710	F299711	F299720	F299721	F299730	F299731
UPC	089301000766	089301000841	089301000773	089301000858	089301000780	089301000865
BTU Rating	10,000	10,000	20,000	20,000	30,000	30,000
Burn Rate Per Hr.	.463 lbs/hr	.001 MCF/hr	.926 lbs/hr	.020 MCF/hr	1.389 lbs/hr	.030 MCF/hr
Heats Up To: (Approx. Sq. Ft.)	300	300	700	700	1000	1000
Fuel	Propane	Natural Gas	Propane	Natural Gas	Propane	Natural Gas
Minimum Recommended Tank Size	20 lb.	N/A	20 lb.	N/A	20 lb.	N/A
Ignition	Piezo	Piezo	Electronic	Electronic	Electronic	Electronic
Integrated Blower Fan	NO	NO	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201	Sold Separately F299201
Thermostat	NO Low - High	NO Low - High	YES	YES	YES	YES

Not Approved for use in California or Canada. Always check local codes for permitted uses. 4,500 ft. high altitude restriction.

## VENT FREE BLUE FLAME HEATERS

- Legs & hardware included
- Low oxygen safety shut-off (ODS)
- Certified

### Remote Propane Installation Kit

Stock # - F273684  
UPC - 089301002555

For connecting Vent Free heaters to a remote Propane tank kit includes:

1. Two stage regulator with POL connection (F273863)
2. Handwheel (F273783)
3. 12' hose assembly (71163-144)
4. 3/8" MP x 3/8" MF adapter (F276262)
5. 3/8" female X 3/8" male street elbow



### Blower Fan Kit

Stock # - F299201  
UPC - 089301001183

Available for 20,000 & 30,000 BTU units.



### Black Vent Free Heater (Natural Gas)

Model # - MHVFGH10NGBT  
Stock # - F299741  
UPC - 089301003194



30,000 BTU



Heats Up to 1,000 Sq. Ft.

- Fan & thermostat included
- Metal heat shield for added durability with electronic ignition
- Low oxygen safety shut-off
- Integrated blower fan
- Adjustable thermostat
- Leg & wall mounting hardware included
- Minimum recommended propane tank size for F299740 is 20 lb.

### Black Vent Free Heater (Propane)

Model # - MHVFGH10LPBT  
Stock # - F299740  
UPC - 089301003200

# Cabinet Heater



## **RADIANT CABINET HEATER**

Model # - MH18CH  
Stock # - F227500  
UPC - 089301275003



6,000 - 12,000 - 18,000 BTU



Heats Up to 450 Sq. Ft.



Runs Up To 72 Hours on  
one 20 lb. Propane Tank

- Hi-Med-Low heat settings
- 20 lb. Propane tank mounts inside unit for easy portability
- Hose & regulator included
- Tip-over safety shut-off switch
- Low oxygen safety shut-off system (ODS)
- Rugged steel construction
- Certified
- \* 7000 ft High Altitude Restriction


# Propane Radiant Heaters



## PROPANE RADIANT HEATER

Model # - MH35LP  
Stock # - F270700  
UPC - 089301707009

 35,000 BTU


 Heats Up to 875 Sq. Ft.


- Tip-over & safety shut-off switch
- 10' hose & regulator included
- Includes fold-down handle & 3.5" tires
- Runs up to 12 hrs. on a 20 lb. Propane tank
- Certified



## PROPANE RADIANT HEATER

Model # - MH125LP  
Stock # - F270800  
UPC - 089301708006

 125,000 BTU

 Heats Up to 3,125 Sq. Ft.

- Welded frame, heat shield & safety shut-off switch
- 10' hose & regulator included
- Includes handles & wheels
- Runs up to 17 hrs. on a 100 lb. Propane tank
- Certified



**MR HEATER®**  
***FORCED-AIR HEATERS***



# ***STRONG, DURABLE HEAT***



***FROM 38K - 210K BTU***



***SUB-ZERO RELIABILITY***



***WEATHER-PROOF***



***HEAVY-DUTY DESIGN***



***PRO-PREFERRED TIRES***



***DURABLE HANDLES***



# ***FORCED-AIR DIESEL & KEROSENE HEATERS***





# Forced Air Diesel & Kerosene Comparison Chart



Model#	MH50KR	MH75KTR	MH125KTR	MH175KTR	MH210KTR
Stock#	F270255	F270270	F270320	F270370	F270385
UPC	089301702554	089301702707	089301703209	089301703704	089301703858
BTU Rating	50,000	75,000	125,000	175,000	210,000
Heats Up To: (Approx. Sq. Ft.)	1,250	1,875	3,125	4,375	5,250
Tank Size (Gallon)	4	6	8.5	13.4	13.4
Run Time: (Approx.)	11 Hrs.	11 Hrs.	9 Hrs.	10 Hrs.	8.5 Hrs.
Thermostat	Sold Separately	Included	Included	Included	Included
On-Board Diagnostics (LED)	NO	YES	YES	YES	YES
Power Requirement	115V / 60Hz / 3.5A	115V / 60Hz / 4A	115V / 60Hz / 5.5A	115V / 60Hz / 5.5A	115V / 60Hz / 5.5A
Fuel Gauge	NO	YES	YES	YES	YES
Tires	NO	NO	10" Pneumatic	10" Pneumatic	10" Pneumatic
Assembly Requirement	Yes (Handle)	Yes (Handle)	Yes (5 Minutes)	Yes (5 Minutes)	Yes (5 Minutes)
Air Pressure Gauge	NO	NO	YES	YES	YES
Drain Plug	NO - Drains from fill	NO - Drains from fill	YES - Steel	YES - Steel	YES - Steel

## FORCED AIR DIESEL & KEROSENE HEATERS

- Runs on diesel, kerosene, jet fuel & fuel oil
- Industry's best cold weather starting capability
- Heavy-duty pneumatic tires with steel bearings
- Industry's thickest steel construction
- Fan/motor sealed for longer life
- Continuous ignition system
- Illuminated on/off switch
- Low lift handles
- Cord wrap
- Certified

## COMMON USES

- Construction sites
- Garages



## IN-LINE THERMOSTAT

(For MH50KR only)

Stock # - F261210

UPC - 089301612105

# ***FORCED-AIR PROPANE HEATERS***



# Forced Air Propane Comparison Chart



Model#	MH38QFA	MH60QFAV	MH85QFAV	MH125QFAV	MH170QFAVT	MH400FAVT
Stock#	F271350	F271370	F271380	F271390	F271400	F272425
UPC	089301713505	089301713703	089301713802	089301713901	089301714007	089301724259
BTU Rating	38,000	30,000 / 60,000	50,000 / 85,000	75,000 / 125,000	125,000 / 175,000	250,000 / 400,000
Variable Output	NO	YES	YES	YES	Thermostat YES	Thermostat YES
Heats Up To: (Approx. Sq. Ft.)	950	1,500	2,125	3,125	4,250	10,000
Minimum Recommended Tank Size	20 lb.	20 lb.	20 lb.	40 lb.	100 lb.	(2X) 100 lb.
Approx. Run Time On Minimum Tank Size	12 Hrs.	7 Hrs. High 14 Hrs. Low	5 Hrs. High 8.5 Hrs. Low	7 Hrs. High 11.5 Hrs. Low	12.5 Hrs. High 17 Hrs. Low	10 Hrs. High 17 Hrs. Low
Ignition	Piezo	Continuous	Continuous	Continuous	Automatic Solid State	Automatic Solid State

## FORCED AIR PROPANE HEATERS

- 10' hose & regulator included
- Operates on propane
- Certified
- Patented quiet burner technology
- Runs 50% quieter than standard forced air heaters



## COMMON USES

- Construction sites
- Garages

## TWO TANK HOOK UP KIT

Stock # - F273737  
UPC - 089301737372

(30" Hose Assembly with Excess Flow Soft Nose POL's on both ends x Full Flow Tee)  
- Most commonly used to hook multiple bulk tanks to most applications.



# Cordless Forced Air Propane Heaters

## HERO® FEATURES

- Patented cordless technology
- Patented quiet burner technology
- Runs 50% quieter than standard forced air heaters
- Operates while charging
- Recharges 1 battery in 3 hrs.
- Electronic Ignition
- Certified




### Replacement Battery

Model # - F227964  
UPC - 089301279643

## HERO® CORDLESS FORCED AIR PROPANE HEATERS

Model # - MH35CLP  
Stock # - F227900  
UPC - 089301279001


 35,000 BTU

 Heats Up to 875 Sq. Ft.

- Ships with 1 internal battery
- One-touch gas valve with Piezo igniter
- Runs up to 8 hrs. on rechargeable battery
- Runs up to 12 hrs. on a 20 lb. propane tank

Model # - MH60CLP  
Stock # - F228810  
UPC - 089301288102

 30,000 / 60,000 BTU

 Heats Up to 1,500 Sq. Ft.

- Ships with 1 internal battery
- Runs up to 4 hrs. on single rechargeable battery
- Additional battery for longer run times available
- Runs up to 14 hrs. on a 20 lb. propane tank

# Radiant Kerosene Heaters


## RADIANT KEROSENE FEATURES


- Patented quiet burner technology
- LED readout for set temp. & room temp.
- Thermostatically controlled
- Cooling cycle
- Certified



## RADIANT KEROSENE HEATER

Model # - MH70KTFR  
Stock # - F270265  
UPC - 089301002043

 70,000 BTU


 Heats Up to 1,750 Sq. Ft.

- Runs up to 5 hrs. on full tank
- Thermostatically controlled
- 2.75 gallon fuel tank
- Fuel level indicator



## RADIANT KEROSENE HEATER

Model # - MH125KTFR  
Stock # - F270269  
UPC - 089301002050

 125,000 BTU

 Heats Up to 3,125 Sq. Ft.

- Runs up to 10 hrs. on full tank
- Thermostatically controlled
- Adjustable heat angle
- 9.25 gallon fuel tank
- Solid rubber tires

# Portable Electric Heaters

## ELECTRIC HEATER FEATURES


- Thermostatically controlled
- Fan only option
- Quiet operation
- Adjustable heat angle
- 6' Cord & plug included
- Certified



## 1.5 Kw PORTABLE FORCED AIR ELECTRIC HEATER

Model # - MH165FAET  
Stock # - F236120  
UPC - 089301001305

 5,118 BTU


 Heats Up to 136 Sq. Ft.

- Thermostatically controlled
- 120V, 15 amp

## 3.6 Kw PORTABLE FORCED AIR ELECTRIC HEATER

Model # - MH360FAET  
Stock # - F236125  
UPC - 089301000636

 12,283 BTU

 Heats Up to 307 Sq. Ft.

- Thermostatically controlled
- 240V 15 amp double pole breaker required

# Mounted Electric Heaters



## ELECTRIC HEATER FEATURES


- Thermostatically controlled
- Fan only option
- Quiet operation
- High & low heat settings
- Adjustable heat angle
- Ceiling mount with tilt & swivel feature
- 6' Cord included (plug sold separately)
- 240V 30 amp double pole breaker required
- Certified



## 5.3 Kw FORCED AIR ELECTRIC GARAGE HEATER

Model # - MH530FAET  
Stock # - F236130  
UPC - 089301000643

 18,084 BTU

 Heats Up to 452 Sq. Ft.


- Thermostatically controlled
- 240V 30 amp double pole breaker required



## 5.3 Kw FORCED AIR ELECTRIC GARAGE HEATER WITH REMOTE THERMOSTAT

Model # - MH530FAERT  
Stock # - F236135  
UPC - 089301000650

 18,084 BTU

 Heats Up to 452 Sq. Ft.

- Remote thermostat with 6' cord included
- 240V 30 amp double pole breaker required

# Convection Heaters

## CONVECTION HEATER FEATURES


- 10' Hose & Regulator Included
- Piezo Ignition System
- Certified



Model #	MH25CVX	MH80CVX	MH200CVX
Stock#	F270470	F270490	F270500
UPC	089301704701	089301000209	089301000216
BTU	25,000	30,000 / 80,000	75,000 / 200,000
Fuel/Tank Size	20 lb. Propane Tank	20 lb. Propane Tank	100 lb. Propane Tank
Approx. Run Time On Min. Tank Size	17 Hrs.	14 Hrs.	29 Hrs.
Approx. Heating Area	625 Sq. Ft.	2,000 Sq. Ft.	5,000 Sq. Ft.
Telescoping & Instant Locking Chamber	NO	YES	YES



# Radiant Tube Heater



\*Shown with optional decorative grid kit

## LOW INTENSITY INFRARED RADIANT TUBE HEATER

Model # - MH45GSP  
Stock # - F202860  
UPC - 089301028500



45,000 BTU



Heats Up to 1,125 Sq. Ft.

- Operates off Natural Gas
  - includes Propane conversion kit
- Ships pre-assembled for simple installation
- Provides uniform heat distribution
- Compact aluminized steel U-tube design
- 4" venting connections
- Polished aluminum deep-dish reflector
- Commercial approved
- Indoor / outdoor approved with proper ventilation
- Certified

## VENT KITS

### Vertical Vent Kit 4" - Galvanized Steel

Stock # - F102848  
UPC - 089301028487

### Horizontal Vent Kit 4" - Stainless Steel

Stock # - F102860  
UPC - 089301028609

## ACCESSORIES

### 24v Thermostat

Stock # - 10371  
UPC - 856795001230

### Decorative Grid Kit

Stock # - F102859  
UPC - 089301003835

### Install Kit (T-stat, Shut-Off Valve, Flex Connector, 1/2" Nipple)

Stock # - F102834  
UPC - 089301028340

# Radiant Garage & Workshop Heaters




## RADIANT GARAGE & WORKSHOP HEATER FEATURES

- Heats up to 625 sq. ft. (2-1/2 car garage)
- Mounted installation
- For use in buildings with 7-12 ft. ceilings or higher
- No electricity required - heats during power outages
- Includes thermostat & mounting brackets
- Certified

## RADIANT GARAGE & WORKSHOP HEATER

Model # - MH25LP  
Stock # - F272100  
UPC - 089301721005



22,000 BTU



Heats Up to 625 Sq. Ft.

Model # - MH25NG  
Stock # - F272200  
UPC - 089301722002



25,000 BTU



Heats Up to 625 Sq. Ft.



As seen on **ask**  
This Old  
House

## CONVERSION KITS

### Natural Gas to Propane

Stock # - F200293  
UPC - 089301002937

### Propane to Natural Gas

Stock # - F200294  
UPC - 089301002944

# Radiant Garage & Workshop Heaters



## RADIANT GARAGE & WORKSHOP HEATER

Model # - MH40LP  
Stock # - F272700  
UPC - 089301727007



40,000 BTU



Heats Up to 1,000 Sq. Ft.

Model # - MH40NG  
Stock # - F272800  
UPC - 089301728004



40,000 BTU



Heats Up to 1,000 Sq. Ft.

## RADIANT GARAGE & WORKSHOP HEATER FEATURES

- Heats up to 1,000 sq. ft.
- Hanging installation
- For use in buildings with 12-15 ft. ceilings or higher
- No electricity required - heats during power outages
- Includes thermostat & mounting brackets
- Certified

## ACCESSORY

### Universal Hook Up Kit

Stock # - F271239  
UPC - 089301712393

## CONVERSION KITS

### Natural Gas to Propane

Stock # - 00285A  
UPC - 856795001452

### Propane to Natural Gas

Stock # - 00286A  
UPC - 856795001469

# Unit Heaters




Model #	MHU50	MHU80	MHU125
Stock #	F260550	F260560	F260590
UPC	089301605503	089301605602	089301002142
BTU Rating	50,000	80,000	125,000
Heats Up To: (Approx. Sq. Ft.)	1,667	2,667	4,167

## UNIT HEATER FEATURES

- Runs on propane or natural gas
- Ships as natural gas with propane conversion kit
- Recommended thermostat: 24V
- Heater accepts WiFi thermostats
- Available vent kits: F102848, F102860
- Certified

## COMMON USES

- Garages
- Workshops




## VENT KITS

### Vertical Vent Kit 4"

Stock # - F102848

UPC - 089301028487

Includes: (1) 4" x 36" B-vent pipe, (2) 4" x 24" vent pipe, (1) 4" 90-degree elbow, (1) wall fire stop, (1) roof flashing, (1) storm collar, (1) vent cap.



### Horizontal Vent Kit 4"

Stock # - F102860

UPC - 089301028609

Includes: (1) 4" adapter, (1) 45 degree elbow, (1) 4"x12" length, (1) 4" adjustable length (6"-19"), (1) wall thimble, (1) 4" screened termination tee, (1) Hi-temp 2.8 oz. silicone, (1) SS screw kit.

*(Stainless steel meets category III venting standards)*



## ACCESSORIES

### Thermostat

Stock # - F210359

UPC - 08930110359-7

- Low voltage Reed switch
- UL listed

## CONVERSION KITS

### Natural Gas to Propane

Stock # - F260163

UPC - 089301601635



### Propane to Natural Gas

Stock # - F260164

UPC - 089301601642



# Warmers



F235011

F235012



F235076

F235077

## HAND WARMERS

40 individual pair per cut case

Stock # - F235011

UPC - 089301002067

12 - 10 pack per cut case

Stock # - F235012

UPC - 089301002340

## XL WARMERS

40 individual pair per cut case

Stock # - F235076

UPC - 089301002081

12 - 10 pack per cut case

Stock # - F235077

UPC - 089301002364

- Adhesive back



F235051

F235052

## TOE WARMERS

30 individual pair per cut case

Stock # - F235051

UPC - 089301002074

15 - 8 pack per cut case

Stock # - F235052

UPC - 089301002357

- Adhesive back



F235091

## FULL FOOT WARMERS

30 individual pair pack per cut case

Stock # - F235091

UPC - 089301002494

- Adhesive back

*Do not place warmers directly against skin. Remove warmers immediately if they become too warm or uncomfortable.*

# Portable Catalytic Heaters

## Journey SERIES

**CERTIFIED  
INDOOR SAFE**



### CATALYTIC HEATER FEATURES

- Indoor safe
- Not for use in Massachusetts or Canada
- Not for use in dwelling home
- Low oxygen shut-off system (ODS)
- Accidental tip-over safety shut-off
- No electricity required
- Not for permanent installation
- Not for use in wet conditions
- Not for use in windy conditions
- For use in dry environments only
- Runs on 20 lb. propane tank  
(Never bring 20 lb. propane tank indoors)
- Certified



**NEW**



Model #	MHCAT3LP	MHCAT6LP	MHCAT8LP
Stock #	F209150	F209250	F209350
UPC	089301004306	089301004313	089301004320
BTU Rating	3,000	6,000	8,000
Heats Up To: (Approx. Sq. Ft.)	100	200	300



\*Not included

### PROPANE HOSE ASSEMBLIES

Stock # - F271161 = 22"

UPC - 089301711617

Stock # - F271161-60 = 60"

UPC - 089301005150

Stock # - F271161-144 = 144"

UPC - 089301005167

(Regulator with Appliance End Fitting/Acme Nut x 3/8" Female Flare) - For Type 1 (QCC-1©) propane systems.

Portable catalytic heaters are not designed for permanent installation or for use above an altitude of 7,000 ft. Always check local codes for permitted uses.

**NOTICE:** Not for use in a "dwelling home" in California

\* Not for use in Massachusetts or Canada.

NEVER use third party accessories or attachments with this heater (including attachments for warming or cooking); doing so will void the product warranty, is extremely dangerous, and may result in personal injury or death to you or others.





## TENT FAN

### Tent Fan with LED Light

Stock # - F235100

UPC - 089301351004



- Fan runs 48 hrs. on low & 24 hrs. on high

- Two speeds
- Light runs up to 100 hrs.
- Carabiner hook included
- Operates with 4 x D batteries (not included)



## ANGLE IRON STOVES

### Single Burner

Stock # - F235825

UPC - 089301358256

### Double Burner

Stock # - F235830

UPC - 089301358300

### Triple Burner

Stock # - F235835

UPC - 089301358355

- For use with propane
- Hose & regulator required (Sold Separately)

*\*Not approved for use in Canada*



## PROPANE HOSE ASSEMBLIES

### 5' Propane Hose Assembly

Stock # - F273071

UPC - 089301730717

### 12' Propane Hose Assembly

Stock # - F273072

UPC - 089301730724

(Regulator w/Restricted Flow Soft Nose POL and Hand Wheel x 3/8" Female Flare)  
Connects low pressure portable propane appliances to a 20lb. propane tank.

# Portable Shower Systems



## XCW20, XW18 & XB13 FEATURES

- CSA Certified Design
- Cordless design
- Quick Connect Fittings
- Anti-Scald Protection
- Safety Tip Over Protection
- Instant Hot Water
- Shower Head, Pump & Regulator Included



Model #	XCW20	XW18	XB13
Stock #	F235350	F235325	F235300
UPC	089301353503	089301353251	089301353008
BTU Rating	18,000	17,000	12,000
Water Temperature Increase (Above Water Source)	45°F	42°F	35°F
Flow Rate (Gallons Per Minute)	0.66 - 1.18	0.6 - 0.8	0.6
Run Time (Battery Type)	40 Minutes (Rechargeable Battery Built In)	40 Minutes (Rechargeable Battery Built In)	40 Minutes (4 D-Cell Batteries)
Complete Kit Includes	Quick connect deluxe shower head with remote burner control, pump assembly, AC & DC adaptors & carry bag	Quick connect shower head, pump assembly & DC adaptor	Single outlet with quick connect shower head & pump assembly

## B.O.S.S. RECHARGEABLE SHOWER

Stock # - F235897

UPC - 089301000759

- Operates on internal lithium ion battery
- Rechargeable with USB (USB cable included)
- Deluxe shower head with 6' hose





## PROPANE TORCH FEATURES

- Needle valve adjustment
- Excess flow POL fitting
- Certified



### HANDHELD TORCH

Model # - MH500DPT  
Stock # - F272603  
UPC - 089301726031

 500,000 BTU

- 10' hose included
- 36" heavy-duty shaft
- Piezo ignition
- Ergonomic handle
- Molded steel arm support



### HANDHELD TORCH

Model # - MH500LPT  
Stock # - F272602  
UPC - 089301726024


 500,000 BTU

- 10' hose included
- 36" heavy-duty shaft
- Ergonomic handle
- Striker included
- Lightweight, easy to use



### HANDHELD TORCH

Model # - MH400PT  
Stock # - F272601  
UPC - 089301726017

 400,000 BTU

- 10' hose included
- 31" total length
- Lightweight, easy to use
- 8 pack cut case

# Hoses, Fittings & Accessories



*Mr. Heater has assembled the industry's most complete line of high quality propane hoses, fittings, regulators and accessories. These products allow connections to all types of high and low pressure appliances in the camping, grilling, R.V., and outdoor markets. Mr. Heaters accessories are designed to work universally with all brands of propane appliances. Each individual package explains product uses and make it easy for the consumer to find the right accessories. All Mr. Heaters accessories are assembled in the USA and stocked in our Cleveland OH warehouse.*

## Plan-O-Grams

*Mr. Heater accessory plan-o-grams deliver high store traffic and become a destination for propane appliance education and connectivity. Purchase a Mr. Heater ready designed planogram or design your own.*

## AVALON



## AVALON

### 2 Each of 27 Accessories

Model # - F273949

UPC - 089301739499

F273949	AVALON ( 2 each of 27 accessories)
F276152	1/4" Male Pipe Thread x 9/16" Left Hand Male Thread
F276129	9/16" Left Hand Thread x POL
F273754	1/4" Male Pipe Thread x 1"-20 Female Throwing Cylinder Thread
F276190	Propane or Natural Gas Connector
F276187	Propane or Natural Gas 3/8" Quick Connector
F276136	Propane Low Pressure Regulator
F276148	5' Propane Hose Assembly
F273702	12' Propane Hose Assembly
F276153	3/18" Male Pipe Thread X 9/16" Left Hand Male Thread
F273655	Excess Flow POL x 1/4" Male Pipe Thread
F273755	1/4" Male Pipe Thread x 1"- 20 Male Throwing Cylinder Thread
F276133	Bulk Tank Adapter
F276495	Propane Acme Nut
F273719	High Pressure Regulator with POL.
F273716	22" Propane Replacement BBQ Hose
F276124	5' Propane Hose Assembly
F276154	9/16" Left Hand Male Thread x 9/16" Left Hand Male Thread
F276139	1/4" Male Pipe Thread x POL
F276130	9/16" Left Hand Male Thread x 1"-20 Throwing Cylinder Thread with Shut-off
F276172	Propane Tank Refill Adapter
F273761	90° Low Pressure Regulator With Appliance End Fitting
F273759	90° Propane Low Pressure Regulator
F273767	Propane Low Pressure Regulator
F273701	5' Propane Hose Assembly
F273717	Propane "Steak Saver" Adapter
F273710	5' Propane Hose Assembly
F276171	Propane "Steak Saver" Adapter

## TOP 20



F273961		Top 20 ( 2 each of 20 accessories)
F276139	1/4" Male Pipe Thread x POL	
F276172	Propane Tank Refill Adapter	
F276187	Propane or Natural Gas 3/8" Quick Connector	
F273761	90° Low Pressure Regulator with Appliance End Fitting	
F273716	22" Propane Replacement BBQ Hose	
F276124	5' Propane Hose Assembly	
F273071	5' Propane Hose/Regulator Assembly	
F273754	1/4" Male Pipe Thread x 1" - 20 Female Throwing Cylinder Thread	
F273755	1/4" Male Pipe Thread x 1" - 20 Male Throwing Cylinder Thread	
F276330	Propane Gas Coupling Adapter Kit	
F273759	90° Propane Low Pressure Regulator	
F273767	Propane Low Pressure LP Regulator	
F273710	5' Propane Hose Assembly	
F273702	12' Propane Hose Assembly	
F276133	Acme Nut x 1" - 20 Male Throwing Cylinder Thread	
F276495	Propane Acme Nut	
F276136	Propane Low Pressure Regulator	
F273719	High Pressure Regulator With POL	
F273701	5' Propane Hose/Regulator Assembly	
F273717	5' Propane Appliance Extension Hose Assembly	

## TOP 20

### 2 Each of 20 Accessories

Model # - F273961

UPC - 089301739611

## BBQ



F273967		BBQ ( 2 each of 21 items + 6 Tankfoot)
F276139	1/4" Male Pipe Thread x POL	
F273655	Excess Flow POL x 1/4" Male Pipe Thread	
F276262	3/8" Male Pipe Thread x 3/8" Male Flare	
F276330	Propane Gas Coupling Adapter Kit	
F276328	Propane/Natural Gas Excess Flow Male Plug	
F276334	Propane Gas Grill "Quick Connect" Adapter	
F273783	Handwheel	
F276171	Propane "Steak Saver" Adapter	
F276495	Propane Grill Acme Nut	
F276133	Propane Bulk Cylinder Adapter with Appliance End Fitting/Acme Nut	
F276187	Propane/Natural Gas 3/8" Quick Connector & Full Flow Male Plug	
F273716	22" Propane Replacement BBQ Hose	
F276336	Propane Gas Female Acme Nut X Male Acme Nut	
F276136	Propane Low pressure Regulator	
F273768	Propane Grill Regulator with Acme Nut	
F273761	90° Low Pressure Regulator with Appliance End Fitting/Acme Nut	
F271161	22" Replacement Propane BBQ Hose & Regulator Assembly with Appliance End Fitting/Acme Nut	
F273720	12' Natural Gas Patio Hose Assembly	
F271167	Propane Hose/Regulator Assembly with Two Outputs	
F273071	5' Propane Hose/Regulator Assembly	
F273169-6	TankFoot® Tank Stabilizer - 6 pack	

## BBQ

### 2 Each of 21 Items + 6 Tankfoot

Model # - F273967

UPC - 089301739673



# Hose Assemblies

## 5' Propane Hose/Regulator Assembly

Stock # - F273071  
UPC - 089301730717

## 12' Propane Hose/Regulator Assembly

Stock # - F273072  
UPC - 089301730724

(Regulator with Restricted Flow Soft Nose POL and Handwheel x 3/8" Female Flare) Connects low pressure portable propane appliances to a 20 lb. propane tank.



## 5' Propane Hose/Regulator Assembly

Stock # - F273076  
UPC - 089301730762

## 12' Propane Hose/Regulator Assembly

Stock # - F273077  
UPC - 089301730779

(Regulator with Soft Nose POL and Handwheel x 3/8" Female Pipe Thread) Connects low pressure portable propane appliances to a 20 lb. propane tank.



## Propane Hose & Regulator Assembly with Appliance End Fitting/Acme Nut

Stock # - F271161 = 22"  
UPC - 089301711617

Stock # - F271161-60 = 60"  
UPC - 089301005150

Stock # - F271161-144 = 144"  
UPC - 089301005167

(Regulator with Appliance End Fitting/Acme Nut x 3/8" Female Flare) - For Type 1 (QCC-1©) propane systems.



## Propane Hose/Regulator Assembly with Two Outputs

Stock # - F271167  
UPC - 089301711679

11" wc Regulator x 2 - 22" (3/8") Female Flare Fittings Connects propane grill with main and separate side burner.



## 22" Propane Replacement Barbecue Hose

Stock # - F273716  
UPC - 089301737167

(3/8" Male Pipe Thread x 3/8" Female Flare) - Fits most BBQ propane gas grills.

*Most commonly used with F273761 regulator*



## 5' Propane Hose Assembly

Stock # - F276124  
UPC - 089301761247

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread) Used to connect low pressure propane appliances to low pressure propane regulators.



## 30", 60" - Propane Hose Assembly (XX = inches)

Stock # - F271163-(XX)

30" UPC - 089301163300

60" UPC - 089301163607

(3/8" Male Pipe Thread x 3/8" Female Flare) - Most commonly used to hook a low pressure regulator to a propane appliance.



## 5' Propane Hose Assembly

Stock # - F273707  
UPC - 089301737075

## 9' Propane Hose Assembly

Stock # - F273707-108

UPC - 089301071087

(1/4" Male Pipe Thread x 3/8" Female Flare) Replaces most propane hose assemblies between regulator and fish cooker/smoker, torches, or other propane appliances.



## 15' Propane Appliance Extension Hose Assembly

Stock # - F271470  
UPC - 089301714700

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread) (3/8" ID High Pressure Hose) Used in addition to the existing propane hose for more length between propane tank and propane appliances.



## 15' Propane Appliance Extension Hose Assembly

Stock # - F271474  
UPC - 089301714748

(1/4" Male Pipe Thread x 1/4" Female Pipe Thread) (1/4" ID High Pressure Hose) Use as an extension hose for portable propane appliances.





## 5' Propane Appliance Extension Hose Assembly

**Stock # - F273717**

UPC - 089301737174

(1/4" Male Pipe Thread x 1/4" Female Pipe Thread) (1/4" ID High Pressure Hose) - Use as an extension hose for portable propane appliances.



## 5' Propane Hose Assembly

**Stock # - F276148**

UPC - 089301761483

(9/16" Left Hand Female Threads on Both Ends) Used to connect one propane hose or for additional length connect two F276148 hoses with F276154 propane brass fitting.



## 5' Propane Hose Assembly

**Stock # - F273701**

UPC - 089301737013

## 12' Propane Hose Assembly

**Stock # - F273702**

UPC - 089301737020

(Swivel 1"- 20 Male Throwaway Cylinder Thread x Excess Flow Soft Nose POL with Handwheel) Connects appliances that are designed for disposable propane cylinders to a 5 - 20 lb. tank.

*Hand tighten swivel on both ends. Recommended use with F273699 Fuel Filter*



## 5' Propane Hose Assembly

**Stock # - F273703-60**

UPC - 089301703605

## 12' Propane Hose Assembly

**Stock # - F273703-144**

UPC - 089301031449

(Appliance End fitting/Acme Nut x 1" - 20 Male Throwaway Cylinder Thread) Used to connect portable appliances to a 20 lb. propane tank.

*Recommended use with F273699 Fuel Filter*



## 10' Buddy Series Hose Assembly

**Stock # - F273704**

UPC - 089301737044

(Swivel 1"- 20 Male Throwaway Cylinder Thread x Soft Nose Excess Flow POL with Handwheel) Connects propane appliances that are designed to be connected to 1lb. propane bottles to 5 - 20 lb. tanks.

*Hand tighten swivels on both ends. No Fuel Filter required*



## 5' Propane Hose Assembly

**Stock # - F273710**

UPC - 089301737105

## 12' Propane Hose Assembly

**Stock # - F273711**

UPC - 089301737112

(Swivel 1"-20 Male Throwaway Cylinder Thread x Swivel 1"-20 Female Throwaway Cylinder Thread) - Used with most propane distribution posts and "Y" (F271715) connectors as well as 1lb. propane cylinders.

*Hand tighten swivel on both ends.*



## 20" Propane Hose Assembly

**Stock # - F271138-20**

UPC - 089301138209

(Acme Nut x 1/4" Male Pipe Thread) Commonly used to connect bulk propane tank on a camper to a regulator.



UL Assembly (UL 569)

## 15", 24", 36", 48", 60", 144" - Lengths (XX = inches)

**Stock # - F271144-(XX)**

15" UPC - 089301144156

24" UPC - 089301144248

36" UPC - 089301144361

48" UPC - 089301144484

60" UPC - 089301144606

144" UPC - 089301441446

(Excess Flow Soft Nose POL x 1/4" Inverted Male Flare) Commonly used to connect an auxiliary bulk propane tank to a motor home.



UL Assembly (UL 569/UL 21)

## 36", 48", 72", 144" - Lengths (XX = inches)

**Stock # - F271149-(XX)**

36" UPC - 089301149366

48" UPC - 089301149489

72" UPC - 089301149724

144" UPC - 089301491441

(3/8" Female Flare x 3/8" Female Flare) - Connects existing propane gas line to appliances equipped with 3/8" male flare



UL Assembly (UL 569/UL 21)

## 12", 15", 18", 24", 36" - Lengths (XX = inches)

**Stock # - F271158-(XX)**

12" UPC - 089301158122

15" UPC - 089301158153

18" UPC - 089301158184

24" UPC - 089301158245

36" UPC - 089301158368

(Acme Nut x 1/4" Inverted Male Flare) Connects to propane tank and propane auto change-over dual stage regulator. (F273766)



UL Assembly (UL 569)



# Hose Assemblies

## 12' Big/Tough Buddy Hose with Regulator

**Stock # - F271803**

UPC - 089301718036

(Quick Connect x Regulator with Acme Nut) - Used to hook a Big/Tough Buddy to a 20 lb. propane tank.



## 12' Big/Tough Buddy RV Hose

**Stock # - F271802**

UPC - 089301718029

(Quick Connect x 3/8" Female Flare) Used to hook an existing regulated propane line in a camper or motor home to the Big/Tough Buddy.



## 12' Quick-Connect Propane Hose Assembly

**Stock # - F271117**

UPC - 089301711174

(Male quick-connect X swivel 1"-20 male throwaway cylinder thread) Connect a high-pressure grill or appliance that uses throw-away propane cylinders to a high-pressure RV onboard propane supply.



## 12' Quick Connect Propane Hose Assembly with shut off valve and full flow male plug

**Stock # - F271806**

UPC - 089301000551

Connects a low pressure propane gas grill to an onboard RV propane supply.



## 12' Natural Gas/Propane Patio Hose Assembly

**Stock # - F273720**

UPC - 089301737204

(3/8" Female Pipe Thread x 3/8" Male Flare Quick Connect/Disconnect with Dust Plug and Cap) Used when connecting natural gas BBQ grills attached to decks or patios to the supply from a structure.



## Propane Gas Gauge

**Stock # - F276342**

UPC - 089301763425

(Appliance End Fitting/Acme Nut x Acme Thread and Female POL) - Meets all Type 1 safety standards.



## 8' Universal Propane Hose & Gauge Assembly

**Stock # - F273718**

UPC - 089301005198

(Acme Nut x 1" - 20 Male Throwaway Cylinder Thread) Connects propane appliances that are designed to be connected to 1 lb. propane bottles to 5 - 20 lb. tanks.

Works on any appliance that uses a disposable cylinder. Hand tighten swivel on both ends. Recommended use with F273699 Fuel Filter.

**NEW**



Indicator glows in the dark.



## Propane "Steak Saver" Adapter

**Stock # - F276171**

UPC - 089301761711

(1" - 20 Female Throwaway Cylinder Thread x Female POL & Acme Thread) Used with 1lb. bottles to grills or distribution posts to grills.



## Propane Tank Refill Adapter

**Stock # - F276172**

UPC - 089301761728

(Female 1 lb. Cylinder Thread x Soft Nose POL) - Refills 1lb. bottles in 1 minute or less.

**NOT AVAILABLE IN CANADA**



## Propane Portable Table Top Regulator

**Stock # - F273769**

UPC - 089301737693

(1"-20 Female Throwaway Cylinder Thread Inlet x Orifice Outlet) Used with most propane tabletop grills.



## Propane High Pressure Regulator with POL

**Stock # - F273719**

UPC - 089301737198

Range of 0 - 20 PSI (Full Flow Soft Nose POL X 1/4" Female Pipe Thread) - Most commonly used on deep fryers, fish cookers, smokers or other high pressure propane appliances.







## Propane Auto-Changeover High Capacity Two Stage Regulator

**Stock # - F273836**  
UPC - 089301002029

Two stage auto changeover regulator provides easy change over from empty to full cylinder while providing adequate fuel to your RV. Complete with cover bracket and hardware (not shown). 11" wc 400,000 BTU max flow. 2 - 1/4" Inverted Female Flare Inlets x 3/8" Female Pipe Outlet - Propane level indicator located on top of regulator.



400,000 BTU

## Propane Auto-Changeover Two Stage Regulator

**Stock # - F273766**  
UPC - 089301737662

Two stage auto changeover regulator provides easy change over from empty to full cylinder while providing adequate fuel to your RV. Complete with cover bracket and hardware (not shown). 11" wc 325,000+ BTU max flow. 2 - 1/4" Inverted Female Flare Inlets x 3/8" Female Pipe Outlet - Propane level indicator located on front of regulator.



## Propane Vertical Two Stage Regulator

**Stock # - F273763**  
UPC - 089301737631

## Propane Horizontal Two Stage Regulator

**Stock # - F273868**  
UPC - 089301738683

## Propane Horizontal Two Stage Regulator with POL

**Stock # - F273863**  
UPC - 089301738638

Dual stage regulator uses both a high/low pressure regulator to provide smooth and continuous flow to the appliance or RV while providing 11" wc Complete with covers (not shown). 225,000 BTU max flow. 1/4" Female Pipe Thread Inlet x 3/8" Female Pipe Thread Outlet.

Vertical

Horizontal



## Propane Low Pressure Regulator

**Stock # - F273767**  
UPC - 089301737679

1/4" Female Pipe Thread (Inlet) x 3/8" Female Pipe Thread (Outlet)  
Use with low pressure propane appliances up to 90,000 BTU's.



## Propane 30 PSI High Pressure Regulator

**Stock # - F273830**  
UPC - 089301001909

Designed for high pressure RV applications. Ideal for fifth wheel split-cylinder applications. 360,000 BTU Capacity 1/4" female pipe thread inlet and outlet.



## Propane Low Pressure Regulator with POL

**Stock # - F276136**  
UPC - 089301761360

(3/8" Female Pipe Thread x Restricted Flow Soft Nose POL) - 11" wc low pressure regulator will operate BBQ grills and low pressure appliances. 75,000 BTU max flow.



## Propane Regulator with Acme Nut

**Stock # - F273768**  
UPC - 089301737686

Acme nut x 3/8" female pipe thread. 11" wc low pressure regulator. For use with most propane grills 75,000 BTU max flow.



## Propane Low Pressure 90° Regulator with Acme Nut

**Stock # - F273761**  
UPC - 089301737617

(3/8" Female Pipe Thread x Appliance End Fitting) - For Type 1 (QCC-1®) gas grill systems. 11" wc regulator. 90°, 75,000 BTU max flow.



## Propane Low Pressure 90° Regulator with POL

**Stock # - F273759**  
UPC - 089301737594

(3/8" Female Pipe Thread x Restricted Flow Soft Nose POL) 11" wc low pressure regulator will operate propane BBQ grills and low pressure propane appliances. 90°, 75,000 BTU max flow.





# Brass Fittings & Accessories

**Excess Flow Soft Nose POL x 1/4" Male Pipe Thread with Handwheel**

Stock # - F273655  
UPC - 089301736559



**Full Flow Soft Nose POL with Handwheel x 1/4" Male Pipe Thread**

Stock # - F273762  
UPC - 089301737624



**9/16" Left Hand Thread x Restricted Flow Soft Nose POL with Handwheel**

Stock # - F276129  
UPC - 089301761292



**1/4" Male Pipe Thread x Restricted Flow Soft Nose POL with Handwheel**

Stock # - F276139  
UPC - 089301761391



**1/4" Male Pipe Thread x 1"-20 Female Throatway Cylinder Thread**

Stock # - F273754  
UPC - 089301737549



**1/4" Male Pipe Thread x 1"-20 Male Throatway Cylinder Thread**

Stock # - F273755  
UPC - 089301737556



**1" - 20 Male Throatway Cylinder Thread x 1/4" Female Pipe Thread**

Stock # - F276140  
UPC - 089301761407



**9/16" Left Hand Male Thread x 1"-20 Throatway Cylinder Thread with Shut-off**

Stock # - F276130  
UPC - 089301761308



**1/4" Inverted Female Flare x 1/4" Male Pipe Thread**

Stock # - F273729  
UPC - 089301737297

Replacement inlet fitting for F273766 auto-changeover regulator.



**Propane Female POL. with Acme Thread x 1/4" Male Pipe Thread**

Stock # - F273791  
UPC - 089301737914





## Propane Grill Acme Nut

**Stock # - F276495**  
UPC - 089301764958

(Appliance End Fitting/Acme Nut x 1/4" Male Pipe Thread) For appliances with 80,000 BTU's or less.



## Propane RV Acme Nut (Green)

**Stock # - F276497**  
UPC - 089301764972

(Appliance End Fitting/Acme Nut x 1/4" Male Pipe Thread) - 200,000 BTU Capacity.



## Propane Bulk Cylinder Adapter with Handwheel

**Stock # - F273758**  
UPC - 089301737587

(1"-20 Throwaway Cylinder Thread x Restricted Flow Soft Nose POL) To be attached directly to a bulk tank (i.e., Mr. Camper, Coleman Co. Inc.®, or Century Primus® stove).



## Propane Bulk Cylinder Adapter with Acme Nut

**Stock # - F276133**  
UPC - 089301761339

Acme Nut x 1"-20 Male Throwaway Cylinder Thread Used to hook portable appliances to new propane tanks.



## Propane Brass Caps

**Stock # - F276400**  
UPC - 089301764002

(1" - 20 Female Pipe Thread) - Provides threaded protection for most posts, tees, etc. Two caps provided.



## 30"/15" Propane Distribution Post/Tree

**Stock # - F271742**  
UPC - 089301000599

(Three 1"-20 Male Throwaway Cylinder Threads x Full Flow Soft Nose POL) Hooks 3 propane appliances to a single 20 lb. propane tank. Can hook up to new QCC-1® and old style cylinders.



## Propane Black Pipe Tee

**Stock # - F271733**  
UPC - 089301717336

(2 - 1"-20 Throwaway Cylinder Threads x Appliance End/Acme Nut Fitting) Hookup 2 appliances to a refillable 20lb. cylinder (use with F273712 hose assy.).



## Propane Black Pipe Tee with Adapter

**Stock # - F271736**  
UPC - 089301717367

Appliance End/Acme Nut fitting x 1"-20 Throwaway Cylinder Thread x Female POL with Acme Thread (Use with hose assemblies. F273074, F273706 and F273712).



## Propane Converter

**Stock # - F276338**  
UPC - 089301763388

Converts white gas style stoves to 1 lb. propane tanks Converter is Pressure Regulated and has a Variable Rate Control.





# Brass Fittings & Accessories

## Propane "Y" Male Adapter with Handwheel

Stock # - F271715  
UPC - 089301717152

(Excess Flow Soft Nose POL x 2 - 1"-20 Throwaway Cylinder Threads) Hookup 2 propane appliances to a refillable 20 lb. propane cylinder (use with F273710-11 hose assy.).



## Propane "Y" Female Adapter with Handwheel

Stock # - F271735  
UPC - 089301717350

(Excess Flow Soft. Nose POL x Two Female POL's with Acme Threads) Hook up 2 propane appliances to a bulk propane tank (use with F273701-02).



## Propane Double Quick Connect

Stock # - F271716  
UPC - 089301004924

(2 1/4" Female Quick Connects x 1/4" Male Quick Connect) Hookup 2 low pressure propane appliances to an RV.



## Propane Tank Quick Connect

Stock # - F271718  
UPC - 089301004948

(1/4" Female Quick Connect x Appliance Acme Nut) 11" wc regulator. 90°, 75,000 BTU max flow.



## Propane Adapter Tee

Stock # - F273751  
UPC - 089301737518

(Excess Flow Soft Nose POL x 1"-20 Throwaway Cylinder Thread x Female POL with Acme Thread) (Use with hose assy. F273710-11 and F273701-02).



## Propane Stay A While Tee

Stock # - F273752  
UPC - 089301737525

(Excess Flow Soft Nose POL x 1"-20 Male Throwaway Cylinder Thread x Female POL with Acme Thread x 1/4" Inverted Female Flare) - Connects auxiliary propane cylinder to additional propane appliance.



## Propane 90° Stay Flow Adapter

Stock # - F273753  
UPC - 089301737532

(Excess Flow Soft Nose POL x 1"-20 Male Throwaway Cylinder Thread x Female POL and Acme Thread) - Connects additional propane appliance to 20 lb. propane tank.



## Propane 90° Elbow

Stock # - F273760  
UPC - 089301737600

(Restricted Flow Soft Nose POL x 1" - 20 Male Throwaway Cylinder Thread) - Allows for propane appliances designed to be attached directly to refill cylinder such as a propane lantern.



## 1/4" Male Pipe Thread x 9/16" Left Hand Male Thread

Stock # - F276152  
UPC - 089301761520



## 3/8" Male Pipe Thread x 9/16" Left Hand Male Thread

Stock # - F276153  
UPC - 089301761537



## 9/16" Left Hand Male Pipe Thread x 9/16" Left Hand Male Thread

Stock # - F276154  
UPC - 089301761544



## 3/8" Male Pipe Thread x 3/8" Male Flare

Stock # - F276262  
UPC - 089301762626





## Propane Stay Flow Kit

**Stock # - F273714**  
UPC - 089301737143

## Propane Stay Flow Plus Kit

**Stock # - F273735**  
UPC - 089301737358

Commonly used in RV applications to provide additional source of propane to high pressure appliances. (Swivel 1" - 20 Male throwaway cylinder thread x swivel 1" - 20 female throwaway cylinder thread x tee assembly; excess flow Soft Nose POL x 1" - 20 male throwaway cylinder thread x female POL and Acme thread) (F273735 includes 90° Stay Flow Adapter rather than straight Tee)



## Propane Stay A While Kit

**Stock # - F273733**  
UPC - 089301737334

## Propane Stay A While Deluxe Kit

**Stock # - F273734**  
UPC - 089301737341

Connects auxiliary propane hose cylinder to motor home. 5' Propane Flexible pigtail hose assembly: Soft Nose excess flow POL x 1/4" inverted male flare; stay a while tee: excess flow Soft Nose POL x 1" - 20 male throwaway cylinder thread x female POL with Acme thread x 1/4" inverted female flare (F273734 includes an additional 12' propane hose assembly)

*F273734 complete deluxe kit*



## Propane 2 Tank Hook Up Kit

**Stock # - F273737**  
UPC - 08930173737-2

(30" Hose Assembly with Excess Flow Soft Nose POL's on both ends x Full Flow Tee) - Most commonly used to hook multiple bulk tanks to most applications.



## "One Stop" Universal Gas Appliance Hook-up Kit

**Stock # - F271239**  
UPC - 08930171239-3

Kit includes:

- 22" stainless steel flex gas connector
- Brass shut-off valve (1/2" female pipe thread x 1/2" male flare)
- 1/2" male flare x 1/2" male pipe
- 1/2" male flare x 3/8" male pipe
- 1/2" male flare x 3/8" female pipe
- 3/8" male x 3/8" female street elbow
- Special gas seal tape for connections



## Remote LP installation kit

**Stock # - F273684**  
UPC - 08930100255-5

For connecting Vent-Free heaters to a remote LP tank  
Kit includes:

1. Two stage regulator with POL connection (F273863)
2. Handwheel (F273783)
3. 12' hose assembly (71163-144)
4. 3/8" MP x 3/8" MF adapter (F276262)
5. 3/8" female X 3/8" male street elbow





# Gas Mate™ Quick Connector Kits

## Propane/Natural Gas Connector Kit with Safety Shut-Off Valve & Full Flow Male Plug

**Stock # - F276181**  
UPC - 089301761810

(1/4" Male Pipe Thread Plug x 1/4" Female Pipe Thread Socket)  
Certified: 1/2 PSI Low pressure



## Propane/Natural Gas 1/4" Quick Connector & Excess Flow Male Plug

**Stock # - F276186**  
UPC - 089301761865

(1/4" Male Pipe Thread Excess Flow Plug x 1/4" Female Pipe Thread Socket)  
Certified: 250 PSI rated



## Propane/Natural Gas 3/8" Quick Connector & Full Flow Male Plug

**Stock # - F276187**  
UPC - 089301761872

(3/8" Male Pipe Thread x 3/8" Female Pipe Thread)  
Certified; 1/2 PSI Low pressure



## Propane/Natural Gas 1/4" Quick Connector & Full Flow Male Plug

**Stock # - F276190**  
UPC - 089301761902

(1/4" Male Pipe Thread Full Flow Plug x 1/4" Female Pipe Thread Socket)  
Certified: 250 PSI rated



## Propane/Natural Gas Full Flow Male Plug

**Stock # - F276281**  
UPC - 089301762817

(1/4" Male Pipe Thread x Full Flow Male Plug) - For high pressure appliances. Can be used with F276334 or can replace excess flow plug-in F276186 & F276330



## Propane/Natural Gas Excess Flow Male Plug

**Stock # - F276328**  
UPC - 089301763289

(1/4" Male Pipe Thread x Male Plug Quick Connect Fitting) - For appliances 80,000 BTU's or less. For use with F276334.



## Propane Cylinder Fill Plug

**Stock # - F276329**  
UPC - 089301763296

(7/8" Female POL x Male Plug) - Use with Gas Mate II Quick Connect Coupling Kit. (F276330).



## Propane Gas Quick Connect Adapter Kit

**Stock # - F276330**  
UPC - 089301763302

(1/4" Male Pipe Thread x Male Plug) (Quick Connect x Soft Nose Excess Flow POL) Provides plug in/plug out use of appliances.  
Certified; 250 PSI Rated



## Propane Gas Grill "Quick Connect" Adapter

**Stock # - F276334**  
UPC - 089301763340

(Quick Connect x Soft Nose Excess Flow POL) Use with Ducane, Weber & PGS gas grills or other grill users of a Gas Mate II system.  
Certified; 250 PSI Rated





## Thermostat - For Portable Kerosene (50KR only)

**Stock # - F261210**  
UPC - 08930161210-5



## TankFoot® Propane Tank Stabilizer (6)

**Stock # - F273169-6**  
UPC - 089301731691

## TankFoot® Propane Tank Stabilizer (30)

**Stock # - F273169-30**  
UPC - 089301731691

Fits 20 lb., 30 lb. and 40 lb. tanks; reduces risk of tipping propane tank while on jobsite and transporting in your R.V., pick-up, car, etc.



## Universal Fuel Filter

**Stock # - F273699**  
UPC - 089301736993

Required for use with all Portable Buddy and Big Buddy Heaters when attaching to a 20 lb. propane tank. Most commonly used with F273701(5') and F273702(12') propane hose assemblies



## Handwheel

**Stock # - F273783**  
UPC - 089301737839

(2 handwheels per pack) Used with Mr. Heater propane products and POL nuts that use a 7/8" open end wrench



## O-Rings

**Stock # - F273786**  
UPC - 089301737860

(20 per pack) Used to replace o-rings on Mr. Heater Soft Nose POL's



## Tank Foot (1 lb. propane cylinder)

**Stock # - F275228**  
UPC - 089301752283

Fits portable throw-away propane cylinders; reduces risk of tipping cylinder while in use.



## 6v/800mA Power Adapter

**Stock # - F276127**  
UPC - 089301761278

Use with Big Buddy and Tough Buddy heaters. Uses standard 110 outlet. Also powers products requiring 6VDC and up to 800mA current.





# Tank Top Replacement Parts

## Safety Shut-off Valve with Orifice

**Stock # - F273116**  
UPC - 089301731165

Replacement for MH12, MH12T Mr. Heater Tank Top Models (up to and including 2010)



## 12.5" Thermocouple Lead

**Stock # - F273117**  
UPC - 089301731172

Replacement for most Mr. Heater Tank Top Models (Replacement for Mr. Heater models up to and including 2010)



## Thermocouple Assembly with Tip-over Switch Wires

**Stock # - F237349**  
UPC - 089301373495

MR. HEATER: MH15T, MH15TS (2011-current)  
MH30T, MH30TS (2012-current)  
SUNRITE: SRC15T, SRC30T (all)  
SR15T, SR30T (2011-current)  
Replaces part #17349



## Thermocouple Assembly

**Stock # - F237425**  
UPC - 089301374256

MR. HEATER: MH15, MH15C  
MH30T, MH30TS (2011 series)  
MH45T (2011-2012)  
SUNRITE: SRC15T, SRC30T (2009-2010 ONLY)  
Replaces part #17425



## Screen Assembly

**Stock # - F273164**  
UPC - 089301731646

Replacement for most Mr. Heater Tank Top Models (Includes replacement hardware)



## Regulator for Mr. Heater and Sun Rite Tank Top Heaters

**Stock # - F237314**  
UPC - 089301373143


MR. HEATER: MH15T, MH15TS, MH30T, MH30TS, MH45T  
SUNRITE: SRC15T, SRC30T  
Replaces part #17314



## Safety Shut-off for Mr. Heater and SunRite Tank Top Heaters

**Stock # - F237416**  
UPC - 089301374164

MR. HEATER: MH15T, MH15TS, MH30T, MH30TS, MH45T  
SUNRITE: SRC15T, SRC30T  
Replaces part #17416







**Electrode Kit**  
**(Kerosene 2006 models through current)**

**Stock # - F221857**  
 UPC - 089301218574

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT, MH210KT  
 MR. HEATER: MH50KR, MH75KTR, MH125KTR, MH175KT, MH210KT  
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT, HS210KT

Replaces part #21819 and 22144



**Replacement Filter Kit**  
**(2009 models through current)**

**Stock # - F221887**  
 UPC - 089301218871

MR. HEATER: MH50KTR, MH75KTR, MH125KTR, MH175KTR, MH210KTR  
 CONTRACTOR SERIES: TS75KR, TS125KTR, TS175KTR, TS210KTR  
 CONTRACTOR PLUS: PA50KR, PA75KTR, PA175KTR, PA210KTR  
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT



**Rotor Kit**  
**(2003 models through current)**

**Stock # - F226831**  
 UPC - 089301268319

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT  
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT  
 ALL PRO: SPC-, SPC-K50, SPC-K100, SPC-K125, SPC-K150, SPC-K175  
 UNIVERSAL: K50-FA, K75, K100-FAT, K125, K150-FAT, K175



**Flame Sensor Kit**  
**(2003 models through current)**

**Stock # - F226865**  
 UPC - 089301268654

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT  
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT

ALL PRO: SPC-K50, SPC-K100, SPC-K150  
 UNIVERSAL: K50-FA, K100-FA, K150-FA

Replaces part #s:  
 26903  
 26924  
 26925  
 F226875



**Pump Adjustment Kit**  
**(2003 models through current)**

**Stock # - F266842**  
 UPC - 089301668423

MR. HEATER: MH50KT, MH75KT, MH125KT, MH175KT(2003-2008)  
 MR. HEATER: MH50KR, MH75KTR, MH125KTR, MH175KTR, MH210KTR  
 (2009-present)  
 HEATSTAR: HS50KT, HS75KT, HS125KT, HS175KT

ALL PRO: SPC-K50, SPC-K100, SPC-K150  
 UNIVERSAL: K50-FA, K100-FA, K150-FA





# Forced Air Replacement Parts

## Nozzle Kit (All models through current)

Stock # - F227416  
UPC - 089301274167

MR. HEATER: MH50KT  
HEATSTAR: HS50K



Replaces part #27416/28710

## Nozzle Kit (All models through current)

Stock # - F221878  
UPC - 089301218789

MR. HEATER: MH75KT/MH75KTR  
HEATSTAR: HS75KT



Replaces part  
#28741/28711

## Nozzle Kit (All models through current)

Stock # - F221879  
UPC - 089301218796

MR. HEATER: MH125KT/MH125KTR  
HEATSTAR: HS125KT



Replaces part #28742/28712

## Nozzle Kit (All models through current)

Stock # - F221889  
UPC - 089301218895

MR. HEATER: MH175KT/MH175KTR  
HEATSTAR: HS175KT



Replaces part #28743/28713

## Nozzle Kit (All models through current)

Stock # - F221891  
UPC - 089301218918

MR. HEATER: MH210KT/MH210KTR  
HEATSTAR: HS210KT



Replaces part #22109/28714

## High Limit Switch

Stock # - F228796  
UPC - 089301287969

MR. HEATER: MH35FA, MH170FAVT, MH400FAVT  
HEATSTAR: HS35FA, HS170FAVT, MH400FAVT



Replaces part #26168

## High Limit Switch

Stock # - F228797  
UPC - 089301287976

MR. HEATER: MH55FAV, MH85FAV  
HEATSTAR: HS55FAV, HS85FAV



Replaces part #21751

## High Limit Switch

Stock # - F228798  
UPC - 089301287983

MR. HEATER: MH125FAV  
HEATSTAR: HS125FAV



Replaces part #22003



## **Buddy** Pilot Assemblies



### **Pilot Assembly for Portable Buddy**


**Stock # - F273401**

UPC - 089301734012

MR. HEATER: MH9B (2001-2008)

MH9BX (2009-CURRENT)

Replaces part #73404




### **Pilot Assembly for Big Buddy**

**Stock # - F278527**

UPC - 089301785274

MR. HEATER: MH18B

Replaces part #78422



## **Vent-Free Series Pilot Assemblies**


### **Vent-Free Pilot Assemblies (NG) (2015 - prior)**

**Stock # - F270398**

UPC - 089301703988

All Mr. Heater / Heatstar 20k &  
30k NG Vent Free Heater

Replaces part #70339




### **Vent-Free Pilot Assemblies (LP) (2015 - prior)**

**Stock # - F270399**

UPC - 089301703995

All Mr. Heater / Heatstar 20k &  
30k LP Vent Free Heater

Replaces part #70358





# Base Camp Gaslight Replacement Parts

## **Glass Globe (Fits Paulin® Gas Lights)**

**Stock # - F220330**

UPC - 089301203303

Replacement globe made of heat resistant glass.



## **Soft. Tie-On Mantle (Fits Paulin® Gas Lights)**

**Stock # - F220353**

UPC - 089301203532

Replaces broken soft. mantle, or can be used with ceramic burner head 20381 and gasket 20339 to convert light from preformed mantle to soft mantle.



## **Burner Head Gasket**

**Stock # - 20339**

UPC - 089301203396

Replacement gasket for both burner heads; should be replaced whenever burner head is removed.



## **Preformed Mantle (Fits Paulin® Gas Lights)**

**Stock # - F220351**

UPC - 089301203518

Replaces broken preformed mantle, or can be used with ceramic burner head 20338 and gasket 20339 to convert light from soft mantle to preformed mantle.



## **Ceramic Burner Head (For Preformed Mantle )**

**Stock # - 20338**

UPC - 089301203389

Replaces broken burner head, or can be used with preformed mantle F220351 above and gasket 20339 to convert light from soft mantle to preformed mantle.



## **Ceramic Burner Head (For Soft. Mantle)**

**Stock # - 20381**

UPC - 089301203815

Replaces broken burner head, or can be used with soft. mantle F220353 and gasket 20339 to convert light from preformed mantle to soft mantle.



Part Number	Description	Page Number	Part Number	Description	Page Number
00285A	Fuel Conversion Kit - NG to LP	35	F220353	Soft. Tie-On Mantle (Fits Paulin® Gas Lights)	60
00286A	Fuel Conversion Kit - LP to NG	35	F221857	Electrode Kit (Kerosene 2006 models through current) see listing for model numbers	57
10371	24v Thermostat	33	F221878	Nozzle Kit (All models through current) see listing for model numbers	58
20338	Ceramic Burner Head (For Preformed Mantle )	60	F221879	Nozzle Kit (All models through current) see listing for model numbers	58
20339	Burner Head Gasket	60	F221887	Replacement Filter Kit (2009 models through current) see listing for model numbers	57
20381	Ceramic Burner Head (For Soft. Mantle)	60	F221889	Nozzle Kit (All models through current) see listing for model numbers	58
F102834	Install Kit (T-Stat, Shut-Off Valve, Flex Connector, 1/2" Nipple)	33	F221891	Nozzle Kit (All models through current) see listing for model numbers	58
F102848	Vent Kit - Vertical- 4"	37	F226831	Rotor Kit (2003 models through current) see listing for model numbers	57
F102859	Decorative Grid Kit	33	F226865	Flame Sensor Kit (2003 models through current) see listing for model numbers	57
F102860	Vent Kit - Horizontal - 4"	37	F227416	Nozzle Kit (All models through current) see listing for model numbers	58
F200293	Fuel Conversion Kit - NG to LP for MH25NG	34	F227500	MH18CH - (Propane) - 6,000, 12,000 and 18,000 Btu/hr.	20
F200294	Fuel Conversion Kit - LP to NG for MH 25LP	34	F227900	MH35CLP Hero (Forced Air Propane) - 35,000 Btu/hr.	28
F202860	MH45GSP - 45,000 Btu/hr. (Natural Gas) with LP conversion kit	33	F227964	Replacement Battery for Hero FALP heaters	28
F209150	Catalytic Heater - 3,000 BTU	40	F228796	High Limit Switch, see listing for model numbers	58
F209250	Catalytic Heater - 6,000 BTU	40	F228797	High Limit Switch see listing for model numbers	58
F209350	Catalytic Heater - 8,000 BTU	40	F228798	High Limit Switch, see listing for model numbers	58
F210359	Thermostat for unit/utility heaters	39	F228810	MH60CLP Hero (Forced Air Propane) - 30,000-60,000 Btu/hr	28
F210371	Accessories - 24v Thermostat	33	F232000	MH9BX Portable "Buddy®" Heater (Indoor Safe) - 4,000 and 9,000 Btu/hr.	9
F215100	MH4B "Little Buddy®" Heater (Indoor Safe) - 3,800 Btu/hr.	8	F232035	MH12HB Hunting Buddy® (Indoor Safe)- 6,000 and 12,000 Btu/hr.	10
F215120	MH4B "Little Buddy®" (Massachusetts/Canada Only)*	8	F232045	MH12HB Hunting Buddy® - (Massachusetts/Canada)*	10
F220330	Glass Globe (Fits Paulin® Gas Lights)	60	F232050	MH9BX Portable "Buddy®" Heater (Massachusetts/Canada Only)*	9
F220351	Preformed Mantle (Fits Paulin® Gas Lights)	60			

# Index

Part Number	Description	Page Number
F232078	9BX Portable Buddy Carry Bag	12
F235011	Hand Warmers 40 individual pair pk cut case	38
F235012	Hand Warmers 12 - 10 pk cut case	38
F235051	Toe Warmers 30 individual pair pk cut case	39
F235052	Toe Warmers 15 - 8 pk cut case	39
F235076	XL Warmers 40 individual pair pk cut case	38
F235077	XL Warmers 12 - 10 pk cut case	38
F235091	Full Foot Warmers 30 individual pair pk cut case	39
F235100	Tent Fan with L.E.D. Light	41
F235300	Battery Operated Shower System (B.O.S.S.) XB13	42
F235325	Battery Operated Shower System (B.O.S.S.) XW18	42
F235350	Battery Operated Shower System (B.O.S.S.) XCW20	42
F235825	Single Burner Angle Iron Stove	41
F235830	Double Burner Angle Iron Stove	41
F235835	Triple Burner Angle Iron Stove	41
F235897	BOSS Rechargeable Shower	42
F236120	MH165FAET 1.5 Kw Portable Forced Air Electric Heater	30
F236125	MH360FAET 3.6 Kw Portable Forced Air Electric Heater	30
F236130	MH530FAET 5.3 Kw Forced Air Electric Garage Heater	31
F236135	MH530FAERT 5.3 Kw Forced Air Electric Garage Heater w/remote thermostat	31
F237314	Regulator for Mr. Heater and Sun Rite Tank Top Heaters	56
F237349	Thermocouple Assembly with Tip-over Switch Wires	56

Part Number	Description	Page Number
F237416	Safety Shut-off for Mr. Heater and SunRite Tank Top Heaters	56
F237425	Thermocouple Assembly	56
F242010	MH4GC Golf Cart Heater (Propane) - 4,000 Btu/hr.	13
F242100	MH15T Heater - 10,000-15,000 Btu/hr.	15
F242105	MH15TS with Piezo spark ignition	15
F242200	MH15 Heater - 10,000-15,000 Btu/hr.	15
F242300	MH15C Heater/Cooker - 10,000-15,000 Btu/hr.	15
F242540	MH540T Heater - 45,000 Btu/hr.	15
F242650	MH30T Heater - 10,000-30,000 Btu/hr.	15
F242655	MH30T Heater - 10,000-30,000 Btu/hr. with electronic spark ignition	15
F242915	MH45T Heater - 10,000-45,000 Btu/hr.	15
F260163	Conversion kit from natural gas to propane	37
F260164	Conversion kit from propane to natural gas	37
F260550	MHU50 - 50,000 Btu/hr. includes LP conversion kit	36
F260560	MHU80 - 80,000 Btu/hr. includes LP conversion kit	36
F260590	MHU125 - 125,000 Btu/hr. includes LP conversion kit	36
F261210	In-line Thermostat	25, 55
F266842	Pump Adjustment Kit (2003 models through current) see listing for model numbers	57
F270255	MH50KR -Forced Air Kerosene - 50,000 Btu/hr.	25
F270265	MH70KTFR - 70,000 Btu/hr. Radiant Kerosene	25
F270269	MH125KTFR - 125,000 Btu/hr. Radiant Kerosene	25

Part Number	Description	Page Number
F270270	MH75KTR- Forced Air Kerosene - 75,000 Btu/hr.	25
F270320	MH125KTR - Forced Air Kerosene - 125,000 Btu/hr.	25
F270370	MH175KTR - Forced Air Kerosene - 175,000 Btu/hr.	25
F270385	MH210KTR - Forced Air Kerosene - 210,000 Btu/hr.	25
F270398	Vent-Free Pilot Assemblies (NG) (2015 - prior)	59
F270399	Vent-Free Pilot Assemblies (LP) (2015 - prior)	59
F270470	MH25CVX - Convection Heater - 25,000 Btu/hr.	32
F270490	MH80CVX -Convection Heater - 30,000 - 80,000 Btu/hr.	32
F270500	MH200CVX -Convection Heater - 75,000 - 200,000 Btu/hr.	32
F270700	MH35LP -Portable Radiant - 35,000 Btu/hr.	19
F270800	MH125LP - Portable Radiant - 125,000 Btu/hr.	19
F271117	12' Quick-Connect Propane Hose Assembly	48
F271138-20	20" Propane Hose Assembly	47
F271144-(XX)	15, 24, 36, 48, 60,144 Propane Hose Assemblies	47
F271149-(XX)	36, 48, 72, 144 Propane Hose Assemblies	47
F271158-(XX)	12, 15, 18, 24, 36 Propane Hose Assemblies	47
F271161	22" Propane Hose & Regulator Assembly with Appliance End Fitting/ Acme Nut	40, 46
F271162	60" Propane Hose & Regulator Assembly with Appliance End Fitting/ Acme Nut	40, 46
F271163	144" Propane Hose & Regulator Assembly with Appliance End Fitting/ Acme Nut	40, 46
F271163-(XX)	30,60 - Propane Hose Assembly	46
F271167	Propane Hose/Regulator Assembly with Two Outputs	46

Part Number	Description	Page Number
F271239	Universal Hook Up Kit	35, 37, 53
F271350	MH38QFA - Forced Air Propane - 38,000 Btu/hr.	27
F271370	MH60QFAV- Forced Air Propane - 30,000-60,000 Btu/hr.	27
F271380	MH85QFAV - Forced Air Propane- 50,000-85,000 Btu/hr.	27
F271390	MH125QFAV - Forced Air Propane - 75,000 - 125,000 Btu/hr.	27
F271400	MH170QFAVT -Forced Air Propane - 125,000-170,000 Btu/hr.	27
F271470	15' Propane Appliance Extension Hose Assembly	46
F271474	15' Propane Appliance Extension Hose Assembly	46
F271715	Propane "Y" Male Adapter with Handwheel	52
F271716	Double Quick Connect	52
F271718	Tank Quick Connect	52
F271733	Black Pipe Tee	51
F271735	Propane "Y" Female Adapter with Handwheel	52
F271736	Black Pipe Tee w/Adapter	51
F271742	30"/15" Propane Distribution Post/Tree	51
F271802	12' Big/Tough Buddy RV Hose	48
F271803	12' Big/Tough Buddy Hose with Regulator	12, 48
F271806	12' Quick Connect Propane Hose Assembly with shut off valve and full flow male plug	48
F272100	MH25LP - 22,000 Btu/hr. High intensity Radiant (Propane)	34
F272200	MH25NG - 25,000 Btu/hr. High intensity Radiant (Natural Gas)	34
F272425	MH400FAVT -Forced Air Propane - 250,000-400,000 Btu/hr.	27
F272601	MH400PT Handheld Torch - 400,000 Btu/hr.	43

# Index

Part Number	Description	Page Number
F272602	MH500LPT Handheld Torch - 500,000 Btu/hr.	43
F272603	MH500DPT Handheld Torch - 500,000 Btu/hr.	43
F272700	MH40LP - 40,000 Btu/hr. High intensity Radiant (Propane)	35
F272800	MH40NG - 40,000 Btu/hr. (Natural Gas)	35
F273071	5' Propane Hose Assembly for angle iron stoves	41, 46
F273072	12' Propane Hose Assembly for angle iron stoves	41, 46
F273076	5' Propane Hose/Regulator Assembly	46
F273077	12' Propane Hose/Regulator Assembly	46
F273116	Safety Shut-off Valve with Orifice	56
F273117	12.5" Thermocouple Lead	56
F273164	Screen Assembly	56
F273169-30	TankFoot® Propane Tank Stabilizer (30)	55
F273169-6	TankFoot® Propane Tank Stabilizer (6)	55
F273401	Pilot Assembly for Portable Buddy	59
F273655	Excess Flow Soft Nose POL x 1/4" Male Pipe Thread	50
F273684	Remote Propane Installation Kit	17, 19, 53
F273699	Universal Fuel Filter	55, 12
F273701	5' Propane Hose Assembly	47, 12
F273702	12' Propane Hose Assembly	47, 12
F273703-144	12' Propane Hose Assembly	47
F273703-60	5' Propane Hose Assembly	47
F273704	10' Buddy Series Hose Assembly	47

Part Number	Description	Page Number
F273705	8' Universal Propane Hose & Gauge Assembly	12, 48
F273707	5' Propane Hose Assembly	46
F273707-108	9' Propane Hose Assembly	46
F273710	5' Propane Hose Assembly	47
F273711	12' Propane Hose Assembly	47
F273714	Propane Stay Flow Kit	53
F273716	22" Propane Replacement Barbecue Hose	46
F273717	5' Propane Appliance Extension Hose Assembly	47
F273719	Propane High Pressure Regulator with POL	48
F273720	12' Natural Gas Patio Hose Assembly	48
F273729	1/4" Inverted Female Flare x 1/4" Male Pipe Thread	50
F273733	Propane Stay A While Kit	53
F273734	Propane Stay A While Deluxe Kit	53
F273735	Propane Stay Flow Plus Kit	53
F273737	Accessories - 2 tank hook up kit	27, 53
F273751	Propane Adapter Tee	52
F273752	Propane Stay A While Tee	52
F273753	Propane 90° Stay Flow Adapter	52
F273754	1/4" Male Pipe Thread x 1"-20 Female Throwing Cylinder Thread	50
F273755	1/4" Male Pipe Thread x 1"-20 Male Throwing Cylinder Thread	50
F273758	Propane Bulk Cylinder Adapter with Handwheel	51
F273759	90° Propane Low Pressure Regulator with POL	49



Part Number	Description	Page Number
F273760	Propane 90° Elbow	52
F273761	90° Propane Low Pressure Regulator with Appliance End Fitting /Acme Nut	49
F273762	Full Flow Soft Nose POL. w/Handwheel x 1/4" Male Pipe Thread	50
F273763	Propane Vertical Two Stage Regulator	49
F273766	Propane Auto-Changeover Two Stage Regulator	49
F273767	Propane Low Pressure Regulator	49
F273768	Propane Grill Regulator with Acme Nut	49
F273769	Propane Portable Table Top Regulator	48
F273783	Handwheel	55
F273786	O-Rings	55
F273791	Propane Female POL. w/Acme Thread x 1/4" Male Pipe Thread	50
F273830	Propane 30 PSI High Pressure Regulator	49
F273836	Propane Auto-Changeover High Capacity Two Stage Regulator	49
F273863	Propane Horizontal Two Stage Regulator with POL	49
F273684	Remote LP install kit	17, 19, 53
F273868	Propane Horizontal Two Stage Regulator	49
F273949	AVALON planogram (2 each of 27 accessories)	44
F273961	Top 20 planogram (2 each of 20 accessories)	45
F273967	BBQ (2 each of 21 items + 6 Tankfoot)	45
F274800	MH18B "Big Buddy®" Heater (Indoor Safe) - 4,000, 9,000 and 18,000 Btu/hr.	11
F274865	MH18B "Big Buddy®" Heater (Indoor Safe) - 4,000, 9,000 and 18,000 Btu/hr.	11
F274889	MH18B Portable Buddy Carry Bag	12

Part Number	Description	Page Number
F275228	Tank Foot (1 lb. propane cylinder)	55
F276124	5' Propane Hose Assembly	46
F276127	6v/800mA Power Adapter	55
F276129	Restricted Flow Soft Nose POL x 9/16" Left Hand Male Thread	50
F276130	9/16" Left Hand Male Thread x 1"-20 Throwaway Cylinder Thread with Shut-off	50
F276133	Propane Bulk Cylinder Adapter with Appliance End Fitting/Acme Nut	51
F276136	Propane Low Pressure Regulator	49
F276139	Restricted Flow Soft Nose POL. x 1/4" Male Pipe Thread	50
F276140	1" - 20 Male Throwaway Cylinder Thread x 1/4" Female Pipe Thread	50
F276148	5' Propane Hose Assembly	47
F276152	1/4" Male Pipe Thread x 9/16" Left Hand Male Thread	52
F276153	3/8" Male Pipe Thread x 9/16" Left Hand Male Thread	52
F276154	9/16" Left Hand Male Pipe Thread x 9/16" Left Hand Male Thread	52
F276171	Propane "Steak Saver" Adapter	48
F276172	Propane Tank Refill Adapter	48
F276181	Propane/Natural Gas Connector Kit with Shut-off valve & Full Flow Male Plug	54
F276186	Propane/Natural Gas 1/4" Quick Connector & Excess Flow Male Plug	54
F276187	Propane/Natural Gas 3/8" Quick Connector & Full Flow Male Plug	54
F276190	Propane/Natural Gas Connector & Full Flow Male Plug	54
F276262	3/8" Male Pipe Thread x 3/8" Male Flare	52
F276281	Propane/Natural Gas Full Flow Male Plug	54

Part Number	Description	Page Number
F276328	Propane/Natural Gas Excess Flow Male Plug	54
F276329	Propane Cylinder Fill Plug	54
F276330	Propane Gas Grill "Quick-Connect" Adapter Kit	54
F276334	Propane Gas Grill "Quick Connect" Adapter	54
F276338	Propane Converter	51
F276342	Propane Gas Gauge	48
F276400	Propane Brass Caps	51
F276495	Propane Grill Acme Nut (Black)	51
F276497	Propane Grill Acme Nut (Green)	51
F278527	Pilot Assembly for Big Buddy	59
F299201	Integrated Blower Fan	17,19
F299710	MHVFBF10LP - (Propane) - 10,000 Btu/hr.	19
F299711	MHVFBF10NG - (Natural Gas) - 10,000 Btu/hr.	19
F299720	MHVFBF20LPT - (Propane) - 20,000 Btu/hr.	19
F299721	MHVFBF20NGT - (Natural Gas) - 20,000 Btu/hr.	19
F299730	MHVFBF30LPT - (Propane) - 30,000 Btu/hr.	19
F299731	MHVFBF30NGT - (Natural Gas) - 30,000 Btu/hr.	19
F299740	MHVFGH30LPT - (Propane Garage Heater) - 30,000 Btu/hr.	19
F299741	MHVFGH30NGT - (Natural Gas Garage Heater) - 30,000 Btu/hr.	19

Part Number	Description	Page Number
F299810	MHVFRD10LP - (Propane) - 10,000 Btu/hr.	17
F299811	MHVFRD10NG - (Natural Gas) - 10,000 Btu/hr.	17
F299813	MHVFIH10LPT - (W/thermostat) - 10,000Btu/hr. (Hose & regulator included)	17
F299815	Vent-Free Ice House Heater	17
F299820	MHVFRD20LPT - (Propane) - 18,000 Btu/hr.	17
F299821	MHVFRD20NGT - (Natural Gas) - 20,000 Btu/hr.	17
F299830	MHVFRD30LPT - (Propane) - 30,000 Btu/hr.	17
F299831	MHVFRD30NGT - (Natural Gas) - 30,000 Btu/hr.	17

# Sponsorships



No one has done more to advance the sport of ice fishing than Ice Team. Since 1997 their Pros have come up with every significant ice fishing method and refinement in history, starting with Dave Genz and the Clam Fish Trap and the Vexilar flasher. Today their Pros and staff continue to blaze new trails.

**IT'S BACK! IT'S BIGGER!!!** The 2019 Mr Heater King of the Lake Competition.  
January 1, 2019 - February 11, 2019.

- Fish any DNR lake in 6 designated states.
- **END OF TOURNAMENT SLAM**



Tightline Outdoors is the premier fishing guide service of Colorado and “The Authority in Western Outdoors!” Whether you are looking for an action-packed day of catching fish in Colorado or searching for that once-in-a-lifetime trophy fish in Colorado we are the right match.

Southern Girl Pursuit is an outdoor reality series hosted by Kelsey Johns. The show gives you a close look at a woman’s perspective, whose skills and passion for the hunt get constantly put to the test.



**SOUTHERN  
GIRL PURSUIT**



The Busby Hive is a sustainable off the grid homesteading micro-farm that provides farm fresh goods and inspirational online content to motivate others to lead adventurous lifestyles by their own design. Founders, Mollie & Sean Busby are TV personalities, world-travelers, entrepreneurs, and sustainable living experts.



# MR HEATER® ADVENTURE AWAITS



## A SNEAK PEEK TO WHAT'S INSIDE



### **FORCED AIR HEATERS**

Pages 22 - 28



### **BUDDY® HEATERS**

Pages 6 - 11



### **TANK-TOP HEATERS**

Pages 14 - 15

Discover a comprehensive collection of hvac & refrigeration on our website.