# Safety Data Sheet (SDS) NANOSKIN SPOT FREE Water Spot Remover



#### 1. PRODUCT AND COMPANY IDENTIFICATION

**1.1 Product identifiers** 

Product name Product identifier Product Family NANOSKIN SPOT FREE Water Spot Remover

oduct identifier : NA-SFE

Product Family : Aqueous mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses : Automotive body detailing

:

 $1.3\,$  Details of the supplier of the safety data sheet

Company

NANOSKIN Car Care Products Total Import Solutions, Inc.

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910(OSHA HCS)

H302- Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H301 Toxic if swallowed.

## **Precautionary Statements**

P260 - Do not breathe mist, vapours, spray

P264 Wash skin thoroughly after handling.

P270 Do not eat/drink/smoke while using product.

P273 Avoid release to the environment.

P280 Wear eye protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

## 2.2 GHS Label elements, including precautionary statements SIGNAL WORD: WARNING







## 3. COMPOSITION/INFORMATION ON INGREDEINTS

Component	CAS number	Warnings	Concentration
WATER	7732-18-5		75-80%
Phosphoric acid	7664-38-2		5-15%
Hydroflouric acid	7664-39-3		1-5%
Proprietary surfactant blend			1-5%
2-Butoxy Ethanol	111-76-2		1-5%

## 4. FIRST AID MEASURES

# First aid procedures

## INHALATION:

Remove from exposure and get fresh air. Keep warm and at rest. Get medical attention immediately if artificial respiration is required.

## SKIN CONTACT:

Remove contaminated clothing, jewelry and shoes immediately. Flush affected area with large amounts of water, then use soap or mild detergent and large amounts of water for 15-20 minutes to cleanse area. If skin is severely irritated or burned, get medical attention immediately.

## EYE CONTACT:

Immediately flush eyes with large amounts of water occasionally lifting upper and lower lids for at least 15 minutes. Get immediate medical attention.

## INGESTION

Rinse mouth with water. DO NOT INDUCE VOMITING unless instructed to by medical personnel. If vomiting occurs keep head lower than hips to help prevent aspiration. If person is unconscious, do not induce vomiting; turn their head to the side. Never make an unconscious person vomit or drink fluids. Get medical attention.

5. FIRE FIGHTING MEASUR				
Flashpoint: 100C/212F				
Lower explosion limit: Not applicable				
	Upper explosion limit: Not applicable			
Self ignition: Not applic				
Ignition temperature: r	no tested. n products: carbon oxides, carbon monoxide, corrosive vapors.			
	water spray jet, alcohol-resistant foam, carbon dioxide, dry powder.			
	reathing apparatus and other protective clothing.			
6. ACCIDENTAL RELEASE N	ΛFΔSURFS			
Personal Precautions	Use the Personal protective Equipment recommended in Section 8 of this SDS			
Environmental Pre				
	1 1 71 11 8			
	fumes. Please absorb excess, rinse area and ensure adequate ventilation.			
Methods for Containme				
and Clean-up	Isolate area; keep unnecessary personnel away. Do not discharge into drains.			
	Ventilate closed spaces before entering. Prevent further leakage or spillage if			
	safe to do so. Prevent entry into waterways, sewers, basements or confined			
	areas. Wear appropriate protective equipment and clothing during cleanup. Use			
	a non-combustible material like vermiculite, sand or earth to soak up the			
	product and place into a container for later disposal.			
7. HANDLING AND STORA	GE			
Handling	Do not get in eyes, on skin, or on clothing. Do not breathe vapor. Keep			
-	container closed. Promptly clean up spills. Wash thoroughly after handling.			
Storage	Store with caution. Do not store in temperatures above 120F. Bottle/container			
U	may swell and or fumes accumulate. Store in adequate ventilation.			
	.,			
8. EXPOSURE CONTROLS/	PERSONAL PROTECTION			
Exposure Guideline Comme				
PHOSPHORIC ACID	USA OSHA OSHA PEL (TWA) (mg/m³) 1 mg/m³			
HYDROFLOURIC ACID	Hydrofluoric Acid 0.5 ppm 0.41 mg/m3 TLV ACGIH 2 ppm 1.64 mg/m3 CEIL			
	ACGIH 3 ppm PEL OSHA 3 ppm 2.5 mg/m3 REL NIOSH 6 ppm 5 mg/m3 CEIL			
NIOSH				
2-Butoxyethanol	111-76-2 TWA 20.000000 ppm USA. ACGIH Threshold Limit Values (TLV)			
Eye/Face Protection	Wear safety-glasses. Do not inhale. Use adequate ventilation.			
Skin Protection	Wear gloves while in use.			
Respiratory Protection	Niosh approved respirator for airborne particles if adequate ventilation not			
	present.			
General Hygiene Considerat				
	irritate lungs. Wash hands before and after use and before smoking eating or			
drinking	3.			
9. PHYSICAL AND CHEMIC				
Physical State	liquid			
Appearance	pink			
Particle Size	liquid			
Odor	ACRID			

No Available Data

**Odor Threshold** 

Molecular Formula Molecular Weight Boiling Point Decomposition Temperature Melting point Freezing Point Relative Density Bulk Density Solubility in Water Solubility in other liquids pH Flash point	Mixture Mixture 180F No Available Data 32F 32F .97g/cm3 No Available Data 100% No Available Data 2-3 No Available Data	
10. STABILITY AND REACTIVITY		
Chemical Stability Conditions to Avoid Hazardous Decomposition Products Possibility of Hazardous Reactions	Stable under normal conditions. Avoid extreme temperatures. carbon oxides, sodium oxides, corrosive vapors Do not bring into contact with oxidizers, ammoniac compounds, caustic compounds or aluminum.	
<b>11. TOXICOLOGICAL INFORMATIO</b>	Ν	
2-Butoxy Ethanol	LD50 Oral - Rat - male - 880 mg/kg (OECD Test Guideline 401)	
HYDROFLOURIC ACID	Respiratory LC50- rat- 1 hour: 2240-2340 ppm Ingestion LD100- guinea pig- 80	
mg/kg		
Phosphoric Acid	LD50 oral rat $\geq$ 90000 mg/kg	
<ul> <li>Skin Irritation/Corrosion</li> <li>May be irritating to skin.</li> <li>Eye Irritation/Corrosion</li> <li>May cause eye irritation/damage.</li> <li>Effects of Short-Term (Acute) Exposure</li> <li>No data available.</li> <li>Inhalation</li> <li>Burning, choking, coughing, wheezing, laryngitis, shortness of breath, headache or nausea.</li> <li>Ingestion</li> <li>No data available.</li> </ul>		
Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea		
12. ECOLOGICAL TOXICITY		
General Comments		
<u>2-Butoxy Ethanol</u>	Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 1,474	
Hydroflouric acid	mg/l - 96 h (OECD Test Guideline 203) Aquatic Vertebrate Aquatic fish; EC50 (48 hours): 270 mg/l	
Phosphoric Acid	LC50 fishes 1 138 mg/l (96 h; Pisces; PURE SUBSTANCE)	
12 DICDOCAL CONCIDEDATIONS		

**13. DISPOSAL CONSIDERATIONS** 

Dispose of in accordance with federal, provincial and local government regulations. Containers should NOT be reused. Containers should be disposed of in accordance with government guidelines.

## 14. TRANSPORT INFORMATION

Shipping Information

Phosphoric acid solution. 8-ckass 8 corrosive material 49 CFR 173.136

## **8-CORROSIVE SUBSTANCES**

UN-No.(DOT) 1805

# UN1805

Ship in accordance with 49 CFR parts 100-185. Non-hazardous for air, sea and road freight. Special Shipping Information

Not applicable. NFPA/HMIS 2 HEALTH 0 FLAMMABILITY 0 REACTIVITY

## 15. REGULATORY INFORMATION

United States

SARA 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313: 2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24 UN1790, Hydrofluoric Acid solution, 8 (6.1), pg II SARA Section 311/312 Hazard Classes Immediate (acute) health hazard Phosphoric Acid, 10% v/v California Product is not known, at this time, to contain any California prop 65 materials. SARA 311/312 Hazards **Acute Health Hazard Massachusetts Right To Know Components** UN1790, Hydrofluoric Acid solution, 8 (6.1), pg II 2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24 Pennsylvania Right To Know Components UN1790, Hydrofluoric Acid solution, 8 (6.1), pg II 2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24 **New Jersey Right To Know Components** UN1790, Hydrofluoric Acid solution, 8 (6.1), pg II 2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24 California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. **16. OTHER INFORMATION SDS Prepared by Total Import Solutions, Inc. dba NANOSKIN Car Care Products** Disclaimer This health and safety information is correct to the best of our knowledge and belief at the date of its publication, but we cannot accept liability for any loss, injury or damage which may result from its use. We shall ensure, so far as is

reasonably practicable, to maintain revised copies of this information to be requested. When applicable, revised copies shall be sent to customers whom have been directly supplied with this substance. It must be known that it is the responsibility of any intermediate supplier to ensure that such revision is passed to the user. The information given in the Data Sheet is designed only as guidance for safe handling, storage and the use of the substance. It is not a specification nor does it guarantee any specific properties. All chemicals should be handled only be competent personnel, within a controlled environment. Should further information be required, this can be obtained through the sales office whose address is at the top of this sheet.