

NT555



## SUMMER ULTRA HIGH PERFORMANCE TIRE

Wheel Dia.	Tire Size		Stock Number	Tread Depth (1/32")	Inflated Dimensions		Approved Rim (Measuring Rim) Width (in.)	Maximum		
					Overall Dia. (in.)	Overall Width (in.)		Load (lbs.)	@	Press (PSI)
17	235/45ZR17	93W	182200	10.2	25.28	9.33	7.5-(8.0)-9.0	1433	@	44
	245/45ZR17	95W	182910	10.6	25.67	9.57	7.5-(8.0)-9.0	1521	@	44
	255/40ZR17	94W	182350	10.3	25.08	10.16	8.5-(9.0)-10.0	1477	@	44
	P255/45ZR17	92W	182240	10.2	25.94	10.08	8.0-(8.5)-9.5	1389	@	35
	255/50ZR17	101W	182830	10.3	27.09	10.43	7.0-(8.0)-9.0	1819	@	44
	P275/40ZR17	98W	182370	10.6	25.55	11.02	9.0-(9.5)-11.0	1653	@	44
	P285/40ZR17	95W	182380	10.1	25.94	11.38	9.5-(10.0)-11.0	1521	@	35
	315/35ZR17	102W	182870	10.7	25.63	12.56	10.5-(11.0)-12.5	1874	@	44
18	* 225/40ZR18	92W	152430	10.1	25.20	9.17	7.5-(8.0)-9.0	1389	@	50
	* 225/45R18	95W	182410	10.0	25.94	8.82	7.0-(7.5)-8.5	1521	@	50
	235/40R18	91W	182430	10.2	25.28	9.45	8.0-(8.5)-9.5	1356	@	44
	* 235/50ZR18	101W	182860	10.1	27.24	9.45	6.5-(7.5)-8.5	1819	@	50
	245/40ZR18	93W	182440	10.2	25.67	9.72	8.0-(8.5)-9.5	1433	@	44
	* 245/45ZR18	100W	182710	10.2	26.57	9.65	7.5-(8.0)-9.0	1764	@	50

\*Indicates Extra Load (XL).

**NT555**

(continued)

*SUMMER ULTRA HIGH PERFORMANCE TIRE*

Wheel Dia.	Tire Size		Stock Number	Tread Depth (1/32")	Inflated Dimensions		Approved Rim (Measuring Rim) Width (in.)	Maximum		
					Overall Dia. (in.)	Overall Width (in.)		Load (lbs.)	@	Press (PSI)
<b>18</b>	255/35ZR18	90W	182520	10.3	25.08	10.08	8.5-(9.0)-10.0	1323	@	44
	* 255/45ZR18	103W	181960	10.3	26.97	10.16	8.0-(8.5)-9.5	1929	@	50
	265/35R18	93W	182530	10.5	25.28	10.47	9.0-(9.5)-10.5	1433	@	44
	265/50ZR18	103W	182880	10.5	28.43	10.83	7.5-(8.5)-9.5	1929	@	44
	275/35ZR18	95W	182250	10.6	25.59	10.91	9.0-(9.5)-11.0	1521	@	44
	* 275/40ZR18	103W	181970	10.6	26.61	11.06	9.0-(9.5)-11.0	1929	@	50
	285/35ZR18	97W	182550	10.5	25.94	11.30	9.5-(10.0)-11.0	1609	@	44
	285/40ZR18	101W	182800	10.7	26.97	11.42	9.5-(10.0)-11.0	1819	@	44
<b>19</b>	* 295/45ZR18	112W	182290	10.8	28.31	11.54	9.5-(10.0)-11.0	2469	@	50
	* 225/35ZR19	88W	182600	10.0	25.16	8.94	7.5-(8.0)-9.0	1235	@	50
	* 235/35ZR19	91W	182610	10.1	25.51	9.37	8.0-(8.5)-9.5	1356	@	50
	* 245/35ZR19	93W	182620	10.2	25.94	9.65	8.0-(8.5)-9.5	1433	@	50
	* 265/30ZR19	93W	182670	10.5	25.35	10.59	9.0-(9.5)-10.0	1433	@	50
	* 275/30ZR19	96W	182680	10.6	25.63	10.71	9.0-(9.5)-10.0	1565	@	50
	* 275/35ZR19	100W	182810	10.6	26.57	10.94	9.0-(9.5)-11.0	1764	@	50

\*Indicates Extra Load (XL).

**NT555**

(continued)

**NITTO**

SUMMER ULTRA HIGH PERFORMANCE TIRE

Wheel Dia.	Tire Size		Stock Number	Tread Depth (1/32")	Inflated Dimensions		Approved Rim (Measuring Rim) Width (in.)	Maximum			
					Overall Dia. (in.)	Overall Width (in.)		Load (lbs.)	@	Press (PSI)	
20	*	225/35ZR20	90W	181980	10.0	26.26	8.98	7.5-(8.0)-9.0	1323	@	50
	*	235/35ZR20	92W	182450	10.1	26.42	9.57	8.0-(8.5)-9.5	1389	@	50
	*	245/30ZR20	90W	182780	10.2	25.83	9.76	8.0-(8.5)-9.0	1323	@	50
	*	245/35R20	95W	182650	10.2	26.77	9.76	8.0-(8.5)-9.5	1521	@	50
	*	245/40R20	99W	182840	10.2	27.72	9.76	8.0-(8.5)-9.5	1709	@	50
	*	255/35ZR20	97W	182660	10.3	27.05	9.92	8.5-(9.0)-10.0	1609	@	50
		255/45ZR20	101W	182890	10.3	29.02	10.08	8.0-(8.5)-9.5	1819	@	44
	*	265/35ZR20	99W	182820	10.5	27.32	10.67	9.0-(9.5)-10.5	1709	@	50
	*	275/30ZR20	97W	182700	10.6	26.57	10.75	9.0-(9.5)-10.0	1609	@	50
	*	275/35ZR20	102W	182640	10.6	27.60	10.91	9.0-(9.5)-11.0	1874	@	50
*	285/30ZR20	99W	182790	10.7	26.93	11.02	9.5-(10.0)-10.5	1709	@	50	
22	*	255/30ZR22	95W	182850	10.3	28.07	10.24	8.5-(9.0)-9.5	1521	@	50
	*	265/40ZR22	106W	182400	10.5	30.39	10.55	9.0-(9.5)-10.5	2094	@	50
	*	285/35R22	106W	182590	10.7	29.88	11.22	9.5-(10.0)-11.0	2094	@	50
	*	295/25ZR22	97W	182770	10.1	27.91	11.42	10.0-(10.5)-11.0	1609	@	50

\*Indicates Extra Load (XL).

Your tires may be the most important components on your vehicle.