

How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

						INC	<b>DIVIDUAL GR</b>	OUPS		
		COMPL	ETE KITS	BRA	AKES		CONTROL G w/ ONBOAR	ROUP D AIR	CONTROL GRO ONBOARD	
ENGINE***	NOTES	VEHICLES w/ OBA <sup>+</sup>	VEHICLES w/o OBA	EXB	PRXB	MOUNTING GROUP	CONTROL GROUP Vehicles w/ oba <sup>t</sup>	INFO GROUP	CONTROL GROUP VEHICLES w/o OBA <sup>†</sup>	INFO GROUP
FORD										
	LIGHT DUTY APP	LICATIONS)	I							
F650										
7.3 Powerstroke 3" Exhaust		N/A	N/A	C20366	C40104	C11440	N/A	N/A	C11808	L7041
0		N/A	N/A	N/A	C40113	C11400	C10319	L7024	C11775	L7043
Cat 3126B/E/C7	Late 90° pipe	C20650 (EXB)	C20655 (EXB)	C20353	C40106	C11558	C10319	L7024	C11775	L7043
F750										
7.3 Powerstroke 3" Exhaust		N/A	N/A	C20366	C40104	C11440	N/A	N/A	C11808	L7041
		N/A	N/A	N/A	C40113	C11400	C10319	L7024	C11775	L7043
Cat 3126B/E/C7	Late 90° pipe	C20650 (EXB)	C20655 (EXB)	C20353	C40106	C11558	C10319	L7024	C11775	L7043
Cat 3126B/E/C7		N/A	N/A	C20353	C40106	C10310	C10319	L7024	C11775	L7043
Powerstroke 6.0L	2004+ Horizontal pipe									
Cummins ISB 02 EGR up to 230 HP	Engines built after Oct '02.									
LCF										
Powerstroke 4.5L		TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA

## FREIGHTLINER

FL50/60/ 70/80	)									
Cat 3116 **		N/A	N/A	C20350	C40105	C11558	C10318	L7024	C11774	L7043
Cat 3116E/3126		N/A	N/A	C20350	C40105	C11558	C10319	L7024	C11775	L7043
Cat 3126B/C7 (Built pre 2000)		C20650 (EXB)	C20655 (EXB)	C20353	C40106	C11558	C10319	L7024	C11775	L7043
Cat C7 (Built post 2000)		C12026 (EXB)	C12027 (EXB)	C20353	C40106	C11546	C10319	L7024	C11775	L7043
Cummins B5.9L *	3" Exhaust pipe	N/A	N/A	C10295	N/A	C11542	C10211	L7044	C11773	L7045
Cummins Do.9L "	3 1/2" Exhaust pipe	N/A	N/A	C10295	N/A	C11543	C10211	L7044	C11773	L7045
Cummins ISB (Built prior to	3" Exhaust pipe	C17101 (EXB)	C17201 (EXB)	C10299	C40304	C11542 (EXB) C11555 (PRXB)	C10218	L7044	C11753	L7045
Oct '02)	3 1/2" Exhaust pipe	C17151 (EXB)	C17251 (EXB)	C10299	C40304	C11543 (EXB) C11574 (PRXB)	C10218	L7044	C11753	L7045
Cummins C8.3L *		C13036 (EXB)	N/A	C20340	C40101	C11546	C10211	L7044	C11753	L7045
Cummins ISC	Engines built before Oct '03.	C16070 (EXB)	N/A	C20395	C40107	C11546	C10218	L7044	C11753	L7045

- t OBA-ONBOARD AIR
- \* ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

- \*\* CALL TO VERIFY APPLICATION
- \*\*\* MORE APPLICATIONS AVAILABLE CALL FOR INFORMATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

						IND	<b>IVIDUAL GR</b>	OUPS		
		COMPLE	TE KITS	BRA	KES		CONTROL GI w/ ONBOAR		CONTROL GRO ONBOARD	
ENGINE***	NOTES	VEHICLES w/ OBA	VEHICLES w/o OBA*	EXB	PRXB	MOUNTING GROUP	CONTROL GROUP VEHICLES w/ OBA <sup>†</sup>	INFO GROUP	CONTROL GROUP Vehicles w/o oba <sup>†</sup>	INFO GROUP
FREIGHT	LINER co	nt'								
M2 - 106									-	_
Cat C7		N/A	N/A	C20353	C40106	C11546	C20123 + F/L Switch A06- 37217-056	L7055	C20124 + F/L Switch A06-37217-056	L7055
Cat C9		N/A	N/A	C20277	ТВА	<b>C11750</b> + F/L pipe	C20123 + F/L Switch A06- 37217-056	L7055	C20124 + F/L Switch A06-37217-056	L7055
Cummins ISC	Engines built after Oct '03	N/A	N/A	C20393	TBA	<b>C11350</b> + F/L pipe	C20123 + F/L Switch A06-37217-056	L7055	C20124 + F/L Switch A06-37217-056	L7055
M2 - 112										
Cat C9		N/A	N/A	C20278	C40203	C11556	C20123 + F/L Switch A06- 37217-056	L7055	C20124 + F/L Switch A06-37217-056	L7055
CARGO										
Cummins ISB		N/A	N/A	C10277	N/A	C11542	C10218	L7044	C11753	L7045
(Built prior to	w/ 3" exhaust pipe	N/A	N/A	C10277	N/A	C11542	C10218	L7044	C11753	L7045
Oct '02)	w/ 3 1/2" exhaust pipe	N/A	N/A	C10277	N/A	C11543	C10218	L7044	C11753	L7045
Cummins ISB EGR up to 230 HP	Engines built after Oct '02	N/A	N/A	C10901	C40301	C11606 (EXB) C11604 (PRXB)	C10218	L7044	C11753	L7045

## **GMC/CHEVROLET**

C4500/5500**										
Isuzu 6.6 L	Engine ECUs w/ 2-56 pin & 1-72 pin connector only Trucks built before 2006 **	C20045 (EXB)	C20046 (EXB)	C20044	C40300	C20040	C20041 + C19500 Dash Switch	L7050	C20042 + C19500 Dash Switch	L7050
C6500/7500/8	500									
Cat 3116 **		C12004 (EXB)	C12005 (EXB)	C20350	C40105	C10310	C10318	L7024	C11774	L7043
Cat 3116E/3126		C12009 (EXB)	C12011 (EXB)	C20350	C40105	C10310	C10319	L7024	C11775	L7043
Cat 3126B/E/C7		C20650 (EXB)	C20655 (EXB)	C20353	C40106	C11558	C10319	L7024	C11775	L7043
T6500/750/85	00									
Cat 3116E/3126		N/A	N/A	C20350	C40105	C11558	C10319	L7024	C11775	L7043
Cat 3126B/E/C7		C20650 (EXB)	C20655 (EXB)	C20353	C40106	C11558	C10319	L7024	C11775	L7043
C4500/5500***	WABCO REPLAC	EMENT								
Isuzu 6.6L	***This kit includes 3.5" Exhaust adapters	C44048	C44048	N/A	N/A	N/A	N/A	N/A	N/A	N/A

HINO										
100-300 SERIE	S 2004+									
J08E-TA/B 6 CYL	w/ standard trans w/ Aisin auto trans	C40013	C40014	N/A						

t OBA-ONBOARD AIR

\* ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

\*\* CALL TO VERIFY APPLICATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

						IND	<b>IVIDUAL GR</b>	OUPS		
		COMPLI	ETE KITS	BR/	AKES		CONTROL GI w/ ONBOAR		CONTROL GRO ONBOARD	
ENGINE***	NOTES	VEHICLES w/ OBAT	VEHICLES w/o OBA	EXB	PRXB	MOUNTING GROUP	CONTROL GROUP VEHICLES w/ OBA <sup>†</sup>	INFO GROUP	CONTROL GROUP VEHICLES w/o OBA <sup>1</sup>	INFO GROUP
KENWOR	тн									
<b>T300</b>				000070	0.000	044550	0.000	17004	0	17040
Cat 3116E/3126		N/A	N/A	C20350	C40105	C11558	C10319	L7024	C11775	L7043
Cat 3126B / C7 (Pre 2004)		N/A	N/A	C20353	C40106	C11558	C10319	L7024	C11775	L7043
Cat C7 (2004+)		C20650 (EXB)	C20655 (EXB)	C20353	C40106	C11558	C10319	L7024	C11775	L7043
	Engines built after Oct '02	N/A	N/A	C10901	C40301	C11563 (EXB) C11564 (PRXB)	C10218	L7044	C11753	L7045
	Engines built before Oct '03	N/A	N/A	C20340	C40101	C11561 + Cust Supplied Flex	C10211	L7044	C11773	L7045
	Engines built after Oct '03	N/A	N/A	C20395	C40107	C11561 + Cust Supplied Flex	C10218	L7044	C11753	L7045
	Trucks built before Jan '05	N/A	N/A	C20394	C40107	C11559 + Cust Supplied Flex	C10218	L7044	C11753	L7045
	Trucks built after Jan '05	N/A	N/A	C20394	C40107	C11591 + Cust Supplied Flex	C10218	L7044	C11753	L7045
T800SH										
Cummins ISL (2004+)		N/A	N/A	C20346	C40103	C11554	C10218	L7044	C11753	L7045
W900S Cummins ISL (2004+)		N/A	N/A	C20346	C40103	C11554	C10218	L7044	C11753	L7045

NAVISTA	AR/IHC									
1000 SERIES										
VT365 6.0L		N/A	TBA (PRXB)	N/A	TBA	TBA	N/A	N/A	ТВА	TBA
3800/4700/49	00/5000/ 7000 S	ERIES								
DT466E (1998-99)	w/ 90° pipe Pre 1998 call for application	N/A	N/A	C20379	C40302	C11550 (EXB) C11583 (PRXB)	C10216	L7028	C11808	L7041
DT466E (2000-04 1/2)	w/o multiplex wiring Built before Jan '04	N/A	N/A	C20371	C40303	C11550 (EXB) C11583 (PRXB)	C10216	L7028	C11808	L7041
DT466E	Built after Jan '04	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA
DT/HT530E (Pre 2002)	w/o multiplex wiring	N/A	N/A	C20373	C40302	C11550 (EXB) C11583 (PRXB)	C10216	L7028	C11808	L7041
T444E 7.3 L	InLineMount	N/A	N/A	C20366	C40104	C11440	C10216	N/A	C11777	L7041
4200										
VT365 6.0 L		N/A	TBA (PRXB)	N/A	TBA	TBA	N/A	N/A	ТВА	TBA

- t OBA-ONBOARD AIR
- \* ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

- \*\* CALL TO VERIFY APPLICATION
- \*\*\* MORE APPLICATIONS AVAILABLE CALL FOR INFORMATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

						INC	<b>IVIDUAL GR</b>	OUPS		
		COMPLE	TE KITS	BR/	AKES		CONTROL G w/ ONBOAR		CONTROL GRO ONBOARD	
ENGINE***	NOTES	VEHICLES w/ OBA	VEHICLES w/o OBA'	EXB	PRXB	MOUNTING GROUP	CONTROL GROUP VEHICLES w/ OBA <sup>T</sup>	INFO GROUP	CONTROL GROUP VEHICLES w/o OBA <sup>†</sup>	INFO GROUP
NAVISTA	R/IHC co	nt'								
4300/4400 VT365 6.0L		N/A	TBA (PRXB)	N/A	ТВА	ТВА	N/A	N/A	ТВА	ТВА
DT466E (2000-2004 1/2)	w/ multiplex wiring	N/A	N/A	C20371	C40303	C11550 (EXB) C11583 (PRXB)	C10220	L7049	C11777	L7041
DT530E (2000-2004 1/2)	w/ multiplex wiring	N/A	N/A	C20373	C40303	C11550 (EXB) C11583 (PRXB)	C10220	L7049	C11777	L7041
HT530E (2002+)	w/ multiplex wiring	N/A	N/A	C20375	C40302	C11550 (EXB) C11583 (PRXB)	C10220	L7049	C11777	L7041
7000 SERIES DT466E (2000-2004 1/2)	w/ 30° Pipe	N/A	N/A	C20371	C40303	C11360 (EXB) + Intl Pipe # 3575127C1	C10216	L7028	C11808	L7041
	w/o Multiplex wiring built before Jan '04	N/A	N/A	C20371	C40303	C20063 (PRXB) + Intl Pipe # 3575127C1	C10216	L7028	C11808	L7041
DT466E (2004 1/2)	Built after Jan '04	ТВА	TBA	TBA	TBA	TBA	TBA	TBA	ТВА	TBA
DT/HT530E (Pre 2002)	w/o multiplex wiring	N/A	N/A	C20373	C40302	C11360 (EXB) + Intl Pipe # 3575127C1 C20063 (PRXB) + Intl Pipe # 3575127C1	C10216	L7028	C11808	L7041
HT530E (2002+)	w/ multiplex wiring	N/A	N/A	C20375	C40302	C11360 (EXB) + Intl Pipe # 3575128C1 C20063 (PRXB) + Intl Pipe # 3575128C1	C10220	L7049	C11777	L7049
8000 SERIES										
DT/HT530E (Pre 2002)		N/A	N/A	C20373	C40302	C11584 (EXB) C11586 (PRXB)	C10216	L7028	C11808	L7041
HT530E (2002+)		N/A	N/A	C20375	C40302	C11584 (EXB) C11586 (PRXB)	C10220	L7049	C11777	L7049
8100 W/ ABS Cummins ISM (Pre Oct '02)		C13057 (EXB)	N/A	C20265	C40204	C11750	C10224	L7044	N/A	N/A
9100 W/ ABS Cummins ISM (Pre Oct '02)		C13057 (EXB) + C11544	N/A	C20265	C40204	C11750 + C11544	C10224	L7044	N/A	N/A
<b>CF</b> VT275 4.5L		ТВА	ТВА	TBA	TBA	TBA	ТВА	TBA	ТВА	TBA

- t OBA-ONBOARD AIR
- \* ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

\*\* CALL TO VERIFY APPLICATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

						INC	<b>DIVIDUAL GR</b>	OUPS		
		COMPLI	<b>ETE KITS</b>	BRA	AKES		CONTROL G w/ ONBOAR		CONTROL GRO ONBOARD	
ENGINE***	NOTES	VEHICLES w/ OBA <sup>+</sup>	VEHICLES w/o OBA	EXB	PRXB	MOUNTING GROUP	CONTROL GROUP Vehicles w/ oba <sup>t</sup>	INFO GROUP	CONTROL GROUP Vehicles w/o oba <sup>†</sup>	INFO GROUP
NAVISTA	AR/IHC co	nt'								
СХТ										
DT466E (2004 1/2+)		TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA	TBA
DT/HT466/530	All w/ multiplex wiring	N/A	N/A	Above	Above	Above	C10220	L7049	C11777	L7049
DT466E (2000-2004 1/2)	Jake exhaust brake replacement unit (InLineMount 3.5")	C40016	N/A	N/A		N/A	N/A	N/A	N/A	N/A
DT466E (Pre-2000)/ DT530E/HT530E	Jake exhaust brake replacement unit (InLineMount 3.5")	C40015	N/A	N/A		N/A	N/A	N/A	N/A	N/A
<b>PETERBI</b> 320	LT									
320 Cat 3126B/E/C7		C12026 (EXB)	C12027 (EXB)	C20353	C40106	C11546	C10319	L7024	C11775	L7043
Cat C10		N/A	N/A	ТВА	ТВА	C11556	C10319	L7024	N/A	N/A
Cummins ISC	Engines built before Oct '03	C16070 (EXB)	N/A	C20395	C40107	C11554	C10218	L7044	C11753	L7045
Cummins ISC	Engines built after Oct '03	N/A	N/A	C20387	C40108	C11554	C10218	L7044	C11753	L7045
Cummins ISL	Engines built before Oct '03	N/A	N/A	C20358	C40103	C11554	C10218	L7044	C11753	L7045
Cummins ISL	Engines built after Oct '03	N/A	N/A	C20346	C40103	C11554	C10218	L7044	C11753	L7045
330/335										
Cat 3116E/3126		N/A	N/A	C20350	C40105	C11558	C10319	L7024	C11775	L7043
Cat 3126B/E/C7		C20650 (EXB)	C20655 (EXB)	C20353	C40106	C11558	C10319	L7024	C11775	L7043
Cummins C8.3 L *		N/A	N/A	C20325	C40100	C11562	C10211	L7044	C11773	L7045
Cummins ISC	Engines built before Oct '03	N/A	N/A	C20335	C40109	C11562 + Cust Supplied Flex	C10218	L7044	C11753	L7045
Cummins ISC	Engines built after Oct '03	N/A	N/A	C20387	C40108	C11562	C10218	L7044	C11753	L7045

STERLIN	G									
8000				_						
Cat 3126B/E/C7	90° Pipe	N/A	N/A	C20353	C40106	C11558	C10319	L7024	C11775	L7043
Cat 3126B/E	S Pipe	C16062 (EXB)	C16072 (EXB)	N/A	C40113	C11400	C10319	L7024	C11775	L7043
Cat C15		N/A	N/A	C20285	C40202	C11750	C10319	L7024	N/A	N/A
ACTERA (MX)										
Cat C7		C16062 (EXB)	C16072 (EXB)	N/A	C40113	C11400	C10319	L7024	C11775	L7043
Cummins ISC	Engines built before Oct '03	C16070 (EXB)	N/A	C20395	C40107	C11546	C10218	L7044	C11753	L7045
Cummins ISC	Engines built after Oct '03	N/A	N/A	C20394	C40107	C11546	C10218	L7044	C11753	L7045

t OBA-ONBOARD AIR

\* ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

\*\* CALL TO VERIFY APPLICATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

						INC	<b>DIVIDUAL GR</b>	OUPS		
		COMPL	TE KITS	BRA	AKES		CONTROL GI w/ ONBOAR		CONTROL GRO ONBOARD	
ENGINE***	NOTES	VEHICLES w/ OBA*	VEHICLES w/o OBA	EXB	PRXB	MOUNTING GROUP	CONTROL GROUP VEHICLES w/ OBA <sup>†</sup>	INFO GROUP	CONTROL GROUP VEHICLES w/o OBA <sup>†</sup>	INFO GROUP
STERLIN	G cont'									
HX 111, 113, 12	2 (VERTICAL EXHA	UST)								
Cat C7		C12026 (EXB)	C12027 (EXB)	C20353	C40106	C11546	C10319	L7024	C11775	L7043
Cat C9		N/A	N/A	C20278	C40203	C11750	C10319	L7024	C11775	L7043
Cummins ISC	Engines built after Oct '03 w/ factory cast elbow	N/A	N/A	C20393	C40107	C11554	C10218	L7044	C11753	L7045
Cummins ISC	Engines built after Oct '03 w/o factory cast elbow	N/A	N/A	C20393	C40107	C11525	C10218	L7044	C11753	L7045
HX 101(ALL), 11	1, 113, 122 (HORIZ	ZONTAL EXH	AUST)							
Cat C7		C16062 (EXB)	C16072 (EXB)	N/A	C40113	C11400	C10319	L7024	C11775	L7043
Cat C9		N/A	N/A	C20278	C40203	C11556	C10319	L7024	C11775	L7043
Cummins ISC	Engines built after Oct '03	N/A	N/A	C20394	C40107	C11526	C10218	L7044	C11753	L7045
CARGO										
a i 185		N/A	N/A	C10277	N/A	C11542	C10218	L7044	C11753	L7045
Cummins ISB (Pre Oct '02)	w/ 3" exhaust pipe	N/A	N/A	C10277	N/A	C11542	C10218	L7044	C11753	L7045
(110 000 02)	w/ 3 1/2" exhaust pipe	N/A	N/A	C10277	N/A	C11543	C10218	L7044	C11753	L7045
Cummins ISB 02 EGR up to 230 HP	Engines built after Oct '02	N/A	N/A	C10901	C40301	C11606 (EXB) C11604 (PRXB)	C10218	L7044	C11753	L7045

## THOMAS BUS

SAF-T-LINER HD	X									
Cat C7		N/A	N/A	C20353	C40106	C11575 + Cust Supplied Flex	C10319	L7024	C11775	L7043
Cummins ISC	Engines built after Oct '03	ТВА	ТВА	ТВА	TBA	TBA	TBA	TBA	TBA	TBA
SAF-T-LINER C2										
Cat C7		ТВА	TBA	TBA	TBA	ТВА	TBA	TBA	ТВА	TBA
Cummins B5.9L *	3" Exhaust pipe	C14100 (EXB)	C14200 (EXB)	C10287	N/A	C11542	C10211	L7044	C11773	L7045
Guinning D3.3 L	3 1/2" Exhaust pipe	C14150 (EXB)	C14250 (EXB)	C10287	N/A	C11543	C10211	L7044	C11773	L7045
Cummins ISB (Pre Oct '02)	3" Exhaust pipe	C17100 (EXB)	C17200 (EXB)	C10297	N/A	C11542	C10218	L7044	C11753	L7045
	3 1/2" Exhaust pipe	C17150 (EXB)	C17250 (EXB)	C10297	N/A	C11543	C10218	L7044	C11753	L7045
Cummins C8.3L *		N/A	N/A	C20330	N/A	C11541	C10211	L7044	C11753	L7045
Cummins ISC	Engines built before Oct '03	N/A	N/A	C10328	N/A	C11541	C10218	L7044	C11753	L7045

- t OBA-ONBOARD AIR
- \* ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

- \*\* CALL TO VERIFY APPLICATION
- \*\*\* MORE APPLICATIONS AVAILABLE CALL FOR INFORMATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

			INDIVIDUAL GROUPS							
		COMPL	TE KITS	BRA	KES		CONTROL GROUP w/ ONBOARD AIR		CONTROL GROUP w/o ONBOARD AIR	
ENGINE***	NOTES	VEHICLES w/ OBA <sup>+</sup>	VEHICLES w/o OBA <sup>+</sup>	EXB	PRXB	MOUNTING GROUP	CONTROL GROUP VEHICLES w/ OBA <sup>†</sup>	INFO GROUP	CONTROL GROUP VEHICLES w/o OBA <sup>†</sup>	INFO GROUP
WESTER	N STAR									
Cat 3126B/E/C7	3700	C20650 (EXB)	C20655 (EXB)	C20353	C40106	C11558	C10319	L7024	C11775	L7043

APPLICATIONS USING FOOT SWITCH											
All	All w/o ABS, w/o Allison	N/A	N/A	Above	Above	Above	C12051	L7058	C12052	L7059	
All	All w/ ABS, w/o Allison	N/A	N/A	Above	Above	Above	Above + C12029	L7058	Above + C12029	L7059	
All	All w/o Allison requiring cruise control disable	N/A	N/A	Above	Above	Above	Above + C12053	L7058	Above + C12053	L7059	

APPLICATIONS THAT NEED WARM UP										
All	All using foot switch	Above	Above	Above	Above	Above	Above + C12050	Above	Above + C12050	Above
All	All not using foot switch	Above	Above	Above	Above	Above	Above + TBA	Above	Above + TBA	Above

MISCELLANEOUS UNIVERSAL APPLICATIONS										
Cummins C8.3L *	DirectMount	C10320	N/A	C20325	C40100	C11541	C10211	L7044	C11753	L7045
	InLineMount	C12001-65	N/A	C20365	TBA	C11400	C10211	L7044	C11753	L7045
w/ foot switch **	InLineMount w/ 3" Exhaust Pipe	N/A	C12000	C10300	N/A	C11440	C11790	L7009	C11770	L7009
w/ throttle switch **	InLineMount w/ 3" Exhaust Pipe	N/A	C12003	C10300	N/A	C11440	C10211	L7009	C11773	L7009
w/ foot switch **	InLineMount w/ 4" Exhaust Pipe	N/A	N/A	C10300	N/A	C11400	C11790	L7009	C11770	L7009
w/ throttle switch **	InLineMount w/ 4" Exhaust Pipe	C12001	N/A	C10300	N/A	C11400	C10211	L7009	C11773	L7009

ALLISON AUTOMATIC TRANSMISSION INTERFACE GROUPS - REQUIRED FOR AFTERMARKET INSTALLATIONS								
3000 series transmissions in vehicles w/ Allison VIM	C13060E							
3000 series transmissions in vehicles w/o Allison VIM - Freightliner vehicles and Sterling vehicles w/ MX and HX chassis	C13060FE							
1000/2000 series transmissions - not required for Duramax Pickup or Hino Truck applications	C11981							

- t OBA-ONBOARD AIR
- \* ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS







APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT#	SWITCH PAC (OPTIONAL)	ECM BYPASS (OPTIONAL)
DODGE RAM TR	UCKS W	ITH STANDARD TRANS	MISSIOI	VS	
1994-2002 DirectMount					
<b>1994-1998</b> Cummins 5.9L 6BT 12 Valve Engine with 3" Stock Exhaust with HX/HY35 Turbo	Stock	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. Includes Heavy Duty Exhaust Valve Springs.	C44072	C18040	Included
<b>1998½</b> Cummins 5.9L ISB 24 Valve Engine with 3" Stock Exhaust with HX/HY35 Turbo	Stock	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44074 + C14004	C18041	<b>C14004</b> (Required)
<b>1999-2002</b> Cummins 5.9L ISB 24 Valve Engine with 3" Stock Exhaust with HX/HY35 Turbo	Stock	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44074	C18041	C12015
1994-2002 InLineMount					
<b>1994-1998</b> Cummins 5.9L 6BT 12 Valve Engine	Stock <del>X</del> X	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added.	C44060	C18040	Included
<b>19981</b> ⁄2 Cummins 5.9L ISB 24 Valve Engine	Stock <del>X</del> X	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added.	C44062	C18041	Included
<b>1999-2002</b> Cummins 5.9L ISB 24 Valve Engine	Stock 🗙 Ӿ	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added.	C44064	C18041	C12015

\* NOTE: All 1994-2002 trucks using a DirectMount kit that have 4" aftermarket exhaust systems require an additional adapter – C11342

**\*\* NOTE:** For vehicle's in which the factory HX/HY35 turbo charger has been changed to an aftermarket turbo charger, use only an inline kit. A mounting group must also be purchased with the kit. **Exhaust Size:** 4" – C11400, 3.5" – C11420, 3" – C11440

2003-2004½ DirectMount								
<b>2003-2004</b> Cummins 5.9L ISB 24 Valve Engine (Built up to Jan 4, '04)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44030	C18042	C14037			
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). For Vehicles with Existing Onboard Air.	C44031	C18042	C14037			
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces</b> Fixed Orifice Exhaust Brake.	C40110 EXHAUST BRAKE ONLY	C18042	C14037			

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust.





APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT#	SWITCH PAC (OPTIONAL)	ECM BYPASS (OPTIONAL)				
DODGE RAM TR	UCKS W	TH STANDARD TRANS	MISSIOI	VS cont'					
2003-2004½ DirectMount cont'									
2004½ Cummins 5.9L ISB 24 Valve Engine (Built Jan 5, '04-Jul 25, '04)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44045	C18042	C20135				
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air.</b>	C44037	C18042	C20135				
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces</b> Fixed Orifice Exhaust Brake.	C40111 EXHAUST BRAKE ONLY	C18042	C20135				
2003-2004½ InLineMoun	t								
<b>2003-2004</b> Cummins 5.9L ISB 24 Valve Engine (Built up to Jan 4, '04)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44047	C18042	C14037				
<b>2004½</b> Cummins 5.9L ISB 24 Valve Engine (Built Jan 5, '04-Jul 25, '04)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44047	C18042	C20135				

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust.

2003-2007 InLineMount					
<b>2003-2007</b> Cummins 5.9L ISB 24 Valve Engine	4"	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44068	C18042	C14037 (2003-2004) C20135 (2004½) C20141 (2005-2007)
2005-2007 DirectMount					
<b>2005</b> Cummins 5.9L ISB 24 Valve Engine (Built Jul 26, '04-Jun 27, '05)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44045	C18042	C20141
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air.</b>	C44037	C18042	C20141
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces</b> Fixed Orifice Exhaust Brake.	C40111 EXHAUST BRAKE ONLY	C18042	C20141
2006-2007 Cummins 5.9L ISB 24 Valve Engine	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44045	C18042	N/A
(Built after Jun 27, '05)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air</b> .	C44037	C18042	N/A
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces</b> Fixed Orifice Exhaust Brake.	C40111 EXHAUST BRAKE ONLY	C18042	N/A

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust.





APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT#	SWITCH PAC (OPTIONAL)	ECM BYPASS (OPTIONAL)			
DODGE RAM TR	UCKS W	ITH STANDARD TRANS	MISSIOI	VS cont'				
2005-2007 InLineMount								
<b>2005</b> Cummins 5.9L ISB 24 Valve Engine (Built Jul 26, '04-Jun 27, '05)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44047	C18042	C20141			
<b>2006-2007</b> Cummins 5.9L ISB 24 Valve Engine (Built after Jun 27, '05)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44047	C18042	N/A			
2007½-2018 InLineMoun	t							
20071/2-2018 Cummins 6.7L ISB 24 Valve Engine	4"	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44038	N/A	N/A			
<b>2007½-2018</b> Cummins 6.7L ISB 24 Valve Engine	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44039	N/A	N/A			

APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT#	TRANSMISSION CONTROLLER				
DODGE RAM TRUC	KS WITI	H AUTOMATIC TRANSMISSIO	NS					
1994-2002 DirectMount								
<b>1994-1995</b> Cummins 5.9L 6BT 12 Valve Engine - 47RH Auto Trans with 3" Stock Exhaust with HX/HY35 Turbo	Stock	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. Includes Heavy Duty Exhaust Valve Springs.	C44073	Included				
<b>1996-1998</b> Cummins 5.9L 6BT 12 Valve Engine - 47RE Auto Trans with 3" Stock Exhaust with HX/HY35 Turbo	Stock	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. Includes Heavy Duty Exhaust Valve Springs.	C44076	Included				
<b>1998 ½-2002</b> Cummins 5.9L ISB 24 Valve Engine - 47RE Auto Trans with 3" Stock Exhaust with HX/HY35 Turbo	Stock ★	DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44075	Included				

\* **NOTE:** All 1994-2002 trucks using a DirectMount kit that have 4" aftermarket exhaust systems require an additional adapter – C11342

**\*\* NOTE:** For vehicle's in which the factory HX/HY35 turbo charger has been changed to an aftermarket turbo charger, use only an inline kit. A mounting group must also be purchased with the kit. **Exhaust Size:** 4" – C11400, 3.5" – C11420, 3" – C11440





# APPLICATION

DESCRIPTION

PRXB KIT# TRANSMISSION CONTROLLER

#### **DODGE RAM TRUCKS WITH AUTOMATIC TRANSMISSIONS cont**

1994-2002 InLineMount

<b>1994-1995</b> Cummins 5.9L 6BT 12 Valve Engine - 47RH Auto Trans	Stock 🗙 Ӿ	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added.	C44059	Included
<b>1996-1998</b> Cummins 5.9L 6BT 12 Valve Engine - 47RE Auto Trans	Stock 🗙 🗙	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added.	C44061	Included
<b>1998</b> <sup>1</sup> ⁄ <sub>2</sub> Cummins 5.9L ISB 24 Valve Engine - 47RE Auto Trans	Stock 🗙 🗙	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added.	C44063	Included
<b>1999-2002</b> Cummins 5.9L ISB 24 Valve Engine - 47RE Auto Tran	Stock 🗙 🗙	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added.	C44065	Included

\* NOTE: All 1994-2002 trucks using a DirectMount kit that have 4" aftermarket exhaust systems require an additional adapter – C11342

**\*\* NOTE:** For vehicle's in which the factory HX/HY35 turbo charger has been changed to an aftermarket turbo charger, use only an inline kit. A mounting group must also be purchased with the kit. **Exhaust Size:** 4" – C11400, 3.5" – C11420, 3" – C11440

#### 2003-2004½ DirectMount

<b>2003-2004</b> Cummins 5.9L ISB 24 Valve Engine - 47/48RE Auto Trans (Built up to Jan 4, '04)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44049	Included		
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). For Vehicles with Existing Onboard Air.	C44032	Included		
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	C40110 EXHAUST BRAKE ONLY	Not Included		
2004 1/2 Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built Jan 5, '04-Jul 25, '04)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44052	Included		
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). For Vehicles with Existing Onboard Air.	C44033	Included		
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	C40111 EXHAUST BRAKE ONLY	Not Included		

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster<sup>®</sup> Exhaust. However, they will work with Banks Cat Back Monster<sup>®</sup> Exhaust.





APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT#	TRANSMISSION CONTROLLER				
DODGE RAM TRUCKS WITH AUTOMATIC TRANSMISSIONS cont								
2003-2004½ InLineMount								
2003-2004 Cummins 5.9L ISB 24 Valve Engine - 47/48RE Auto Trans (Built up to Jan 4, '04)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44051	Included				
2004 1/2 Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built Jan 5, '04-Jul 25, '04)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44051	Included				

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster<sup>®</sup> Exhaust. However, they will work with Banks Cat Back Monster<sup>®</sup> Exhaust.

2003-2007 InLineMount				
<b>2003-2005</b> Cummins 5.9L ISB 24 Valve Engine - 47/48RE Auto Trans (Built up to Jun 27, '05)	4"	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44067	Included
<b>2006-2007</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built after Jun 27, '05)	4"	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44068	N/A
2005-2007 DirectMount				
<b>2005</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built up to Jun 27, '05)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44052	Included
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air.</b>	C44033	Included
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	C40111 EXHAUST BRAKE ONLY	Not Included
<b>2006-2007</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built after Jun 27, '05)	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44045	N/A
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). <b>For Vehicles with Existing Onboard Air</b> .	C44037	N/A
	Stock	DirectMount 4" PRXB High Performance Exhaust Brake. <b>UPGRADE – Replaces Fixed Orifice Exhaust Brake.</b>	C40111 EXHAUST BRAKE ONLY	N/A

**NOTE:** All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust



# **P** B B

APPLICATION	EXHAUST SIZE	DESCRIPTION	PRXB KIT#	TRANSMISSION CONTROLLER			
DODGE RAM TRUCKS WITH AUTOMATIC TRANSMISSIONS cont'							
2005-2007 InLineMount							
<b>2005</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built up to Jun 27, '05)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44051	Included			
<b>2006-2007</b> Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built after Jun 27, '05)	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44047	N/A			
2007½-2018 InLineMount							
<b>2007 ½-2018</b> Cummins 6.7L ISB 24 Valve Engine - 68RFE Auto Trans	4"	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44038	N/A			
<b>2007</b> ½- <b>2018</b> Cummins 6.7L ISB 24 Valve Engine - 68RFE Auto Trans	5"	InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C44039	N/A			

APPLICATION DESCRIPTION	PRXB KIT#	SWITCH PAC (OPTIONAL)	ECM BYPASS (OPTIONAL)
FORD TRUCKS WITH STANDARD TRANSMISS	SIONS		
1995-2007 InLineMount			

<b>1995-1998</b> Powerstroke 7.3L 16 Valve Engine (Built before November 1998)	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C40008	N/A	N/A
<b>1999-2003</b> Powerstroke 7.3L 16 Valve Engine (Built November 1998 & newer)	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C40009	C18041	N/A
<b>2003-2007</b> Powerstroke 6.0L 32 Valve Engine	InLineMount 4" PRXB Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C40010	Included	N/A

**NOTE:** All above kits are for vehicles with factory exhaust systems. Vehicles with aftermarket 4" 0.D. exhaust systems will need 2 adapters – C11342



# APPLICATION DESCRIPTION

PRXB KIT# VITCH

FORD TRUCKS WITH AUTOMATIC TRANSMISSIONS

1995-2007 IIILIIIewoullt				
<b>1995-1998</b> Powerstroke 7.3L 16 Valve Engine - E40D Auto Trans (Built before November 1998)	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C40008	N/A	REQUIRED
<b>1999-2003</b> Powerstroke 7.3L 16 Valve Engine - 4R110 Auto Trans (Built November 1998 & newer)	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C40019	N/A	Included
<b>2003-2007</b> Powerstroke 6.0L 32 Valve Engine - 5R140 Auto Trans	InLineMount 4" PRXB Exhaust Brake Kit with (Air Actuated). Comes with Air Tank, Hose & Accessories.	C40007	N/A	Included

NOTE: All above kits are for vehicles with factory exhaust systems. Vehicles with aftermarket 4" 0.D. exhaust systems will need 2 adapters – C11342

# APPLICATION DESCRIPTION

PRXB KIT#

### GM TRUCKS WITH AUTOMATIC TRANSMISSIONS (LB7/LLY/LBZ)

2001-2007 InLineMount	
-----------------------	--

1005-2007 Int ineMount

<b>2001-2005</b> Duramax 6.6L 32 Valve Engine-Allison 1000 Series Auto Trans without optional 2nd alternator	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C40075
<b>2006-2007 Classic</b> Duramax 6.6L 32 Valve Engine-Allison 1000 Series Auto Trans without optional 2nd alternator	InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories.	C40070

**NOTE:** C40070 & C40075 Kits are designed for vehicles without optional 2nd alternator. Vehicles with the 2nd alternator, will have to fabricate their own mounting for the compressor.

All above kits are for vehicles with factory exhaust systems. Vehicles with aftermarket 4" O.D. exhaust systems will need 2 adapters – C11342 CHECK VIN #: Check the vehicles VIN to confirm the 8th digit is either a 1, 2 or letter D. These vehicles are approved for Pacbrake PRXB kits

	8TH DIGIT OF VIN	YEARS	ENGINE RPO CODE	PRXB PART #	DESCRIPTION/APPLICATION
BER	1 or 2	2001-2005	LB7/LLY	C40075	Automatic Transmission only. Vehicles without optional 2nd alternator
NUMBER	D	2006-2007	LLY/LBZ	C40070	Automatic Transmission only. Vehicles without optional 2nd alternator
NIN	D	2006-2007.5	LLY/LBZ	C40070	Automatic Transmission only. Vehicles without optional 2nd alternator


### MAINTENANCE

Superlube – Exhaust Brake Maintenance

# **PRXB RV Upgrade Application Guide**



ENGINE MODEL	FLANGE	<b>PRXB PART#</b>	FRONT CLAMP ATTACHES TO TURBO	REAR CLAMP ATTACHES TO EXHAUST	
<b>RV UPGRADES</b> (E	BRAKE ONLY)				
Cummins C8.3	4" Half Marmon	C40100	C11355 (x1)	C11350 (x1)	FLANGE STYL
Cummins C8.3	4" Full Marmon	C40101	C10310 (x1)	C11350 (x1)	
Cummins ISL †	4" Half Marmon	C40102	C11355 (x1)	C11350 (x1)	
Cummins ISL †	4" Full Marmon	C40103	C11355 (x1)	C11350 (x1)	
Caterpillar 3116 / 3116E / 3126	4" Full Marmon	C40105	C10310 (x1)	C11350 (x1)	
Caterpillar 3126B / C-7	4" Full Marmon	C40106	C10310 (x1)	C11350 (x1)	
Cummins ISC	4" Full Marmon	C40107	C10310 (x1)	C11350 (x1)	
Cummins ISC	4" Full Marmon	C40108	C11355 (x1)	C11350 (x1)	
Cummins ISC	4" Half Marmon	C40109	C11355 (x1)	C11350 (x1)	FULL MARMON
Caterpillar 3126B / C-7	4" Inline	C40113	C11350 (x2)		TOLL MARMON
Cummins ISL †	4" Full Marmon	C40114	C10310 (x1)	C11350 (x1)	
Cummins C8.3	4" Inline	C40115	C1135	0 (x2)	
Cummins ISB	4" Inline	C40116	C1135	0 (x2)	
Cummins ISC	4" Inline	C40117	C1135	0 (x2)	
Caterpillar <b>3116 / 3126</b>	4" Inline	C40119	C1135	0 (x2)	
Caterpillar <b>C-9</b>	5" Full Marmon	C40203	C11750 (x1)	C10620 (x1)	
Caterpillar <b>C-9</b>	5" Inline	C40206	C10720 (x1)	C10620 (x1)	
Cummins <b>ISB</b> pre Oct '02	3.5" Full Marmon	C40301	C14094 (x1)	C20063 (x1)	
Cummins ISB post Oct '02	3.5" Full Marmon	C40304	C14094 (x1)	C20063 (x1)	HALF MARMOI
Cummins ISC/ISL	3.5" Full Marmon	C40017*	C11355 (x1)	C20065 (x1)	
Cummins ISC CPL 1096 Only†	3.5" Full Marmon	C40020*	C11355 (x1)	C20065 (x1)	



† ISL WITH CPL 1096 MUST USE C40020

