

How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

| | | | | | | INC | DIVIDUAL GR | OUPS | | |
|------------------------------------|---------------------------------|---------------------------------|---------------------|--------|--------|-------------------|---|---------------|--|---------------|
| | | COMPL | ETE KITS | BRA | AKES | | CONTROL G w/ ONBOAR | ROUP D AIR | CONTROL GRO ONBOARD | |
| ENGINE*** | NOTES | VEHICLES w/ OBA ⁺ | VEHICLES w/o OBA | EXB | PRXB | MOUNTING GROUP | CONTROL GROUP Vehicles w/ oba ^t | INFO GROUP | CONTROL GROUP VEHICLES w/o OBA [†] | INFO GROUP |
| FORD | | | | | | | | | | |
| | LIGHT DUTY APP | LICATIONS) | I | | | | | | | |
| F650 | | | | | | | | | | |
| 7.3 Powerstroke 3" Exhaust | | N/A | N/A | C20366 | C40104 | C11440 | N/A | N/A | C11808 | L7041 |
| 0 | | N/A | N/A | N/A | C40113 | C11400 | C10319 | L7024 | C11775 | L7043 |
| Cat 3126B/E/C7 | Late 90° pipe | C20650 (EXB) | C20655 (EXB) | C20353 | C40106 | C11558 | C10319 | L7024 | C11775 | L7043 |
| F750 | | | | | | | | | | |
| 7.3 Powerstroke 3" Exhaust | | N/A | N/A | C20366 | C40104 | C11440 | N/A | N/A | C11808 | L7041 |
| | | N/A | N/A | N/A | C40113 | C11400 | C10319 | L7024 | C11775 | L7043 |
| Cat 3126B/E/C7 | Late 90° pipe | C20650 (EXB) | C20655 (EXB) | C20353 | C40106 | C11558 | C10319 | L7024 | C11775 | L7043 |
| Cat 3126B/E/C7 | | N/A | N/A | C20353 | C40106 | C10310 | C10319 | L7024 | C11775 | L7043 |
| Powerstroke 6.0L | 2004+ Horizontal pipe | | | | | | | | | |
| Cummins ISB 02 EGR up to 230 HP | Engines built after Oct '02. | | | | | | | | | |
| LCF | | | | | | | | | | |
| Powerstroke 4.5L | | TBA | TBA | TBA | TBA | TBA | TBA | TBA | TBA | TBA |

FREIGHTLINER

| FL50/60/ 70/80 |) | | | | | | | | | |
|----------------------------------|----------------------------------|--------------|--------------|--------|--------|-------------------------------|--------|-------|--------|-------|
| Cat 3116 ** | | N/A | N/A | C20350 | C40105 | C11558 | C10318 | L7024 | C11774 | L7043 |
| Cat 3116E/3126 | | N/A | N/A | C20350 | C40105 | C11558 | C10319 | L7024 | C11775 | L7043 |
| Cat 3126B/C7 (Built pre 2000) | | C20650 (EXB) | C20655 (EXB) | C20353 | C40106 | C11558 | C10319 | L7024 | C11775 | L7043 |
| Cat C7 (Built post 2000) | | C12026 (EXB) | C12027 (EXB) | C20353 | C40106 | C11546 | C10319 | L7024 | C11775 | L7043 |
| Cummins B5.9L * | 3" Exhaust pipe | N/A | N/A | C10295 | N/A | C11542 | C10211 | L7044 | C11773 | L7045 |
| Cummins Do.9L " | 3 1/2" Exhaust pipe | N/A | N/A | C10295 | N/A | C11543 | C10211 | L7044 | C11773 | L7045 |
| Cummins ISB (Built prior to | 3" Exhaust pipe | C17101 (EXB) | C17201 (EXB) | C10299 | C40304 | C11542 (EXB) C11555 (PRXB) | C10218 | L7044 | C11753 | L7045 |
| Oct '02) | 3 1/2" Exhaust pipe | C17151 (EXB) | C17251 (EXB) | C10299 | C40304 | C11543 (EXB) C11574 (PRXB) | C10218 | L7044 | C11753 | L7045 |
| Cummins C8.3L * | | C13036 (EXB) | N/A | C20340 | C40101 | C11546 | C10211 | L7044 | C11753 | L7045 |
| Cummins ISC | Engines built before Oct '03. | C16070 (EXB) | N/A | C20395 | C40107 | C11546 | C10218 | L7044 | C11753 | L7045 |

- t OBA-ONBOARD AIR
- * ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

- ** CALL TO VERIFY APPLICATION
- *** MORE APPLICATIONS AVAILABLE CALL FOR INFORMATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

| | | | | | | IND | IVIDUAL GR | OUPS | | |
|---------------------------------|--------------------------------|--------------------|----------------------|--------|--------|-------------------------------|---|---------------|--|---------------|
| | | COMPLE | TE KITS | BRA | KES | | CONTROL GI w/ ONBOAR | | CONTROL GRO ONBOARD | |
| ENGINE*** | NOTES | VEHICLES w/ OBA | VEHICLES w/o OBA* | EXB | PRXB | MOUNTING GROUP | CONTROL GROUP VEHICLES w/ OBA [†] | INFO GROUP | CONTROL GROUP Vehicles w/o oba [†] | INFO GROUP |
| FREIGHT | LINER co | nt' | | | | | | | | |
| M2 - 106 | | | | | | | | | - | _ |
| Cat C7 | | N/A | N/A | C20353 | C40106 | C11546 | C20123 + F/L Switch A06- 37217-056 | L7055 | C20124 + F/L Switch A06-37217-056 | L7055 |
| Cat C9 | | N/A | N/A | C20277 | ТВА | C11750 + F/L pipe | C20123 + F/L Switch A06- 37217-056 | L7055 | C20124 + F/L Switch A06-37217-056 | L7055 |
| Cummins ISC | Engines built after Oct '03 | N/A | N/A | C20393 | TBA | C11350 + F/L pipe | C20123 + F/L Switch A06-37217-056 | L7055 | C20124 + F/L Switch A06-37217-056 | L7055 |
| M2 - 112 | | | | | | | | | | |
| Cat C9 | | N/A | N/A | C20278 | C40203 | C11556 | C20123 + F/L Switch A06- 37217-056 | L7055 | C20124 + F/L Switch A06-37217-056 | L7055 |
| CARGO | | | | | | | | | | |
| Cummins ISB | | N/A | N/A | C10277 | N/A | C11542 | C10218 | L7044 | C11753 | L7045 |
| (Built prior to | w/ 3" exhaust pipe | N/A | N/A | C10277 | N/A | C11542 | C10218 | L7044 | C11753 | L7045 |
| Oct '02) | w/ 3 1/2" exhaust pipe | N/A | N/A | C10277 | N/A | C11543 | C10218 | L7044 | C11753 | L7045 |
| Cummins ISB EGR up to 230 HP | Engines built after Oct '02 | N/A | N/A | C10901 | C40301 | C11606 (EXB) C11604 (PRXB) | C10218 | L7044 | C11753 | L7045 |

GMC/CHEVROLET

| C4500/5500** | | | | | | | | | | |
|----------------|---|--------------|--------------|--------|--------|--------|--------------------------------|-------|--------------------------------|-------|
| Isuzu 6.6 L | Engine ECUs w/ 2-56 pin & 1-72 pin connector only Trucks built before 2006 ** | C20045 (EXB) | C20046 (EXB) | C20044 | C40300 | C20040 | C20041 + C19500 Dash Switch | L7050 | C20042 + C19500 Dash Switch | L7050 |
| C6500/7500/8 | 500 | | | | | | | | | |
| Cat 3116 ** | | C12004 (EXB) | C12005 (EXB) | C20350 | C40105 | C10310 | C10318 | L7024 | C11774 | L7043 |
| Cat 3116E/3126 | | C12009 (EXB) | C12011 (EXB) | C20350 | C40105 | C10310 | C10319 | L7024 | C11775 | L7043 |
| Cat 3126B/E/C7 | | C20650 (EXB) | C20655 (EXB) | C20353 | C40106 | C11558 | C10319 | L7024 | C11775 | L7043 |
| T6500/750/85 | 00 | | | | | | | | | |
| Cat 3116E/3126 | | N/A | N/A | C20350 | C40105 | C11558 | C10319 | L7024 | C11775 | L7043 |
| Cat 3126B/E/C7 | | C20650 (EXB) | C20655 (EXB) | C20353 | C40106 | C11558 | C10319 | L7024 | C11775 | L7043 |
| C4500/5500*** | WABCO REPLAC | EMENT | | | | | | | | |
| Isuzu 6.6L | ***This kit includes 3.5" Exhaust adapters | C44048 | C44048 | N/A | N/A | N/A | N/A | N/A | N/A | N/A |

| HINO | | | | | | | | | | |
|-----------------|--|--------|--------|-----|-----|-----|-----|-----|-----|-----|
| 100-300 SERIE | S 2004+ | | | | | | | | | |
| J08E-TA/B 6 CYL | w/ standard trans w/ Aisin auto trans | C40013 | C40014 | N/A |

t OBA-ONBOARD AIR

* ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

** CALL TO VERIFY APPLICATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

| | | | | | | IND | IVIDUAL GR | OUPS | | |
|------------------------------|---------------------------------|---------------------------------|---------------------|--------|--------|-----------------------------------|---|---------------|--|---------------|
| | | COMPLI | ETE KITS | BR/ | AKES | | CONTROL GI w/ ONBOAR | | CONTROL GRO ONBOARD | |
| ENGINE*** | NOTES | VEHICLES w/ OBA ⁺ | VEHICLES w/o OBA | EXB | PRXB | MOUNTING GROUP | CONTROL GROUP VEHICLES w/ OBA [†] | INFO GROUP | CONTROL GROUP VEHICLES w/o OBA ¹ | INFO GROUP |
| KENWOR | тн | | | | | | | | | |
| T300 | | | | 000070 | 0.000 | 044550 | 0.000 | 17004 | 0 | 17040 |
| Cat 3116E/3126 | | N/A | N/A | C20350 | C40105 | C11558 | C10319 | L7024 | C11775 | L7043 |
| Cat 3126B / C7 (Pre 2004) | | N/A | N/A | C20353 | C40106 | C11558 | C10319 | L7024 | C11775 | L7043 |
| Cat C7 (2004+) | | C20650 (EXB) | C20655 (EXB) | C20353 | C40106 | C11558 | C10319 | L7024 | C11775 | L7043 |
| | Engines built after Oct '02 | N/A | N/A | C10901 | C40301 | C11563 (EXB) C11564 (PRXB) | C10218 | L7044 | C11753 | L7045 |
| | Engines built before Oct '03 | N/A | N/A | C20340 | C40101 | C11561 + Cust Supplied Flex | C10211 | L7044 | C11773 | L7045 |
| | Engines built after Oct '03 | N/A | N/A | C20395 | C40107 | C11561 + Cust Supplied Flex | C10218 | L7044 | C11753 | L7045 |
| | Trucks built before Jan '05 | N/A | N/A | C20394 | C40107 | C11559 + Cust Supplied Flex | C10218 | L7044 | C11753 | L7045 |
| | Trucks built after Jan '05 | N/A | N/A | C20394 | C40107 | C11591 + Cust Supplied Flex | C10218 | L7044 | C11753 | L7045 |
| T800SH | | | | | | | | | | |
| Cummins ISL (2004+) | | N/A | N/A | C20346 | C40103 | C11554 | C10218 | L7044 | C11753 | L7045 |
| W900S Cummins ISL (2004+) | | N/A | N/A | C20346 | C40103 | C11554 | C10218 | L7044 | C11753 | L7045 |

| NAVISTA | AR/IHC | | | | | | | | | |
|-------------------------|---|-------|------------|--------|--------|-------------------------------|--------|-------|--------|-------|
| 1000 SERIES | | | | | | | | | | |
| VT365 6.0L | | N/A | TBA (PRXB) | N/A | TBA | TBA | N/A | N/A | ТВА | TBA |
| 3800/4700/49 | 00/5000/ 7000 S | ERIES | | | | | | | | |
| DT466E (1998-99) | w/ 90° pipe Pre 1998 call for application | N/A | N/A | C20379 | C40302 | C11550 (EXB) C11583 (PRXB) | C10216 | L7028 | C11808 | L7041 |
| DT466E (2000-04 1/2) | w/o multiplex wiring Built before Jan '04 | N/A | N/A | C20371 | C40303 | C11550 (EXB) C11583 (PRXB) | C10216 | L7028 | C11808 | L7041 |
| DT466E | Built after Jan '04 | TBA | TBA | TBA | TBA | TBA | TBA | TBA | TBA | TBA |
| DT/HT530E (Pre 2002) | w/o multiplex wiring | N/A | N/A | C20373 | C40302 | C11550 (EXB) C11583 (PRXB) | C10216 | L7028 | C11808 | L7041 |
| T444E 7.3 L | InLineMount | N/A | N/A | C20366 | C40104 | C11440 | C10216 | N/A | C11777 | L7041 |
| 4200 | | | | | | | | | | |
| VT365 6.0 L | | N/A | TBA (PRXB) | N/A | TBA | TBA | N/A | N/A | ТВА | TBA |

- t OBA-ONBOARD AIR
- * ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

- ** CALL TO VERIFY APPLICATION
- *** MORE APPLICATIONS AVAILABLE CALL FOR INFORMATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

| | | | | | | INC | IVIDUAL GR | OUPS | | |
|---|--|--------------------------|----------------------|--------|--------|---|---|---------------|--|---------------|
| | | COMPLE | TE KITS | BR/ | AKES | | CONTROL G w/ ONBOAR | | CONTROL GRO ONBOARD | |
| ENGINE*** | NOTES | VEHICLES w/ OBA | VEHICLES w/o OBA' | EXB | PRXB | MOUNTING GROUP | CONTROL GROUP VEHICLES w/ OBA ^T | INFO GROUP | CONTROL GROUP VEHICLES w/o OBA [†] | INFO GROUP |
| NAVISTA | R/IHC co | nt' | | | | | | | | |
| 4300/4400 VT365 6.0L | | N/A | TBA (PRXB) | N/A | ТВА | ТВА | N/A | N/A | ТВА | ТВА |
| DT466E (2000-2004 1/2) | w/ multiplex wiring | N/A | N/A | C20371 | C40303 | C11550 (EXB) C11583 (PRXB) | C10220 | L7049 | C11777 | L7041 |
| DT530E (2000-2004 1/2) | w/ multiplex wiring | N/A | N/A | C20373 | C40303 | C11550 (EXB) C11583 (PRXB) | C10220 | L7049 | C11777 | L7041 |
| HT530E (2002+) | w/ multiplex wiring | N/A | N/A | C20375 | C40302 | C11550 (EXB) C11583 (PRXB) | C10220 | L7049 | C11777 | L7041 |
| 7000 SERIES DT466E (2000-2004 1/2) | w/ 30° Pipe | N/A | N/A | C20371 | C40303 | C11360 (EXB) + Intl Pipe # 3575127C1 | C10216 | L7028 | C11808 | L7041 |
| | w/o Multiplex wiring built before Jan '04 | N/A | N/A | C20371 | C40303 | C20063 (PRXB) + Intl Pipe # 3575127C1 | C10216 | L7028 | C11808 | L7041 |
| DT466E (2004 1/2) | Built after Jan '04 | ТВА | TBA | TBA | TBA | TBA | TBA | TBA | ТВА | TBA |
| DT/HT530E (Pre 2002) | w/o multiplex wiring | N/A | N/A | C20373 | C40302 | C11360 (EXB) + Intl Pipe # 3575127C1 C20063 (PRXB) + Intl Pipe # 3575127C1 | C10216 | L7028 | C11808 | L7041 |
| HT530E (2002+) | w/ multiplex wiring | N/A | N/A | C20375 | C40302 | C11360 (EXB) + Intl Pipe # 3575128C1 C20063 (PRXB) + Intl Pipe # 3575128C1 | C10220 | L7049 | C11777 | L7049 |
| 8000 SERIES | | | | | | | | | | |
| DT/HT530E (Pre 2002) | | N/A | N/A | C20373 | C40302 | C11584 (EXB) C11586 (PRXB) | C10216 | L7028 | C11808 | L7041 |
| HT530E (2002+) | | N/A | N/A | C20375 | C40302 | C11584 (EXB) C11586 (PRXB) | C10220 | L7049 | C11777 | L7049 |
| 8100 W/ ABS Cummins ISM (Pre Oct '02) | | C13057 (EXB) | N/A | C20265 | C40204 | C11750 | C10224 | L7044 | N/A | N/A |
| 9100 W/ ABS Cummins ISM (Pre Oct '02) | | C13057 (EXB) + C11544 | N/A | C20265 | C40204 | C11750 + C11544 | C10224 | L7044 | N/A | N/A |
| CF VT275 4.5L | | ТВА | ТВА | TBA | TBA | TBA | ТВА | TBA | ТВА | TBA |

- t OBA-ONBOARD AIR
- * ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

** CALL TO VERIFY APPLICATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

| | | | | | | INC | DIVIDUAL GR | OUPS | | |
|-------------------------------------|--|---------------------------------|---------------------|--------|--------|-----------------------------------|---|---------------|--|---------------|
| | | COMPLI | ETE KITS | BRA | AKES | | CONTROL G w/ ONBOAR | | CONTROL GRO ONBOARD | |
| ENGINE*** | NOTES | VEHICLES w/ OBA ⁺ | VEHICLES w/o OBA | EXB | PRXB | MOUNTING GROUP | CONTROL GROUP Vehicles w/ oba ^t | INFO GROUP | CONTROL GROUP Vehicles w/o oba [†] | INFO GROUP |
| NAVISTA | AR/IHC co | nt' | | | | | | | | |
| СХТ | | | | | | | | | | |
| DT466E (2004 1/2+) | | TBA | TBA | TBA | TBA | TBA | TBA | TBA | TBA | TBA |
| DT/HT466/530 | All w/ multiplex wiring | N/A | N/A | Above | Above | Above | C10220 | L7049 | C11777 | L7049 |
| DT466E (2000-2004 1/2) | Jake exhaust brake replacement unit (InLineMount 3.5") | C40016 | N/A | N/A | | N/A | N/A | N/A | N/A | N/A |
| DT466E (Pre-2000)/ DT530E/HT530E | Jake exhaust brake replacement unit (InLineMount 3.5") | C40015 | N/A | N/A | | N/A | N/A | N/A | N/A | N/A |
| PETERBI 320 | LT | | | | | | | | | |
| 320 Cat 3126B/E/C7 | | C12026 (EXB) | C12027 (EXB) | C20353 | C40106 | C11546 | C10319 | L7024 | C11775 | L7043 |
| Cat C10 | | N/A | N/A | ТВА | ТВА | C11556 | C10319 | L7024 | N/A | N/A |
| Cummins ISC | Engines built before Oct '03 | C16070 (EXB) | N/A | C20395 | C40107 | C11554 | C10218 | L7044 | C11753 | L7045 |
| Cummins ISC | Engines built after Oct '03 | N/A | N/A | C20387 | C40108 | C11554 | C10218 | L7044 | C11753 | L7045 |
| Cummins ISL | Engines built before Oct '03 | N/A | N/A | C20358 | C40103 | C11554 | C10218 | L7044 | C11753 | L7045 |
| Cummins ISL | Engines built after Oct '03 | N/A | N/A | C20346 | C40103 | C11554 | C10218 | L7044 | C11753 | L7045 |
| 330/335 | | | | | | | | | | |
| Cat 3116E/3126 | | N/A | N/A | C20350 | C40105 | C11558 | C10319 | L7024 | C11775 | L7043 |
| Cat 3126B/E/C7 | | C20650 (EXB) | C20655 (EXB) | C20353 | C40106 | C11558 | C10319 | L7024 | C11775 | L7043 |
| Cummins C8.3 L * | | N/A | N/A | C20325 | C40100 | C11562 | C10211 | L7044 | C11773 | L7045 |
| Cummins ISC | Engines built before Oct '03 | N/A | N/A | C20335 | C40109 | C11562 + Cust Supplied Flex | C10218 | L7044 | C11753 | L7045 |
| Cummins ISC | Engines built after Oct '03 | N/A | N/A | C20387 | C40108 | C11562 | C10218 | L7044 | C11753 | L7045 |

| STERLIN | G | | | | | | | | | |
|----------------|---------------------------------|--------------|--------------|--------|--------|--------|--------|-------|--------|-------|
| 8000 | | | | _ | | | | | | |
| Cat 3126B/E/C7 | 90° Pipe | N/A | N/A | C20353 | C40106 | C11558 | C10319 | L7024 | C11775 | L7043 |
| Cat 3126B/E | S Pipe | C16062 (EXB) | C16072 (EXB) | N/A | C40113 | C11400 | C10319 | L7024 | C11775 | L7043 |
| Cat C15 | | N/A | N/A | C20285 | C40202 | C11750 | C10319 | L7024 | N/A | N/A |
| ACTERA (MX) | | | | | | | | | | |
| Cat C7 | | C16062 (EXB) | C16072 (EXB) | N/A | C40113 | C11400 | C10319 | L7024 | C11775 | L7043 |
| Cummins ISC | Engines built before Oct '03 | C16070 (EXB) | N/A | C20395 | C40107 | C11546 | C10218 | L7044 | C11753 | L7045 |
| Cummins ISC | Engines built after Oct '03 | N/A | N/A | C20394 | C40107 | C11546 | C10218 | L7044 | C11753 | L7045 |

t OBA-ONBOARD AIR

* ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

** CALL TO VERIFY APPLICATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

| | | | | | | INC | DIVIDUAL GR | OUPS | | |
|------------------------------------|--|---------------------|---------------------|--------|--------|-------------------------------|---|---------------|--|---------------|
| | | COMPL | TE KITS | BRA | AKES | | CONTROL GI w/ ONBOAR | | CONTROL GRO ONBOARD | |
| ENGINE*** | NOTES | VEHICLES w/ OBA* | VEHICLES w/o OBA | EXB | PRXB | MOUNTING GROUP | CONTROL GROUP VEHICLES w/ OBA [†] | INFO GROUP | CONTROL GROUP VEHICLES w/o OBA [†] | INFO GROUP |
| STERLIN | G cont' | | | | | | | | | |
| HX 111, 113, 12 | 2 (VERTICAL EXHA | UST) | | | | | | | | |
| Cat C7 | | C12026 (EXB) | C12027 (EXB) | C20353 | C40106 | C11546 | C10319 | L7024 | C11775 | L7043 |
| Cat C9 | | N/A | N/A | C20278 | C40203 | C11750 | C10319 | L7024 | C11775 | L7043 |
| Cummins ISC | Engines built after Oct '03 w/ factory cast elbow | N/A | N/A | C20393 | C40107 | C11554 | C10218 | L7044 | C11753 | L7045 |
| Cummins ISC | Engines built after Oct '03 w/o factory cast elbow | N/A | N/A | C20393 | C40107 | C11525 | C10218 | L7044 | C11753 | L7045 |
| HX 101(ALL), 11 | 1, 113, 122 (HORIZ | ZONTAL EXH | AUST) | | | | | | | |
| Cat C7 | | C16062 (EXB) | C16072 (EXB) | N/A | C40113 | C11400 | C10319 | L7024 | C11775 | L7043 |
| Cat C9 | | N/A | N/A | C20278 | C40203 | C11556 | C10319 | L7024 | C11775 | L7043 |
| Cummins ISC | Engines built after Oct '03 | N/A | N/A | C20394 | C40107 | C11526 | C10218 | L7044 | C11753 | L7045 |
| CARGO | | | | | | | | | | |
| a i 185 | | N/A | N/A | C10277 | N/A | C11542 | C10218 | L7044 | C11753 | L7045 |
| Cummins ISB (Pre Oct '02) | w/ 3" exhaust pipe | N/A | N/A | C10277 | N/A | C11542 | C10218 | L7044 | C11753 | L7045 |
| (110 000 02) | w/ 3 1/2" exhaust pipe | N/A | N/A | C10277 | N/A | C11543 | C10218 | L7044 | C11753 | L7045 |
| Cummins ISB 02 EGR up to 230 HP | Engines built after Oct '02 | N/A | N/A | C10901 | C40301 | C11606 (EXB) C11604 (PRXB) | C10218 | L7044 | C11753 | L7045 |

THOMAS BUS

| SAF-T-LINER HD | X | | | | | | | | | |
|------------------------------|---------------------------------|--------------|--------------|--------|--------|-----------------------------------|--------|-------|--------|-------|
| Cat C7 | | N/A | N/A | C20353 | C40106 | C11575 + Cust Supplied Flex | C10319 | L7024 | C11775 | L7043 |
| Cummins ISC | Engines built after Oct '03 | ТВА | ТВА | ТВА | TBA | TBA | TBA | TBA | TBA | TBA |
| SAF-T-LINER C2 | | | | | | | | | | |
| Cat C7 | | ТВА | TBA | TBA | TBA | ТВА | TBA | TBA | ТВА | TBA |
| Cummins B5.9L * | 3" Exhaust pipe | C14100 (EXB) | C14200 (EXB) | C10287 | N/A | C11542 | C10211 | L7044 | C11773 | L7045 |
| Guinning D3.3 L | 3 1/2" Exhaust pipe | C14150 (EXB) | C14250 (EXB) | C10287 | N/A | C11543 | C10211 | L7044 | C11773 | L7045 |
| Cummins ISB (Pre Oct '02) | 3" Exhaust pipe | C17100 (EXB) | C17200 (EXB) | C10297 | N/A | C11542 | C10218 | L7044 | C11753 | L7045 |
| | 3 1/2" Exhaust pipe | C17150 (EXB) | C17250 (EXB) | C10297 | N/A | C11543 | C10218 | L7044 | C11753 | L7045 |
| Cummins C8.3L * | | N/A | N/A | C20330 | N/A | C11541 | C10211 | L7044 | C11753 | L7045 |
| Cummins ISC | Engines built before Oct '03 | N/A | N/A | C10328 | N/A | C11541 | C10218 | L7044 | C11753 | L7045 |

- t OBA-ONBOARD AIR
- * ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS

- ** CALL TO VERIFY APPLICATION
- *** MORE APPLICATIONS AVAILABLE CALL FOR INFORMATION





How to use the Medium Duty Exhaust Brake Application Guide:

- 1 Choose a COMPLETE KIT
- 2 Choose an INDIVIDUAL GROUP

3 Make your own CUSTOM KIT: BRAKE + MOUNTING GROUP + CONTROL GROUP

| | | | INDIVIDUAL GROUPS | | | | | | | |
|----------------|--------|---------------------------------|----------------------------------|--------|--------|-------------------|---|---------------|--|---------------|
| | | COMPL | TE KITS | BRA | KES | | CONTROL GROUP w/ ONBOARD AIR | | CONTROL GROUP w/o ONBOARD AIR | |
| ENGINE*** | NOTES | VEHICLES w/ OBA ⁺ | VEHICLES w/o OBA ⁺ | EXB | PRXB | MOUNTING GROUP | CONTROL GROUP VEHICLES w/ OBA [†] | INFO GROUP | CONTROL GROUP VEHICLES w/o OBA [†] | INFO GROUP |
| WESTER | N STAR | | | | | | | | | |
| Cat 3126B/E/C7 | 3700 | C20650 (EXB) | C20655 (EXB) | C20353 | C40106 | C11558 | C10319 | L7024 | C11775 | L7043 |
| | | | | | | | | | | |

| APPLICATIONS USING FOOT SWITCH | | | | | | | | | | | |
|--------------------------------|---|-----|-----|-------|-------|-------|----------------|-------|----------------|-------|--|
| All | All w/o ABS, w/o Allison | N/A | N/A | Above | Above | Above | C12051 | L7058 | C12052 | L7059 | |
| All | All w/ ABS, w/o Allison | N/A | N/A | Above | Above | Above | Above + C12029 | L7058 | Above + C12029 | L7059 | |
| All | All w/o Allison requiring cruise control disable | N/A | N/A | Above | Above | Above | Above + C12053 | L7058 | Above + C12053 | L7059 | |

| APPLICATIONS THAT NEED WARM UP | | | | | | | | | | |
|--------------------------------|---------------------------|-------|-------|-------|-------|-------|----------------|-------|----------------|-------|
| All | All using foot switch | Above | Above | Above | Above | Above | Above + C12050 | Above | Above + C12050 | Above |
| All | All not using foot switch | Above | Above | Above | Above | Above | Above + TBA | Above | Above + TBA | Above |

| MISCELLANEOUS UNIVERSAL APPLICATIONS | | | | | | | | | | |
|--------------------------------------|-----------------------------------|-----------|--------|--------|--------|--------|--------|-------|--------|-------|
| Cummins C8.3L * | DirectMount | C10320 | N/A | C20325 | C40100 | C11541 | C10211 | L7044 | C11753 | L7045 |
| | InLineMount | C12001-65 | N/A | C20365 | TBA | C11400 | C10211 | L7044 | C11753 | L7045 |
| w/ foot switch ** | InLineMount w/ 3" Exhaust Pipe | N/A | C12000 | C10300 | N/A | C11440 | C11790 | L7009 | C11770 | L7009 |
| w/ throttle switch ** | InLineMount w/ 3" Exhaust Pipe | N/A | C12003 | C10300 | N/A | C11440 | C10211 | L7009 | C11773 | L7009 |
| w/ foot switch ** | InLineMount w/ 4" Exhaust Pipe | N/A | N/A | C10300 | N/A | C11400 | C11790 | L7009 | C11770 | L7009 |
| w/ throttle switch ** | InLineMount w/ 4" Exhaust Pipe | C12001 | N/A | C10300 | N/A | C11400 | C10211 | L7009 | C11773 | L7009 |

| ALLISON AUTOMATIC TRANSMISSION INTERFACE GROUPS - REQUIRED FOR AFTERMARKET INSTALLATIONS | | | | | | | | |
|--|----------|--|--|--|--|--|--|--|
| 3000 series transmissions in vehicles w/ Allison VIM | C13060E | | | | | | | |
| 3000 series transmissions in vehicles w/o Allison VIM - Freightliner vehicles and Sterling vehicles w/ MX and HX chassis | C13060FE | | | | | | | |
| 1000/2000 series transmissions - not required for Duramax Pickup or Hino Truck applications | C11981 | | | | | | | |

- t OBA-ONBOARD AIR
- * ENGINES MAY REQUIRE HEAVY DUTY VALVE SPRINGS







| APPLICATION | EXHAUST SIZE | DESCRIPTION | PRXB KIT# | SWITCH PAC (OPTIONAL) | ECM BYPASS (OPTIONAL) |
|--|-------------------------|--|-----------------------|--------------------------|-----------------------------|
| DODGE RAM TR | UCKS W | ITH STANDARD TRANS | MISSIOI | VS | |
| 1994-2002 DirectMount | | | | | |
| 1994-1998 Cummins 5.9L 6BT 12 Valve Engine with 3" Stock Exhaust with HX/HY35 Turbo | Stock | DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. Includes Heavy Duty Exhaust Valve Springs. | C44072 | C18040 | Included |
| 1998½ Cummins 5.9L ISB 24 Valve Engine with 3" Stock Exhaust with HX/HY35 Turbo | Stock | DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44074 + C14004 | C18041 | C14004 (Required) |
| 1999-2002 Cummins 5.9L ISB 24 Valve Engine with 3" Stock Exhaust with HX/HY35 Turbo | Stock | DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44074 | C18041 | C12015 |
| 1994-2002 InLineMount | | | | | |
| 1994-1998 Cummins 5.9L 6BT 12 Valve Engine | Stock X X | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added. | C44060 | C18040 | Included |
| 19981 ⁄2 Cummins 5.9L ISB 24 Valve Engine | Stock X X | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added. | C44062 | C18041 | Included |
| 1999-2002 Cummins 5.9L ISB 24 Valve Engine | Stock 🗙 Ӿ | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added. | C44064 | C18041 | C12015 |

* NOTE: All 1994-2002 trucks using a DirectMount kit that have 4" aftermarket exhaust systems require an additional adapter – C11342

**** NOTE:** For vehicle's in which the factory HX/HY35 turbo charger has been changed to an aftermarket turbo charger, use only an inline kit. A mounting group must also be purchased with the kit. **Exhaust Size:** 4" – C11400, 3.5" – C11420, 3" – C11440

| 2003-2004½ DirectMount | | | | | | | | |
|---|-------|---|---------------------------------|--------|--------|--|--|--|
| 2003-2004 Cummins 5.9L ISB 24 Valve Engine (Built up to Jan 4, '04) | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44030 | C18042 | C14037 | | | |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). For Vehicles with Existing Onboard Air. | C44031 | C18042 | C14037 | | | |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake. UPGRADE – Replaces Fixed Orifice Exhaust Brake. | C40110 EXHAUST BRAKE ONLY | C18042 | C14037 | | | |

NOTE: All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust.





| APPLICATION | EXHAUST SIZE | DESCRIPTION | PRXB KIT# | SWITCH PAC (OPTIONAL) | ECM BYPASS (OPTIONAL) | | | | |
|---|-----------------|---|---------------------------------|--------------------------|--------------------------|--|--|--|--|
| DODGE RAM TR | UCKS W | TH STANDARD TRANS | MISSIOI | VS cont' | | | | | |
| 2003-2004½ DirectMount cont' | | | | | | | | | |
| 2004½ Cummins 5.9L ISB 24 Valve Engine (Built Jan 5, '04-Jul 25, '04) | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44045 | C18042 | C20135 | | | | |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). For Vehicles with Existing Onboard Air. | C44037 | C18042 | C20135 | | | | |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake. UPGRADE – Replaces Fixed Orifice Exhaust Brake. | C40111 EXHAUST BRAKE ONLY | C18042 | C20135 | | | | |
| 2003-2004½ InLineMoun | t | | | | | | | | |
| 2003-2004 Cummins 5.9L ISB 24 Valve Engine (Built up to Jan 4, '04) | 5" | InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44047 | C18042 | C14037 | | | | |
| 2004½ Cummins 5.9L ISB 24 Valve Engine (Built Jan 5, '04-Jul 25, '04) | 5" | InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44047 | C18042 | C20135 | | | | |

NOTE: All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust.

| 2003-2007 InLineMount | | | | | |
|---|-------|--|---------------------------------|--------|--|
| 2003-2007 Cummins 5.9L ISB 24 Valve Engine | 4" | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44068 | C18042 | C14037 (2003-2004) C20135 (2004½) C20141 (2005-2007) |
| 2005-2007 DirectMount | | | | | |
| 2005 Cummins 5.9L ISB 24 Valve Engine (Built Jul 26, '04-Jun 27, '05) | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44045 | C18042 | C20141 |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). For Vehicles with Existing Onboard Air. | C44037 | C18042 | C20141 |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake. UPGRADE – Replaces Fixed Orifice Exhaust Brake. | C40111 EXHAUST BRAKE ONLY | C18042 | C20141 |
| 2006-2007 Cummins 5.9L ISB 24 Valve Engine | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44045 | C18042 | N/A |
| (Built after Jun 27, '05) | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). For Vehicles with Existing Onboard Air . | C44037 | C18042 | N/A |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake. UPGRADE – Replaces Fixed Orifice Exhaust Brake. | C40111 EXHAUST BRAKE ONLY | C18042 | N/A |

NOTE: All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust.





| APPLICATION | EXHAUST SIZE | DESCRIPTION | PRXB KIT# | SWITCH PAC (OPTIONAL) | ECM BYPASS (OPTIONAL) | | | |
|---|-----------------|--|--------------|--------------------------|--------------------------|--|--|--|
| DODGE RAM TR | UCKS W | ITH STANDARD TRANS | MISSIOI | VS cont' | | | | |
| 2005-2007 InLineMount | | | | | | | | |
| 2005 Cummins 5.9L ISB 24 Valve Engine (Built Jul 26, '04-Jun 27, '05) | 5" | InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44047 | C18042 | C20141 | | | |
| 2006-2007 Cummins 5.9L ISB 24 Valve Engine (Built after Jun 27, '05) | 5" | InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44047 | C18042 | N/A | | | |
| 2007½-2018 InLineMoun | t | | | | | | | |
| 20071/2-2018 Cummins 6.7L ISB 24 Valve Engine | 4" | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44038 | N/A | N/A | | | |
| 2007½-2018 Cummins 6.7L ISB 24 Valve Engine | 5" | InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44039 | N/A | N/A | | | |

| APPLICATION | EXHAUST SIZE | DESCRIPTION | PRXB KIT# | TRANSMISSION CONTROLLER | | | | |
|--|-----------------|---|--------------|----------------------------|--|--|--|--|
| DODGE RAM TRUC | KS WITI | H AUTOMATIC TRANSMISSIO | NS | | | | | |
| 1994-2002 DirectMount | | | | | | | | |
| 1994-1995 Cummins 5.9L 6BT 12 Valve Engine - 47RH Auto Trans with 3" Stock Exhaust with HX/HY35 Turbo | Stock ★ | DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. Includes Heavy Duty Exhaust Valve Springs. | C44073 | Included | | | | |
| 1996-1998 Cummins 5.9L 6BT 12 Valve Engine - 47RE Auto Trans with 3" Stock Exhaust with HX/HY35 Turbo | Stock | DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. Includes Heavy Duty Exhaust Valve Springs. | C44076 | Included | | | | |
| 1998 ½-2002 Cummins 5.9L ISB 24 Valve Engine - 47RE Auto Trans with 3" Stock Exhaust with HX/HY35 Turbo | Stock ★ | DirectMount 4" PRXB Exhaust Brake Kit with MAX FLOW Design (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44075 | Included | | | | |

* **NOTE:** All 1994-2002 trucks using a DirectMount kit that have 4" aftermarket exhaust systems require an additional adapter – C11342

**** NOTE:** For vehicle's in which the factory HX/HY35 turbo charger has been changed to an aftermarket turbo charger, use only an inline kit. A mounting group must also be purchased with the kit. **Exhaust Size:** 4" – C11400, 3.5" – C11420, 3" – C11440





APPLICATION

DESCRIPTION

PRXB KIT# TRANSMISSION CONTROLLER

DODGE RAM TRUCKS WITH AUTOMATIC TRANSMISSIONS cont

1994-2002 InLineMount

| 1994-1995 Cummins 5.9L 6BT 12 Valve Engine - 47RH Auto Trans | Stock 🗙 Ӿ | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added. | C44059 | Included |
|---|--------------|---|--------|----------|
| 1996-1998 Cummins 5.9L 6BT 12 Valve Engine - 47RE Auto Trans | Stock 🗙 🗙 | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added. | C44061 | Included |
| 1998 ¹ ⁄ ₂ Cummins 5.9L ISB 24 Valve Engine - 47RE Auto Trans | Stock 🗙 🗙 | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added. | C44063 | Included |
| 1999-2002 Cummins 5.9L ISB 24 Valve Engine - 47RE Auto Tran | Stock 🗙 🗙 | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. If the factory cast elbow has been removed a mounting group must be added. | C44065 | Included |

* NOTE: All 1994-2002 trucks using a DirectMount kit that have 4" aftermarket exhaust systems require an additional adapter – C11342

**** NOTE:** For vehicle's in which the factory HX/HY35 turbo charger has been changed to an aftermarket turbo charger, use only an inline kit. A mounting group must also be purchased with the kit. **Exhaust Size:** 4" – C11400, 3.5" – C11420, 3" – C11440

2003-2004½ DirectMount

| 2003-2004 /2 Directiviount | | | | |
|---|-------|---|---------------------------------|--------------|
| 2003-2004 Cummins 5.9L ISB 24 Valve Engine - 47/48RE Auto Trans (Built up to Jan 4, '04) | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44049 | Included |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). For Vehicles with Existing Onboard Air. | C44032 | Included |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake. UPGRADE – Replaces Fixed Orifice Exhaust Brake. | C40110 EXHAUST BRAKE ONLY | Not Included |
| 2004 1/2 Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built Jan 5, '04-Jul 25, '04) | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44052 | Included |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). For Vehicles with Existing Onboard Air. | C44033 | Included |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake. UPGRADE – Replaces Fixed Orifice Exhaust Brake. | C40111 EXHAUST BRAKE ONLY | Not Included |

NOTE: All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster[®] Exhaust. However, they will work with Banks Cat Back Monster[®] Exhaust.





| APPLICATION | EXHAUST SIZE | DESCRIPTION | PRXB KIT# | TRANSMISSION CONTROLLER | | | | |
|--|-----------------|---|--------------|----------------------------|--|--|--|--|
| DODGE RAM TRUCKS WITH AUTOMATIC TRANSMISSIONS cont' | | | | | | | | |
| 2003-2004½ InLineMount | | | | | | | | |
| 2003-2004 Cummins 5.9L ISB 24 Valve Engine - 47/48RE Auto Trans (Built up to Jan 4, '04) | 5" | InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44051 | Included | | | | |
| 2004 1/2 Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built Jan 5, '04-Jul 25, '04) | 5" | InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44051 | Included | | | | |

NOTE: All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster[®] Exhaust. However, they will work with Banks Cat Back Monster[®] Exhaust.

| 2003-2007 InLineMount | | | | |
|--|-------|--|---------------------------------|--------------|
| 2003-2005 Cummins 5.9L ISB 24 Valve Engine - 47/48RE Auto Trans (Built up to Jun 27, '05) | 4" | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44067 | Included |
| 2006-2007 Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built after Jun 27, '05) | 4" | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44068 | N/A |
| 2005-2007 DirectMount | | | | |
| 2005 Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built up to Jun 27, '05) | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44052 | Included |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). For Vehicles with Existing Onboard Air. | C44033 | Included |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake. UPGRADE – Replaces Fixed Orifice Exhaust Brake. | C40111 EXHAUST BRAKE ONLY | Not Included |
| 2006-2007 Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built after Jun 27, '05) | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44045 | N/A |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). For Vehicles with Existing Onboard Air . | C44037 | N/A |
| | Stock | DirectMount 4" PRXB High Performance Exhaust Brake. UPGRADE – Replaces Fixed Orifice Exhaust Brake. | C40111 EXHAUST BRAKE ONLY | N/A |

NOTE: All above DirectMount 2003-2007 kits will NOT work with Banks Turbo Back Monster® Exhaust. However, they will work with Banks Cat Back Monster® Exhaust



P B B

| APPLICATION | EXHAUST SIZE | DESCRIPTION | PRXB KIT# | TRANSMISSION CONTROLLER | | | | |
|---|-----------------|---|--------------|----------------------------|--|--|--|--|
| DODGE RAM TRUCKS WITH AUTOMATIC TRANSMISSIONS cont' | | | | | | | | |
| 2005-2007 InLineMount | | | | | | | | |
| 2005 Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built up to Jun 27, '05) | 5" | InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44051 | Included | | | | |
| 2006-2007 Cummins 5.9L ISB 24 Valve Engine - 48RE Auto Trans (Built after Jun 27, '05) | 5" | InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44047 | N/A | | | | |
| 2007½-2018 InLineMount | | | | | | | | |
| 2007 ½-2018 Cummins 6.7L ISB 24 Valve Engine - 68RFE Auto Trans | 4" | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44038 | N/A | | | | |
| 2007 ½- 2018 Cummins 6.7L ISB 24 Valve Engine - 68RFE Auto Trans | 5" | InLineMount 5" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C44039 | N/A | | | | |

| APPLICATION DESCRIPTION | PRXB KIT# | SWITCH PAC (OPTIONAL) | ECM BYPASS (OPTIONAL) | | | | | |
|---|--------------|--------------------------|--------------------------|--|--|--|--|--|
| FORD TRUCKS WITH STANDARD TRANSMISSIONS | | | | | | | | |
| 1995-2007 InLineMount | | | | | | | | |

| 1995-1998 Powerstroke 7.3L 16 Valve Engine (Built before November 1998) | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C40008 | N/A | N/A |
|--|---|--------|----------|-----|
| 1999-2003 Powerstroke 7.3L 16 Valve Engine (Built November 1998 & newer) | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C40009 | C18041 | N/A |
| 2003-2007 Powerstroke 6.0L 32 Valve Engine | InLineMount 4" PRXB Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C40010 | Included | N/A |

NOTE: All above kits are for vehicles with factory exhaust systems. Vehicles with aftermarket 4" 0.D. exhaust systems will need 2 adapters – C11342



APPLICATION DESCRIPTION

PRXB KIT# VITCH

FORD TRUCKS WITH AUTOMATIC TRANSMISSIONS

| 1995-2007 IIILIIIewoullt | | | | |
|--|---|--------|-----|----------|
| 1995-1998 Powerstroke 7.3L 16 Valve Engine - E40D Auto Trans (Built before November 1998) | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C40008 | N/A | REQUIRED |
| 1999-2003 Powerstroke 7.3L 16 Valve Engine - 4R110 Auto Trans (Built November 1998 & newer) | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C40019 | N/A | Included |
| 2003-2007 Powerstroke 6.0L 32 Valve Engine - 5R140 Auto Trans | InLineMount 4" PRXB Exhaust Brake Kit with (Air Actuated). Comes with Air Tank, Hose & Accessories. | C40007 | N/A | Included |

NOTE: All above kits are for vehicles with factory exhaust systems. Vehicles with aftermarket 4" 0.D. exhaust systems will need 2 adapters – C11342

APPLICATION DESCRIPTION

PRXB KIT#

GM TRUCKS WITH AUTOMATIC TRANSMISSIONS (LB7/LLY/LBZ)

| 2001-2007 InLineMount | |
|-----------------------|--|
|-----------------------|--|

1005-2007 Int ineMount

| 2001-2005 Duramax 6.6L 32 Valve Engine-Allison 1000 Series Auto Trans without optional 2nd alternator | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C40075 |
|---|--|--------|
| 2006-2007 Classic Duramax 6.6L 32 Valve Engine-Allison 1000 Series Auto Trans without optional 2nd alternator | InLineMount 4" PRXB High Performance Exhaust Brake Kit (Air Actuated). Comes with Air Tank, Hose & Accessories. | C40070 |

NOTE: C40070 & C40075 Kits are designed for vehicles without optional 2nd alternator. Vehicles with the 2nd alternator, will have to fabricate their own mounting for the compressor.

All above kits are for vehicles with factory exhaust systems. Vehicles with aftermarket 4" O.D. exhaust systems will need 2 adapters – C11342 CHECK VIN #: Check the vehicles VIN to confirm the 8th digit is either a 1, 2 or letter D. These vehicles are approved for Pacbrake PRXB kits

| | 8TH DIGIT OF VIN | YEARS | ENGINE RPO CODE | PRXB PART # | DESCRIPTION/APPLICATION |
|--------|---------------------|-------------|--------------------|----------------|---|
| BER | 1 or 2 | 2001-2005 | LB7/LLY | C40075 | Automatic Transmission only. Vehicles without optional 2nd alternator |
| NUMBER | D | 2006-2007 | LLY/LBZ | C40070 | Automatic Transmission only. Vehicles without optional 2nd alternator |
| NIN | D | 2006-2007.5 | LLY/LBZ | C40070 | Automatic Transmission only. Vehicles without optional 2nd alternator |


MAINTENANCE

Superlube – Exhaust Brake Maintenance

PRXB RV Upgrade Application Guide



| ENGINE MODEL | FLANGE | PRXB PART# | FRONT CLAMP ATTACHES TO TURBO | REAR CLAMP ATTACHES TO EXHAUST | |
|---------------------------------|------------------|------------|----------------------------------|-----------------------------------|---------------|
| RV UPGRADES (E | BRAKE ONLY) | | | | |
| Cummins C8.3 | 4" Half Marmon | C40100 | C11355 (x1) | C11350 (x1) | FLANGE STYLES |
| Cummins C8.3 | 4" Full Marmon | C40101 | C10310 (x1) | C11350 (x1) | |
| Cummins ISL † | 4" Half Marmon | C40102 | C11355 (x1) | C11350 (x1) | |
| Cummins ISL † | 4" Full Marmon | C40103 | C11355 (x1) | C11350 (x1) | |
| Caterpillar 3116 / 3116E / 3126 | 4" Full Marmon | C40105 | C10310 (x1) | C11350 (x1) | |
| Caterpillar 3126B / C-7 | 4" Full Marmon | C40106 | C10310 (x1) | C11350 (x1) | |
| Cummins ISC | 4" Full Marmon | C40107 | C10310 (x1) | C11350 (x1) | |
| Cummins ISC | 4" Full Marmon | C40108 | C11355 (x1) | C11350 (x1) | |
| Cummins ISC | 4" Half Marmon | C40109 | C11355 (x1) | C11350 (x1) | FULL MARMON |
| Caterpillar 3126B / C-7 | 4" Inline | C40113 | C11350 (x2) | | |
| Cummins ISL † | 4" Full Marmon | C40114 | C10310 (x1) | C11350 (x1) | |
| Cummins C8.3 | 4" Inline | C40115 | C1135 | i0 (x2) | |
| Cummins ISB | 4" Inline | C40116 | C1135 | i0 (x2) | |
| Cummins ISC | 4" Inline | C40117 | C1135 | i0 (x2) | |
| Caterpillar 3116 / 3126 | 4" Inline | C40119 | C1135 | i0 (x2) | |
| Caterpillar C-9 | 5" Full Marmon | C40203 | C11750 (x1) | C10620 (x1) | |
| Caterpillar C-9 | 5" Inline | C40206 | C10720 (x1) | C10620 (x1) | |
| Cummins ISB pre Oct '02 | 3.5" Full Marmon | C40301 | C14094 (x1) | C20063 (x1) | |
| Cummins ISB post Oct '02 | 3.5" Full Marmon | C40304 | C14094 (x1) | C20063 (x1) | HALF MARMON |
| Cummins ISC/ISL | 3.5" Full Marmon | C40017* | C11355 (x1) | C20065 (x1) | |
| Cummins ISC CPL 1096 Only† | 3.5" Full Marmon | C40020* | C11355 (x1) | C20065 (x1) | |



† ISL WITH CPL 1096 MUST USE C40020



Rely only on high-grade performance engine parts offered on our virtual shelves.