



IN-DASH



BLUETOOTH® | MP3-COMPATIBLE AM/FM RECEIVER FEATURING 6.75" (171 mm) CAPACITIVE TOUCHSCREEN

PCP9900A



Apple CarPlay is the smarter, safer way to use iPhone® in your car. Apple CarPlay seamlessly integrates your iPhone® with the car's built-in display and controls. Now you can make phone calls, access your music, send and receive messages, get directions, and more while you stay focused on the road.



Hear The Music As The Artist Intended With Lossless Flac Playback. Capable Of 24-Bit/96 kHz Reproduction, Just Load Your Favorite FLAC Files Onto A USB/SD Drive And Enjoy! Hi-Resolution Audio Is Here And It Will Redefine How You Listen To Music!































PLAYBACK

High-Resolution FLAC MP3 / WMA / WAV **Bluetooth®** Audio Streaming (Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port USB Charging (1A) Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Pre-Amp Outputs Rear Camera Input

GENERAL

Capacitive Touchscreen

Selectable Illumination Color Steering Wheel Controls* (Interface not included) Switchable US & Europe Tuner Frequencies **RBDS Tuner** Update via USB 80 Watts x 4 Channel

*Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





IN-DASH



android auto

BLUETOOTH® | MP3-COMPATIBLE AM/FM RECEIVER FEATURING 6.75" (171 mm) CAPACITIVE TOUCHSCREEN

PCP9800A

Apple CarPlay is the smarter, safer way to use iPhone® in your car. Apple CarPlay seamlessly integrates your iPhone® with the car's built-in display and controls. Now you can make phone calls, access your music, send and receive messages, get directions, and more while you stay focused on the road.



6.75"

Hear The Music As The Artist Intended With Lossless Flac Playback. Capable Of 24-Bit/96 kHz Reproduction, Just Load Your Favorite FLAC Files Onto A USB/SD Drive And Enjoy! Hi-Resolution Audio Is Here And It Will Redefine How You Listen To Music!































PLAYBACK

High-Resolution FLAC MP3 / WMA / WAV Bluetooth® Audio Streaming

Bluetooth® Audio Streaming (Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port

USB Charging (1A)

Aux-Ir

Compatible with Audio Output of iPod[®]/iPhone[®], Smartphones, and MP3 Players

Front, Rear, Sub Pre-Amp Outputs Rear Camera Input

GENERAL

Capacitive Touchscreen

80 Watts x 4 Channel

Selectable Illumination Color Steering Wheel Controls* (Interface not included) Switchable US & Europe Tuner Frequencies RBDS Tuner Update via USB *Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





IN-DASH



BLUETOOTH® | MP3-COMPATIBLE AM/FM RECEIVER FEATURING 6.75" (171 mm) CAPACITIVE TOUCHSCREEN

PCP9800

Apple CarPlay is the smarter, safer way to use iPhone® in your car. Apple CarPlay seamlessly integrates your iPhone® with the car's built-in display and controls. Now you can make phone calls, access your music, send and receive messages, get directions, and more while you stay focused on the road.



6.75"
WIDESCREEN

Hear The Music As The Artist Intended With Lossless Flac Playback. Capable Of 24-Bit/96 kHz Reproduction, Just Load Your Favorite FLAC Files Onto A USB/SD Drive And Enjoy! Hi-Resolution Audio Is Here And It Will Redefine How You Listen To Music!































PLAYBACK

High-Resolution FLAC MP3 / WMA / WAV

Bluetooth® Audio Streaming

(Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port
USB Charging (1A)

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Pre-Amp Outputs Rear Camera Input

GENERAL

Capacitive Touchscreen

Selectable Illumination Color Steering Wheel Controls* (Interface not included) Switchable US & Europe Tuner Frequencies RBDS Tuner Update via USB 80 Watts x 4 Channel *Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

Apple, Inc., in the U.S. and other countries. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





IN-DASH

BLUETOOTH® | **IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER** FEATURING 6.2" (157 mm) WIDESCREEN TOUCHSCREEN DIGITAL TFT LCD MONITOR

PNV9674







BUILT-IN NAVIGATION WITH MAP COVERAGE OF ALL 50 STATES, AND PUERTO RICO. PLUS PRE-LOADED POINTS-OF-INTEREST • TEXT TO SPEECH AND INNOVATIVE GRAPHIC INTERFACE

Hear The Music As The Artist Intended With Lossless Flac Playback. Capable Of 24-Bit/96 kHz Reproduction, Just Load Your Favorite Flac Files Onto A USB/SD Drive And Enjoy! Hi-Resolution Audio Is Here And It Will Redefine How You Listen To Music!

































PLAYBACK

DVD±R/RW Video CD±R/RW Audio & Video High-Resolution Audio at 24bit/96khz FLAC MP3 / WMA

Bluetooth® Audio Streaming (Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port

USB Charging (1A)**

Aux-I

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Video Output

Front, Rear, Sub Pre-Amp Outputs Rear Camera Input

GENERAL

AM/FM Receiver
Touchscreen
Remote Control
Steering Wheel Control Interface*
US & Europe Switchable
Tuner Frequencies
RBDS Tuner
80 Watts x 4 Channel

*Steering wheel interface control not applicable with all vehicles.

**Charging Only. Not for mobile device playback. iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetoth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





IN-DASH

BLUETOOTH® | IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

FEATURING 6.2" (157 mm) WIDESCREEN TOUCHSCREEN DIGITAL TFT LCD MONITOR

P9640BRC







REAR-VIEW FLUSH MOUNT

High Resolution Color Camera On-screen Display Distance Guide





























PLAYBACK

DVD±R/RW Video CD±R/RW Audio & Video MP3 / WMA

Bluetooth® Audio Streaming (Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port SD Port

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Video Output Front, Rear, Sub Pre-Amp Outputs Rear Camera Input

GENERAL

AM/FM Receiver

Touchscreen

Remote Control Steering Wheel Control Interface* US & Europe Switchable Tuner Frequencies RDS Tuner 80 Watts x 4 Channel

REAR-VIEW CAMERA

High Resolution Color Camera Flush Mount and Hanging Mount On-screen Display Distance Guide Low Light Visibility Weather Proof Wide Angle View NTSC Output

*Steering wheel interface control not applicable with all vehicles.

all venicles. iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SlG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





BLUETOOTH® | IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

FEATURING 6.2" (157 mm) WIDESCREEN TOUCHSCREEN DIGITAL TFT LCD MONITOR

P9640B

































PLAYBACK

DVD±R/RW Video CD±R/RW Audio & Video MP3 / WMA

Bluetooth® Audio Streaming

(Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port SD Port

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Video Output

Front, Rear, Sub Pre-Amp Outputs Rear Camera Input

GENERAL

AM/FM Receiver Touchscreen Remote Control Steering Wheel Control Interface* US & Europe Switchable Tuner Frequencies **RDS Tuner** 80 Watts x 4 Channel

*Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





 ${\bf BLUET00TH}^{\circledR} \mid {\bf IN-DASH\ DOUBLE-DIN\ DVD/MP3\ CD\ AM/FM\ RECEIVER}$

FEATURING 6.2" (157 mm) WIDESCREEN TOUCHSCREEN DIGITAL TFT LCD MONITOR

P9630B









SD . USB . AUX



























PLAYBACK

Music Apps)

DVD±R/RW Video CD±R/RW Audio & Video MP3 / WMA

Bluetooth® Audio Streaming (Stream and Control Your Favorite

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port
USB Charging (1A)**
SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Video Output

Front, Rear, Sub Pre-Amp Outputs

Rear Camera Input

GENERAL

AM/FM Receiver
Touchscreen
Remote Control
Steering Wheel Control Interface*
US & Europe Switchable
Tuner Frequencies
80 Watts x 4 Channel

*Steering wheel interface control not applicable with all vehicles.

**Charging Only. Not for mobile device playback. iPod@ and iPhone@ are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





BLUETOOTH® | IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

FEATURING 6.2" (157 mm) WIDESCREEN TOUCHSCREEN DIGITAL TFT LCD MONITOR

P9628B

































PLAYBACK

DVD±R/RW Video CD±R/RW Audio & Video MP3 / WMA

Bluetooth® Audio Streaming

(Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port USB Charging (1A)** SD Port

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Video Output

Front, Rear, Sub Pre-Amp Outputs

Rear Camera Input

GENERAL

AM/FM Receiver Touchscreen Remote Control Steering Wheel Control Interface* US & Europe Switchable Tuner Frequencies 80 Watts x 4 Channel

*Steering wheel interface control not applicable with all vehicles.

**Charging Only. Not for mobile device playback. iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SlG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





IN-DASH

BLUETOOTH $^{\otimes}$ | IN-DASH MOTORIZED SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER FEATURING 7" (178 mm) WIDESCREEN TOUCHSCREEN DIGITAL TFT LCD MONITOR

P9759B









FULL DETACHABLE FRONT PANEL





MOTORIZEO, MULTIPLE VIEW ANGLES































PLAYBACK

DVD±R/RW Video CD±R/RW Audio & Video MP3 / WMA

Bluetooth® Audio Streaming

(Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Ports
USB Charging (1A)**
SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Video Output

Front, Rear, Sub Pre-Amp Outputs

Rear Camera Input

GENERAL

AM/FM Receiver
Touchscreen
Remote Control
Steering Wheel Control Interface*
US & Europe Switchable
Tuner Frequencies
RDS Tuner
85 Watts x 4 Channel

*Steering wheel interface control not applicable with all vehicles.

**Charging Only. Not for mobile device playback. iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





 $\mathsf{BLUETOOTH}^{ ext{(B)}} \mid \mathsf{IN-DASH} \; \mathsf{DOUBLE-DIN}$ MP3 CD AM/FM RECEIVER

PB475RGB































PLAYBACK

CD±R/RW Audio MP3 / WMA

Bluetooth® Audio Streaming

(Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port USB Charging (1A)** SD Port

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Pre-Amp Outputs

GENERAL

AM/FM Receiver Remote Control US & Europe Switchable Tuner Frequencies 80 Watts x 4 Channel

*Steering wheel interface control not applicable with all vehicles.

**Charging Only. Not for mobile device playback. iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

Apple, inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





BLUETOOTH® | IN-DASH SINGLE-DIN MP3-COMPATIBLE CD AM/FM RECEIVER

P385UAB























PLAYBACK

CD±R/RW Audio MP3 / WMA

Bluetooth® Audio Streaming

(Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

$\textbf{Bluetooth} {\tt @} \ \mathsf{Hands}\text{-}\mathsf{Free}$

USB Port
USB Charging (1A)**

SD Port Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

GENERAL

AM/FM Receiver Remote Control US & Europe Switchable Tuner Frequencies 50 Watts x 4 Channel *Steering wheel interface control not applicable with

**Charging Only. Not for mobile device playback. iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





IN-DASH

BLUETOOTH® | IN-DASH DOUBLE-DIN MP3 COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER FEATURING 6.5" (165 mm) WIDESCREEN TOUCHSCREEN DIGITAL TFT LCD MONITOR

P650MB



































PLAYBACK

MP3 / WMA

Music Apps)

Bluetooth® Audio Streaming (Stream and Control Your Favorite

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port USB Charging (1A)** SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Video Output

Front, Rear, Sub Pre-Amp Outputs

Rear Camera Input

GENERAL

AM/FM Receiver Touchscreen

80 Watts x 4 Channel

Remote Control Steering Wheel Control Interface* US & Europe Switchable Tuner Frequencies

*Steering wheel interface control not applicable with all vehicles.

**Charging Only. Not for mobile device playback. iPod \otimes and iPhone \otimes are registered trademarks of Apple, Inc., in the U.S. and other countries.

Apple, inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SlO, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





BLUETOOTH® | IN-DASH DOUBLE-DIN MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER

PB455RGB



































PLAYBACK

MP3 / WMA

Bluetooth® Audio Streaming

(Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port USB Charging (1A)**

SD Port

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Pre-Amp Outputs Front and Rear only

GENERAL

AM/FM Receiver Remote Control US & Europe Switchable Tuner Frequencies 60 Watts x 4 Channel

*Steering wheel interface control not applicable with all vehicles.

**Charging Only. Not for mobile device playback. iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

Apple, inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





BLUETOOTH[®] | **IN-DASH SINGLE-DIN** MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER

P370MB



















PLAYBACK

MP3 / WMA

Bluetooth® Audio Streaming

(Stream and Control Your Favorite Music Apps)

INPUTS & OUTPUTS

Bluetooth® Hands-Free

USB Port USB Charging (1A)**

SD Port

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Pre-Amp Outputs Front and Rear Only

GENERAL

AM/FM Receiver Remote Control US & Europe Switchable Tuner Frequencies 50 Watts x 4 Channel

*Steering wheel interface control not applicable with all vehicles.

**Charging Only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

Apple, inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.





FLIP-DOWN

12.1" WIDESCREEN FLIP-DOWN TFT MONITOR

FEATURING BUILT-IN DVD PLAYER WITH MULTI-COLOR HOUSING OPTIONS AND TWO PAIRS OF DUAL CHANNEL HEADPHONES **P12.1ES**



INCLUDES TWO PAIRS OF DUAL-CHANNEL WIRELESS **HEADPHONES***



TFT MONITOR





CUSTOMIZE YOUR MONITOR HOUSING COLOR TO MATCH THE INTERIOR OF YOUR VEHICLE (INTERCHANGEABLE BLACK, GREY, TAN HOUSING INCLUDED)













PLAYBACK

DVD±R/RW Video CD±R/RW Audio & Video MP3

INPUTS & OUTPUTS

USB Port SD Port A/V In/Out

> *WARNING: This product contains DEHP, a phthalate chemical known to the State of California to cause birth defects and other reproductive harm. (Headphones only)

GENERAL

1280 x 800 Resolution Widescreen TFT LCD Display Dual Channel IR Transmitter Interchangeable Colored Housing Wireless Remote Control FM Transmitter



CLOSED POSITION



30° SWIVEL ROTATION







FLIP-DOWN

11.2" WIDESCREEN FLIP-DOWN TFT MONITOR

FEATURING BUILT-IN DVD PLAYER WITH MULTI-COLOR HOUSING OPTIONS AND TWO PAIRS OF DUAL CHANNEL HEADPHONES **P11.2ES**



INCLUDES TWO PAIRS OF DUAL-CHANNEL WIRELESS **HEADPHONES***







CUSTOMIZE YOUR MONITOR HOUSING COLOR TO MATCH THE INTERIOR OF YOUR VEHICLE (INTERCHANGEABLE BLACK, GREY, TAN HOUSING INCLUDED)













PLAYBACK

DVD±R/RW Video CD±R/RW Audio & Video MP3

INPUTS & OUTPUTS

USB Port SD Port A/V In/Out

> *WARNING: This product contains DEHP, a phthalate chemical known to the State of California to cause birth defects and other reproductive harm. (Headphones only)

GENERAL

1024 x 600 Resolution Widescreen TFT LCD Display Dual Channel IR Transmitter Interchangeable Colored Housing Wireless Remote Control FM Transmitter





30° SWIVEL ROTATION





FLIP-DOWN MONITOR

10.1" WIDESCREEN FLIP-DOWN TFT MONITOR

FEATURING BUILT-IN DVD PLAYER WITH MULTI-COLOR HOUSING OPTIONS

AND TWO PAIRS OF DUAL CHANNEL HEADPHONES

P10.1ES



INCLUDES TWO PAIRS OF DUAL-CHANNEL WIRELESS HEADPHONES*



10.1"





CUSTOMIZE YOUR MONITOR HOUSING COLOR TO MATCH THE INTERIOR OF YOUR VEHICLE (INTERCHANGEABLE BLACK, GREY, TAN HOUSING INCLUDED)













PLAYBACK

DVD±R/RW Video CD±R/RW Audio & Video MP3

INPUTS & OUTPUTS

USB Port SD Port A/V In/Out

> *WARNING: This product contains DEHP, a phthalate chemical known to the State of California to cause birth defects and other reproductive harm. [Headphones only]

GENERAL

1024 x 600 Resolution Widescreen TFT LCD Display Dual Channel IR Transmitter Interchangeable Colored Housing Wireless Remote Control FM Transmitter





30° SWIVEL ROTATION







HEADREST

UNIVERSAL HEADREST WITH PRE-INSTALLED 7" (178 mm) WIDESCREEN TFT VIDEO MONITOR WITH BUILT-IN DVD PLAYER

PH7ACD







REMOTE CONTROL



P-LINK Connectivity for iPhone requires an HD cable and Lighting® Digital A/V Adapter, both sold separately and not included. Android devices require an HD cable and compatible MHL® adapter. Cables and adapters are not included and sold separately. Compatibility with all Android devices is not guaranteed, please refer to our website for the latest list of devices.











PLAYBACK

DVD±R/RW Video CD±R/RW Audio & Video MP3

INPUTS & OUTPUTS

HD Digital A/V Input USB Port Compatible with Audio Output of iPod®/iPhone®, Smartphones and MP3 players A/V In/Out Headphone Output

GENERAL

1920 x 1080 Resolution Wireless Remote Control Dual Channel IR Transmitter Three Interchangeable Pillow Covers IR Transmitter FM Transmitter

iPod® and iPhone® are trademarks of Apple, Inc. registered in the U.S. and other countries.



EASY TO CHANGE PILLOW COVERS IN BLACK, GREY AND TAN



BUILT-IN DVD PLAYER





HEADREST

UNIVERSAL HEADREST WITH PRE-INSTALLED 7" (178 mm) WIDESCREEN TFT VIDEO MONITOR

PH7MCS



LONGER LIFE AND BETTER

ENERGY EFFICIENCY

WIDESCREEN











INPUTS & OUTPUTS

Compatible with Audio Output of iPod®/iPhone®, Smartphones and MP3 players A/V Input Headphone Output

GENERAL

800 x 480 Resolution Wireless Remote Control Dual Channel IR Transmitter Three Interchangeable Pillow Covers IR Transmitter

iPod® and iPhone® are trademarks of Apple, Inc. registered in the U.S. and other countries.



EASY TO CHANGE PILLOW COVERS IN BLACK, GREY AND TAN



COMPATIBLE MATCHING HEADREST MONITOR WITH DVD (PH7ACD) SOLD SEPARATELY









PGR45B

BLUETOOTH® | IN-DASH MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER FEATURING BUILT IN 4-CH AMPLIFIER | 60W x 4 CHANNELS









INCLUDES 2 TRIM BEZEL STYLES

ADD A PGR42R WIRED REMOTE CONTROL

(SOLD SEPARATELY)



4-7/16" (112 mm)







7/8" -(22.5 mm)



3-5/16" [84 mm]



3" (76 mm) DIA.









PLAYBACK

MP3 / WMA

BLUETOOTH® Audio Streaming

(Stream and Control your Favorite Music APPs)

INPUTS & OUTPUTS

USB Port

Aux-In

USB Charging (1A)**

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear/Sub Pre-Amp Outputs

GENERAL

Wired Remote Ready

2 Trim Bezels Included

IPX6-Rated

NOAA Weather Band

Illuminated Soft Touch Buttons

Switchable US & Europe

Tuner Frequencies

RDS Tuner

Conformal Coated PCB

UV Protected Front Panel

Zero Current Draw Memory (Retains Radio Preset Memory

in case of Vehicle Battery

Disconnectl

Cutout Diameter: 3" (76 mm) Output Power: 60 W x 4 CH


**Charging Only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc., and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective mores.





POWERSPORTS exceed your expectations



FEATURES

Compatible with PGR45B
2 Trim Bezels Included
Optional 25ft Extension Cable
(PGR25C) Available–Sold Separately
IPX6

Illuminated Soft Touch Buttons Conformal Coated PCB Shallow Mounting Depth Cutout Diameter: 3" (76 mm)







BLUETOOTH® | IN-DASH MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER | BUILT-IN AMPLIFIER





























PLAYBACK


MP3 / WMA BLUETOOTH® AUDIO STREAMING (Stream and Control your Favorite Music APPs)

INPUTS & OUTPUTS

USB Port USB Charging [1A]** Aux-In Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players Front, Rear/Sub Pre-Amp Outputs

GENERAL

IPX6 NOAA Weather Band Switchable US & Europe Tuner Frequencies RDS Tuner Conformal Coating PCB Front Panel UV Coating Polished Stainless Steel Bezel Zero Current Draw Memory (Retains Radio Preset Memory in case of Vehicle Battery Disconnect) Cutout Diameter: 3" (76 mm) Output Power: 60 W x 4 CH



**Charging Only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple. Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.







BLUETOOTH® 8" WEATHERPROOF ALL-TERRAIN SOUND SYSTEM MARINE SPEAKERS / 1.5" WEATHERPROOF TWEETERS LED LIGHT BAR

PATV85








built-in usb charging port

reinforced metal handles double as mounting point for cameras, tool bags, camping gear, etc. . .

marine rated and ready For all weather riding

Bluetooth® audio streaming



FEATURES

FULLY MARINIZED 700W MAX POWER

(Stream and Control your Favorite Music APPs) In-line Multi-function Control Easy Pairing with Auto Re-connect Weatherproof Polypropylene Cone Soft Dome Diaphragm High 2 Tweeters Aux-In Built-in USB Charging (1A)** Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players LED Light Bar with On/Off Control Speakers Powered by Internal Amplifier Storage Compartment

BLUETOOTH® Audio Streaming

Plug and Play for Easy Installation Includes (4) Heavy Duty Straps with hook and loop fastener for any Mounting Position Ideal for Outdoors and Recreational Use



















BLUETOOTH® 6.5" WEATHERPROOF ALL-TERRAIN SOUND SYSTEM MARINE SPEAKERS / 1.5" WEATHERPROOF TWEETERS LED LIGHT BAR

PATV65



FEATURES

FULLY MARINIZED 450W MAX POWER

BLUETOOTH® Audio Streaming (Stream and Control your Favorite Music APPs) In-line Multi-function Control Easy Pairing with Auto Re-connect Weatherproof Polypropylene Cone Soft Dome Diaphragm High 2 Tweeters

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players LED Light Bar with On/Off Control Speakers Powered by Internal Amplifier Plug and Play for Easy Installation Includes (4) Heavy Duty Straps with hook and loop fastener for any Mounting Position Ideal for Outdoors and Recreational Use



iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. Planet Audio is not affiliated with Apple, Inc.
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.







BLUETOOTH® | 3" (76 mm) WEATHER RATED SPEAKER AND AMPLIFIER SYSTEM

PMC4B













iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. Planet Audio is not affiliated with Apple, Inc.
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under
license. Other trademarks and trade names are those of their respective owners.



POWERSPORTS exceed your expectations



IN-LINE VOLUME CONTROL

BLUETOOTH® | 3" (76 mm) WEATHER RATED SPEAKER AND AMPLIFIER SYSTEM

PMC2B











iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. Planet Audio is not affiliated with Apple, Inc.
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Planet Audio is under license. Other trademarks and trade names are those of their respective owners.







BLUETOOTH® | 3" (76 mm) WEATHER RATED SPEAKER AND AMPLIFIER SYSTEM

PMC4C





















BLUETOOTH® | 3" (76 mm) WEATHER RATED SPEAKER AND AMPLIFIER SYSTEM

PMC2C











PMC2C 3" (76 mm) Chrome Speakers (1 Pair)

IN-LINE VOLUME CONTROL

600 Watts Peak Power

Bluetooth® Audio Streaming Stream and Control your Favorite Music APPs

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

IPX5 Rated Speakers

Weatherproof. Not Submersible

Compact Amplifier

Aux Input

In-line Volume Control

Adjustable Bracketst
















200 Watt Peak Power Resin Treated Cloth Surround Polypropylene Cone Composite Basket Dual Cone Design

PM65W

200 WATTS 6.5" 2-WAY MARINE SPEAKER







SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
PM65W	200w	4 Ω	80Hz-20kHz	90dB	6-1/2"	1"	2-3/4"














200 WATTS 6.5" 2-WAY MARINE SPEAKER







200 Watt Peak Power Resin Treated Cloth Surround Polypropylene Cone Composite Basket Dual Cone Design



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
PM65B	200w	4 Ω	80Hz-20kHz	90dB	6-1/2"	1"	2-3/4"



POWERSPORTS exceed your expectations



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	MOUNTING DEPTH
PM60W	180w	4 Ω	80Hz-20kHz	89dB	2.24"



POWERSPORTS exceed your expectations



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	MOUNTING DEPTH
PM60B	180w	4 Ω	80Hz-20kHz	89dB	2.24"



POWERSPORTS exceed your expectations

BLUETOOTH® | AUDIO STREAMING | MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER FEATURING BUILT-IN AMPLIFIER

PMP35W.6

PLUS: 1 PAIR - 6.5" (165 mm) MARINE DUAL CONE FULL RANGE SPEAKER SYSTEM ALSO INCLUDED: MARINE DIPOLE ANTENNA









































PLAYBACK

MP3/WMA
Bluetooth® Audio StreamingStream
and Control your Favorite Music APPs

INPUTS & OUTPUTS

USB Port Aux-In USB Charging (1A)** Compatible with Audio Output of iPod®/iPhone®, Smartphones and MP3 players Front, Rear/Sub Pre-Amp Outputs

GENERAL

Switchable US & EU Tuner Frequencies RDS Tuner IPX6 NOAA Weather Band Tuner Conformal Coated PCB Polished Stainless Steel Bezel

Zero Current Draw Memory (Radio PresetMemory in case of Battery Disconnect) Cutout Diameter: 3" [76 mm]

SPEAKERS

Resin Treated Cloth Surround Polypropylene Cone Composite Basket Dual Cone Design

SPECIFICATIONS
Max Power: 180 W
Nominal Impedance: 4 Ω
Frequency Response: 80 Hz-20 kHz, ±3 dB
System Sensitivity (1 W/1 m): 86 dB





POWERSPORTS exceed your expectations



BLUETOOTH® ALL-TERRAIN AMPLIFIER SYSTEM WITH ILLUMINATED MULTI-FUNCTION CONTROLLER

PSA4CB



No head unit needed!

















FEATURES

500 Watts Max Power
BLUETOOTH® AUDIO STREAMING
[Stream and Control your Favorite
Music APPs]
Easy Pairing with Auto Re-connect
Weather Resistant
For all 12-Volt Applications
Compatible with Audio
Output of iPod®/iPhone®,

4 CH Full Range Amplifier
1 Pair Pre-Amp Outputs
USB Charging (1A)**
Aux-In
Slim Compact Footprint
Remote With Soft Touch Buttons
Remote With Multi-mount System:
Surface Mount, or Flush Mount







Smartphones, and MP3 Players



big bang





BBD4000

4000 WATTS max power

1 ohm Stable Class D Monoblock

FEATURES

Monoblock Class D Topology 10 Stable PWM MOSFET Power Supply 1/0 ga. Power Terminals RCA In/Out Selectable Slope (12/24dB) Low Pass Filter Subsonic Filter Bass Boost Phase Control Remote Subwoofer Control Illuminated Logo









REMOTE SUBWOOFER CONTROL



SPECIFICATIONS	1 OHM MAX	2 OHM MAX	4 OHM MAX	ପ 4 OHM (BRIDED)	CHANNEL SEPARATION (dB)	PREQ REPONSE (Hz)	6-15/16" W x 2-7/16" H x
CLASS D MONO							
BBD4000	4000w x 1	2000w x 1	1000w x 1	_	80	10-250	17-1/8" L



big bang





BBD2500

2500 WATTS max power

1 ohm Stable Class D Monoblock

FEATURES

Monoblock
Class D Topology
1Ω Stable
PWM MOSFET Power Supply
RCA In/Out
Selectable Slope (12/24dB)
Low Pass Filter
Subsonic Filter
Bass Boost
Phase Control
Remote Subwoofer Control
Illuminated Logo









REMOTE SUBWOOFER CONTROL



SPECIFICATIONS	1 OHM MAX	2 OHM MAX	4 OHM MAX	ପ 4 OHM (BRIDED)	CHANNEL SEPARATION (dB)	PREQ REPONSE (Hz)	6-15/16" W x 2-7/16" H x
CLASS D MONO							
BBD2500	2500w x 1	1250w x 1	625w x 1	_	80	10-250	11-7/16" L



big bang





BB4.1200

1200 WATTS max power

1 ohm Stable Full Range Class D

FEATURES

4/3/2 Channel
Full-Range, Class D
PWM MOSFET Power Supply
RCA In/Out
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Logo









REMOTE SUBWOOFER CONTROL



SPECIFICATIONS	1 OHM MAX	2 OHM MAX	4 OHM MAX	a 4 ohm (BRIDED)	CHANNEL SEPARATION (dB)	PREQ REPONSE (Hz)	6-15/16" W x 2-7/16" H x
CLASS D 4 CHANNEL							
BB4.1200	_	300w x4	150w x4	600w x 2	92	20-20	8-3/4"L



ANARCHY

CLASS D POWER AMPLIFIER



FEATURES

Monoblock
Class D Topology
10 Stable
PWM MOSFET Power Supply
RCA In/Out
Low Pass Filter
Subsonic Filter
Bass Boost
Phase Control
Remote Subwoofer Control
Illuminated Anarchy Logo
Strapping Capable







SPECIFICATIONS	1 OHM MAX	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
CLASS D MONO						
AC5000.1D STRAPPED - 2 AMPS	5000w x 1 N/A	2500w x 1 10000w	1250w x 1 5000w	80	15-250	18"L



ANARCHY

CLASS D POWER AMPLIFIER



FEATURES

Monoblock
Class D Topology
1Ω Stable
PWM MOSFET Power Supply
RCA In/Out
Low Pass Filter
Subsonic Filter
Bass Boost
Phase Control
Remote Subwoofer Control
Illuminated Anarchy Logo
Strapping Capable







SPECIFICATIONS	1 OHM MAX	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
CLASS D MONO						
AC4000.1D STRAPPED - 2 AMPS	4000w x1 N/A	2000w x 1 8000w	1000w x 1 4000w	79	15-250	15"L



ANARCHY

CLASS D POWER AMPLIFIER



FEATURES

Monoblock Class D Topology 1Ω Stable PWM MOSFET Power Supply RCA In/Out Low Pass Filter Subsonic Filter Bass Boost Phase Control Remote Subwoofer Control Illuminated Anarchy Logo Strapping Capable







SPECIFICATIONS	1 OHM MAX	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
CLASS D MONO						
AC3000.1D STRAPPED - 2 AMPS	3000w x 1 N/A	1500w x 1 6000w	750w x 1 3000w	81	15-250	13"L



ANARCHY

CLASS A/B POWER AMPLIFIER



2500 WATTS max power

FEATURES

Monoblock Full-Range, Class A/B 2Ω Stable PWM MOSFET Power Supply RCA & Speaker Level Inputs Low Pass Filters Bass Boost Remote Subwoofer Control Illuminated Anarchy Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
CLASS A/B MONO					
AC2500.1M	2500W X 1	1250w x 1	85	15-20kHz	14"L



ANARCHY

CLASS A/B POWER AMPLIFIER



AC1500.1M

1500 WATTS max power

FEATURES

Monoblock Full-Range, Class A/B 20 Stable PWM MOSFET Power Supply RCA & Speaker Level Inputs Low Pass Filters Bass Boost Remote Subwoofer Control Illuminated Anarchy Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
CLASS A/B MONO					
AC1500.1M	1500W X 1	750w x 1	85	15-20kHz	10"L



ANARCHY

5 CHANNEL POWER AMPLIFIER



AC1800.5

1800 WATTS max power

FEATURES

5/4/3 Channel
Full-Range, Class A/B
2Ω Stable
PWM MOSFET Power Supply
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Anarchy Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
5 CHANNEL			(1&2, 3&4)			
AC1800.5	300w x4 / 600w x1	150w x4 / 300w x1	600w x 2 / 300w x 1	81	20-20kHz	19-15/16"L



ANARCHY

4 CHANNEL POWER AMPLIFIER



FEATURES

4 Channel
Full-Range, Class A/B
2Ω Stereo Stable
PWM MOSFET Power Supply
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Anarchy Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
4 CHANNEL						
AC2400.4	600w x 4	300w x 4	1200w x 2	86	20-20kHz	15-9/16"L



ANARCHY

4 CHANNEL POWER AMPLIFIER



FEATURES

4 Channel
Full-Range, Class A/B
2Ω Stereo Stable
PWM MOSFET Power Supply
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Anarchy Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
4 CHANNEL						
AC1600.4	400w x 4	200w x 4	800w x 2	86	20-20kHz	12-3/8"L



ANARCHY

4 CHANNEL POWER AMPLIFIER



FEATURES

4 Channel Full-Range, Class A/B 20 Stereo Stable PWM MOSFET Power Supply RCA & Speaker Level Inputs HP & LP Filters Bass Boost Illuminated Anarchy Logo







SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
4 CHANNEL						
AC1200.4	300w x 4	150w x 4	600w x 2	88	20-20kHz	11"L



ANARCHY

4 CHANNEL POWER AMPLIFIER



FEATURES

4 Channel Full-Range, Class A/B 20 Stereo Stable PWM MOSFET Power Supply RCA & Speaker Level Inputs HP & LP Filters Bass Boost Illuminated Anarchy Logo







SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
4 CHANNEL						
AC800.4	200w x 4	100w x 4	400w x 2	88	20-20kHz	10"L



ANARCHY

2 CHANNEL POWER AMPLIFIER



FEATURES

2 Channel
Full-Range, Class A/B
2Ω Stereo Stable
PWM MOSFET Power Supply
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Anarchy Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
2 CHANNEL						
AC2600.2	1300w x 2	650w x 2	2600w x 1	85	20-20kHz	15-9/16"L



ANARCHY

2 CHANNEL POWER AMPLIFIER



FEATURES

2 Channel
Full-Range, Class A/B
2Ω Stereo Stable
PWM MOSFET Power Supply
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Anarchy Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
2 CHANNEL						
AC2000.2	1000w x 2	500w x 2	2000w x 1	84	20-20kHz	13-9/16"L



ANARCHY

2 CHANNEL POWER AMPLIFIER



FEATURES

2 Channel
Full-Range, Class A/B
2Ω Stereo Stable
PWM MOSFET Power Supply
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Anarchy Logo







REMOTE SUBWOOFER CONTROL



SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
2 CHANNEL						
AC1200.2	600w x 2	300w x 2	1200w x 1	84	20-20kHz	15-9/16"L



ANARCHY

2 CHANNEL POWER AMPLIFIER



FEATURES

2 Channel Full-Range, Class A/B 20 Stereo Stable PWM MOSFET Power Supply RCA & Speaker Level Inputs HP & LP Filters Bass Boost Remote Subwoofer Control Illuminated Anarchy Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
2 CHANNEL						
AC1000.2	500w x 2	250w x 2	1000w x 1	87	20-20kHz	12-3/8"L



ANARCHY

2 CHANNEL POWER AMPLIFIER



AC600.2

600 WATTS max power

FEATURES

2 Channel
Full-Range, Class A/B
2Ω Stereo Stable
PWM MOSFET Power Supply
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Illuminated Anarchy Logo







SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
2 CHANNEL						
AC600.2	300w x 2	150w x 2	600w x 1	85	20-20kHz	7-1/2"L







Monoblock Class D Topology PWM MOSFET Power Supply 1 \(\Omega{} Stable \) RCA In/Out Low Pass Filter Subsonic Filter Bass Boost Phase Control Remote Subwoofer Control Illuminated Logo Strapping Capable









SPECIFICATIONS	1 OHM MAX	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
CLASS D MONO						
TR5000.1D STRAPPED 2 AMPS	5000w x 1 N/A	2500w x 1 10000w	1250w x 1 5000w	78	15-250	18-1/2"L







Monoblock Class D Topology PWM MOSFET Power Supply 1 \(\Omega{} Stable \) RCA In/Out Low Pass Filter Subsonic Filter Bass Boost Phase Control Remote Subwoofer Control Illuminated Logo Strapping Capable









SPECIFICATIONS	1 OHM MAX	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
CLASS D MONO						
TR4000.1D STRAPPED 2 AMPS	4000w x1 N/A	2000w x 1 8000w	1000w x 1 4000w	80	15-250	15"L







Monoblock Class D Topology PWM MOSFET Power Supply 1 \Omega Stable RCA In/Out Low Pass Filter Subsonic Filter Bass Boost Phase Control Remote Subwoofer Control Illuminated Logo Strapping Capable









SPECIFICATIONS	1 OHM MAX	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
CLASS D MONO						
TR3000.1D STRAPPED 2 AMPS	3000w x 1 N/A	1500w x 1 6000w	750w x 1 3000w	78	15-250	13"L







Monoblock Full-Range Class A/B PWM MOSFET Power Supply 2 \(\Omega \) Stable RCA & Speaker Level Inputs LP Filters Bass Boost Remote Subwoofer Control Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
CLASS A/B MONO					
TR2500.1M	2500w x 1	1250w x 1	86	15-20kHz	14"L







TR1500.1M

1500 WATTS max power

FEATURES

Monoblock
Full-Range Class A/B
PWM MOSFET Power Supply
2 \O Stable
RCA & Speaker Level Inputs
LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
CLASS A/B MONO					
TR1500.1M	1500w x 1	750w x 1	84	15-20kHz	10"L







4/3/2 Channel
Full-Range, Class A/B
PWM MOSFET Power Supply
2 O Stereo Stable
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
4 CHANNEL						
TR2400.4	600w x 4	300w x 4	x1200w x 2	87	20-20kHz	15-9/16"L







4/3/2 Channel
Full-Range, Class A/B
PWM MOSFET Power Supply
2 O Stereo Stable
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
4 CHANNEL						
TR1600.4	400w x 4	200w x 4	800w x 2	87	20-20kHz	13-11/16"L







2/1 Channel
Full-Range, Class A/B
PWM MOSFET Power Supply
2 \(\Omega \) Stereo Stable
RCA \(& \Omega \) Speaker Level Inputs
HP \(& \Omega \) LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
2 CHANNEL						
TR2600.2	1300w x 2	650w x 2	2600w x 1	84	20-20kHz	18-1/4"L







2/1 Channel
Full-Range, Class A/B
PWM MOSFET Power Supply
2 O Stereo Stable
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
2 CHANNEL						
TR2000.2	1000w x 2	500w x 2	2000w x 1	84	20-20kHz	16-1/4"L







TR1000.2

1000 WATTS max power

FEATURES

2/1 Channel
Full-Range, Class A/B
PWM MOSFET Power Supply
2 \(\Omega \) Stereo Stable
RCA \(& \Omega \) Speaker Level Inputs
HP \(& \Omega \) LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	10" W x 2-3/8" H x
2 CHANNEL						
TR1000.2	500w x 2	250w x 2	1000w x 1	87	20-20kHz	9-3/4"L







Monoblock Class D Topology 1Ω Stable PWM MOSFET Power Supply RCA In/Out Low Pass Filter Bass Boost Phase Control Remote Subwoofer Control Illuminated Logo Strapping Capable









SPECIFICATIONS	1 OHM MAX	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	7" W x 2-9/32" H x
CLASS D MONO						
PL4000.1D STRAPPED 2 AMPS	4000w x 1 N/A	2000w x 1 8000w	1000w x 1 4000w	80	15-250	13-7/8"L







PL3000.1D 3000 WATTS max power

FEATURES

Monoblock
Class D Topology
10 Stable
PWM MOSFET Power Supply
RCA In/Out
Low Pass Filter
Bass Boost
Phase Control
Remote Subwoofer Control
Illuminated Logo
Strapping Capable









SPECIFICATIONS	1 OHM MAX	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	7" W x 2-9/32" H x
CLASS D MONO						
PL3000.1D STRAPPED 2 AMPS	3000w X1 N/A	1500w x 1 6000w	750w x 1 3000w	78	15-250	11-7/8"L







Monoblock Class A/B Topology 2Ω Stable PWM MOSFET Power Supply RCA & Speaker Level Inputs Low Pass Filter Bass Boost Remote Subwoofer Control Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	7" W x 2-9/32" H x
CLASS A/B MONO					
PL2500.1M	2500w x 1	1250w x 1	86	15-20kHz	15-7/8"L







FEATURES

Monoblock Class A/B Topology 20 Stable PWM MOSFET Power Supply RCA & Speaker Level Inputs Low Pass Filter Bass Boost Remote Subwoofer Control Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	7" W x 2-9/32" H x
CLASS A/B MONO					
PL2000.1M	2000w x 1	1000w x	84	15-20kHz	12-3/4"L







Monoblock Class A/B Topology 2Ω Stable PWM MOSFET Power Supply RCA & Speaker Level Inputs Low Pass Filter Bass Boost Phase Control Remote Subwoofer Control Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	7" W x 2-9/32" H x
CLASS A/B MONO					
PL1500.1M	1500w x 1	750w x	84	15-20kHz	10"L







PL3000.2 3000 WATTS max power

FEATURES

2/1 Channel
Full-Range, Class A/B
20 Stereo Stable
PWM MOSFET Power Supply
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	7" W x 2-9/32" H x
2 CHANNEL						
PL3000.2	1500w x 2	750w x 2	3000w x 1	85	20-20kHz	18-7/8"L







2/1 Channel
Full-Range, Class A/B
2\Omega Stereo Stable
PWM MOSFET Power Supply
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	7" W x 2-9/32" H x
2 CHANNEL						
PL1600.2	800w x 2	400w x 2	1600w x 1	85	20-20kHz	12-3/4"L







PL1200.2 1200 WATTS max power

FEATURES

2/1 Channel
Full-Range, Class A/B
2Ω Stereo Stable
PWM MOSFET Power Supply
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost
Remote Subwoofer Control
Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	7" W x 2-9/32" H x
2 CHANNEL						
PL1200.2	600w x 2	300w x 2	1200w x 1	85	20-20kHz	10"L







4/3/2 Channel Full-Range, Class A/B 2Ω Stereo Stable PWM Mosfet Power Supply RCA & Speaker Level Inputs HP & LP Filters Bass Boost (CH 3/4) Remote Subwoofer Control Illuminated Logo









SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	7" W x 2-9/32" H x
4 CHANNEL						
PL2400.4	600w x 4	300w x 4	1200w x 2	86	20-20kHz	15-7/8"L







FEATURES

4/3/2 Channel
Full-Range, Class A/B
20 Stereo Stable
PWM Mosfet Power Supply
RCA & Speaker Level Inputs
HP & LP Filters
Bass Boost (CH 3/4) Remote
Subwoofer Control
Illuminated Logo







REMOTE SUBWOOFER CONTROL



SPECIFICATIONS	2 OHM MAX	4 OHM MAX	BRIDGED @ 4 OHM	SIGNAL TO NOISE RATIO (dB)	FREQUENCY RESPONSE (Hz)	7" W x 2-9/32" H x
4 CHANNEL						
PL1600.4	400w x 4	200w x 4	800w x 2	86	20-20kHz	11-7/8"L



SIGNAL PROCESSORS

DIGITAL BASS PROCESSOR

PA300



PA300

DIGITAL BASS PROCESSOR

With Remote Subwoofer Control

FEATURES

Maximum Bass Control Dash-mount Remote Controls Subsonic Filter and Bass Level Glowing Planet Lens Display Bass Restoration Activity Parametric Bass Control Balanced Inputs PWM Power Supply Pre-Amp Output : 10v Frequency Response: 10Hz - 100kHz THD: $\leq 0.003\%$ S/N : $\geq 85dB$

Dimensions:

4-5/8" L x 7" W x 1-5/8" H



REMOTE SUBWOOFER CONTROL





SIGNAL PROCESSORS

PEQ15

HALF-DIN SIZE 5-BAND EQUALIZER

Includes Black and Silver Face Plates





FEATURES

Black and Silver Face Plates

5 Band Adjustment

Adjustable Center Frequencies on

Each Band

CD/Aux Input

Master Volume Control

Fader Control

PWM MOSFET Power Supply

S/N : ≥ 85dB

Night Illumination

Acrylic Top Cover

Output Gain: + 18dB

SUB: 50-250 Hz

Low: 20-70 Hz

Low-Mid 150-400 Hz

MID: 1.5 KHz - 4 KHz

High: 4 KHz - 20 Khz





SIGNAL PROCESSORS

PEQ10
HALF-DIN SIZE
4-BAND EQUALIZER



FEATURES

4 fixed bands (high, mid, low and sub) with 12dB of boost/cut adjustment. The adjustable subwoofer crossover and gain control add flexibility to your bottom end.

4 Band Adjustment

Subwoofer Output with Adjustable Filter

Subwoofer Level Control

Auxiliary Input

Master Volume Control

Fader Control
Input Sensitivity Adjustment
PWM Power Supply
S/N:≥85dB
Night Illumination





SIGNAL PROCESSORS



FEATURES

Provides three Filter circuits for a variety of set-up options

Variable Low Pass: 32Hz to 250Hz Variable High Pass: 40Hz to 400Hz

Frequency Multiplier: x1 or x20

Selectable Slope: 6dB or 18dB/octave

Independent Front and Rear Level Controls

S/N: ≥ 85dB

DC-to-DC Power Supply

Outputs for 3-Way or Front, Rear and

Subwoofer System Configurations

Remote Subwoofer Control

Bass Boost 0 to +12dB

Dimensions: 8-1/4" L x 5-1/8" W x 1-7/8" H





SIGNAL PROCESSORS

EQ10B

2-WAY ELECTRONIC CROSSOVER WITH REMOTE SUBWOOFER CONTROL





Planet Audio

FEATURES

Offers the same quality and performance of the EC20B in a two way (high-pass/low-pass) configuration

Variable Low Pass: 35Hz to 400Hz

Variable High Pass: 50Hz to 1.5kHz

Crossover Slope: 6dB/octave

Independent Front and Rear Level Controls

 $S/N: \ge 85dB$

DC-to-DC Power Supply

Subwoofer Phase

Remote Subwoofer Control

Bass Boost 0 to +12dB @ 45Hz

Dimensions: 7-1/4" L x 4-3/8" W x 1-1/4" H





LOW-PROFILE AMPLIFIED SUBWOOFER

800 WATTS MAX POWER 8" LOW-PROFILE AMPLIFIED SUBWOOFER FEATURING BUILT-IN AMPLIFIER AND 2 PASSIVE RADIATORS

PA8W













REMOTE CONTROL


PA8W 800 WATTS

MAX POWER

Class A/B Topology PWM MOSFET Power Supply RCA & Speaker Level Inputs LP Fitters Bass Boost Phase Control Remote Subwoofer Control LED-Illuminated Logo 2 Passive Radiators Max Power: 800 W

Dimensions

13.88" x 9.88" x 3" / 352 x 251 x 76 mm





ILLUMINATED LOGO





MODEL	POWER	CONE	SENSITIVITY	IMPEDANCE	DIAMETER	MOUNTING DEPTH
BB	MAX WATTS	MATERIAL	1W/1M (dB]			
BBD12	2500w	Paper Cone	95	DUAL 4 OHM	12"	7-7/8"







MODEL	POWER	CONE	SENSITIVITY	IMPEDANCE	DIAMETER	MOUNTING DEPTH
AXIS						
PX12	1000w	Polypropylene	85	4 OHM	12"	4"







MODEL	POWER	CONE	SENSITIVITY	IMPEDANCE	DIAMETER	MOUNTING DEPTH
AXIS						
PX10	800w	Polypropylene	85	4 OHM	10"	3-5/8"



SUBWOOFERS



Stamped Steel Basket
Polypropylene Cone
High Performance Voice Coils
Paintable Trim Ring
Push Terminals



MODEL	POWER	CONE	SENSITIVITY	IMPEDANCE	DIAMETER	MOUNTING Depth
ANARCHY	MAX WATTS		1W/1M (dB]			
AC15D	2100w	Polypropylene	83	DUAL 4 OHM	15-7/32"	7"



SUBWOOFERS



Foam Surround Stamped Steel Basket Polypropylene Cone High Performance Voice Coils Paintable Trim Ring Push Terminals



MODEL	POWER	CONE	SENSITIVITY	IMPEDANCE	DIAMETER	MOUNTING DEPTH
ANARCHY	MAX WATTS		1W/1M (dB]			
AC12D	1800w	Polypropylene	85	DUAL 4 OHM	13"	5-3/8"



SUBWOOFERS



Foam Surround Stamped Steel Basket Polypropylene Cone High Performance Voice Coils Paintable Trim Ring Push Terminals



MODEL	POWER	CONE	SENSITIVITY	IMPEDANCE	DIAMETER	MOUNTING DEPTH
ANARCHY	MAX WATTS		1W/1M (dB]			
AC10D	1500w	Polypropylene	85	DUAL 4 OHM	10"	4-3/4"



ANARCHY

SUBWOOFERS



Foam Surround Stamped Steel Basket Polypropylene Cone High Performance Voice Coils Paintable Trim Ring



MODEL	POWER	CONE	SENSITIVITY	IMPEDANCE	DIAMETER	MOUNTING Depth
ANARCHY	MAX WATTS		1W/1M (dB]			
AC8D	1200w	Polypropylene	84	DUAL 4 OHM	9"	4"







Foam Surround Stamped Steel Basket Treated Paper Cone High Temperature Voice Coil



MODEL	POWER	CONE	SENSITIVITY	IMPEDANCE	DIAMETER	MOUNTING Depth
TORQUE	MAX WATTS	MATERIAL	1W/1M (dB]			
TQ12S	1500w	Paper	87	DUAL 4 OHM	12"	5-3/16"







Foam Surround Stamped Steel Basket Treated Paper Cone High Temperature Voice Coil



MODEL	POWER	CONE	SENSITIVITY	IMPEDANCE	DIAMETER	MOUNTING Depth
TORQUE	MAX WATTS	MATERIAL	1W/1M (dB]			
TQ10S	1200w	Paper	87	DUAL 4 OHM	10"	4-3/4"



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
AC							
AC693	500w	4 Ω	55Hz-20kHz	88dB	2.3"	1" DOME	3.35"



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
AC							
AC653	300w	4 Ω	65Hz-20kHz	87dB	2.3"	1.3" / 1.1" DOME	2.17"





4.45"/ 113 mm

LED SPEAKERS

1.02"/ 26 mm

1.85"/ 47 mm



300 WATTS

5.2" 3-Way Speaker System





Stamped Steel Basket Polypropylene Cone Custom Grille LED Illuminated Tweeters

Rubber Surround




SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
AC							
AC523	300w	4 Ω	102Hz-20kHz	87dB	2.3"	1.3" / 1.1"	1.85"



SPEAKERS



500 WATTS 6" x 9" 3-Way Speaker System







SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
TRQ							
TRQ693	500w	4 Ω	50Hz-20kHz	87dB	6X9"	2" / 1"	3-1/16"








TRQ623 300 WATTS

6.5" 3-Way Speaker System







SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
TRQ							
TRQ623	300w	4 Ω	50Hz-20kHz	86dB	6-1/2"	1" / 0.5"	2-5/16"









SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
TRQ							
TRQ573	300w	4 Ω	50Hz-20kHz	88dB	5" x 7"	1" / 0.5"	2-1/8"








TRQ622 250 WATTS

6.5" 2-Way Speaker System







SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
TRQ							
TRQ622	250w	4 Ω	70Hz-20kHz	91dB	6-1/2"	1"	2-5/16"



	SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
	TRQ							
_	TRQ413	400w	4 Ω	70Hz-20kHz	86dB	4" x 10"	1" / 1/2"	2-9/16"








200 WATTS

4" x 6" 2-Way Speaker System







SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
TRQ							
TRQ462	200w	4 Ω	72Hz-20kHz	84dB	4" x 6"	1"	1-7/8"










TRQ522 225 WATTS 5.25" 2-Way Speaker System







SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
TRQ							
TRQ522	225w	4 Ω	78Hz-20kHz	84dB	5-1/4"	1"	1-7/8"










TRQ422 225 WATTS 4" 2-Way Speaker System







SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
TRQ							
TRQ422	225w	4 Ω	87Hz-20kHz	85dB	4"	1/2"	1-5/8"








TRQ322 140 WATTS

3.5" 2-Way Speaker System





Rubber Surround Stamped Steel Basket Polyproplyene Cone



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
TRQ							
TRQ322	140w	4 Ω	105Hz-20kHz	85dB	3-1/2"	1/2"	1-5/8"








PL69

400 WATTS

6"x 9" 3-Way Speaker System







SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
PL							
PL69	400w	4 Ω	50Hz-20kHz	86dB	6" x 9"	2" / 1"	3-1/16"








PL63 300 WATTS

6.5"3-Way Speaker System







SPECIFICATIO	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
PL							
PL63	300w	4 Ω	50Hz-20kHz	84dB	6-1/2"	1" / 1/2"	2-5/16"









SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
PL							
PL57	200w	4 Ω	50Hz-20kHz	84dB	5" x 7"	1" / 1/2"	2-5/16"








PL53 200 WATTS

5.25" 3-Way Speaker System







SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
PL							
PL53	200w	4 Ω	50Hz-20kHz	82dB	5-1/4"	1" / 1/2"	1-5/8"










PL43 200 WATTS 4" 3-Way Speaker System







SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	WOOFER	TWEETER(S)	MOUNTING DEPTH
PL							
PL43	200w	4 Ω	50Hz-20kHz	82dB	4"	1" / 1/2"	1-3/4"



CAPACITORS



PC20F

20 Farad Capacitor

Digital Voltage Display Blue Illumination







CAPACITORS



PC10F

10 Farad Capacitor

Digital Voltage Display Blue Illumination







CAPACITORS

PCBLK3.5 3.5 FARAD





PCBLK3.5

3.5 Farad Capacitor

Digital Voltage Display
Blue Illumination
16v / 24v surge
Satin silver ring terminals
Includes mounting brackets
Digital display



CAPACITORS







PCBLK2.0

2.0 Farad Capacitor

Digital Voltage Display Blue Illumination 16v / 24v surge Satin silver ring terminals Includes mounting brackets Digital display





INSTALLATION ACCESSORIES



8GPK

8 Gauge Amplifier Installation Kit

Kit includes:

20 ft. 8 GA Red Power Cable Competition High Quality Fuse Holder

3 ft. 8 GA Black Ground Cable

16 ft. 18 GA Blue Turn-On Wire

20 ft. High Performance RCA Interconnect

30 ft. Speaker Wire

6 ft. Split Loom Tubing

(20) 4" Wire Ties

(3) Rubber Grommets

#10 Ring Terminal

5/16" Ring Terminal

1/4" Ring Terminal







INSTALLATION ACCESSORIES



4GPK

4 Gauge Amplifier Installation Kit

Kit includes:

20 ft. 8 GA Red Power Cable

Competition High Quality Fuse Holder

3 ft. 8 GA Black Ground Cable

16 ft. 18 GA Blue Turn-On Wire

20 ft. High Performance RCA Interconnect

30 ft. Speaker Wire

6 ft. Split Loom Tubing

(20) 4" Wire Ties

(3) Rubber Grommets

#10 Ring Terminal

5/16" Ring Terminal

1/4" Ring Terminal







INSTALLATION ACCESSORIES



PAK0

1\0 Gauge Amplifier Installation Kit

Kit includes:

1/0 Gauge Blue Power Wire (17 ft) w/Crimped Ring

1/0 Gauge Black Ground Wire (3 ft) w/Crimped Ring Terminal

Blue Shielded RCA Cable (17 ft)

12 Gauge Speaker Wire (25 ft)

ANL Fuse Holder w/ 250 A Fuse

Grommets (3)

10" Zip Ties (10)

#6 Screws (3)








PRODUCT DISPLAY


HEADREST COUNTERTOP DISPLAY

Our countertop headrest display is the perfect way to demonstrate all Planet Audio Headrest Monitors. The working display comes with a power supply to power one monitor. It also includes a hook to hang a Wireless Headphone for easy customer

Dimensions: 16"(W) x 13"(D) x 10"(H)

Please contact your account manager for additional information regarding our FREE display program.





FLOOR DISPLAY

Planet Audio is proud to offer a new display program to our loyal dealers and distributors. An interactive display is proven to be the most effective way to demo product to your customer. This display allows you to showcase all product categories of the Planet Audio line. Your choice of over head video, in-dash cd and/or multimedia, a mix of full range speakers, amplifiers and sub woofers all installed, wired and ready to plug and play.

Dimensions: 36"(W) x 31-1/8"(D) x 80"(H)

Please contact your $\,$ account manager for complete information and requirements for our display program.

Each display is loaded to your specific product order.

