

POWERBUILT®

Serious Tools For Serious Work®



CATALOG





Ratchets & Bars:

Powerbuilt ratchets and bars are constructed of premium chrome vanadium steel chrome plated then buffed to a high mirror polish. This beautiful finish is tough too, rated to withstand a 30 hour salt spray corrosion test. Powerbuilt ratchets exceed ANSI standards for torque, reverse torque and tolerance, and feature comfortable spiral machined handles.

Product Features:

- Built to exceed ANSI standards
- Mirror-polished chrome vanadium construction
- Available in multiple lengths, head styles and tooth counts

Packaging Features:


- Space-saving injection hangers for increased GMROI
- Eye-catching counter displays to capture impulse sales



Space-Saving Packaging



Dynamic Counter Displays





1-1/2 in.

#640501 - Finger Ratchet

- For quick spin down/off by hand
- Compact design w/knurled grip surface
- Packaged on space-saving injection hanger



ANSI



3-3/4 in.

#640500 - Stubby Ratchet

- 24 tooth design
- Spin disk on ratchet head for one-finger spin-down/off
- Packaged on space-saving injection hanger



ANSI



4-1/2 in.

#640200 - Flex Head Stubby Ratchet

- 24 tooth design
- Stubby length for use in tight spaces
- Flexible head/shaft joint for hard-to-reach fasteners
- Packaged on space-saving injection hanger



ANSI



5-1/2 in.

#640502 - Spin Disc Ratchet

- 24 tooth design
- Full length spiral-machined handle
- Spin disk on ratchet head for one-finger spin-down/off
- Packaged on space-saving injection hanger



ANSI



6 in.

#640508 - 36 Tooth Quick Release Gear-to-Gear Ratchet

- Super strong 36 tooth gear-to-gear ratchet mechanism
- Full length spiral-machined handle
- Quick release ratchet head for fast socket mating
- Packaged on space-saving injection hanger



ANSI



5-1/2 in.

#649997 - 60 Tooth Low-Profile Quick Release Gear-to-Gear Ratchet

- Super strong 60 tooth gear-to-gear ratchet mechanism
- Low-profile ratchet head for use in tight spaces
- Comfortable dual-density handle
- Packaged on space-saving injection hanger



ANSI



5-1/8 in.

#649985 - 72 Tooth Gear-to-Gear Ratchet

- Super strong 72 tooth gear-to-gear ratchet mechanism
- Full length spiral-machined handle
- Sealed ratchet head for longer service life
- Packaged on space-saving injection hanger




ANSI



#649991 - Extended Length Quick Release Gear-to-Gear Ratchet

- Super strong 36 tooth gear-to-gear ratchet mechanism
- 8 in. extended length spiral-machined handle
- Quick release ratchet head for fast socket mating

- Packaged on space-saving injection hanger



#641742 - 8 In. Sliding T-Bar

- T-handle for added leverage and torque
- Mirror polished chrome vanadium finish

- Packaged on space-saving injection hanger



#940504 - Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
- 5-1/2 in. overall length.

- Packaged on space-saving injection hanger



#640928 - Stubby Socket & Bit Ratchet

- 72 tooth design
- Reversible design drives both sockets and hex bits
- Ships ready to display in 12 pc. countertop unit



#940478 - Stubby Socket & Bit Ratchet

- 72 tooth design
- Reversible design drives both sockets and hex bits
- Ships ready to display in 9 pc. countertop unit



#640923 - Composite Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 9 pc. countertop unit



#640926 - Composite Extendable Dual Drive Ratchet

- Extends from 6-3/8 in. to 8-5/8 in. for added leverage
- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 12 pc. countertop unit



Ratchets & Bars



#640927 - 2 Pc. Stubby Ratchet Set

- Includes 1/4 in. Dr. and 3/8 in. Dr. stubby ratchets
- 72 tooth design
- Ships ready to display in 6 pc. countertop unit



Small Stubby Ratchet



Large Stubby Ratchet

ANSI



#640931 - Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Ships ready to display in 12 pc. countertop unit



Side One



Side Two

ANSI



640182 - Spinner Handle

- Oversized Maxi-Grip handle for higher torque and added comfort
- Chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



Ratchets & Bars

#641515 - Finger Ratchet

- For quick spin down/off by hand
 - Compact design w/knurled grip surface
- Packaged on space-saving injection hanger



ANSI



1-3/4 in.



#641514 - Stubby Ratchet

- 24 tooth design
 - Spin disk on ratchet head for one-finger spin-down/off
- Packaged on space-saving injection hanger



ANSI



4 in.



#941515 - Flex Head Stubby Ratchet

- Stubby length for use in tight spaces
 - Flexible head/shaft joint for hard-to-reach fasteners
- Packaged on space-saving injection hanger



ANSI



5-1/2 in.



#941516 - Flex Head Ratchet

- Extended length for added reach and torque
 - Flexible head/shaft joint for hard-to-reach fasteners
- Packaged on space-saving injection hanger



ANSI



11-1/8 in.



#641506 - Flex Head Ratchet

- 24 tooth design
 - Flexible head/shaft joint for hard-to-reach fasteners
- Packaged on space-saving injection hanger



ANSI



11 in.



#941517 - Quick Release Gear-to-Gear Flex Head Ratchet

- Super strong 72 tooth gear-to-gear ratchet mechanism
 - Full length spiral-machined handle
 - Sealed ratchet head for longer service life
- Packaged on space-saving injection hanger



ANSI



11-1/4 in.



#649989 - Double Flex Ratchet

- Pivots at head and midway through handle
 - Provides unmatched reach and access
 - 72 tooth design
- Packaged on space-saving injection hanger



ANSI



9-1/4 in.



#641505 - Spin Disc Ratchet

- 24 tooth design
 - Full length spiral-machined handle
 - Spin disk on ratchet head for one-finger spin-down/off
- Packaged on space-saving injection hanger



ANSI



7-3/4 in.



Ratchets & Bars



8 in.

#641520 - 36 Tooth Quick Release Gear-to-Gear Ratchet

- Super strong 36 tooth gear-to-gear ratchet mechanism
 - Full length spiral-machined handle
 - Quick release ratchet head for fast socket mating
- Packaged on space-saving injection hanger



ANSI



7-3/4 in.

#640511 - Quick Release Round Head Ratchet

- 24 tooth design
 - Push-button quick release for fast socket mating
 - Full length spiral-machined handle
- Packaged on space-saving injection hanger



ANSI



7-1/8 in.

#649998 - 60 Tooth Low-Profile Quick Release Gear-to-Gear Ratchet

- Super strong 60 tooth gear-to-gear ratchet mechanism
 - Low-profile ratchet head for use in tight spaces
 - Comfortable dual-density handle
- Packaged on space-saving injection hanger



ANSI



7-3/4 in.

#649986 - 72 Tooth Gear-to-Gear Ratchet

- Super strong 72 tooth gear-to-gear ratchet mechanism
 - Full length spiral-machined handle
 - Sealed ratchet head for longer service life
- Packaged on space-saving injection hanger



ANSI



6-3/8 in.

#940967 - Composite Extendable Ratchet

- Extends from 6-3/8 in. to 8-5/8 in. for added leverage
 - 72 tooth design
 - Lightweight, durable composite construction with dual density grip
- Packaged on space-saving injection hanger



ANSI



9-1/2 in.

#641504 - Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
 - 9-1/2 in. overall length
- Packaged on space-saving injection hanger



ANSI



5-1/2 in.

#640923 - Composite Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 9 pc. countertop unit



Side One



Side Two

ANSI



#640925 - Composite Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/2 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 9 pc. countertop unit



ANSI



#640924 - Composite Stubby Ratchet

- 72 tooth design
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 12 pc. countertop unit



ANSI



#640926 - Composite Extendable Dual Drive Ratchet

- Extends from 6-3/8 in. to 8-5/8 in. for added leverage
- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 12 pc. countertop unit



ANSI



#640927 - 2 Pc. Stubby Ratchet Set

- Includes 1/4 in. Dr. and 3/8 in. Dr. stubby ratchets
- 72 tooth design
- Ships ready to display in 6 pc. countertop unit



ANSI



#640931 - Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/4 in. Dr. and 3/8 in. Dr. sockets
- Ships ready to display in 12 pc. countertop unit



ANSI



#640930 - Quick Release Stubby Ratchet

- Stubby length for use in tight spaces
- Quick release ratchet head for fast socket mating
- Ships ready to display in 12 pc. countertop unit



ANSI






#646200 - Stubby Ratchet

- Stubby length for use in tight spaces
- Spin disk on ratchet head for one-finger spin-down/off
- Ships ready to display in 12 pc. countertop unit



ANSI



#941508 - 8 In. Sliding T-Bar

- T-handle for added leverage and torque
- Mirror polished chrome vanadium finish
- Packaged on space-saving injection hanger



ANSI



#641511 - 3 Pc. Accessory Set

- Contents:
- 10 in. Flex Handle
 - 3/8 in. F x 1/2 in. M Adapter
 - Universal Joint
 - Double blister package



ANSI



#641569 - Spinner Handle

- Chrome vanadium shaft
- Packaged on space-saving injection hanger



ANSI



#640513 - Quick Release Ratchet

- 36 tooth design
 - Full length spiral-machined handle
 - Quick release ratchet head for fast socket mating
- Packaged on space-saving injection hanger



ANSI



9-3/4 in.



#642505 - Spin Disc Ratchet

- 24 tooth design
 - Full length spiral-machined handle
 - Spin disk on ratchet head for one-finger spin-down/off
- Packaged on space-saving injection hanger



ANSI



9-3/4 in.



#642509 - 36 Tooth Quick Release Gear-to-Gear Ratchet

- Super strong 36 tooth gear-to-gear ratchet mechanism
 - Full length spiral-machined handle
 - Quick release ratchet head for fast socket mating
- Packaged on space-saving injection hanger



ANSI



10-1/4 in.




#649999 - 60 Tooth Low-Profile Quick Release Gear-to-Gear Ratchet

- Super strong 60 tooth gear-to-gear ratchet mechanism
 - Low-profile ratchet head for use in tight spaces
 - Comfortable dual-density handle
- Packaged on space-saving injection hanger



ANSI



9 in.



#649987 - 72 Tooth Gear-to-Gear Ratchet

- Super strong 72 tooth gear-to-gear ratchet mechanism
 - Full length spiral-machined handle
 - Sealed ratchet head for longer service life
- Packaged on space-saving injection hanger



ANSI



9-7/8 in.



#940520 - Extended Length 72 Tooth Gear-to-Gear Ratchet

- Super strong 72 tooth gear-to-gear ratchet mechanism
 - 15 inch extended length spiral-machined handle
 - Sealed ratchet head for longer service life
- Packaged on space-saving injection hanger



ANSI



15 in.



#642504 - 12 In. Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
 - 12 in. overall length
- Packaged on space-saving injection hanger



ANSI



12 in.



Ratchets & Bars



#640853 - 18 In. Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
- 18 in. overall length
- Packaged on space-saving injection hanger



ANSI



#640854 - 24 In. Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
- 24 in. overall length
- Packaged on space-saving injection hanger



ANSI



#649990 - 24 In. Round Head Flex Handle

- Flexible head/shaft joint for hard to reach fasteners
- 24 in. overall length
- Packaged on space-saving injection hanger



ANSI



#641700 - 24 In. Ratcheting Flex Handle

- Reversible ratcheting head
- Flexible indexed head/shaft joint for hard to reach fasteners
- 24 in. overall length
- Packaged on space-saving injection hanger



ANSI



#640925 - Composite Stubby Dual Drive Ratchet

- 72 tooth design
- Dual head design drives both 1/2 in. Dr. and 3/8 in. Dr. sockets
- Lightweight, durable composite construction with dual density grip
- Ships ready to display in 9 pc. countertop unit



Side One



Side Two

ANSI



#649993 - 12 In. Sliding T-Bar

- T-handle for added leverage and torque
- Mirror polished chrome vanadium finish
- Packaged on space-saving injection hanger



ANSI



#649992 - Speeder Handle

- Chrome vanadium shaft
- Comfortable spinner handle



ANSI



Ratchets & Bars

#643500 - Quick Release Gear-to-Gear Ratchet

- Super strong 40 tooth gear-to-gear ratchet mechanism
 - Full length spiral-machined handle
 - Quick release ratchet head for fast socket mating
- Packaged on space-saving injection hanger



ANSI



20 in.



#643502 - 19 In. Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
 - 19 in. overall length
- Packaged on space-saving injection hanger



ANSI



19 in.



#641874 - Reversible Ratchet

- Heat-treated carbon steel construction
 - Knurled handle for added grip
- Packaged on space-saving injection hanger



ANSI



19 in.



#643503 - 18 In. Sliding T-Bar

- T-handle for added leverage and torque
 - Mirror polished chrome vanadium finish
- Packaged on space-saving injection hanger



ANSI



18 in.



1 INCH DRIVE

#649996 - Ratchet

- 24 tooth design
- Full length spiral-machined handle



ANSI



26-1/8 in.



#649995 - 26 In. Flex Handle

- Flexible head/shaft joint for hard-to-reach fasteners
- 34 in. overall length



ANSI



34 in.



#649994 - 22 In. Sliding T-Bar

- T-handle for added leverage and torque
- Mirror polished chrome vanadium finish



ANSI



34 in.





Torque Wrenches:

Powerbuilt torque wrenches are built to deliver precision readings time after time. A wide range of drive sizes and wrench styles are available, from a basic needle-style wrench to a professional grade digital torque wrench. Most torque wrenches include a storage case for protection from impacts.

Unique to Powerbuilt is the Digital Torque Adapter. It converts any ratchet into an accurate digital torque wrench, and can be used to calibrate an existing torque wrench as well.

Product Features:

- Built to meet or exceed ANSI specifications
- Chrome vanadium steel construction
- Precision-built mechanisms for lasting accuracy

Packaging Features:

- Storage cases included with most wrenches



Torque Wrenches**#644998 - 3/8 In. Dr. Reversible Ratcheting Micrometer Torque Wrench**

- Locking handle prevents accidental setting changes
- 20 to 80 ft. lb range
- Double blister package

**ANSI****#944002 - 3/8 In. Dr. Professional Reversible Ratcheting Micrometer Torque Wrench**

- Locking handle prevents accidental setting changes
- 10 to 100 ft. lb range
- Includes storage case
- Double blister package

**ANSI****#641432 - 3/8 In. Dr. Professional Reversible Ratcheting Micrometer Torque Wrench**

- Locking handle prevents accidental setting changes
- 25 to 250 in. lb range
- Includes storage case

**ANSI****#940963 - 3/8 In. Dr. Digital Torque Adapter**

- Converts any 3/8 in. ratchet into an accurate digital torque wrench
- Can be used to calibrate torque wrenches
- 20-99 ft. lb range
- Audio and LED torque monitoring alarms help prevent over-torquing
- Displays peak or trace torque readings
- Stores up to 50 peak torque records
- Complete with a calibration device and carry case
- Dynamic color packaging

**ANSI****1/2 INCH DRIVE****#644044 - 1/2 In. Dr. Needle Torque Wrench**

- Dual scale
- 0 to 140 ft. lb range
- Packaged on space-saving injection hanger

**ANSI****#644999 - 1/2 In. Dr. Reversible Ratcheting Micrometer Torque Wrench**

- Locking handle prevents accidental setting changes
- 30 to 150 ft. lb range
- Double blister package

**ANSI**



#944003 - 1/2 In. Dr. Professional Reversible Ratcheting Micrometer Torque Wrench

- Locking handle prevents accidental setting changes
- 10 to 150 in. lb range
- Includes storage case



ANSI



#944004 - 1/2 In. Dr. Professional Reversible Ratcheting Micrometer Torque Wrench

- Provides digital torque readout in ft. lbs., N-m, cm-kg2 and m-kg
- 30 to 150 in. lb range
- Includes storage case



ANSI



#944001 - 1/2 In. Dr. Dual Drive Reversible Ratcheting Micrometer Torque Wrench

- Accepts both 3/8 in. Dr. and 1/2 in. Dr. sockets
- Locking handle prevents accidental setting changes
- 10 to 150 ft. lb range
- Includes storage case



ANSI



#940962 - 1/2 In. Dr. Digital Torque Adapter

- Converts any 3/8 in. ratchet into an accurate digital torque wrench
 - Can be used to calibrate torque wrenches
 - 20-99 ft. lb range
 - Audio and LED torque monitoring alarms help prevent over-torquing
 - Displays peak or trace torque readings
 - Stores up to 50 peak torque records
 - Complete with a calibration device and carry case
- Dynamic color packaging



ANSI

3/4 INCH DRIVE



#641434 - 3/4 In. Dr. Professional Reversible Ratcheting Micrometer Torque Wrench

- Locking handle prevents accidental setting changes
- 100 to 600 ft. range



ANSI

Overview



Drive Tools & Accessories:

Powerbuilt drive tools are constructed of premium chrome vanadium steel chrome plated then buffed to a high mirror polish. This beautiful finish is tough too, rated to withstand a 30 hour salt spray corrosion test. Impact drive tools are constructed of super-strong chromoly steel. All Powerbuilt drive tools meet or exceed ANSI standards for tolerance, fit and finish.


Product Features:

- Mirror-polished chrome vanadium or impact-rated chromoly construction
- Full range of tools and accessories in open stock and convenient sets

Packaging Features:

- Space-saving injection hangers for increased GMROI
- Socket sets packed in reusable hanging holders or carry cases

Space-Saving Packaging





#647230 - 2 In. Impact Extension

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR·MO



#640552 - 3 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI

CR·V



#647231 - 4 In. Impact Extension

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR·MO



#640504 - 6 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI

CR·V



#647232 - 6 In. Impact Extension

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR·MO



#641796 - 8 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI

CR·V



#641797 - 8 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI

CR·V



#641798 - 10 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641799 - 10 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641800 - 14 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641801 - 14 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#640842 - 3 Pc. Extension Set

- Knurled center and dual grease rings for superior user grip
- Contents:
 - 2 in. extension
 - 3 in. extension
 - 6 in. extension
- Packaged on space-saving injection hanger



ANSI



#641689 - Bit Adapter

- Mates 1/4 in. Dr. tools to 1/4 in. hex screwdriver bits
- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#940500 - 1/4 In. Dr. F x 3/8 In. Dr. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#647234 - 1/4 In. Dr. F x 3/8 In. Dr. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI






#640848 - 4 Pc. Adapter Set

Contents:

- 1/4 in. F x 3/8 in. M
- 3/8 in. F x 1/4 in. M
- 3/8 in. F x 1/2 in. M
- 1/2 in. F x 3/8 in. M

- Packaged on space-saving injection hanger



ANSI



#641132 - 4 Pc. Hex Style Quick Release Adapter Set

- For use with 1/4 in., 3/8 in. and 1/2 in. box end wrenches - hex shaped adapter fits in box end and accepts sockets

Contents:

- 1/4 in. Dr. Adapter
- 3/8 in. Dr. Adapter
- 1/2 in. Dr. Adapter
- Bit Adapter

- Double blister package



#640859 - 7 Pc. Adapter & Universal Joint Set

Includes:

- 1/4 in., 3/8 in. & 1/2 in. Universal Joints
- 1/4 in. F x 3/8 in. M
- 3/8 in. F x 1/4 in. M
- 3/8 in. F x 1/2 in. M
- 1/2 in. F x 3/8 in. M

- Packaged on space-saving injection hanger



ANSI




#647095 - 7 Pc. Impact Adapter & Universal Joint Set

Contents:

- 1/4 in., 3/8 in. & 1/2 in. universal joints
- 1/4 in. F x 3/8 in. M adapter
- 3/8 in. F x 1/4 in. M adapter
- 3/8 in. F x 1/2 in. M adapter
- 1/2 in. F x 3/8 in. M adapter

- Packaged on space-saving injection hanger



ANSI CR-MO



#640503 - 1/4 In. Universal Joint

- Chrome vanadium steel construction

- Packaged on space-saving injection hanger



ANSI



#647233 - 1/4 In. Impact Universal Joint

- Impact-rated chromoly construction

- Packaged on space-saving injection hanger



ANSI



#640858 - 3 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Universal Joint Set

- Chrome vanadium steel construction

- Packaged on space-saving injection hanger



ANSI

#640506 - Socket Rail

- Holds 16 each 1/4 in. sockets
- Packaged on space-saving injection hanger



ANSI



#940410 - Socket Tray

- Holds 16 each 1/4 in. sockets
- Durable ABS plastic



ANSI



Drive Tools & Accessories



#641511 - 3 Pc. Accessory Set

Contents:

- 10 in. flex handle
- 3/8 in. F x 1/2 in. M adapter
- Universal joint
- Double blister package



ANSI



#941500 - 1-3/4 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#941506 - 1-3/4 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641501 - 3 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641744 - 3 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#647274 - 3 In. Impact Extension

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#641502 - 6 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#640850 - 6 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641523 - 6 In. Quick Release Extension

- Push-button socket release
- Knurled center superior user grip

- Packaged on space-saving injection hanger



ANSI



#941504 - 8 In. Extension

- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger



ANSI



#640851 - 8 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger



ANSI



#641503 - 10 In. Extension

- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger



ANSI



#640852 - 10 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger



ANSI



#641524 - 12 In. Quick Release Extension

- Push-button socket release
- Knurled center for superior user grip

- Packaged on space-saving injection hanger



ANSI



#941505 - 18 In. Extension

- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger



ANSI



#641802 - 18 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip

- Packaged on space-saving injection hanger



ANSI





#641803 - 24 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641804 - 24 In. Wobble Extension

- Operates at angles up to 25 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#640857 - 3 Pc. Wobble Extension Set

- Operate at angles up to 25 degrees from vertical
- Contents:
 - 3 in. wobble extension
 - 6 in. wobble extension
 - 10 in. wobble extension
- Packaged on space-saving injection hanger



ANSI



#640849 - 3 Pc. 2 In. Wobble Extension Set

- Operate at angles up to 25 degrees from vertical
- Contents:
 - 1/4 in. wobble extension
 - 3/8 in. wobble extension
 - 1/2 in. wobble extension
- Packaged on space-saving injection hanger



ANSI



#641510 - 4 Pc. Extension Set

- Knurled center and dual grease rings for superior user grip
- Contents:
 - 1-1/2 in. extension
 - 3 in. extension
 - 6 in. extension
 - 10 in. extension
- Double blister package



ANSI



#640844 - 4 Pc. Extension Set

- Knurled center and dual grease rings for superior user grip
- Contents:
 - 1-3/4 in. extension
 - 3 in. extension
 - 6 in. extension
 - 8 in. extension
- Packaged on space-saving injection hanger



ANSI



#641743 - Bit Adapter

- Mates 3/8 in. drive tools to 1/4 in. hex screwdriver bits
- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#640505 - 3/8 In. F x 1/4 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



#641500 - 3/8 In. F x 1/2 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



#647096 - 3/8 In. F x 1/2 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



#640848 - 4 Pc. Adapter Set

Contents:

- 1/4 in. F x 3/8 in. M
- 3/8 in. F x 1/4 in. M
- 3/8 in. F x 1/2 in. M
- 1/2 in. F x 3/8 in. M



- Packaged on space-saving injection hanger

ANSI



#641132 - 4 Pc. Hex Style Quick Release Adapter Set

- For use with 1/4 in., 3/8 in. and 1/2 in. box end wrenches - hex shaped adapter fits in box end and accepts sockets

Contents:

- 1/4 in. Dr. adapter
- 3/8 in. Dr. adapter
- 1/2 in. Dr. adapter
- Bit adapter



- Double blister package



#640859 - 7 Pc. Adapter & Universal Joint Set

Contents:

- 1/4 in., 3/8 in. & 1/2 in. universal joints
- 1/4 in. F x 3/8 in. M
- 3/8 in. F x 1/4 in. M
- 3/8 in. F x 1/2 in. M
- 1/2 in. F x 3/8 in. M



- Packaged on space-saving injection hanger



#647095 - 7 Pc. Impact Adapter & Universal Joint Set

Contents:

- 1/4 in., 3/8 in. & 1/2 in. universal joints
- 1/4 in. F x 3/8 in. M adapter
- 3/8 in. F x 1/4 in. M adapter
- 3/8 in. F x 1/2 in. M adapter
- 1/2 in. F x 3/8 in. M adapter



- Packaged on space-saving injection hanger



Drive Tools & Accessories



#641507 - Universal Joint

- Joints assembled with set screws for tension adjustment
- Packaged on space-saving injection hanger



ANSI



#647575 - 3/8 In. Impact Universal Joint

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#640858 - 3 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Universal Joint Set

Contents:

- 1/4 in. Dr. universal joint
- 3/8 in. Dr. universal joint
- 1/2 in. Dr. universal joint

- Packaged on space-saving injection hanger



ANSI



#641509 - Socket Rail

- Holds 16 each 3/8 in. sockets
- Packaged on space-saving injection hanger



ANSI



#940411 - Socket Tray

- Holds 30 each 3/8 in. sockets
- Durable ABS plastic



ANSI



#642501 - 2 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#942500 - 3 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#647283 - 3 In. Impact Extension

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#642502 - 5 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#647098 - 5 In. Impact Extension

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#642503 - 10 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#647140 - 10 In. Impact Extension

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#641805 - 15 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI





#641806 - 15 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#640847 - 20 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#641807 - 20 In. Wobble Extension

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#640846 - 3 Pc. Extension Set

- Knurled center and dual grease rings for superior user grip
- Contents:
 - 3 in. extension
 - 5 in. extension
 - 10 in. extension
- Packaged on space-saving injection hanger



ANSI



#640856 - 3 Pc. Wobble Extension Set

- Operate at angles up to 20 degrees from vertical
- Contents:
 - 3 in. wobble extension
 - 5 in. wobble extension
 - 10 in. wobble extension
- Packaged on space-saving injection hanger



ANSI



#642500 - 1/2 In. F x 3/8 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#942501 - 1/2 In. F x 3/4 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#647097 - 1/2 In. F x 3/8 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#647137 - 1/2 In. F x 3/4 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



#640848 - 4 Pc. Adapter Set

- Contents:
- 1/4 in. F x 3/8 in. M
 - 3/8 in. F x 1/4 in. M
 - 3/8 in. F x 1/2 in. M
 - 1/2 in. F x 3/8 in. M
 - Packaged on space-saving injection hanger



#641132 - 4 Pc. Hex Style Quick Release Adapter Set

- For use with 1/4 in., 3/8 in. and 1/2 in. box end wrenches – hex shaped adapter fits in box end and accepts sockets
- Contents:
- 1/4 in. Dr. adapter
- 3/8 in. Dr. adapter
- 1/2 in. Dr. adapter
- Bit adapter
- Double blister package



#642506 - Universal Joint

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



#647138 - 1/2 In. Impact Universal Joint

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



#640858 - 3 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Universal Joint Set

- Contents:
- 1/4 in. Dr. universal joint
 - 3/8 in. Dr. universal joint
 - 1/2 in. Dr. universal joint
 - Packaged on space-saving injection hanger



#640859 - 7 Pc. Adapter & Universal Joint Set

- Contents:
- 1/4 in., 3/8 in. & 1/2 in. universal joints
 - 1/4 in. F x 3/8 in. M
 - 3/8 in. F x 1/4 in. M
 - 3/8 in. F x 1/2 in. M
 - 1/2 in. F x 3/8 in. M
 - Packaged on space-saving injection hanger





#647095 - 7 Pc. Impact Adapter & Universal Joint Set

Contents:

- 1/4 in., 3/8 in. & 1/2 in. universal joints
- 1/4 in. F x 3/8 in. M adapter
- 3/8 in. F x 1/4 in. M adapter
- 3/8 in. F x 1/2 in. M adapter
- 1/2 in. F x 3/8 in. M adapter
- Packaged on space-saving injection hanger



#642507 - Socket Rail

- Holds 16 each 1/2 in. sockets
- Packaged on space-saving injection hanger



ANSI



#940409 - Socket Tray

- Holds 28 each 1/2 in. sockets
- Durable ABS plastic



ANSI



#643504 - 4 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#643501 - 8 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#643505 - 16 In. Extension

- Knurled center and dual grease rings for superior user grip
- Packaged on space-saving injection hanger



ANSI



#643506 - 3/4 In. F x 1/2 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#643507 - 3/4 In. F x 1 In. M Adapter

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#940585 - 3/4 In. F x 1 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#940586 - 3/4 In. F x 1/2 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



#643508 - Universal Joint

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger



ANSI



#647201 - Impact Universal Joint

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI



Drive Tools & Accessories



#940587 - 1 In. F x 3/4 In. M Impact Adapter

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR-MO



#647198 - Impact Universal Joint

- Impact-rated chromoly construction
- Packaged on space-saving injection hanger



ANSI

CR-MO



#641720 - 16 In. Extension

- Packaged with color label



ANSI

CR-V





Space-Saving Packaging

Sockets:

Powerbuilt sockets feature either chrome vanadium or impact-rated chromoly construction. Standard and deep well socket lengths exceed ANSI standards and have the center hole punched through for additional working depth on the work surface.



Powerbuilt chrome sockets feature **HV High Visibility** size markings that are three times larger for easy size selection. The size callout is forged into the socket wall using a patent-pending process and will not rub off or wear out with use.



Finally Powerbuilt sockets feature **Z-Drive™**, contacting the flat walls of fasteners for stronger grip.




Product Features:

- Mirror-polished chrome vanadium or impact-rated chromoly construction
- Full range of open stock and convenient sets

Packaging Features:

- Space-saving injection hangers for increased GMROI
- Socket sets packed in reusable hanging holders or carry cases

Hangable Storage Tray



Torx® is a Registered Trademark of TEXTRON INC., Bits are not Torx® brand products.

Sockets



1/4 In. Dr. Standard Sockets - SAE - 6 Pt.

#648270 - 5/32 in.	#648275 - 5/16 in.
#648271 - 3/16 in.	#648276 - 11/32 in.
#648272 - 7/32 in.	#648277 - 3/8 in.
#648273 - 1/4 in.	#648278 - 7/16 in.
#648274 - 9/32 in.	#648279 - 1/2 in.

- Packaged on space-saving injection hanger



ANSI



High Visibility Sockets



1/4 In. Dr. Standard Sockets - Metric - 6 Pt.

#648280 - 4 mm	#648285 - 8 mm
#648004 - 4.5 mm	#648286 - 9 mm
#648281 - 5 mm	#648287 - 10 mm
#648282 - 5.5 mm	#648288 - 11 mm
#648283 - 6 mm	#648289 - 12 mm
#648284 - 7 mm	#648290 - 13 mm

- Packaged on space-saving injection hanger



ANSI



High Visibility Sockets



1/4 In. Dr. Deep Well Sockets - SAE - 6 Pt.

#648306 - 5/32 in.	#648293 - 5/16 in.
#948308 - 3/16 in.	#648294 - 11/32 in.
#948309 - 7/32 in.	#648295 - 3/8 in.
#648291 - 1/4 in.	#648296 - 7/16 in.
#648292 - 9/32 in.	#648297 - 1/2 in.

- Packaged on space-saving injection hanger



ANSI



High Visibility Sockets



1/4 In. Dr. Deep Well Sockets - Metric - 6 Pt.

#648310 - 4 mm	#648301 - 9 mm
#648311 - 5 mm	#648302 - 10 mm
#648209 - 5.5 mm	#648303 - 11 mm
#648298 - 6 mm	#648304 - 12 mm
#648299 - 7 mm	#641690 - 13 mm
#648300 - 8 mm	

- Packaged on space-saving injection hanger



ANSI



High Visibility Sockets



1/4 In. Dr. Universal Impact Sockets - SAE - 6 Pt.

#647210 - 1/4 in.	#647213 - 7/16 in.
#647211 - 5/16 in.	#647214 - 1/2 in.
#647212 - 3/8 in.	#647215 - 9/16 in.

- Packaged on space-saving injection hanger



ANSI



1/4 In. Dr. E-Torx[®] Sockets

#641721 - E-4	#641724 - E-7
#641722 - E-5	#641725 - E-8
#641723 - E-6	

- Packaged on space-saving injection hanger



ANSI



Sockets

1/4 In. Dr. Bit Sockets - Tamper-Proof Torx®

#648195 - T-7	#648498 - T-20
#648453 - T-8	#648499 - T-25
#648496 - T-10	#648502 - T-27
#648497 - T-15	#648503 - T-30

- Packaged on space-saving injection hanger



1/4 In. Dr. Bit Sockets - Torx®

#648108 - T-8	#648326 - T-25
#648679 - T-10	#648327 - T-27
#648324 - T-15	#648328 - T-30
#648325 - T-20	

- Packaged on space-saving injection hanger



#640497 - 11 Pc. SAE Socket Set - 6 Pt.

SAE Contents:

- 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.

- Packaged in hangable storage tray



#640498 - 11 Pc. Metric Socket Set - 6 Pt.

Metric Contents:

- 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm

- Packaged in hangable storage tray



#640087 - 14 Pc. SAE & Metric Socket Set - 6 Pt.

Contents:

- SAE: 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in.

- Metric: 6, 7, 8, 9, 10, 11, 12 mm

- Packaged in hangable storage tray



#640048 - 6 Pc. Deep Well SAE Socket Set - 6 Pt.

SAE Contents:

- 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in.

- Packaged in hangable storage tray



#640499 - 10 Pc. Deep Well SAE Socket Set - 6 Pt.

SAE Contents:

- 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.

- Packaged in hangable storage tray





#640046 - 6 Pc. Deep Well Metric Socket Set - 6 Pt.

- Metric Contents:
- 6, 7, 8, 10, 11, 12 mm
 - Packaged in hangable storage tray



ANSI



#640538 - 10 Pc. Deep Well Metric Socket Set - 6 Pt.

- Metric Contents:
- 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
 - Packaged in hangable storage tray



ANSI



#640049 - 6 Pc. Torx® Bit Socket Set

- Torx® Contents:
- T-10, T-15, T-20, T-25, T-27, T-30
 - Packaged in hangable storage tray



ANSI



#940146 - 13 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Torx® Bit Set

- Torx® Contents:
- 1/4 in. Dr.: T-10, T-15, T-20, T-25, T-27, T-30
 - 3/8 in. Dr.: T-40, T-45, T-47, T-50, T-55
 - 1/2 in. Dr.: T-60, T-70
 - Includes hangable socket holder
 - Double blister package



ANSI



#647298 - 26 Pc. Impact Socket Set

- Contents:
- Standard Sockets: 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
 - Deep Sockets: 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
 - Universal Sockets: 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
 - Packaged in a durable storage case



ANSI



#645020 - 35 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Torx® Bit Set

- Torx® Contents:
- 1/4 in. Dr.:
 - E-Torx® bit sockets: E-4, E-5, E-6, E-7, E-8
 - Torx® bit sockets: T-8, T-10, T-15, T-20, T-25, T-27, T-30
 - Tamper Proof Torx® bit sockets: T-7, T-8, T-10, T-15, T-20, T-25, T-27, T-30
 - 3/8 in. Dr.:
 - E-Torx® bit sockets: E-10, E-12, E-14, E-16
 - Torx® bit sockets: T-40, T-45, T-47, T-50, T-55
 - Tamper Proof Torx® bit sockets: T-40, T-45, T-50, T-55
 - 1/2 in. Dr.:
 - E-Torx® bit socket: E-18
 - Torx® bit socket: T-60
 - Packaged in a durable storage case



ANSI



Sockets

3/8 In. Dr. Standard Sockets - SAE - 6 Pt.

#940193 - 3/8 in.	#940530 - 11/16 in.
#940526 - 7/16 in.	#940531 - 3/4 in.
#940527 - 1/2 in.	#940532 - 13/16 in.
#940528 - 9/16 in.	#940533 - 7/8 in.
#940529 - 5/8 in.	

- Packaged on space-saving injection hanger



3/8 In. Dr. Standard Sockets - SAE - 12 Pt.

#641000 - 1/4 in.	#641006 - 5/8 in.
#641001 - 5/16 in.	#641007 - 11/16 in.
#641002 - 3/8 in.	#641008 - 3/4 in.
#641003 - 7/16 in.	#641009 - 13/16 in.
#641004 - 1/2 in.	#641010 - 7/8 in.
#641005 - 9/16 in.	

- Packaged on space-saving injection hanger



3/8 In. Dr. Standard Sockets - Metric - 6 Pt.

#940021 - 6 mm	#940028 - 13 mm
#940022 - 7 mm	#940029 - 14 mm
#940023 - 8 mm	#940030 - 15 mm
#940024 - 9 mm	#940031 - 16 mm
#940025 - 10 mm	#940032 - 17 mm
#940026 - 11 mm	#940033 - 18 mm
#940027 - 12 mm	#940034 - 19 mm

- Packaged on space-saving injection hanger



3/8 In. Dr. Standard Sockets - Metric - 12 Pt.

#641011 - 6 mm	#641020 - 15 mm
#641012 - 7 mm	#641021 - 16 mm
#641013 - 8 mm	#641022 - 17 mm
#641014 - 9 mm	#641023 - 18 mm
#641015 - 10 mm	#641024 - 19 mm
#641016 - 11 mm	#940038 - 20 mm
#641017 - 12 mm	#641025 - 21 mm
#641018 - 13 mm	#641221 - 22 mm
#641019 - 14 mm	

- Packaged on space-saving injection hanger



3/8 In. Dr. Deep Well Sockets - SAE - 6 Pt.

#648215 - 5/16 in.	#641204 - 5/8 in.
#641200 - 3/8 in.	#641205 - 11/16 in.
#641201 - 7/16 in.	#641206 - 3/4 in.
#641202 - 1/2 in.	#641207 - 13/16 in.
#641203 - 9/16 in.	#641208 - 7/8 in.

- Packaged on space-saving injection hanger



3/8 In. Dr. Deep Well Sockets - SAE - 12 Pt.

#940044 - 3/8 in.	#940049 - 11/16 in.
#940045 - 7/16 in.	#940050 - 3/4 in.
#940046 - 1/2 in.	#940051 - 13/16 in.
#940047 - 9/16 in.	#940052 - 7/8 in.
#940048 - 5/8 in.	

- Packaged on space-saving injection hanger





3/8 In. Dr. Deep Well Sockets - Metric - 6 Pt.

#641224 - 6 mm	#641215 - 15 mm
#641225 - 7 mm	#641216 - 16 mm
#641319 - 8 mm	#641217 - 17 mm
#641209 - 9 mm	#641218 - 18 mm
#641210 - 10 mm	#641219 - 19 mm
#641211 - 11 mm	#940055 - 20 mm
#641212 - 12 mm	#641220 - 21 mm
#641213 - 13 mm	#641226 - 22 mm
#641214 - 14 mm	

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



3/8 In. Dr. Deep Well Sockets - Metric - 12 Pt.

#940056 - 6 mm	#940063 - 13 mm
#940057 - 7 mm	#940064 - 14 mm
#940058 - 8 mm	#940065 - 15 mm
#940059 - 9 mm	#940066 - 16 mm
#940060 - 10 mm	#940067 - 17 mm
#940061 - 11 mm	#940068 - 18 mm
#940062 - 12 mm	#940069 - 19 mm

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



3/8 In. Dr. Standard Impact Sockets - SAE - 6 Pt.

#647242 - 3/8 in.	#647246 - 5/8 in.
#647243 - 7/16 in.	#647247 - 11/16 in.
#647244 - 1/2 in.	#647248 - 3/4 in.
#647245 - 9/16 in.	

- Packaged on space-saving injection hanger



ANSI



3/8 In. Dr. Standard Impact Sockets - Metric - 6 Pt.

#647249 - 10 mm	#647254 - 15 mm
#647250 - 11 mm	#647255 - 16 mm
#647251 - 12 mm	#647256 - 17 mm
#647252 - 13 mm	#647257 - 18 mm
#647253 - 14 mm	#647258 - 19 mm

- Packaged on space-saving injection hanger



ANSI



3/8 In. Dr. Deep Well Impact Sockets - SAE - 6 Pt.

#647272 - 3/8 in.	#647144 - 11/16 in.
#647273 - 7/16 in.	#647145 - 3/4 in.
#647141 - 1/2 in.	#647610 - 13/16 in.
#647142 - 9/16 in.	#647611 - 7/8 in.
#647143 - 5/8 in.	

- Packaged on space-saving injection hanger



ANSI



3/8 In. Dr. Deep Well Impact Sockets - Metric - 6 Pt.

#647259 - 10 mm	#647150 - 16 mm
#647266 - 11 mm	#647267 - 17 mm
#647146 - 12 mm	#647268 - 18 mm
#647147 - 13 mm	#647269 - 19 mm
#647148 - 14 mm	#647270 - 21 mm
#647149 - 15 mm	

- Packaged on space-saving injection hanger



ANSI



Sockets

3/8 In. Dr. Universal Impact Sockets - SAE - 6 Pt.

#647216 - 3/8 in.	#647220 - 5/8 in.
#647217 - 7/16 in.	#647221 - 11/16 in.
#647218 - 1/2 in.	#647222 - 3/4 in.
#647219 - 9/16 in.	

- Packaged on space-saving injection hanger



3/8 In. Dr. Universal Impact Sockets - Metric - 6 Pt.

#647223 - 10 mm	#647227 - 16 mm
#647224 - 11 mm	#647228 - 17 mm
#647225 - 13 mm	#647229 - 19 mm
#647226 - 14 mm	

- Packaged on space-saving injection hanger



3/8 In. Dr. Spark Plug Sockets - SAE - 6 Pt.

#643000 - 5/8 in.	- U-Joints
#643001 - 13/16 in.	#643002 - 5/8 in. U
#643006 - 3/4 in.	#643003 - 13/16 in. U

- Packaged on space-saving injection hanger



3/8 In. Dr. Spark Plug Sockets - Metric - 6 Pt.

#643007 - 14 mm	#643009 - 18 mm
#643008 - 16 mm	#643010 - 21 mm

- Packaged on space-saving injection hanger



3/8 In. Dr. Bit Sockets - Torx®

#648512 - T-15	#641402 - T-40
#648513 - T-20	#641403 - T-45
#648516 - T-25	#641408 - T-47
#648524 - T-27	#641404 - T-50
#641691 - T-30	#641692 - T-55

- Packaged on space-saving injection hanger



3/8 In. Dr. E-Torx® Sockets

#641726 - E-4	#641733 - E-12
#641728 - E-6	#641734 - E-14
#641729 - E-7	#641735 - E-16
#641730 - E-8	#641736 - E-18
#641731 - E-10	#641737 - E-20
#641732 - E-11	

- Packaged on space-saving injection hanger



3/8 In. Dr. Bit Sockets - Hex - SAE

#940143 - 1/8 in.	#648662 - 1/4 in.
#648430 - 5/32 in.	#640554 - 5/16 in.
#640349 - 3/16 in.	#641400 - 3/8 in.
#640350 - 7/32 in.	

- Packaged on space-saving injection hanger





3/8 In. Dr. Bit Sockets - Hex - Metric

#648323 - 3 mm	#648664 - 7 mm
#648418 - 4 mm	#648665 - 8 mm
#640347 - 5 mm	#648425 - 9 mm
#640556 - 6 mm	#641401 - 10 mm

- Packaged on space-saving injection hanger



ANSI



3/8 In. Dr. Bit Sockets - Impact Hex - SAE

#647235 - 3/16 in.	#647239 - 3/8 in.
#647236 - 7/32 in.	#647240 - 7/16 in.
#647237 - 1/4 in.	#647241 - 1/2 in.
#647238 - 5/16 in.	

- Packaged on space-saving injection hanger



ANSI



#641716 - 9 Pc. SAE Socket Set - 6 Pt.

SAE Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.

- Includes hangable socket holder

- Double blister package



ANSI



High
Visibility
Sockets



#940176 - 10 Pc. SAE Socket Set - 6 Pt.

SAE Contents:

- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in.

- Packaged in hangable storage tray



ANSI



High
Visibility
Sockets



#940180 - 10 Pc. SAE Socket Set - 12 Pt.

SAE Contents:

- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in.

- Packaged in hangable storage tray



ANSI



High
Visibility
Sockets



#640050 - 7 Pc. SAE Deep Socket Set - 6 Pt.

SAE Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.

- Packaged in hangable storage tray



ANSI



High
Visibility
Sockets



#641717 - 9 Pc. SAE Deep Socket Set - 6 Pt.

SAE Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.

- Includes hangable socket holder

- Double blister package



ANSI



High
Visibility
Sockets



Sockets

#940189 - 10 Pc. SAE Deep Socket Set - 12 Pt.

SAE Contents:

- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in.

- Packaged in hangable storage tray



#940177 - 10 Pc. Metric Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Hangable socket holder

- Double blister package



#645008 - 12 Pc. Metric Socket Set - 6 Pt.

Metric Contents:

- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Hangable socket holder

- Double blister package



#940181 - 10 Pc. Metric Socket Set - 12 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Hangable socket holder

- Double blister package



#640051 - 7 Pc. Metric Deep Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 17 mm

- Packaged in hangable storage tray



#645009 - 12 Pc. Metric Deep Socket Set - 6 Pt.

Metric Contents:

- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Hangable socket holder

- Double blister package



#647356 - 9 Pc. SAE Impact Socket Set - 6 Pt.

SAE Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.

- Hangable storage clip

- Packaged in hangable storage tray



#647357 - 10 Pc. Metric Impact Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

- Durable storage case

- Packaged in hangable storage tray



Sockets



#641715 - 10 Pc. Metric Universal Socket Set - 6 Pt.

- Metric Contents:
- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - Hangable socket holder
 - Double blister package



ANSI



#647359 - 9 Pc. SAE Deep Impact Socket Set - 6 Pt.

- SAE Contents:
- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.
 - Packaged in a durable storage case



ANSI



#647207 - 7 Pc. SAE Universal Impact Socket Set - 6 Pt.

- SAE Contents:
- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
 - Packaged in a durable storage case



ANSI



#647208 - 10 Pc. Metric Universal Impact Socket Set - 6 Pt.

- Metric Contents:
- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - Packaged in a durable storage case



ANSI



#640855 - 5 Pc. Spark Plug Socket Set - 6 Pt.

- Contents:
- SAE: 5/8 in., 3/4 in., 13/16 in.
 - Metric: 14, 18 mm
 - Packaged on space-saving injection hanger




ANSI



#641990 - 8 Pc. SAE Universal Socket Set

- Fits virtually any style bolt head, included damaged heads
- SAE Contents:
- 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
 - Hangable socket holder
 - Double blister package




ANSI



#641991 - 8 Pc. Metric Universal Socket Set

- Fits virtually any style bolt head, included damaged heads
- Metric Contents:
- 8, 10, 12, 13, 14, 17, 18, 19 mm
 - Hangable socket holder
 - Double blister package



ANSI

Sockets

#640052 - 6 Pc. SAE/Metric Hex Bit Socket Set

- Contents:
- SAE: 1/4 in., 5/16 in., 3/8 in.
 - Metric: 7, 8, 10 mm
 - Packaged in hangable storage tray



#648661 - 7 Pc. SAE Hex Bit Socket Set

- SAE Contents:
- 1/8 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.
 - Packaged in hangable storage tray



#648663 - 7 Pc. Metric Hex Bit Socket Set

- Metric Contents:
- 3, 4, 5, 6, 7, 8, 10 mm
 - Packaged in hangable storage tray



#642404 - 8 Pc. SAE Hex Bit Socket Set

- SAE Contents:
- 1/8 in., 9/64 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.
 - Hangable socket holder
 - Double blister package



#642405 - 8 Pc. Metric Hex Bit Socket Set

- Metric Contents:
- 3, 4, 5, 6, 7, 8, 10 mm
 - Hangable socket holder
 - Double blister package



#645018 - 13 Pc. SAE/Metric Hex Bit Socket Set

- Contents:
- SAE: 1/8 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.
 - Metric: 4, 5, 6, 7, 8, 10 mm
 - Hangable socket holder
 - Double blister package



#642402 - 8 Pc. 1/4 In. & 3/8 In. SAE Wobble Hex Bit Socket Set

- Operate at angles up to 25 degrees from vertical
- Hex SAE Contents:
- 1/4 in. Dr.: 1/8 in., 9/64 in., 5/32 in., 3/16 in.
 - 3/8 in. Dr.: 7/32 in., 1/4 in., 5/16 in., 3/8 in.
 - Hangable socket holder
 - Double blister package



Sockets



#642403 - 8 Pc. 1/4 In. & 3/8 In. Metric Wobble Hex Bit Socket Set

- Operate at angles up to 25 degrees from vertical
- Hex Metric Contents:
- 1/4 in. Dr.: 3, 4, 5, 6 mm
 - 3/8 in. Dr.: 7, 8, 9, 10 mm
 - Hangle socket holder
 - Double blister package



#645019 - 8 Pc. Torx® Bit Socket Set

- Torx® Contents:
- T-15, T-20, T-25, T-27, T-30, T-40, T-50, T-55
 - Hangle socket holder
 - Double blister package



ANSI



#940146 - 13 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Torx® Bit Socket Set

- Torx® Contents:
- 1/4 in. Dr.: T-10, T-15, T-20, T-25, T-27, T-30
 - 3/8 in. Dr.: T-40, T-45, T-47, T-50, T-55
 - 1/2 in. Dr.: T-60, T-70
 - Hangle socket holder
 - Double blister package



ANSI



#645020 - 35 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Torx® Bit Set

- Torx® Contents:
- 1/4 in. Dr.:
 - E-Torx® bit sockets: E-4, E-5, E-6, E-7, E-8
 - Torx® bit sockets: T-8, T-10, T-15, T-20, T-25, T-27, T-30
 - Tamper Proof Torx® bit sockets: T-7, T-8, T-10, T-15, T-20, T-25, T-27, T-30
 - 3/8 in. Dr.:
 - E-Torx® bit sockets: E-10, E-12, E-14, E-16
 - Torx® bit sockets: T-40, T-45, T-47, T-50, T-55
 - Tamper Proof Torx® bit sockets: T-40, T-45, T-50, T-55
 - 1/2 in. Dr.:
 - E-Torx® bit socket: E-18
 - Torx® bit socket: T-60
 - Packaged in a durable storage case



ANSI

Sockets

1/2 In. Dr. Standard Sockets - SAE - 6 Pt.

#940073 - 3/8 in.	#940081 - 7/8 in.
#940074 - 7/16 in.	#940364 - 15/16 in.
#940075 - 1/2 in.	#940082 - 1 in.
#940076 - 9/16 in.	#940083 - 1-1/16 in.
#940077 - 5/8 in.	#940084 - 1-1/8 in.
#940078 - 11/16 in.	#940085 - 1-3/16 in.
#940079 - 3/4 in.	#940086 - 1-1/4 in.
#940080 - 13/16 in.	

- Packaged on space-saving injection hanger



1/2 In. Dr. Standard Sockets - SAE - 12 Pt.

#642038 - 3/8 in.	#642005 - 7/8 in.
#642039 - 7/16 in.	#642006 - 15/16 in.
#642000 - 1/2 in.	#642007 - 1 in.
#642001 - 9/16 in.	#642008 - 1-1/16 in.
#642002 - 5/8 in.	#642009 - 1-1/8 in.
#642303 - 11/16 in.	#642010 - 1-3/16 in.
#642003 - 3/4 in.	#642011 - 1-1/4 in.
#642004 - 13/16 in.	

- Packaged on space-saving injection hanger



1/2 In. Dr. Standard Sockets - Metric - 6 Pt.

#941033 - 8 mm	#940099 - 22 mm
#941034 - 9 mm	#940100 - 23 mm
#940087 - 10 mm	#940101 - 24 mm
#940088 - 11 mm	#940102 - 25 mm
#940089 - 12 mm	#940103 - 26 mm
#940090 - 13 mm	#940104 - 27 mm
#940091 - 14 mm	#940105 - 29 mm
#940092 - 15 mm	#940106 - 30 mm
#940093 - 16 mm	#940107 - 31 mm
#940094 - 17 mm	#940108 - 32 mm
#940095 - 18 mm	#940109 - 33 mm
#940096 - 19 mm	#940110 - 34 mm
#940097 - 20 mm	#940111 - 35 mm
#940098 - 21 mm	#940112 - 36 mm

- Packaged on space-saving injection hanger



1/2 In. Dr. Standard Sockets - Metric - 12 Pt.

#641763 - 8 mm	#642019 - 21 mm
#641764 - 9 mm	#642020 - 22 mm
#640355 - 10 mm	#642021 - 23 mm
#642030 - 11 mm	#642022 - 24 mm
#642031 - 12 mm	#642023 - 26 mm
#642032 - 13 mm	#642034 - 27 mm
#642012 - 14 mm	#648216 - 28 mm
#642013 - 15 mm	#642035 - 29 mm
#642014 - 16 mm	#642024 - 30 mm
#642015 - 17 mm	#642025 - 32 mm
#642016 - 18 mm	#642026 - 34 mm
#642017 - 19 mm	#642027 - 35 mm
#642018 - 20 mm	#642028 - 36 mm

- Packaged on space-saving injection hanger





1/2 In. Dr. Deep Well Sockets - SAE - 6 pt.

#642324 - 3/8 in.	#642204 - 13/16 in.
#642323 - 7/16 in.	#642205 - 7/8 in.
#642344 - 1/2 in.	#642206 - 15/16 in.
#642200 - 9/16 in.	#642207 - 1 in.
#642201 - 5/8 in.	#648217 - 1-1/16 in.
#642202 - 11/16 in.	#642215 - 1-1/8 in.
#642203 - 3/4 in.	#642216 - 1-1/4 in.

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/2 In. Dr. Deep Well Sockets - SAE - 12 pt.

#940995 - 3/8 in.	#940135 - 13/16 in.
#940996 - 7/16 in.	#940136 - 7/8 in.
#940130 - 1/2 in.	#940137 - 15/16 in.
#940131 - 9/16 in.	#940138 - 1 in.
#940132 - 5/8 in.	#940139 - 1-1/16 in.
#940133 - 11/16 in.	#940140 - 1-1/8 in.
#940134 - 3/4 in.	#940142 - 1-1/4 in.

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/2 In. Dr. Deep Well Sockets - Metric - 6 pt.

#642217 - 10 mm	#642213 - 19 mm
#642218 - 11 mm	#642214 - 20 mm
#642219 - 12 mm	#640836 - 21 mm
#642220 - 13 mm	#640837 - 22 mm
#642208 - 14 mm	#640838 - 23 mm
#642209 - 15 mm	#640840 - 24 mm
#642210 - 16 mm	#640841 - 27 mm
#642211 - 17 mm	#940121 - 30 mm
#642212 - 18 mm	#940123 - 32 mm

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/2 In. Dr. Deep Well Sockets - Metric - 12 pt.

#940151 - 10 mm	#940160 - 19 mm
#940152 - 11 mm	#940161 - 20 mm
#940153 - 12 mm	#940162 - 21 mm
#940154 - 13 mm	#940163 - 22 mm
#940155 - 14 mm	#940164 - 23 mm
#940156 - 15 mm	#940165 - 24 mm
#940157 - 16 mm	#940168 - 27 mm
#940158 - 17 mm	#940173 - 30 mm
#940159 - 18 mm	#940175 - 32 mm

- Packaged on space-saving injection hanger



ANSI



High
Visibility
Sockets



1/2 In. Dr. Standard Impact Sockets - SAE - 6 Pt.

#647282 - 7/16 in.	#647157 - 7/8 in.
#647151 - 1/2 in.	#647158 - 15/16 in.
#647152 - 9/16 in.	#647159 - 1 in.
#647153 - 5/8 in.	#647294 - 1-1/16 in.
#647154 - 11/16 in.	#647295 - 1-1/8 in.
#647155 - 3/4 in.	#647296 - 1-1/4 in.
#647156 - 13/16 in.	

- Packaged on space-saving injection hanger



ANSI



Sockets

1/2 In. Dr. Standard Impact Sockets - Metric - 6 Pt.

#647277 - 8 mm	#647164 - 17 mm
#647278 - 9 mm	#647165 - 18 mm
#647279 - 10 mm	#647166 - 19 mm
#647291 - 11 mm	#647280 - 20 mm
#647292 - 12 mm	#647167 - 21 mm
#647160 - 13 mm	#647168 - 22 mm
#647161 - 14 mm	#647281 - 23 mm
#647162 - 15 mm	#647169 - 24 mm
#647163 - 16 mm	#647293 - 27 mm

- Packaged on space-saving injection hanger



1/2 In. Dr. Deep Well Impact Sockets - SAE - 6 Pt.

#647297 - 7/16 in.	#647176 - 7/8 in.
#647170 - 1/2 in.	#647177 - 15/16 in.
#647171 - 9/16 in.	#647178 - 1 in.
#647172 - 5/8 in.	#647194 - 1-1/16 in.
#647173 - 11/16 in.	#647179 - 1-1/8 in.
#647174 - 3/4 in.	#647180 - 1-1/4 in.
#647175 - 13/16 in.	

- Packaged on space-saving injection hanger



1/2 In. Dr. Deep Well Impact Sockets - Metric - 6 Pt.

#647286 - 8 mm	#647186 - 17 mm
#647287 - 9 mm	#647187 - 18 mm
#647288 - 10 mm	#647188 - 19 mm
#647289 - 11 mm	#647192 - 20 mm
#647181 - 12 mm	#647189 - 21 mm
#647182 - 13 mm	#647190 - 22 mm
#647183 - 14 mm	#647290 - 23 mm
#647184 - 15 mm	#647191 - 24 mm
#647185 - 16 mm	#647193 - 26 mm

- Packaged on space-saving injection hanger



1/2 In. Dr. Lug Nut Impact Wheel Saver Sockets

SAE	Metric
#941042 - 3/4 in.	#941039 - 17 mm
#941043 - 13/16 in.	#941040 - 19 mm
#941044 - 7/8 in.	#941041 - 21 mm
#941103 - 1 in.	
#941104 - 1-1/16 in.	

- Packaged on space-saving injection hanger



1/2 In. Dr. Spark Plug Sockets - SAE

#643004 - 5/8 in.	#643005 - 13/16 in.
-------------------	---------------------

- Packaged on space-saving injection hanger



1/2 In. Dr. Bit Sockets - Torx®

#642400 - T-55	#940363 - T-70
#642401 - T-60	

- Packaged on space-saving injection hanger



Sockets



1/2 In. Dr. Bit Sockets - Impact Torx®

#647121 - T-30	#647125 - T-55
#647122 - T-40	#647126 - T-60
#647123 - T-45	#647127 - T-70
#647124 - T-50	

- Packaged on space-saving injection hanger



ANSI



1/2 In. Dr. Bit Sockets - E-Torx®

#641738 - E-18	#641739 - E-20
----------------	----------------

- Packaged on space-saving injection hanger



ANSI



#641718 - 11 Pc. SAE Socket Set - 6 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#940185 - 9 Pc. SAE Socket Set - 12 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in.
- Packaged on space-saving injection hanger



ANSI



High Visibility Sockets



#641719 - 11 Pc. SAE Socket Set - 12 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#641745 - 15 Pc. Metric Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#641746 - 15 Pc. Metric Socket Set - 12 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#640056 - 8 Pc. SAE Deep Socket Set - 6 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in.
- Packaged in hangable storage tray



ANSI



High Visibility Sockets



Sockets

#641747 - 11 Pc. SAE Deep Socket Set - 6 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.

- Hangable socket holder

- Double blister package



#641748 - 11 Pc. SAE Deep Socket Set - 12 Pt.

SAE Contents:

- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.

- Hangable socket holder

- Double blister package



#640055 - 8 Pc. Metric Deep Socket Set - 6 Pt.

Metric Contents:

- 12, 13, 14, 17, 19, 21, 22, 23 mm

- Packaged in hangable storage tray



#641749 - 15 Pc. Metric Deep Socket Set - 12 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm

- Hangable socket holder

- Double blister package



#641750 - 15 Pc. Metric Deep Socket Set - 6 Pt.

Metric Contents:

- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm

- Hangable socket holder

- Double blister package



#647355 - 10 Pc. SAE Impact Socket Set - 6 Pt.

SAE Contents:

- 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in.

- Hangable storage clip

- Double blister package



#940837 - 18 Pc. SAE Impact Socket Set - 6 Pt.

SAE Contents:

- 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in., 1-1/16 in., 1-1/8 in., 1-3/16 in., 1-1/4 in., 1-5/16 in.

- 5 in. impact extension

- Packaged in a durable storage case





#647299 - 10 Pc. Metric Impact Socket Set - 6 Pt.

- Metric Contents:
- 11, 12, 13, 15, 16, 17, 19, 21, 22, 24 mm
 - Hangable socket holder
 - Double blister package



ANSI



#940436 - 12 Pc. Metric Impact Socket Set - 6 Pt.

- Metric Contents:
- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm
 - Durable storage case



ANSI



#940838 - 18 Pc. Metric Impact Socket Set - 6 Pt.

- Metric Contents:
- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm
 - 5 in. impact extension
 - Packaged in a durable storage case



ANSI



#647049 - 11 Pc. SAE Deep Impact Socket Set - 6 Pt.

- SAE Contents:
- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in.
 - Packaged in hangable storage tray



ANSI



#940434 - 12 Pc. SAE Deep Impact Socket Set - 6 Pt.

- SAE Contents:
- 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.
 - Durable storage case



ANSI



#647048 - 11 Pc. Metric Deep Impact Socket Set - 6 Pt.

- Metric Contents:
- 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 23, 24 mm
 - Packaged in hangable storage tray



ANSI



#940435 - 12 Pc. Metric Deep Impact Socket Set - 6 Pt.

- Metric Contents:
- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm
 - Durable storage case



ANSI



Sockets

#647022 - 30 Pc. SAE/Metric Deep Impact Socket Set - 6 Pt.

Contents:

- SAE: 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in., 1-1/16 in., 1-1/8 in., 1-3/16 in., 1-1/4 in., 3/4 in. x 13/16 in.
- Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm, 22, 26 mm, 19mm x 21mm
- 3 in. impact extension
- Packaged in a durable storage case



ANSI



3/4 INCH DRIVE

3/4 In. Dr. Standard Sockets - SAE - 12 Pt.

#643200 - 7/8 in.	#643212 - 1-5/8 in.
#643201 - 15/16 in.	#643213 - 1-11/16 in.
#643202 - 1 in.	#643214 - 1-3/4 in.
#643203 - 1-1/16 in.	#643215 - 1-13/16 in.
#643204 - 1-1/8 in.	#643216 - 1-7/8 in.
#643205 - 1-3/16 in.	#643218 - 2 in.
#643206 - 1-1/4 in.	#643219 - 2-1/16 in.
#643207 - 1-5/16 in.	#643220 - 2-1/8 in.
#643208 - 1-3/8 in.	#643221 - 2-3/16 in.
#643209 - 1-7/16 in.	#643222 - 2-1/4 in.
#643210 - 1-1/2 in.	#643224 - 2-3/8 in.
#643211 - 1-9/16 in.	

- Packaged on space-saving injection hanger



ANSI



High Visibility Sockets



3/4 In. Dr. Standard Sockets - Metric - 12 Pt.

#643227 - 22 mm	#643235 - 33 mm
#643228 - 23 mm	#643236 - 35 mm
#643229 - 24 mm	#643237 - 36 mm
#643244 - 25 mm	#643238 - 38 mm
#643230 - 26 mm	#943243 - 40 mm
#643231 - 27 mm	#643239 - 41 mm
#643245 - 28 mm	#943245 - 42 mm
#643232 - 29 mm	#643240 - 46 mm
#643233 - 30 mm	#643241 - 50 mm
#643234 - 32 mm	#643242 - 55 mm

- Packaged on space-saving injection hanger



ANSI



High Visibility Sockets



3/4 INCH DRIVE

Sockets

POWERBUILT
 Serious Tools For Serious Work®



#940623 - 8 Pc. SAE Impact Socket Set - 6 Pt.

SAE Contents:

- 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in., 1-5/16 in., 1-3/8 in., 1-7/16 in., 1-1/2 in.
- Packaged in a durable storage case



ANSI



#647196 - 11 Pc. SAE Impact Socket Set - 6 Pt.

SAE Contents:

- 13/16 in. square impact socket
- 6 pt. impact sockets: 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in., 1-1/16 in., 1-1/8 in., 1-3/16 in., 1-1/4 in., 1-1/2 in.
- Packaged in a durable storage case



ANSI



#647195 - 11 Pc. Metric Impact Socket Set - 6 Pt.

Metric Contents:

- 17, 19, 21 mm square impact sockets
- 6 pt. impact sockets: 27, 30, 32, 33, 35, 36, 38, 41 mm
- Packaged in a durable storage case



ANSI



#940626 - 8 Pc. SAE Deep Impact Socket Set - 6 Pt.

SAE Contents:

- 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in., 1-5/16 in., 1-3/8 in., 1-7/16 in., 1-1/2 in.
- Packaged in a durable storage case



ANSI



1 INCH DRIVE



1 In. Dr. Standard Sockets - SAE - 12 Pt.

#641765 - 1-5/8 in.	#641774 - 2-3/8 in.
#641766 - 1-11/16 in.	#641776 - 2-5/8 in.
#641767 - 1-3/4 in.	#641778 - 2-15/16 in.
#641768 - 1-13/16 in.	#641779 - 3 in.
#641769 - 1-7/8 in.	#641780 - 3-1/8 in.
#641770 - 2 in.	

- Packaged on space-saving injection hanger



ANSI



High
 Visibility
 Sockets





High Visibility Sockets

Space-Saving Packaging

Tool Sets:

Powerbuilt tool sets offer useful tool combinations that meet the needs of serious tool users and professional technicians. All sets feature the same high quality tools specified in Powerbuilt open stock. And all sets include storage cases or pouches for added convenience. A wide range of piece counts and price points are available to create a complete and competitive retail selection.

Product Features:

- Built to meet or exceed ANSI specifications
- All tools are chrome vanadium steel or heat-treated carbon steel
- All sockets are HV High Visibility

Packaging Features:

- High-impact color packaging
- Storage cases/pouches included



Convenient Carry Case





#940365 - 23 Pc. 1/4 In. Dr. SAE Socket Set - 6 Pt.

Contents:

- Quick release ratchet
- 2 in. & 6 in. extension
- Universal joint
- 6 pt. sockets: 5/32 in. thru 1/2 in.
- 6 pt. deep sockets: 7/32 in. thru 1/2 in.
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#940367 - 23 Pc. 1/4 In. Dr. SAE Socket Set - 12 Pt.

Contents:

- Quick release ratchet
- 2 in. & 6 in. extension
- Universal joint
- 12 pt. sockets: 5/32 in. thru 1/2 in.
- 12 pt. deep sockets: 7/32 in. thru 1/2 in.
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#940835 - 30 Pc. 1/4 In. Dr. SAE Socket Set - 6 Pt.

Contents:

- Ratchet
- 3 in. extension
- Bit adapter
- 6 pt. sockets: 5/32 in. thru 9/16 in.
- Driver bits:
 - Slotted: 3/16 in., 1/4 in.; Phillips: #1, #2
 - Hex: 5, 6 mm; Star: T-10, T-15, T-20, T-25, T-30, T-40
 - Square: S-2; Pozi: #2
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#940836 - 30 Pc. 1/4 In. Dr. Metric Socket Set - 6 Pt.

Contents:

- Ratchet
- 3 in. extension
- Bit adapter
- 6 pt. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
- Driver bits:
 - Slotted: 3/16 in., 1/4 in.; Phillips: #1, #2;
 - Hex: 5mm, 6mm; Star: T-10, T-15, T-20, T-25, T-30, T-40
 - Square: S-2; Pozi: #2
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#640397 - 24 Pc. 1/4 In. Dr. SAE & Metric Socket Set - 6 Pt.

Contents:

- Quick release ratchet
- 3 in. extension
- Spinner handle
- 6 pt. sockets: SAE 5/32 in. thru 1/2 in.
- 6 pt. sockets: Metric 4 thru 13 mm
- Packaged in a durable storage case



ANSI



High
Visibility
Sockets



#941106 - 34 Pc. 1/4 In. Dr. SAE & Metric Socket Set - 6 Pt.

Contents:

- 60 tooth gear-to-gear ratchet
- 3 in. extension
- Spinner handle
- 6 pt. SAE Sockets: 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 15/32 in., 1/2 in.
- 6 pt. Metric sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm
- Bit adapter
- Driver Bits: Pozzi #1, #2; Phillips #1, #2; Slotted 4, 5, 6 mm; Torx® T-10, T-15
- Storage case



#647298 - 26 Pc. 1/4 In. Dr. SAE Impact Socket Set - 6 Pt.

Contents:

- 1/4 in. Dr. 6pt. SAE Impact Sockets: 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- 1/4 in. Dr. 6pt. SAE deep well impact sockets: 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- 1/4 in. Dr. 6pt. SAE universal impact sockets: 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- Storage case





#640138 - 12 Pc. 3/8 In. Dr. SAE Socket Set

Contents:

- Spin disk ratchet
- 3 in. & 6 in. extensions
- 12 pt. sockets: 3/8 in. thru 3/4 in.
- 5/8 in. spark plug socket
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#640139 - 12 Pc. 3/8 In. Dr. Metric Socket Set

Contents:

- Spin disk ratchet
- 3 in. & 6 in. extensions
- 12 pt. sockets: 10, 12, 13, 15, 16, 17, 18 mm
- 5/8 in. spark plug socket
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#641705 - 20 Pc. 3/8 In. Dr. SAE Socket Set

Contents:

- 72 tooth extreme ratchet
- 3 in. & 6 in. extensions
- 6 pt. sockets: 3/8 in. thru 7/8 in.
- 6 pt. deep sockets: 3/8 in. thru 3/4 in.
- 5/8 in. spark plug socket
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#640189 - 21 Pc. 3/8 In. Dr. SAE Socket Set

Contents:

- 36 tooth gear-to-gear quick release ratchet
- 3 in. extension
- 6 pt. sockets: 3/8 in. thru 7/8 in.
- 12 pt. sockets: 3/8 in. thru 3/4 in.
- 5/8 in. & 13/16 in. spark plug sockets
- Packaged in a durable storage case



12-PT.

ANSI



High Visibility Sockets



#640190 - 21 Pc. 3/8 In. Dr. Metric Socket Set

Contents:

- 36 tooth gear-to-gear quick release ratchet
- 3 in. extension
- 6 pt. sockets: 10 thru 17 mm
- 12 pt. sockets: 10 mm, 12 thru 19 mm
- 16 mm spark plug socket
- Packaged in a durable storage case



12-PT.

ANSI



High Visibility Sockets



#940372 - 27 Pc. 3/8 In. Dr. SAE Socket Set

Contents:

- Quick release ratchet
- 3 in. & 6 in. extensions
- Universal joint
- 6 pt. sockets: 3/8 in. thru 7/8 in.
- 12 pt. deep sockets: 3/8 in. thru 7/8 in.
- 5/8 in. & 13/16 in. spark plug sockets
- Packaged in a durable storage case



12-PT.

ANSI



High Visibility Sockets



#641706 - 23 Pc. 3/8 In. Dr. Metric Socket Set

- Contents:
- 72 tooth extreme ratchet
 - 3 in. & 6 in. extensions
 - 6 pt. sockets: 10 thru 19 mm
 - 6 pt. deep sockets: 10 thru 19 mm
 - Packaged in a durable storage case



#940373 - 27 Pc. 3/8 In. Dr. Metric Socket Set

- Contents:
- Quick release ratchet
 - 3 in. & 6 in. extensions
 - Universal joint
 - 6 pt. sockets: 10 thru 19 mm
 - 12 pt. deep sockets: 10 thru 19 mm
 - 5/8 in. & 13/16 in. spark plug sockets
 - Packaged in a durable storage case



#640381 - 26 Pc. 3/8 In. Dr. SAE & Metric Socket Set

- Contents:
- Quick release ratchet
 - 3 in. extension
 - Universal joint
 - 12 pt. sockets: SAE 1/4 in. thru 13/16 in.
 - 12 pt. sockets: Metric 9, 10, 12, 13 thru 19mm
 - 5/8 in. & 13/16 in. spark plug sockets
 - Packaged in a durable storage case



#640749 - 28 Pc. 3/8 in. Dr. SAE & Metric Motorcycle/ATV Tool Kit

- Contents:
- 8 in. adjustable wrench
 - 3/8 in. Dr. ratchet
 - 3/8 in. Dr. 5/8 in. & 13/16 in. spark plug sockets
 - Bit driver with assorted bits
 - 5 in. locking pliers
 - Open end wrenches: 6 x 8 mm, 10 x 11 mm, 12 x 14 mm, 13 x 15 mm
 - Tire gauge
 - Electrical tape
 - Assorted hex key wrenches
 - Roll pouch



#940832 - 46 Pc. 3/8 In. Dr. SAE & Metric Socket Set

- Contents:
- Spin disk ratchet
 - 3 in. extension
 - Bit adapter
 - Spinner handle
 - 12 pt. sockets: SAE: 1/4 in. thru 3/4 in.
 - Metric: 6, 8, 10, 12 thru 19 mm
 - Driver bits: Slotted: 1/8 in., 3/16 in. (2), 1/4 in. (2)
 - Phillips: #0, #1 (2), #2 (2); Star: T-10, T-20, T-25, T-27, T-30
 - 2 pc. bit adapters
 - Packaged in a durable storage case





#640071 - 33 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Socket Set

Contents:

- 3/8 in. Dr. spin disk ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. (F) x 1/4 in. (M) adapter
- 1/4 in. Dr. 6 pt. sockets:
 SAE: 5/32 in. thru 1/2 in. Metric: 6, 7, 8 mm
- 3/8 in. Dr. 12 pt. sockets:
 SAE: 3/8 in. thru 3/4 in.
 Metric: 9, 10, 11, 12, 13, 14, 16, 17, 18 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- Double blister package



#941107 - 33 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Socket Set

Contents:

- 3/8 in. Dr. 60 tooth gear-to-gear ratchet
- 3/8 in. Dr. 3 in. extension bar
- 3/8 in. Dr. (F) x 1/4 in. Dr. (M) adapter
- 1/4 in. Dr. 6 pt. SAE sockets: 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 15/32 in.
- 1/4 in. Dr. 6 pt. Metric sockets: 6, 7, 8 mm
- 3/8 in. Dr. 12 pt. SAE sockets: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
- 3/8 in. Dr. 12 pt. Metric sockets:
 9, 10, 11, 12, 13, 14, 16, 17, 18 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- Packaged in a durable storage case



#940833 - 41 Pc. 1/4 In. & 3/8 In. Dr. SAE Socket Set

Contents:

- 3/8 in. Dr. spin disk ratchet
- 3/8 in. 3 in. extension
- 3/8 in. bit adapter
- 3/8 in. (F) x 1/4 in. (M) adapter
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. sockets: 3/16 in. thru 1/2 in.
- 3/8 in. Dr. sockets: 3/8 in. thru 7/8 in.
- 3/8 in. Dr. 5/8 in. spark plug socket
- Driver bits: Slotted: 1/8 in., 3/16 in., 1/4 in.;
 Phillips: #0, #1, #2; Star: T-10, T-15, T-20, T-25
- Hex key wrenches: 1/16 in., 5/64 in., 3/32 in.,
 1/8 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in.
- Packaged in a durable storage case



#940834 - 41 Pc. 1/4 In. & 3/8 In. Dr. Metric Socket Set

Contents:

- 3/8 in. Dr. spin disk ratchet
- 3/8 in. 3 in. extension
- 3/8 in. bit adapter
- 3/8 in. (F) x 1/4 in. (M) adapter
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. sockets: 6 thru 12 mm
- 3/8 in. Dr. sockets: 10 thru 17, 19 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- Driver Bits: Slotted: 1/8 in., 3/16 in., 1/4 in.
 Phillips: #0, #1, #2 Star: T-10, T-15, T-20, T-25
- Hex key wrenches: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm
- Packaged in a durable storage case



#941109 - 53 Pc. 1/4 In. & 3/8 In. Dr. Metric Socket Set

Contents:

- 1/4 in. Dr. 60 tooth gear-to-gear ratchet
- 3/8 in. Dr. 60 tooth gear-to-gear ratchet
- 1/4 in. Dr. 3 in. extension bar
- 3/8 in. Dr. 3 in. extension bar
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. 6 pt. SAE sockets: 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in.
- 1/4 in. Dr. 6 pt. Metric sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 3/8 in. Dr. 12 pt. SAE sockets: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in.
- 3/8 in. Dr. 12 pt. Metric sockets: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 1/4 in. Dr. bit adapter
- Driver Bits: Phillips #2, #3; Slotted 6, 9mm; Star T-10, T-15
- Packaged in a durable storage case



#640072 - 58 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. spin disk ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets: SAE: 5/32 in. thru 1/2 in. Metric: 4, 4.5, 5, 5.5, 6 thru 13 mm
- 1/4 in. Dr. bit adapter
- 1/4 in. Dr. spinner handle
- 3/8 in. Dr. spin disk ratchet
- 3/8 in. Dr. 6 in. wobble extension
- 3/8 in. Dr. 12 pt. sockets: SAE: 3/8 in. thru 13/16 in. Metric: 9 thru 19mm, 21mm
- 3/8 in. Dr. 8 pt. sockets: 1/4 in., 5/16 in., 3/8 in.
- Driver Bits: Slotted: 3/16 in., 1/4 in, 9/32 in. Phillips: #1, #2, #3
- Packaged in a durable storage case



#640743 - 61 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 3/8 in. Dr. quick release ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. Dr. x 1/4 in. Dr. adapter
- 1/4 in. Dr. 6 pt. sockets: SAE: 5/32 in. thru 1/2 in. Metric: 4 thru 12 mm
- 3/8 in. Dr. 6 pt. sockets: SAE: 5/16 in. thru 11/16 in. Metric: 10 thru 19 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- SAE open end wrenches: 3/8 in. x 7/16 in., 1/2 in. x 9/16 in.
- 18 each SAE & Metric hex key wrenches
- 1/4 in. x 4 in. slotted screwdriver
- #2 x 4 in. Phillips screwdriver
- Packaged in a durable storage case





#640073 - 65 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. spin disk ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets:
SAE: 5/32 in. thru 1/2 in.
Metric: 4, 4.5, 5, 5.5, 6 thru 13 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
SAE: 1/4 in. thru 7/16 in.
- 3/8 in. Dr. spin disk ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. Dr. (F) x 1/4 in. Dr. (M) Adapter
- 3/8 in. Dr. 6 pt. sockets:
SAE: 3/8 in. thru 13/16 in.
Metric: 10 thru 19, 21mm
- 3/8 in. Dr. 8 pt. sockets: 1/4 in., 5/16 in., 3/8 in.
- 3/8 in. Dr. 6 pt. deep well sockets: 1/2 in., 9/16 in.
- 3/8 in. Dr. 5/8 in. spark plug socket
- SAE combination wrenches: 3/8 in. thru 5/8 in.
- Packaged in a durable storage case



ANSI



#940831 - 70 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. spin disk ratchet
- 3/8 in. Dr. spin disk ratchet
- 3/8 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets:
SAE: 5/32 in. thru 7/16 in.
Metric: 6 thru 12 mm
- 1/4 in. Dr. 6 pt. deep well socket:
SAE: 3/16 in. thru 5/16 in.
Metric: 6 thru 10 mm
- 3/8 in. Dr. 12 pt. sockets:
SAE: 1/4 in. thru 13/16 in.
Metric: 6 thru 19 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- Open end wrenches: 3/8 in. x 7/16 in., 1/2 in. x 9/16 in.
- Bit driver
- 12 pc. assorted driver bits
- Packaged in a durable storage case



ANSI



#646546 - 71 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 3/8 in. Dr. quick release gear-to-gear ratchet
- 3/8 in. Dr. 3 in. extension
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. finger ratchet
- 3/8 in. Dr (F) x 1/4 in. Dr. (M) adapter
- 1/4 in. Dr. 6 pt. sockets:
SAE: 5/32 in. thru 1/2 in.
Metric: 4, 4.5, 5, 5.5, 6, 7, 8, 9 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
SAE: 1/4 in., 9/32 in., 5/16 in., 11/32 in.
- 3/8 in. Dr. 5/8 in. spark plug socket
- 3/8 in. Dr. 12 pt. sockets:
SAE: 3/8 in., 7/16 in., 1/2 in., 9/16 in.,
5/8 in., 3/4 in., 13/16 in.
Metric: 9 thru 15, 17mm
- 3/8 in. Dr. 6 pt. deep well sockets:
SAE: 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- Bit Adapter
- Assorted Driver Bits
- Packaged in a durable storage case



ANSI



#640744 - 101 Pc. 1/4 In. & 3/8 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. quick release ratchet
- 3/8 in. Dr. quick release ratchet
- 3/8 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets:
SAE: 5/32 in. thru 7/16 in.
Metric: 4 thru 12 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
SAE: 3/16 in. thru 5/16 in.
Metric: 6 thru 10 mm
- 3/8 in. Dr. 6 pt. sockets:
SAE: 1/4 in. thru 13/16 in.
Metric: 6 thru 19 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- SAE open end wrenches:
3/8 in. x 7/16 in., 1/2 in. x 9/16 in.
- 16 each SAE & Metric hex key wrenches
- Bit driver
- 12 each assorted screwdriver bits
- 12 each nut driver bits
- Packaged in a durable storage case





#640187 - 15 Pc. 1/2 In. Dr. SAE Socket Set - 12 Pt.

Contents:

- 36 tooth gear-to-gear quick release ratchet
- 5 in. extension
- 1/2 in. Dr. (F) x 3/8 in. Dr. (M) adapter
- 12 pt. Sockets: 1/2 in. thru 1-1/8 in.
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#640188 - 15 Pc. 1/2 In. Dr. Metric Socket Set - 12 Pt.

Contents:

- 36 tooth gear-to-gear quick release ratchet
- 5 in. extension
- 1/2 in. Dr. (F) x 3/8 in. Dr. (M) adapter
- 12 pt. Sockets: 12, 13, 14, 15, 17, 19, 21, 22, 24, 25, 27 mm
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#641707 - 16 Pc. 1/2 In. Dr. SAE Socket Set - 6 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 6 pt. sockets: 3/8 in. thru 1 in.
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#641709 - 16 Pc. 1/2 In. Dr. SAE Socket Set - 12 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 12 pt. sockets: 3/8 in. thru 1 in.
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#641708 - 19 Pc. 1/2 In. Dr. Metric Socket Set - 6 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 6 pt. sockets: 10 thru 24 mm
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#641977 - 19 Pc. 1/2 In. Dr. Metric Socket Set - 12 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 12 pt. sockets: 10 thru 24 mm
- Packaged in a durable storage case



ANSI



High Visibility Sockets



#640382 - 21 Pc. 1/2 In. Dr. SAE & Metric Socket Set

Contents:

- Quick release ratchet
- 2 in. extension
- 12 pt. sockets:
 SAE: 1/2 in. thru 1 in.
 Metric: 12, 13, 14, 15, 17, 19, 21, 22, 24 mm
- Packaged in a durable storage case



#641714 - 29 Pc. 1/2 In. Dr. SAE Socket Set - 6 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 6 pt. sockets: 3/8 in. thru 1-1/4 in.
- 6 pt. Deep Sockets: 1/2 in. thru 1-1/4 in.
- Packaged in a durable storage case



#641710 - 29 Pc. 1/2 In. Dr. SAE Socket Set - 12 Pt.

Contents:

- 72 tooth extreme ratchet
- 15 in. flex handle
- 5 in. & 10 in. extensions
- Universal joint
- 12 pt. sockets: 3/8 in. thru 1-1/4 in.
- 12 pt. Deep Sockets: 1/2 in. thru 1-1/4 in.
- Packaged in a durable storage case



#641712 - 46 Pc. 1/2 In. Dr. 6 Pt. SAE & Metric Socket Set - 6 Pt.

Contents:

- 72 tooth extreme ratchet
- 5 in. & 10 in. extensions
- 6 pt. SAE sockets: 1/2 in. thru 1-1/8 in.
- 6 pt. SAE Deep Sockets: 1/2 in. thru 15/16 in.
- 6 pt. Metric Sockets: 10 thru 24 mm
- 6 pt. Metric Deep Sockets: 10 thru 19 mm
- Packaged in a durable storage case



#641713 - 46 Pc. 1/2 In. Dr. SAE & Metric Socket Set - 12 Pt.

Contents:

- 72 tooth extreme ratchet
- 5 in. & 10 in. extensions
- 12 pt. SAE sockets: 1/2 in. thru 1-1/8 in.
- 12 pt. SAE Deep Sockets: 1/2 in. thru 15/16 in.
- 12 pt. Metric Sockets: 10 thru 24 mm
- 12 pt. Metric Deep Sockets: 10 thru 19 mm
- Packaged in a durable storage case





#941108 - 25 Pc. 3/8 In. & 1/2 In. Dr. SAE & Metric Socket Set

- Contents:
- 3/8 in. Dr. 12 pt. SAE sockets: 1/4 in., 5/16 in., 3/8 in., 7/16 in.
 - 3/8 in. Dr. 12 pt. Metric sockets: 8, 9, 10, 11 mm
 - 1/2 in. Dr. 60 tooth gear-to-gear ratchet
 - 1/2 in. Dr. 3 in. extension bar
 - 1/2 in. Dr. (F) x 3/8" Dr. (M) adapter
 - 1/2 in. Dr. 12 pt. SAE sockets: 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.
 - 1/2 in. Dr. 12 pt. Metric sockets: 12, 13, 14, 15, 17, 19, 21 mm
 - Packaged in a durable storage case



ANSI



High Visibility Sockets



1/4 IN., 3/8 IN. & 1/2 IN. DR.



#640076 - 82 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

- Contents:
- 1/4 in. Dr. spin disk ratchet
 - 1/4 in. Dr. 3 in. extension
 - 1/4 in. Dr. 6 pt. sockets:
 - SAE: 5/32 in. thru 1/2 in.
 - Metric: 4, 4.5, 5, 5.5, 6 thru 13 mm
 - 1/4 in. Dr. 6 pt. deep well sockets:
 - SAE: 1/4 in., 9/32 in., 5/16 in., 11/32 in.
 - 1/4 in. Dr. 12 pt. sockets:
 - SAE: 3/16 in. thru 1/2 in.
 - Metric: 8 thru 13 mm
 - 3/8 in. Dr. spin disk ratchet
 - 3/8 in. Dr. 3 in. extension
 - 3/8 in. Dr. 8 pt. sockets: 1/4 in., 5/16 in., 3/8 in.
 - 3/8 in. Dr. 12 pt. sockets:
 - SAE: 3/8 in. thru 13/16 in.
 - Metric: 9 thru 19 mm
 - 3/8 in. Dr. 6 pt. deep well sockets:
 - SAE: 3/8 in., 7/16 in., 1/2 in., 9/16 in.
 - 1/2 in. Dr. 5/8 in. spark plug socket
 - 1/2 in. Dr. spin disk ratchet
 - 1/2 in. Dr. 12 pt. sockets:
 - SAE: 1/2 in., 9/16 in., 5/8 in., 3/4 in., 13/16 in., 7/8 in.
 - SAE combination wrenches:
 - 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in.
 - Packaged in a durable storage case



ANSI



High Visibility Sockets

Tool Sets

#941110 - 100 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. 3 in. extension bar
- 1/4 in. Dr. 6 pt. SAE sockets: 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in.
- 1/4 in. Dr. 6 Pt. Metric Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1/4 in. Dr. 12 pt. SAE sockets: 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in.
- 1/4 in. Dr. 12 pt. Metric sockets: 8, 9, 10, 11, 12, 13 mm
- 3/8 in. Dr. 60 tooth gear-to-gear ratchet
- 3/8 in. Dr. 3 in. extension bar
- 3/8 in. Dr. (F) x 1/4 in. Dr. (M) adapter
- 3/8 in. Dr. 12 pt. SAE sockets: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in.
- 3/8 in. Dr. 12 pt. Metric sockets: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 3/8 in. Dr. 6 pt. deep well SAE sockets: 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- 3/8 in. Dr. 6 pt. deep well Metric sockets: 10, 12, 13, 14 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- 1/2 in. Dr. 60 tooth gear-to-gear ratchet
- 1/2 in. Dr. 12 pt. SAE sockets: 1/2 in., 9/16 in., 5/8 in., 3/4 in., 13/16 in., 7/8 in.
- SAE Combination Wrenches: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in.
- 22 pc. SAE/Metric hex key wrenches
- Packaged in a durable storage case



#640194 - 131 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. 6 pt. sockets: SAE: 5/32 in. thru 1/2 in.; Metric: 4 thru 13 mm
- 1/4 in. Dr. 6 pt. deep well sockets: SAE: 3/16 in. thru 1/2 in.; Metric: 6, 7, 8, 9, 10, 12 mm
- 1/4 in. Dr. 12 pt. sockets: SAE 3/16 in. thru 1/2 in.
- 3/8 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. Dr. to 1/4 in. Dr. adapter
- 3/8 in. Dr. 6 pt. sockets: SAE: 5/16 in. thru 13/16 in. Metric: 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm
- 3/8 in. Dr. 8 pt. sockets: 1/4 in., 5/16 in., 3/8 in.
- 3/8 in. Dr. 12 pt. sockets: SAE: 3/8 in. thru 13/16 in. Metric: 9, 10, 11, 12, 13, 14, 16, 15, 17, 19 mm
- 3/8 in. Dr. 6 pt. deep well sockets: SAE: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 11/16 in. Metric: 10 thru 15 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- 1/2 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/2 in. Dr. 12 pt. sockets: SAE: 9/16 in. thru 7/8 in., Metric: 16, 17, 18, 19, 21 mm
- Hex key wrenches: 1/16 in., 5/64 in., 3/32 in., 7/64 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in.
- Combination wrenches: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
- Packaged in a durable storage case





#640195 - 154 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. 6 pt. sockets:
 SAE: 5/32 in. thru 3/8 in., 7/16 in., 1/2 in., 9/16 in.
 Metric: 4, 5, 5.5, 6 thru 14 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
 SAE: 3/16 in. thru 3/8 in., 7/16 in., 1/2 in.
 Metric: 4 thru 13 mm
- 1/4 in. Dr. to bit adapter
- 3/8 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. Dr. 6 pt. sockets:
 SAE: 3/8 in. thru 13/16 in., Metric: 13 thru 22 mm
- 3/8 in. Dr. 6 pt. deep well sockets:
 SAE: 3/8 in. thru 3/4 in., Metric: 9 thru 16 mm
- 3/8 in. Dr. 5/8 in. spark plug socket
- 1/2 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/2 in. Dr. 12 pt. sockets:
 SAE: 1/2 in. thru 1-1/16 in., 1-1/4 in.
 Metric: 15, 17, 18, 19, 21, 22, 24, 27, 30 mm
- Hex key wrenches:
 SAE: 1/16 in., 5/64 in., 3/32 in., 7/64 in., 1/8 in., 9/64 in.,
 5/32 in., 3/16 in., 7/32 in., 1/4 in.
 Metric: 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6 mm
- Combination wrenches:
 SAE: 5/16 in. thru 3/4 in.
 Metric: 9, 10, 12, 13, 14, 15, 16 mm
- Bits: Slotted: 3/16 in., 1/4 in., 5/16 in.
 Phillips: #1, #2, #3, T-10, T-20, T-25,
 S-1, S-2, S-3
- Packaged in a durable storage case



ANSI



#640745 - 161 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets:
 SAE: 5/32 in. thru 9/16 in.; Metric: 4 thru 14 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
 SAE: 3/16 in. thru 5/16 in.; Metric 7 thru 11 mm
- 3/8 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 3/8 in. Dr. 3 in. extension
- 3/8 in. Dr. 6 pt. sockets:
 SAE: 1/4 in. thru 13/16 in.; Metric 6 thru 18 mm
- 3/8 in. Dr. spark plug sockets: 5/8 in., 13/16 in.
- 3/8 in. Dr. 12 pt. sockets:
 SAE: 5/16 in. thru 5/8 in.; Metric: 10 thru 17 mm
- 3/8 in. Dr. 6 pt. deep well sockets:
 SAE: 7/16 in. thru 3/4 in.; Metric: 10 thru 18 mm
- 1/2 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/2 in. Dr. 12 pt. sockets:
 SAE: 7/16 in. thru 1/2 in.; Metric 14 thru 19 mm
- Combination wrenches:
 SAE: 1/4 in. thru 9/16 in.; Metric 9 thru 15 mm
- 22 each SAE & Metric hex key wrenches
- Bit driver
- 14 each driver bits
- 12 each nut driver bits
- Packaged in a durable storage case



ANSI



Tool Sets

#640746 - 201 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. SAE & Metric Mechanic's Tool Set

Contents:

- 1/4 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/4 in. Dr. 3 in. extension
- 1/4 in. Dr. 6 pt. sockets:
 SAE: 5/32 in. thru 9/16 in.; Metric: 4 thru 14 mm
- 1/4 in. Dr. 6 pt. deep well sockets:
 SAE: 3/16 in. thru 5/16 in.; Metric: 7 thru 13 mm
- 3/8 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 3/8 in. Dr. 3 in. & 6 in. extensions
- 3/8 in. Dr. 6 pt. sockets:
 SAE: 1/4 in. thru 3/4 in.; Metric: 6 thru 19 mm
- 3/8 in. Dr. spark plug sockets: 5/8 in., 13/16 in.
- 3/8 in. Dr. 12 pt. sockets:
 SAE: 5/16 in. thru 13/16 in., Metric: 9 thru 18 mm
- 3/8 in. Dr. 6 pt. deep well sockets:
 SAE: 3/8 in. thru 3/4 in.; Metric: 9 thru 17 mm
- 1/2 in. Dr. 36 tooth gear-to-gear quick release ratchet
- 1/2 in. Dr. 12 pt. sockets:
 SAE: 7/16 in. thru 3/4 in.; Metric: 14 thru 19 mm
- Combination wrenches:
 SAE: 1/4 in. thru 3/4 in.; Metric: 14 thru 19 mm
- 36 each SAE & Metric hex key wrenches
- Bit driver
- 24 each driver bits
- 12 each nut driver bits
- Packaged in a durable storage case



ANSI



Space-Saving Packaging



ANSI



Wrenches:

Powerbuilt combination wrenches meet or exceed ANSI length specifications and have chamfered edges on both the open and boxed ends. Boxed-ends also feature Z-Drive™ for stronger grip on fasteners. Powerbuilt adjustable wrenches feature chrome vanadium construction highlighted by an extra thick I-beam rail for far greater user comfort during higher torque applications.


Product Features:

- Built to meet or exceed ANSI specifications
- Heat-treated carbon steel or chrome vanadium steel construction
- Ratcheting combination wrenches feature 72 tooth ratchet mechanisms

Packaging Features:

- Space saving packaging for increased GMROI
- Sets feature reusable packaging for convenient storage

Hangable Storage Tray



Adjustable Wrenches

#944039 - 4 In. Adjustable Wrench

- Drop-forged chrome vanadium construction
 - Extra thick I-beam design offers greater comfort at high torque levels
 - Jaw marked with inch scale for easy bolt size identification
- Packaged on space-saving injection hanger



ANSI **CR·V**

#644040 - 6 In. Adjustable Wrench

- Drop-forged chrome vanadium construction
 - Extra thick I-beam design offers greater comfort at high torque levels
 - Jaw marked with inch scale for easy bolt size identification
- Packaged on space-saving injection hanger



ANSI **CR·V**

#644041 - 8 In. Adjustable Wrench

- Drop-forged chrome vanadium construction
 - Extra thick I-beam design offers greater comfort at high torque levels
 - Jaw marked with inch scale for easy bolt size identification
- Packaged on space-saving injection hanger



ANSI **CR·V**



#644042 - 10 In. Adjustable Wrench

- Drop-forged chrome vanadium construction
 - Extra thick I-beam design offers greater comfort at high torque levels
 - Jaw marked with inch scale for easy bolt size identification
- Packaged on space-saving injection hanger



ANSI **CR·V**



#644043 - 12 In. Adjustable Wrench

- Drop-forged chrome vanadium construction
 - Extra thick I-beam design offers greater comfort at high torque levels
 - Jaw marked with inch scale for easy bolt size identification
- Packaged on space-saving injection hanger



ANSI **CR·V**



Combination Wrenches



Raised Panel Combination Wrenches - SAE

#644000 - 1/4 in.	#644015 - 1-1/4 in.
#644001 - 5/16 in.	#644049 - 1-5/16 in.
#644002 - 3/8 in.	#940307 - 1-3/8 in.
#644003 - 7/16 in.	#940312 - 1-7/16 in.
#644004 - 1/2 in.	#940313 - 1-1/2 in.
#644005 - 9/16 in.	#940314 - 1-5/8 in.
#644006 - 5/8 in.	#940315 - 1-11/16 in.
#644007 - 11/16 in.	#940316 - 1-3/4 in.
#644008 - 3/4 in.	#940317 - 1-13/16 in.
#644009 - 13/16 in.	#940318 - 1-7/8 in.
#644010 - 7/8 in.	#940319 - 2 in.
#644011 - 15/16 in.	#941324 - 2-5/16 in.
#644012 - 1 in.	#940322 - 2-3/8 in.
#644013 - 1-1/16 in.	#940311 - 2-7/16 in.
#644014 - 1-1/8 in.	#940323 - 2-1/2 in.

- Heat-treated chrome plated carbon steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger



ANSI



Raised Panel Combination Wrenches - Metric


#644016 - 7 mm	#644028 - 19 mm
#644017 - 8 mm	#644029 - 20 mm
#644018 - 9 mm	#644030 - 21 mm
#644019 - 10 mm	#644031 - 22 mm
#644020 - 11 mm	#644032 - 23 mm
#644021 - 12 mm	#644033 - 24 mm
#644022 - 13 mm	#644060 - 25 mm
#644023 - 14 mm	#644061 - 26 mm
#644024 - 15 mm	#644062 - 27 mm
#644025 - 16 mm	#644063 - 28 mm
#644026 - 17 mm	#644064 - 29 mm
#644027 - 18 mm	#644065 - 30 mm

- Heat-treated chrome plated carbon steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger



ANSI



Mirror Polish Combination Wrenches - SAE

#644140 - 1/4 in.	#644147 - 3/4 in.
#644141 - 5/16 in.	#644148 - 13/16 in.
#644142 - 3/8 in.	#644149 - 7/8 in.
#644143 - 7/16 in.	#644150 - 15/16 in.
#644144 - 1/2 in.	#644152 - 1 in.
#644145 - 9/16 in.	#644153 - 1-1/16 in.
#644146 - 5/8 in.	#644154 - 1-1/8 in.
#640894 - 11/16 in.	#644155 - 1-1/4 in.

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI CR-V



Mirror Polish Combination Wrenches - Metric

#644110 - 6 mm	#644123 - 19 mm
#644111 - 7 mm	#644124 - 20 mm
#644112 - 8 mm	#644125 - 21 mm
#644113 - 9 mm	#644126 - 22 mm
#644114 - 10 mm	#644127 - 23 mm
#644115 - 11 mm	#644128 - 24 mm
#644116 - 12 mm	#644129 - 25 mm
#644117 - 13 mm	#644130 - 26 mm
#644118 - 14 mm	#644131 - 27 mm
#644119 - 15 mm	#644132 - 28 mm
#644120 - 16 mm	#644133 - 29 mm
#644121 - 17 mm	#644134 - 30 mm
#644122 - 18 mm	#644135 - 32 mm

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI **CR-V**



Long Pattern Combination Wrenches - SAE

#640475 - 1/4 in.	#640444 - 3/4 in.
#640476 - 5/16 in.	#640445 - 13/16 in.
#640477 - 3/8 in.	#640446 - 7/8 in.
#640440 - 7/16 in.	#640479 - 15/16 in.
#640441 - 1/2 in.	#640480 - 1 in.
#640442 - 9/16 in.	#640481 - 1-1/16 in.
#640443 - 5/8 in.	#640482 - 1-1/8 in.
#640478 - 11/16 in.	#640483 - 1-1/4 in.

- Mirror-polished heat-treated carbon steel
- Extended length for added torque
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI



Long Pattern Combination Wrenches- Metric

#940483 - 6 mm	#640453 - 18mm
#640484 - 7mm	#640489 - 19mm
#640485 - 8mm	#640490 - 20mm
#640486 - 9mm	#640491 - 21mm
#640447 - 10mm	#640492 - 22mm
#640487 - 11mm	#640493 - 23mm
#640448 - 12mm	#640494 - 24mm
#640449 - 13mm	#640495 - 25mm
#640488 - 14mm	#641686 - 27mm
#640450 - 15mm	#641687 - 30mm
#640451 - 16mm	#641688 - 32mm
#640452 - 17mm	

- Mirror-polished heat-treated carbon steel
- Extended length for added torque
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger

ANSI



Specialty Wrenches



Mirror Polish Stubby Combination Wrenches - SAE

#641781 - 3/8 in.	#641785 - 5/8 in.
#641782 - 7/16 in.	#641786 - 11/16 in.
#641783 - 1/2 in.	#641787 - 3/4 in.
#641784 - 9/16 in.	

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger



Mirror Polish Stubby Combination Wrenches - Metric

#641788 - 10 mm	#641792 - 14 mm
#641789 - 11 mm	#641793 - 15 mm
#641790 - 12 mm	#641794 - 17 mm
#641791 - 13 mm	#641795 - 18 mm

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Drive® box end contacts flat walls of fasteners for stronger grip

- Packaged on space-saving injection hanger



Ratcheting Combination Wrenches - SAE

#641572 - 1/4 in.	#640152 - 3/4 in.
#640145 - 5/16 in.	#641126 - 13/16 in.
#640146 - 3/8 in.	#641127 - 7/8 in.
#640147 - 7/16 in.	#641685 - 15/16 in.
#640148 - 1/2 in.	#641681 - 1 in.
#640149 - 9/16 in.	#641682 - 1-1/16 in.
#640150 - 5/8 in.	#641683 - 1-1/8 in.
#640151 - 11/16 in.	#641684 - 1-1/4 in.

- Chrome vanadium steel construction
- 72 tooth ratchet mechanism

- Packaged on space-saving injection hanger



Ratcheting Combination Wrenches - Metric

#641673 - 6 mm	#640159 - 14 mm
#641672 - 7 mm	#640160 - 15 mm
#640153 - 8 mm	#640161 - 16 mm
#640154 - 9 mm	#640162 - 17 mm
#640155 - 10 mm	#640163 - 18 mm
#640156 - 11 mm	#640164 - 19 mm
#640157 - 12 mm	#641128 - 20 mm
#640158 - 13 mm	#641123 - 21 mm

- Chrome vanadium steel construction
- 72 tooth ratchet mechanism

- Packaged on space-saving injection hanger



Stubby Ratcheting Combination Wrenches - SAE

#641751 - 5/16 in.	#641755 - 9/16 in.
#641752 - 3/8 in.	#641756 - 5/8 in.
#641753 - 7/16 in.	#641757 - 11/16 in.
#641754 - 1/2 in.	#641758 - 3/4 in.

- Mirror-polished chrome vanadium steel
- 72 tooth ratchet for use in tight spaces
- Packaged on space-saving injection hanger

ANSI CR·V



E-Torx® Ratcheting Combination Wrenches

#641759 - E6 x E8	#641761 - E14 x E18
#641760 - E10 x E12	#641762 - E20 x E24

- Mirror-polished chrome vanadium steel
- 72 tooth ratchet for use in tight spaces
- Packaged on space-saving injection hanger

ANSI CR·V



Flare Nut Wrenches - SAE

#644085 - 3/8 in. x 7/16 in.	#644035 - 5/8 in. x 11/16 in.
#644034 - 1/2 in. x 9/16 in.	

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger

ANSI CR·V



Flare Nut Wrenches - Metric

#644036 - 9mm x 10mm	#644038 - 13mm x 14mm
#644037 - 11mm x 12mm	

- Chrome vanadium steel construction
- Packaged on space-saving injection hanger

ANSI CR·V



Flex Head Flare Nut Wrenches

Metric	SAE
#641865 - 10mm x 12mm	#641866 - 3/8 in. x 71/6 in.

- Chrome vanadium steel construction
- Ends flex up to 230 degrees in either direction for added reach
- Packaged on space-saving injection hanger

ANSI CR·V



Flare Nut Crowsfoot Wrenches - SAE

#641831 - 3/8 in.	#641836 - 11/16 in.
#641832 - 7/16 in.	#641837 - 3/4 in.
#641833 - 1/2 in.	#641838 - 13/16 in.
#641834 - 9/16 in.	#641839 - 7/8 in.
#641835 - 5/8 in.	

- Chrome vanadium steel construction
- 3/8 in. square drive
- Packaged on space-saving injection hanger

ANSI CR·V



Specialty Wrenches/Sets



Flare Nut Crowfoot Wrenches - Metric

#641840 - 10 mm	#641845 - 15 mm
#641841 - 11 mm	#641846 - 16 mm
#641842 - 12 mm	#641847 - 17 mm
#641843 - 13 mm	#641848 - 18 mm
#641844 - 14 mm	#641849 - 19 mm

- Chrome vanadium steel construction
 - 3/8 in. square drive
- Packaged on space-saving injection hanger

ANSI 



Open End Crowfoot Wrenches - SAE

#641809 - 3/8 in.	#641815 - 3/4 in.
#641810 - 7/16 in.	#641816 - 13/16 in.
#641811 - 1/2 in.	#641817 - 7/8 in.
#641812 - 9/16 in.	#641818 - 15/16 in.
#641813 - 5/8 in.	#641819 - 1 in.
#641814 - 11/16 in.	

- Chrome vanadium steel construction
 - 3/8 in. square drive
- Packaged on space-saving injection hanger

ANSI 



Open End Crowfoot Wrenches - Metric

#641820 - 10 mm	#641825 - 15 mm
#641821 - 11 mm	#641826 - 16 mm
#641822 - 12 mm	#641827 - 17 mm
#641823 - 13 mm	#641828 - 18 mm
#641824 - 14 mm	#641829 - 19 mm

- Chrome vanadium steel construction
 - 3/8 in. square drive
- Packaged on space-saving injection hanger

ANSI 



#640079 - 5 Pc. SAE Combination Wrench Set

- Heat-treated chrome plated carbon steel
- Contents:
- 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.
- Packaged on hangable plastic holder



ANSI



#640078 - 6 Pc. SAE Combination Wrench Set

- Heat-treated chrome plated carbon steel
- Contents:
- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.
- Packaged on hangable plastic holder



ANSI



#640377 - 11 Pc. SAE Combination Wrench Set

- Heat-treated chrome plated carbon steel
- Contents:
- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in.,
11/16 in., 3/4 in., 13/16 in., 7/8 in.
- Packaged on hangable plastic holder



ANSI

Wrench Sets

#640080 - 7 Pc. Metric Combination Wrench Set

- Contents:
- 13, 14, 15, 16, 17, 18, 19 mm
- Packaged on hangable plastic holder



ANSI



#640077 - 7 Pc. Metric Combination Wrench Set

- Contents:
- 6, 7, 8, 9, 10, 11, 12 mm
- Packaged on hangable plastic holder



ANSI



#640378 - 11 Pc. Metric Combination Wrench Set

- Contents:
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19 mm
- Packaged on hangable plastic holder



ANSI



#940466 - 10 Pc. SAE Mirror Polish Combination Wrench Set

- Contents:
- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in.,
11/16 in., 3/4 in., 13/16 in.
- Storage pouch included
- Color box packaging



ANSI



#940468 - 16 Pc. SAE Mirror Polish Combination Wrench Set

- Contents:
- 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in.,
11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in.,
1-1/16 in., 1-1/8 in., 1-1/4 in.
- Storage pouch included
- Color box packaging



ANSI



#940467 - 10 Pc. Metric Mirror Polish Combination Wrench Set

- Contents:
- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Storage pouch included
- Color box packaging



ANSI



#940469 - 16 Pc. Metric Mirror Polish Combination Wrench Set

- Contents:
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm
- Storage pouch included
- Color box packaging



ANSI



Wrench Sets



#640436 - 7 Pc. SAE Long Pattern Combination Wrench Set

Contents:
 - 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
 - Packaged on hangable plastic holder



ANSI



#640437 - 7 Pc. Metric Long Pattern Combination Wrench Set

Contents:
 - 10, 11, 12, 13, 14, 15, 17 mm
 - Packaged on hangable plastic holder



ANSI



#640203 - 7 Pc. SAE Stubby Combination Wrench Set

Contents:
 - 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
 - Packaged on hangable plastic holder



ANSI



#640204 - 7 Pc. Metric Stubby Combination Wrench Set

Contents:
 - 10, 12, 13, 14, 15, 17, 18 mm
 - Packaged on hangable plastic holder



ANSI



#640990 - 7 Pc. SAE Ratcheting Combination Wrench Set

Contents:
 - 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
 - Packaged on hangable plastic holder

ANSI



#640991 - 7 Pc. Metric Ratcheting Combination Wrench Set

Contents:
 - 8, 10, 12, 13, 14, 15, 19 mm
 - Packaged on hangable plastic holder

ANSI



#941207 - 7 Pc. SAE Reversible Ratcheting Combination Wrench Set

- Reversible ratchet permits direction changes without removing wrench from fastener

Contents:
 - 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
 - Packaged on hangable plastic holder

ANSI



Wrench Sets

#941206 - 7 Pc. Metric Reversible Ratcheting Combination Wrench Set

- Reversible ratchet permits direction changes without removing wrench from fastener

Contents:

- 8, 10, 12, 13, 14, 15, 18mm
- Packaged on hangable plastic holder



ANSI



#941067 - 7 Pc. SAE Flex Head Ratcheting Combination Wrench Set

- Box end flexes up to 90 degrees in either direction for added reach

Contents:

- 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
- Packaged on hangable plastic holder



ANSI



#941068 - 7 Pc. Metric Flex Head Ratcheting Combination Wrench Set

- Box end flexes up to 90 degrees in either direction for added reach

Contents:

- 8, 10, 12, 13, 14, 15, 19mm
- Packaged on hangable plastic holder



ANSI



#941063 - 7 Pc. SAE Universal Combination Wrench Set

- Splined box end fits virtually any style bolt head, including damaged heads

Contents:

- 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 1/16 in.
- Packaged on hangable plastic holder

ANSI



#941062 - 7 Pc. Metric Universal Combination Wrench Set

- Splined box end fits virtually any style bolt head, including damaged heads

Contents:

- 10, 11, 12, 13, 14, 15, 17mm
- Packaged on hangable plastic holder

ANSI



#640532 - 7 Pc. SAE Stubby Ratcheting Combination Wrench Set

Contents:

- 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.
- Packaged on hangable plastic holder



ANSI



#640533 - 7 Pc. Metric Stubby Ratcheting Combination Wrench Set

Contents:

- 10, 12, 13, 14, 15, 16, 18 mm
- Packaged on hangable plastic holder



ANSI



Wrench Sets



#640992 - 3 Pc. SAE Ratcheting Box Wrench

- Color-coded for easy size identification
- Contents:
 - 3/8 in. x 7/16 in., 1/2 in. x 9/16 in., 5/8 in. x 3/4 in.
- Double blister package

ANSI



#640993 - 3 Pc. Metric Ratcheting Box Wrench

- Color-coded for easy size identification
- Contents:
 - 8 x 10 mm, 12 x 14 mm, 14 x 17 mm
- Double blister package

ANSI



#644505 - 5 Pc. SAE Box Wrench Set

- Contents:
 - 1/4 in. x 5/16 in., 3/8 in. x 7/16 in., 1/2 in. x 9/16 in., 5/8 in. x 11/16 in., 3/4 in. x 7/8 in.
- Packaged on hangable plastic holder



ANSI



#644506 - 5 Pc. Metric Box Wrench Set

- Contents:
 - 8 x 9 mm, 10 x 11 mm, 13 x 14 mm, 15 x 17 mm, 18 x 19 mm
- Packaged on hangable plastic holder



ANSI



#640185 - 4 Pc. SAE Flare Nut Wrench Set

- Contents:
 - 3/8 in. x 7/16 in., 1/2 in. x 9/16 in., 5/8 in. x 11/16 in., 3/4 in. x 7/8 in.
- Packaged on hangable plastic holder



ANSI



#640186 - 4 Pc. Metric Flare Nut Wrench Set

- Contents:
 - 9 x 10 mm, 11 x 12 mm, 13 x 14 mm, 15 x 17 mm
- Packaged on hangable plastic holder



ANSI



#940201 - 10 Pc. SAE T-Handle Hex Key Set

- Contents:
 - 3/32 in., 7/64 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.
- Metal storage rack
- Color box packaging



ANSI



Wrench Sets

#940202 - 10 Pc. Metric T-Handle Hex Key Set

- Contents:
- 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 8, 10 mm
 - Metal storage rack
 - Color box packaging



#940200 - 10 Pc. T-Handle Torx® Wrench Set

- Contents:
- T-9, T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50
 - Metal storage rack
 - Color box packaging



#640081 - 9 Pc. SAE Ball End Hex Key Wrench Set

- Contents:
- 1/16 in., 5/64 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in., 5/16 in., 3/8 in.
 - Hex key holder
 - Double blister package



#640082 - 9 Pc. Metric Ball End Hex Key Wrench Set

- Contents:
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
 - Hex key holder
 - Double blister package



#941203 - 9 Pc. Torx® Key Set

- Contents:
- T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50
 - Wrench holder
 - Double blister package



#941069 - 9 Pc. Metric Short Arm Hex Key Set

- Contents:
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
 - Hex key holder
 - Double blister package



#941070 - 9 Pc. SAE Short Arm Hex Key Set

- Contents:
- 1/16 in., 5/64 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in., 5/16 in., 3/8 in.
 - Hex key holder
 - Double blister package



Wrench Sets



#941071 - 9 Pc. Tamper-Proof Torx® Key Set

Contents:

- T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50
- Wrench holder
- Double blister package



ANSI



#941075 - 25 Pc. SAE & Metric Hex Key Set

Contents:

- SAE: 1/16 in., 5/64 in., 3/32 in., 7/64 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.
- Metric: 1.27, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10mm
- Wrench holder
- Double blister package



ANSI



#940953 - 8 Pc. SAE Folding Ball End Hex Key Wrench Set

• Ships ready to display in 8 pc. countertop unit

Contents:

- 1/16 in., 5/64 in., 3/32 in., 7/64 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in., 1/4 in.



ANSI



- Also Available In Open Stock - #940784



#940949 - 8 Pc. Metric Ball End Hex Key Wrench Set

• Ships ready to display in 8 pc. countertop unit

Contents:

- 1.5, 2, 2.5, 3, 4, 5, 6, 8 mm



ANSI



- Also Available In Open Stock - #940785



#940954 - 10 Pc. Folding Torx® Wrench Set

• Ships ready to display in 8 pc. countertop unit

Contents:

- T-6, T-7, T-8, T-9, T-10, T-15, T-20, T-25, T-27, T-30



ANSI

- Also Available In Open Stock - #940786

Pliers:

All Powerbuilt pliers meet ANSI standard. They offer construction, specifications and cutting force comparable to the very best pliers on the market. Powerbuilt pliers also feature a double dip cushion handle for a surer, more comfortable grip. Powerbuilt locking pliers are constructed with chromoly steel jaws for distortion-free performance.

Product Features:

- Built to meet or exceed ANSI specifications
- Carbon steel, chrome vanadium, chrome nickel and chromoly steel construction
- Hardened cutting edges on cutting pliers

Packaging Features:

- Space saving packaging for increase GMROI

Space-Saving Packaging



Chrome vanadium steel construction



Dual density TPR ergonomic grips



Mini Pliers



#640409 - 5 In. Mini Long Nose Pliers

- Drop-forged carbon steel construction
 - Dual density TPR ergonomic grips
 - Cutting pliers feature hardened cutting edges
- Packaged on space-saving injection hanger

ANSI



#640410 - 6 In. Mini Needle Nose Pliers

- Drop-forged carbon steel construction
 - Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI



#640411 - 5 In. Mini Bent Nose Pliers

- Drop-forged carbon steel construction
 - Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI



#640412 - 4 In. Mini Diagonal Pliers

- Drop-forged carbon steel construction
 - Dual density TPR ergonomic grips
 - Cutting pliers feature hardened cutting edges
- Packaged on space-saving injection hanger

ANSI



#640413 - 4-1/2 In. Mini Linesman Pliers

- Drop-forged carbon steel construction
 - Dual density TPR ergonomic grips
 - Cutting pliers feature hardened cutting edges
- Packaged on space-saving injection hanger

ANSI



#640947 - 6 Pc. Mini Pliers Set

- Drop-forged carbon steel construction
- Dual density TPR ergonomic grips
- Cutting pliers feature hardened cutting edges

Contents:

- 5 in. long nose pliers
- 5 in. bent nose pliers
- 4-1/2 in. diagonal pliers
- 4-3/4 in. flat nose pliers
- 6 in. needle nose pliers
- 4-1/2 in. end nippers

- Double blister package

ANSI

#640394 - 6 In. Slip Joint Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI 



#640395 - 8 In. Slip Joint Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI 



#640386 - 6 In. Diagonal Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Hardened cutting edges
- Packaged on space-saving injection hanger

ANSI 



#640387 - 7 In. Diagonal Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Hardened cutting edges
- Packaged on space-saving injection hanger

ANSI 



#640388 - 8 In. Groove Joint Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI 



#640389 - 10 In. Groove Joint Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI 



#640390 - 12 In. Groove Joint Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI 



#641395 - 16 In. Groove Joint Pliers

- Drop-forged carbon steel construction
- Double-dipped grips
- Double blister package

ANSI



Long Nose/Linesman/Locking



#640392 - 6 In. Long Nose Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Hardened cutting edges
- Packaged on space-saving injection hanger

ANSI **CR·V**



#640393 - 8 In. Long Nose Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Hardened cutting edges
- Packaged on space-saving injection hanger

ANSI **CR·V**



#640391 - 7 In. Linesman Pliers

- Drop-forged chrome vanadium steel construction
- Dual density TPR ergonomic grips
- Hardened cutting edges
- Packaged on space-saving injection hanger

ANSI **CR·V**



#645014 - 5 In. Locking Pliers

- Drop-forged chromoly steel jaws
- Dual density TPR ergonomic grips
- High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI **CR·MO**



#646539 - 7 In. Locking Pliers

- Drop-forged chromoly steel jaws
- Dual density TPR ergonomic grips
- High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI **CR·MO**



#646540 - 10 In. Locking Pliers

- Drop-forged chromoly steel jaws
- Dual density TPR ergonomic grips
- High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI **CR·MO**



#645015 - 10 In. Long Nose Locking Pliers

- Drop-forged chromoly steel jaws
- Dual density TPR ergonomic grips
- High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI **CR·MO**

#645016 - 10 In. Pivot Jaw Locking Pliers

- Drop-forged chromoly steel jaws
 - Dual density TPR ergonomic grips
 - High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI **CR·MO**



#646541 - 9 In. Long Nose Locking Pliers

- Drop-forged chromoly steel jaws
 - Dual density TPR ergonomic grips
 - High leverage pivot location for powerful grip
- Packaged on space-saving injection hanger

ANSI **CR·MO**



#640860 - 11 In. Long Reach Long Nose Pliers

- Drop-forged chrome vanadium steel construction
 - Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI **CR·V**



#640862 - 11 In. Long Reach Bent Nose Pliers

- Drop-forged chrome vanadium steel construction
 - Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI **CR·V**



#640863 - 11 In. Long Reach Hose Clamp Pliers

- Drop-forged chrome vanadium steel construction
 - Dual density TPR ergonomic grips
- Packaged on space-saving injection hanger

ANSI **CR·V**



Space-Saving Packaging



Drivers:

Powerbuilt screwdrivers offer an oversized Maxi-Grip handle that offers better torque and an easier grip. All screwdriver blades are chrome vanadium, and screwdriver tips are sandblasted for an extra grip on fasteners. Finally, Powerbuilt screwdriver tips are magnetized for faster, more convenient performance.

Product Features:

- Built to meet or exceed ANSI specifications
- Chrome vanadium steel construction



Packaging Features:


- Space saving packaging for increase GMROI

Torx® is a Registered Trademark of TEXTRON INC., Bits are not Torx® brand products.

Sand-blasted and magnetized tip for better fastener grip

Premium chrome vanadium shaft

Oversized Maxi-Grip handle for higher torque and added comfort



#646007 - 1/8 In. X 3 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646009 - 3/16 In. X 3 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646010 - 3/16 In. X 6 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646011 - 1/4 In. X 1-1/2 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646012 - 1/4 In. X 4 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646013 - 1/4 In. X 6 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646014 - 5/16 In. X 6 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#940345 - 5/16 In. X 8 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



Maxi-Grip Slotted/Phillips



#646015 - 3/8 In. X 8 In. Slotted Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

ANSI



#646000 - #0 X 3 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

ANSI



#646002 - #1 X 3 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

ANSI



#940551 - #1 X 6 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

ANSI



#646003 - #2 X 1-1/2 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

ANSI



#646004 - #2 X 4 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

ANSI



#646005 - #2 X 6 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

ANSI



#646006 - #3 X 6 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger

ANSI



Maxi-Grip Phillips/Torx®

#646038 - #3 X 8 In. Phillips Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646016 - T-10 X 3 In. Torx® Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646017 - T-15 X 4 In. Torx® Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646018 - T-20 X 4 In. Torx® Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646019 - T-25 X 4 In. Torx® Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646020 - T-27 X 4 In. Torx® Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646021 - T-30 X 4 In. Torx® Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



#646022 - T-40 X 4 In. Torx® Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Packaged on space-saving injection hanger



Maxi-Grip Robertson



#646050 - S-0 X 1-1/2 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



#646052 - S-0 X 3 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



#646051 - S-1 X 1-1/2 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



#646053 - S-1 X 4 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



#646054 - S-2 X 4 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



#646055 - S-3 X 4 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



#646056 - S-2 X 8 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



#646057 - S-3 X 8 In. Robertson Screwdriver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
- Packaged on space-saving injection hanger



#940326 - 1/4 In. SAE Nut Driver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - 3 in. hollow chrome vanadium shafts
- Packaged on space-saving injection hanger



#940327 - 5/16 In. SAE Nut Driver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - 3 in. hollow chrome vanadium shafts
- Packaged on space-saving injection hanger



#940329 - 3/8 In. SAE Nut Driver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - 3 in. hollow chrome vanadium shafts
- Packaged on space-saving injection hanger



#940330 - 7/16 In. SAE Nut Driver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - 3 in. hollow chrome vanadium shafts
- Packaged on space-saving injection hanger



#940340 - 10mm Nut Driver

- Oversized Maxi-Grip handle for higher torque and added comfort
 - 3 in. hollow chrome vanadium shafts
- Packaged on space-saving injection hanger



#646048 - 2 Pc. Pocket Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Premium chrome vanadium shaft
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:

- Slotted: 1/8 in. x 2-1/2 in.
- Phillips: #0 x 2-1/2 in.

- Double blister package



#940760 - 2 Pc. Screw Starter Screwdriver Set

- Spring loaded screw holder helps start screw
- Chrome vanadium shafts

Contents:

- Slotted: 1/4 in.
- Phillips: #2

- Double blister package



Driver Sets



#646047 - 2 Pc. Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- Slotted: 1/4 in. x 4 in.
 - Phillips: #4 x 4 in.
- Double blister package

ANSI



#646500 - 5 Pc. Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- Slotted: 1/4 in. x 4 in., 3/16 in. x 3 in., 1/4 in. x 6 in.
 - Phillips: #1 x 3 in., #2 x 4 in.
- Double blister package

ANSI



#646046 - 5 Pc. Torx® Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- T-15 x 3 in., T-20 x 3 in., T-25 x 4 in., T-27 x 4 in., T-30 x 5 in.
- Double blister package

ANSI



#646049 - 5 Pc. Robertson Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- S-0 x 3 in., S-1 x 3 in., S-2 x 1-1/2 in., S-2 x 3 in., S-3 x 6 in.
- Double blister package

ANSI



#646522 - 5 Pc. SAE Stubby Nut Driver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in.
- Double blister package

ANSI



#646523 - 5 Pc. Metric Stubby Nut Driver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- 6, 8, 9, 10, 12mm
- Double blister package

ANSI



#646045 - 7 Pc. Nut Driver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
 - Sand-blasted and magnetized tip for better fastener grip
- Contents:
- SAE: 1/4 in., 3/8 in., 7/16 in., 1/2 in.
 - Metric: 8, 10, 12mm
- Double blister package

ANSI



Driver Sets/Bit Driver Sets

#646043 - 6 Pc. Screwdriver Set

- Comfortable double-injection handles
- Premium chrome vanadium shaft

Contents:

- Slotted: 3/16 in. X 4 in., 1/4 in. X 4 in., 5/16 in. X 6 in.
- Phillips: #1 X 3 in., #2 X 4 in., #2 X 6 in.

- Double blister package



ANSI



#940750 - 2 Pc. Torx® Screwdriver Set

- Oversized Maxi-Grip handle for higher torque and added comfort
- Sand-blasted and magnetized tip for better fastener grip

Contents:

- T-15 x 4 in., T-20 x 4 in.

- Double blister package



ANSI



#646041 - 7 Pc. SAE Nut Driver Set

- Comfortable double-injection handles

Contents:

- 3/16 in., 1/4 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in.

- Double blister package



ANSI



#646042 - 7 Pc. Metric Nut Driver Set

- Comfortable double-injection handles

Contents:

- 6, 7, 8, 9, 10, 11, 12 mm

- Double blister package



ANSI



#646026 - 6-In-1 Bit Driver

- Comfortable matte finish plastic handle
- Sand-blasted and magnetized tip for better fastener grip
- Ships ready to display in 12 pc. countertop unit

Contents:

- Double-ended bits:
 Slotted: 3/16 in., 1/4 in. Phillips: #1, #2
 Hex: 1/4 in., 5/16 in.



ANSI



#941162 - 9-In-1 Screwdriver

- Comfortable double injected handle
- Ships ready to display in 12 pc. countertop unit

Contents:

- Double-ended bits:
 Slotted 3/16 in. x Phillips #1, Slotted 1/4 in. x Phillips #2,
 Phillips #2 x Square #2
- Nut Drivers: 3/16 in., 1/4 in., 5/16 in.



ANSI



Precision Bit Driver on Back of Handle

#941171 - 9-In-1 Torx® Screwdriver

- Comfortable double injected handle
- Ships ready to display in 12 pc. countertop unit

Contents:

- Double-ended bits:
 T-10 x T-15, T-20 X T-25, T-27 X T-30
- Nut Drivers: 3/16 in., 1/4 in., 5/16 in.



ANSI



Precision Bit Driver on Back of Handle

Driver Sets/Bit Driver Sets



#646528 - 7 Pc. Bit Driver Set

- Oversized Maxi-Grip handle
- Hollow aluminum shaft with telescoping magnetic pick-up tool

Contents:

- Chrome vanadium bits:
Slotted: 3/16 in., 1/4 in.
Phillips: #1, #2
Torx®: T-15, T-20

- Packaged on space-saving injection hanger



ANSI



#646040 - 7 Pc. Electrician's Bit Driver Set

- Insulated driver handle

Contents:

- Chrome vanadium bits:
Slotted: 1/8 in., 3/16 in., 1/4 in.
Phillips: #0, #1, #2

- Double blister package



ANSI



#646516 - 24 Pc. Ratchet Driver & Bit Set

- Gearless Ratcheting Bit Driver rated to 320 inch/pounds
- Reusable storage tray
- 1/4" Dr. Socket Adapter

Contents:

- Chrome vanadium bits:
Slotted: 1/8 in., 5/32 in., 3/16 in., 1/4 in., 9/32 in.
Phillips: #1, #2, #3,
Torx®: T-10, T-15, T-20, T-25, T-30, T-40
Hex: 5/32 in., 3/16 in., 7/32 in., 1/4 in.
Square: #0, #1, #2, #3

- Double blister package



ANSI



#648002 - 1/2 In. Dr. Impact Driver Kit

Contents:

- Chrome vanadium bits:
Slotted Bits: 3/16 in. & 1/4 in.
Phillips Bits: #1 & #2
- Storage Pouch



ANSI



#640949 - 8 Pc. Screwdriver Set

Contents:

- Offset screwdrivers:
#1 x 3/16 in., #2 x 1/4 in., #3 x 5/16 in.
- Precision screwdrivers:
1.0, 1.4, 1.8, 2.0mm
- 4-way keychain driver

- Double blister package



ANSI



#646507 - 6 Pc. Precision Screwdriver Set

- Swivel end handles
- Plastic carry case

Contents:

- Premium chromoly shaft:
Slotted 1.4, 1.8, 2.4mm
Phillips #00, #0, #1

- Packaged in hangable storage case



ANSI



#940506 - 30-in-1 Precision Screwdriver Set

- Integrated flex shaft extends 2-1/4 in. for use in tight spaces
- Built-in bit storage in handle

Contents:

- Premium chromoly bits:
 Slotted: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
 Phillips: #000, #0, #1
 Torx®: T-4, T-5, T-6, T-7, T-8, T-9, T-10, T-15, T-20
 Hex: 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
 Pozi: #0, #1



- Double blister package




#646501 - 10 Pc. Tamper-Proof Torx® Bit Set

- Premium chromoly steel bits

Contents:

- Tamper resistant star bits:
 T-10, T-15, T-20, T-25, T-27, T-30
- Robertson bits:
 S-0, S-1, S-2, S-3



- Double blister package



#646506 - 10 Pc. Bit Set

- Chrome vanadium bits

Contents:

- Slotted: 1/8 in., 3/16 in., 1/4 in., 9/32 in.
- Phillips: #0, #1, #2 - Torx®: T-10, T-15, T-20

- Double blister package



#941127 - 13 Pc. Metric Hex Bit Set

- Storage tray with magnetic base

Contents:

- Premium chromoly bits:
 1.5, 2, 2.5, 3, 4, 5, 5.5, 7, 8, 10mm hex bits
- Chrome vanadium adapters:
 1/4 in. drive bit adapter
 3/8 in. drive bit adapter



- Double blister package



#941128 - 13 Pc. SAE Hex Bit Set

- Storage tray with magnetic base

Contents:

- Premium chromoly bits:
 1/16 in., 3/32 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in.,
 7/32 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in. hex bits
- Chrome vanadium adapters:
 1/4 in. drive bit adapter
 3/8 in. drive bit adapter



- Double blister package



#941129 - 13 Pc. Tamper Proof Torx® Bit Set

- Storage tray with magnetic base

Contents:

- Premium chromoly bits:
 T-8, T-10, T-15, T-20, T-25, T-27, T-30,
 T-40, T0-45, T-50, T-55 bits
- Chrome vanadium adapters:
 1/4 in. drive bit adapter
 3/8 in. drive bit adapter



- Double blister package



#941130 - 13 Pc. Tamper Proof 5 Lobe Torx® Bit Set

- Storage tray with magnetic base

Contents:

- Premium chromoly bits:
 T-8, T-10, T-15, T-20, T-25, T-27, T-30,
 T-40, T0-45, T-50, T-55 bits
- Chrome vanadium adapters:
 1/4 in. drive bit adapter
 3/8 in. drive bit adapter



- Double blister package



Striking Tools



#648329 - 16 Oz. Ball Peen Hammer

- Heat-treated hardened steel head
- Tough, shock-absorbing fiberglass handle

ANSI



#648330 - 24 Oz. Ball Peen Hammer

- Heat-treated hardened steel head
- Tough, shock-absorbing fiberglass handle

ANSI



#648331 - 32 Oz. Ball Peen Hammer

- Heat-treated hardened steel head
- Tough, shock-absorbing fiberglass handle

ANSI



#640948 - 16 Oz. Claw Hammer

- Heat-treated hardened steel head
- Tough, shock-absorbing fiberglass handle

ANSI



#648335 - 16 Oz. Soft Face Mallet

- Non-marring soft face for working on delicate and soft materials
- Strong tubular steel handle

ANSI



#648336 - 16 Oz. White Rubber Mallet

- For striking a variety of surfaces and materials without damage
- Strong tubular steel handle

ANSI



#648334 - 24 Oz. Dead Blow Hammer

- Durable fiberglass head and handle
- Comfortable rubber grip

ANSI

Striking/Cutting Tools

#940513 - 32 Oz. Dead Blow Hammer

- Durable fiberglass head and handle
- Comfortable rubber grip

ANSI



#648332 - 2.5 Lb Hand Drilling Hammer

- Heat-treated hardened steel head
- Tough, shock-absorbing fiberglass handle

ANSI



#640959 - 2 Pc. Multi-Purpose Shears Set

- Includes 7-1/2" shears and 6-1/2" cable cutters
 - Comfortable soft-grip handles and stainless steel blades
 - Jaws lock in closed position for safety
 - Ships ready to display in 6 pc. countertop unit
- Double blister package



#940484 - 6-1/2 In. Cable Cutters

- Comfortable soft-grip handles and stainless steel blades
- Jaws lock in closed position for safety
- Ships ready to display in 8 pc. countertop unit



#648001 - Heavy Duty Hacksaw

- Square aluminum frame with wrinkle finish handles
- Easy blade change and tension adjustment
- Blade can be set at 45 or 90 degree angle
- Includes one high carbon steel blade



Lift Equipment



Lift Equipment:

Powerbuilt lift equipment is built to provide your customers with years of performance and satisfaction. All lift products meet or exceed ANSI standards, and most are packaged in high-impact color packaging with clear feature call-outs.

Product Features:

- Built to meet or exceed ANSI specifications
- Built to provide years of service

Packaging Features:

- High-impact color packaging

Cranes / Stands



Service Equipment



Bottle Jacks

#640405 - 2 Ton Bottle Jack

- Lift range: 6-3/16 in. to 12-1/16 in.
- Heavy duty oversize cast iron base
- Pin style release valve for easy operation
- Forged steel saddle and cast handle socket for added strength and durability
- *Dynamic color box packaging*



ASME PALD

#640905 - 4 Ton Bottle Jack

- Lift range: 6-3/4 in. to 12-15/16 in.
- Heavy duty oversize cast iron base
- Pin style release valve for easy operation
- Forged steel saddle and cast handle socket for added strength and durability
- *Dynamic color box packaging*



ASME PALD

#640911 - 6 Ton Bottle Jack

#640407 - 6 Ton Bottle Jack with Case

- Lift range: 7-7/8 in. to 15-1/2 in.
- Heavy duty oversize cast iron base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- *Dynamic color box packaging*



ASME PALD

#647527 - 8 Ton Bottle Jack

- Lift range: 7-1/2 in. to 15-1/2 in.
- Heavy duty oversize cast iron base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- *Dynamic color box packaging*



ASME PALD

#647501 - 12 Ton Bottle Jack

- Lift range: 8-5/8 in. to 16-1/4 in.
- Heavy duty oversize cast iron base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- *Dynamic color box packaging*



ASME PALD

#647503 - 20 Ton Bottle Jack

- Lift range: 9-11/16 in. to 17-5/8 in.
- Swivel carry handle for easier transportation

#647504 - 20 Ton 'Shorty' Bottle Jack

- Lift range: 7-7/8 in. to 14-1/8 in.
- Welded carry handle for easier transportation
- *Both 20 Ton Bottle Jacks:*
- Heavy duty oversize cast iron base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- *Dynamic color box packaging*



ASME PALD

#647505 - 30 Ton Bottle Jack

- Lift range: 11-1/4 in. to 18-5/16 in.
- Heavy duty oversize cast iron base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- Swivel carry handle for easier transportation
- *Dynamic color box packaging*



ASME PALD

#647506 - 50 Ton Bottle Jack

- Lift range: 11-13/16 in. to 18-7/8 in.
- Heavy duty oversize steel base
- Forged steel saddle and cast handle socket for added strength and durability
- Pin style release valve for easy operation
- Extension screw provides added lift height
- Swivel carry handle for easier transportation
- *Dynamic color box packaging*



ASME PALD

Floor Jacks

**#640181 - 2 Ton Trolley Jack**

- Lifting range: 5-5/16 in. to 13 in.
 - Lightweight design with heavy duty performance
 - 360 degree swivel casters for easy positioning
 - Safety release valve prevents overloading
- Dynamic color box packaging

ASME PALD**#640808 - 2-1/2 Ton Trolley Jack**

- Lifting range: 5-1/2 in. to 15-1/2 in.
 - Lightweight design with heavy duty performance
 - 360 degree swivel casters for easy positioning
 - Safety release valve prevents overloading
- Dynamic color box packaging

ASME PALD**#640910 - 2-1/2 Ton SUV Trolley Jack**

- Lifting range: 5-7/8 in. to 21 in.
 - Extended lift range for use on trucks and SUVs
 - 360 degree swivel casters for easy positioning
 - Safety release valve prevents overloading
- Dynamic color box packaging

ASME PALD**#640906 - 3 Ton Trolley Jack**

- Lifting range: 5 in. to 16 in.
 - Lightweight design with heavy duty performance
 - 360 degree swivel casters for easy positioning
 - Safety release valve prevents overloading
- Dynamic color box packaging

ASME PALD**#640398 - 2-1/2 Ton Floor Jack**

- Lifting range: 4-3/4 in. to 19 in.
 - Heavy duty flanged frame with added width and length for superior stability and strength
 - Durable gear-drive release valve
 - Heavy duty 360 degree rear swivel casters and 40 in. knurled handle for easy positioning
- Dynamic color box packaging

ASME PALD

Floor Jacks

#647593 - 3 Ton Floor Jack

- Lifting range: 4-3/4 in. to 19 in.
- Heavy duty flanged frame with added width and length for superior stability and strength
- Durable gear-drive release valve
- Heavy duty 360 degree rear swivel casters and 40 in. knurled handle for easy positioning

- Dynamic color box packaging

ASME PALD



#647530 - 3-1/2 Ton Professional Floor Jack

- Lifting range: 4-1/2 in. to 20-1/2 in.
- Proven performance and durability in professional shop settings
- Patented saddle positioning mirror on arm for ease of placement under frame
- Universal joint release valve for smooth easy operation at any handle angle
- 48 in. long handle for added reach

- Dynamic color box packaging

ASME PALD



#640818 - 2 Ton Low Profile Floor Jack

- Lifting range: 3-9/16 in. to 21-1/4 in.
- Works on a wide range of vehicle types
- Low profile racing style front roller
- Heavy duty flanged steel frame

- Dynamic color box packaging

ASME PALD



#647580 - 3 Ton Low Profile Floor Jack

- Lifting range: 4 in. to 21-1/4 in.
- Works on a wide range of vehicle types
- Low profile racing style front roller
- Heavy duty flanged steel frame

- Dynamic color box packaging

ASME PALD



#940182 - 2 Ton Locking Safety Jack

- Lifting range: 5-5/16 in. to 13 in.
- Lift arm automatically locks at intervals as it is raised
- Eliminates need for jackstands
- Easy foot pedal load release

- Dynamic color box packaging

ASME PALD





#940008 - 3 Ton Locking Safety Jack

- Lifting range: 5-1/8 in. to 19-3/8 in.
- Lift arm automatically locks at intervals as it is raised
- Eliminates need for jackstands
- Easy foot pedal load release
- Heavy duty flanged steel frame
- *Dynamic color box packaging*

**LIFT ARM SELF-LOCKS
IN 4 POSITIONS**
19 In., 17.5 In., 15 In. 12 In.

ASME PALD



#640971- 2.5 Ton Spider Jack™

- Lifting range: 5-1/2 in. to 15-1/2 in.
- Patented design features four swivel casters for easy maneuvering in any direction
- Makes positioning the jack under a vehicle easier, quicker and more accurate
- *Dynamic color box packaging*

ASME PALD



Easy To Move In Any Direction!



#620422 - 2 Ton Triple Lift™ Floor Jack

- Lifting range: 5-1/4 in. to 17-3/4 in.
- Patented design lifts cars, trucks, motorcycles, ATVs and more
- Safe for lifting and holding unibody vehicles
- Locking design eliminates need for jackstands
- Ultra-wide chassis provides added stability
- Replaces floor jacks, ATV jacks, transmission jacks
- *Dynamic color box packaging*

ASME PALD

THE JACK FOR ALL:



#620470 - 4000 Lb. UNI-JACK™ for Sedans

- Lifting range: 8-3/4 in. to 17-7/8 in.
- New lift arm design allows for lower starting point and provides a flat lifting surface (directly above piston)
- Safe for lifting and holding unibody sedans
- Wide base for added stability
- Safety lock to hold position
- *Dynamic color box packaging*

#620471 - 6000 Lb. UNI-JACK™ for Trucks/SUVs

- Lifting range: 11 in. to 21 in.
- New lift arm design allows for lower starting point and provides a flat lifting surface (directly above piston)
- Safe for lifting and holding full size unibody trucks/SUVs
- Three height adjustments for high lift trucks
- Extra wide base for added stability
- Safety lock to hold position
- *Dynamic color box packaging*

ASME PALD

Safe for Unibody Vehicles



#640912 - 3 Ton All-In One Truck Lift Jack

- Lifting range: 11 in. to 21 in.
- Perfect for SUVs, off-road vehicles, construction jobs, framing & floor joists
- Three height adjustments for high lift trucks
- Extra wide base for added stability
- Safety lock to hold position

- Dynamic color box packaging

ASME PALD

Safe for Unibody Vehicles



#641188 - 1-1/2 Ton Fast Lift® Aluminum Racing Jack

- Lifting range: 3-1/2 in. to 14-1/2 in.
- Lightweight aluminum construction
- Low profile racing style front roller
- Fast Lift® design raises unloaded lift arm in 8 pumps

- Dynamic color box packaging

ASME PALD



#641189 - 2 Ton Fast Lift® Aluminum Racing Jack

- Lifting range: 3-1/2 in. to 18 in.
- Lightweight aluminum construction
- Low profile racing style front roller
- Fast Lift® design raises unloaded lift arm in 8 pumps

- Dynamic color box packaging

ASME PALD



#640816 - 6 Pc. Garage Service Combo Set

- Complete compact kit for tire changes and under-car repairs

Includes

- 2 ton floor jack with 5-3/8 in. to 13 in. lift range
- 2 ton jack stands with 10-3/8 in. to 16-3/8 in. lift range
- 36 in. folding creeper
- One pair wheel chocks

- Dynamic color box packaging

ASME PALD





#647520 - 1000 Lb. Transmission Floor Jack

- Lifting range: 8-1/2 in. to 20-1/2 in.
 - Micro-adjustable saddle angle
 - 360 degree rotating pump handle for convenient pumping
 - 360 degree swivel casters
 - Side frame parts tray
 - Safety chain included
- Packaged in box with color label

ASME PALD



#647521 - 1000 Lb. Transmission Stand Jack

- Lifting range: 50-3/8 in. to 68-7/8 in.
 - Micro-adjustable saddle angle
 - Stable four point base with 360 degree swivel casters
 - Safety chain included
- Packaged in box with color label

ASME PALD



#647587 - 3000 Lb. Maximum Lift Farm & RV Jack

- Lifting range: 5-1/4 in. to 39-3/4 in.
 - Heavy duty steel construction
 - 3,000 lb. capacity
- Packaged in box with color label

ASME PALD



#640753 - 1500 Lb. Motorcycle Jack

- Lifting range: 5-1/8 in. to 17 in.
 - Heavy duty rubber pads on platform
 - Safety bar locks platform at three selected heights
 - Swivel wheels for easy maneuvering
- Packaged in box with color label

ASME PALD

Easily Lifts: ATV's, Dirt Bikes, Street Bikes



#640819 - 3000 Lb. Scissors Jack

- Lifting range: 4 in. to 14 in.
 - Heavy duty steel frame and saddle
 - Oversize base for maximum support and stability
- Dynamic color box packaging

ASME PALD

Jack Stands

#640399 - 2 Ton Jack Stands

- Lift range: 10-3/8 in. to 16-3/8 in.
- Heavy duty stamped steel frame with fully welded seams
- Ductile iron ratchet bar with 10 height settings
- *Dynamic color box packaging*

ASME PALD



#640404 - 3 Ton High Lift Jack Stands

- Lift range: 13-5/8 in. to 21 in.
- Heavy duty stamped steel frame with fully welded seams
- Ductile iron ratchet bar with 10 height settings
- *Dynamic color box packaging*


ASME PALD



#647529 - 4 Ton Jack Stands

- Lift range: 13 in. to 20-1/4 in.
- Heavy duty stamped steel frames with fully welded seams
- 4 point wide stance for maximum stability
- Ratcheting ductile iron masts offer 10 height settings
- *Dynamic color box packaging*


ASME PALD



#647511 - 6 Ton Jack Stands

- Lift range: 15-1/2 in. to 23-1/2 in.
- Heavy duty stamped steel frames with fully welded seams
- 4 point wide stance for maximum stability
- Ratcheting ductile iron masts offer 10 height settings
- *Dynamic color box packaging*

ASME PALD



#647512 - 12 Ton Jack Stands

- Lift range: 20 in. to 30-3/16 in.
- Heavy duty stamped steel frames with fully welded seams
- 4 point wide stance for maximum stability
- Ratcheting ductile iron masts offer 10 height settings
- *Dynamic color box packaging*

ASME PALD





#940192 - 2 Ton Storable Shop Crane

- Lifting range: 6-5/16 in. to 22 in.
- Legs store next to mast for compact storage
- 8 ton capacity ram with overload protection
- Packaged in box with color label

ASME PALD



#640999 - 8 Ton Air Operated Replacement Ram

- Lifting range: 10-3/8 In. to 16-3/8 In.
- Operates using compressed air or manually
- Fits most 2 ton shop cranes
- Includes air hook-up hose with trigger
- Dynamic color box packaging

ASME PALD



#647519 - 8 Ton Replacement Ram

- Lifting range: 10-3/8 In. to 16-3/8 In.
- With pump handle and overload protection valve
- Fits most 2 ton shop cranes
- Dynamic color box packaging

ASME PALD



#640470 - Engine Leveler

- For use with engine cranes
- Balances or tilts engine/transmission for easier install/removal
- 4 point mounting system for maximum control
- Built-in swivel handle
- Dynamic color box packaging

ASME PALD

#647513 - 1000 Lb. Engine Stand

- "H" style heavy duty steel frame construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket
- Heavy duty ball bearing iron casters
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#647514 - 1250 Lb. Engine Stand

- Heavy duty tubular steel construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#641172 - 750 Lb. Engine Stands

- Heavy duty tubular steel construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket with multi-position lock for maximum rebuilding flexibility
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#641396 - 750 Lb. Folding Engine Stands

- Horizontal frame member folds for compact storage
- Heavy duty tubular steel construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket with multi-position lock for maximum rebuilding flexibility
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#641397 - 1000 Lb. Folding Engine Stands

- Horizontal frame member folds for compact storage
- Heavy duty tubular steel construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket with multi-position lock for maximum rebuilding flexibility
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#647397 - 1200 Lb. Folding Engine Stands

- Horizontal frame member folds for compact storage
- Heavy duty tubular steel construction
- 4-point universal mounting brackets fit most domestic/import engines
- 360 degree rotating engine bracket with multi-position lock for maximum rebuilding flexibility
- Front casters swivel 360 degrees for easy positioning

- Packaged in box with color label

ASME PALD



#647009 - Engine Cradle

- For storing and servicing engines
- Universal mounting holes
- Fits most car and light truck engines

- Packaged in box with color label

ASME PALD



Creepers



#620260 - 36 In. Plastic Creeper with Tool Set

- Molded tool tray
 - Molded for added comfort
 - Removable storage lid
 - 20 pc. tool set includes: Ratchet and 15 pc. sockets, adapter, spinner disc, filter wrench, and tire Gauge
- Dynamic color box packaging



#640940 - 36 In. Creeper

- Comfortable vinyl cushion
 - Four 2 in. swivel casters for easy maneuvering
- Dynamic color box packaging



#640751 - 40 In. Premium Creeper

- Heavy duty tubular steel frame and long lasting padded vinyl cushion
 - Six 2 in. swivel casters for easy maneuvering
- Dynamic color box packaging



#640752 - 42 In. Deluxe Creeper with Adjustable Headrest

- Six 2-1/2 in. casters for smooth operation on uneven surfaces and easy maneuvering
 - 3 position adjustable headrest for maximum comfort
 - Heavy duty tubular steel frame and long lasting padded vinyl cushion
- Dynamic color box packaging



#647582 - 42 In. Professional Creeper with Adjustable Headrest

- Six 3 in. ball bearing casters provide superior maneuverability
 - Reinforced tubular steel frame
 - Extra-dense padding with thick quilted vinyl cover for supreme comfort
- Dynamic color box packaging



#620343 - 36 In. Folding Creeper

- Four 2 in. swivel wheels for easy rolling
 - Folds in half for compact storage
- Dynamic color box packaging



#640981 - 42 In. 3-In-1 Creeper

- Converts into 3 different styles IN A SNAP!!!
 - Use as a laydown creeper, roller seat with tray, and a seat style creeper
 - Easy click & lock design
 - Six 2-1/2 in. swivel casters for easy maneuvering
- Dynamic color box packaging



#640834 - Professional Pneumatic Roller Seat

- Four heavy duty 2-1/2 in. swivel casters for easy maneuverability
 - Large storage tray under seats holds tools and small parts
 - Durable vinyl covered seat with foam padding for comfort
 - Easy hydraulic height adjustment
- Dynamic color box packaging



#641170 - Mechanic's Roller Seat

- Maximizes comfort for low, hard to reach jobs
 - Heavy duty tubular steel frame construction
 - Four 2 in. dia. wheels for smooth rolling and easy maneuvering
 - Convenient tool tray
- Dynamic color box packaging



Vehicle Service



#647596 - Truck Tire Service Step

- Perfect for loading roof racks, washing and waxing
 - No-slip step surface
 - 4 position adjustable step height
 - Fits any tire diameter up to 13 in. deep
 - Folds flat for compact storage
- Dynamic color box packaging



#647008 - 1000 Lb. Vehicle Dollies

- Needle bearing casters for easier maneuvering
 - Heavy-duty steel construction with low profile design
 - Sold in pairs
- Dynamic color box packaging



Lug Wrenches

4 Way Lug Wrenches - 14 In.

Chrome Plated Finish

#640876 - Metric: 17, 19, 21, 22mm

#640879 - SAE: 11/16 in., 3/4 in., 13/16 in., 7/8 in.

#940558 - Universal: 17mm x 11/16 in., 19mm x 3/4 in.,
 21mm x 13/16 in., 22mm x 7/8 in.

Black Painted Finish

#641388 - Universal: 17mm x 11/16 in., 19mm x 3/4 in.,
 21mm x 13/16 in., 22mm x 7/8 in.

Blue Painted Finish

#641389 - Universal: 17mm x 11/16 in., 19mm x 3/4 in.,
 21mm x 13/16 in., 22mm x 7/8 in.

- Heat-treated carbon steel



ANSI

4 Way Lug Wrenches - 16 In.

Black Painted Finish

#641252 - Universal: 17mm x 11/16 in., 19mm x 3/4 in.,
 21mm x 13/16 in., 22mm x 7/8 in.

Blue Painted Finish

#641254 - Universal: 17mm x 11/16 in., 19mm x 3/4 in.,
 21mm x 13/16 in., 22mm x 7/8 in.

- Heat-treated carbon steel



ANSI

4 Way Lug Wrenches - 20 In.


Chrome Plated Finish

#640874 - Metric: 17, 19, 21, 22mm

#640869 - SAE: 11/16 in., 3/4 in., 13/16 in., 7/8 in.

#940559 - Universal Silver: 17mm x 11/16 in.,
 19mm x 3/4 in., 21mm x 13/16 in., 22mm x 7/8 in.

- Heat-treated carbon steel



ANSI

Folding Lug Wrenches - 14 In.


Chrome Plated Finish

#640871 - SAE: 11/16 in., 3/4 in., 13/16 in., 7/8 in.

#640873 - Metric: 17, 19, 21, 22mm

#641250 - Universal Silver: 17mm x 11/16 in.,
 19mm x 3/4 in., 21mm x 13/16 in., 22mm x 7/8 in.

- Folds in half for compact storage
- Heat-treated carbon steel



ANSI



Folding Lug Wrenches - 20 In.

Chrome Plated Finish

#940663 - SAE: 11/16 in., 3/4 in., 13/16 in., 7/8 in.

#941055 - Metric: 17, 19, 21, 22mm

#941056 - Universal Silver: 17mm x 11/16 in.,
 19mm x 3/4 in., 21mm x 13/16 in., 22mm x 7/8 in.


- Folds in half for compact storage
- Heat-treated carbon steel



ANSI




Lug Wrenches



#940560 - 23 In. Universal HD 4-Way Lug Wrench

- Heat-treated carbon steel
- Chrome plated finish
- Universal Sizes: 7/8 in. & 22mm, 15/16 in. & 24mm, 1 in. & 25mm, 1-1/16 in. & 27mm
- Packaged on space-saving injection hanger


ANSI



#640870 - 25 In. SAE HD 4-Way Lug Wrench

- Heat-treated carbon steel
- Chrome plated finish
- SAE sizes: 7/8 in., 15/16 in., 1 in., 1-1/16 in.


ANSI



#640875 - 14 In. Universal Lug Wrench w/Spade Tip

- Heat-treated carbon steel
- Chrome plated finish
- Universal sizes: 3/4 in. & 19mm, 13/16 in. & 21mm, 7/8 in. & 23mm
- Packaged on space-saving injection hanger

ANSI



#640872 - 20 In. Universal Lug Wrench w/Spade Tip

- Heat-treated carbon steel
- Chrome plated finish
- Universal sizes: 3/4 in. & 19mm, 13/16 in. & 21mm, 7/8 in. & 23mm
- Packaged on space-saving injection hanger

ANSI



#641184 - L-Slider with 2 Pc. Universal Flip Socket

- Extends from 14 in. to 21 in. for added leverage
- Heat-treated carbon steel
- Storage pouch
- Universal sizes: 11/16 in. & 17mm, 3/4 in. & 19mm, 13/16 in. & 21mm, 7/8 in. & 22mm
- Double blister package

ANSI



#640776 - 23 In. Universal Folding Lug Wrench

- Folds in half for compact storage
- Heat-treated carbon steel
- Chrome plated finish
- Universal sizes: 7/8 in. & 22mm, 15/16 in. & 24mm, 1 in. & 25mm, 1-1/16 in. & 27mm
- Packaged on space-saving injection hanger

ANSI

Lug Wrenches

1/2 In. Dr. Lug Nut Impact Wheel Saver Sockets

SAE	Metric
#941042 - 3/4 in.	#941039 - 17 mm
#941043 - 13/16 in.	#941040 - 19 mm
#941044 - 7/8 in.	#941041 - 21 mm
#941103 - 1 in.	
#941104 - 1-1/16 in.	

- Packaged on space-saving injection hanger



#641266 - Lug Steel Display Rack

- Unique patented design displays 8 lug wrenches
- Can be used alone or in pairs
- Compatible with #641268



Shown with (2) #641266 and (1) #641268

#641268 - Lug Wrench Display Panel

- Unique patented panel pegboard display
- Flexible design for custom merchandising
- Compatible with #641266



Shown with (2) #641266 and (1) #641268



Merchandising:

Alltrade offers flexible merchandising solutions for a variety of retail settings. Tool board merchandisers offer focused, modular presentations of key product categories. Our full size planograms feature market-driven selections that meet the needs of do-it-yourselfers and professionals alike.



Tool Boards

#430945 - 1/4 In., 3/8 In., & 1/2 In. Drive Sockets & Drive Tools


Part#	Peg Qty.	Description	BAR 1
648270	2	1/4 in. Dr. 5/32 in. Standard 12 pt. Socket	
648271	2	1/4 in. Dr. 3/16 in. Standard 12 pt. Socket	
648272	2	1/4 in. Dr. 7/32 in. Standard 12 pt. Socket	
648273	2	1/4 in. Dr. 1/4 in. Standard 12 pt. Socket	
648274	2	1/4 in. Dr. 9/32 in. Standard 12 pt. Socket	
648275	2	1/4 in. Dr. 5/16 in. Standard 12 pt. Socket	
648276	2	1/4 in. Dr. 11/32 in. Standard 12 pt. Socket	
648277	2	1/4 in. Dr. 3/8 in. Standard 12 pt. Socket	
648278	2	1/4 in. Dr. 7/16 in. Standard 12 pt. Socket	
648279	2	1/4 in. Dr. 1/2 in. Standard 12 pt. Socket	
648280	2	1/4 in. Dr. 4mm Standard 12 pt. Socket	
648281	2	1/4 in. Dr. 5mm Standard 12 pt. Socket	
648283	2	1/4 in. Dr. 6mm Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 2
648284	2	1/4 in. Dr. 7mm Standard 12 pt. Socket	
648285	2	1/4 in. Dr. 8mm Standard 12 pt. Socket	
648286	2	1/4 in. Dr. 9mm Standard 12 pt. Socket	
648287	2	1/4 in. Dr. 10mm Standard 12 pt. Socket	
648288	2	1/4 in. Dr. 11mm Standard 12 pt. Socket	
648289	2	1/4 in. Dr. 12mm Standard 12 pt. Socket	
648679	2	1/4 in. Dr. T-10 Star Bit Socket	
648324	2	1/4 in. Dr. T-15 Star Bit Socket	
648325	2	1/4 in. Dr. T-20 Star Bit Socket	
648326	2	1/4 in. Dr. T-25 Star Bit Socket	
648327	2	1/4 in. Dr. T-27 Star Bit Socket	
648328	2	1/4 in. Dr. T-30 Star Bit Socket	

Part#	Peg Qty.	Description	BAR 3
641402	2	3/8 in. Dr. T-40 Star Bit Socket	
641403	2	3/8 in. Dr. T-45 Star Bit Socket	
641408	2	3/8 in. Dr. T-47 Star Bit Socket	
641404	2	3/8 in. Dr. T-50 Star Bit Socket	
642400	2	1/2 in. Dr. T-55 Star Bit Socket	
642401	2	1/2 in. Dr. T-60 Star Bit Socket	
648323	2	3/8 in. Dr. 3mm Hex Bit Socket	
640347	2	3/8 in. Dr. 5mm Hex Bit Socket	
640556	2	3/8 in. Dr. 6mm Hex Bit Socket	
648664	2	3/8 in. Dr. 7mm Hex Bit Socket	
648665	2	3/8 in. Dr. 8mm Hex Bit Socket	
648425	2	3/8 in. Dr. 9mm Hex Bit Socket	
641401	2	3/8 in. Dr. 10mm Hex Bit Socket	

Part#	Peg Qty.	Description	BAR 4
640349	2	3/8 in. Dr. 3/16 in. Hex Bit Socket	
640350	2	3/8 in. Dr. 7/32 in. Hex Bit Socket	
648662	2	3/8 in. Dr. 1/4 in. Hex Bit Socket	
640554	2	3/8 in. Dr. 5/16 in. Hex Bit Socket	
641400	2	3/8 in. Dr. 3/8 in. Hex Bit Socket	
648310	2	1/4 in. Dr. 4mm Deep Well 6 pt. Socket	
648311	2	1/4 in. Dr. 5mm Deep Well 6 pt. Socket	
648298	2	1/4 in. Dr. 6mm Deep Well 6 pt. Socket	
648299	2	1/4 in. Dr. 7mm Deep Well 6 pt. Socket	
648300	2	1/4 in. Dr. 8mm Deep Well 6 pt. Socket	
648301	2	1/4 in. Dr. 9mm Deep Well 6 pt. Socket	
648302	2	1/4 in. Dr. 10mm Deep Well 6 pt. Socket	


Part#	Peg Qty.	Description	BAR 5
648303	2	1/4 in. Dr. 11mm Deep Well 6 pt. Socket	
648304	2	1/4 in. Dr. 12mm Deep Well 6 pt. Socket	
641690	2	1/4 in. Dr. 13mm Deep Well 6 pt. Socket	
648306	2	1/4 in. Dr. 5/32 in. Deep Well 6 pt. Socket	
948308	2	1/4 in. Dr. 3/16 in. Deep Well 6 pt. Socket	
948309	2	1/4 in. Dr. 7/32 in. Deep Well 6 pt. Socket	
648291	2	1/4 in. Dr. 1/4 in. Deep Well 6 pt. Socket	
648292	2	1/4 in. Dr. 9/32 in. Deep Well 6 pt. Socket	
648293	2	1/4 in. Dr. 5/16 in. Deep Well 6 pt. Socket	
648294	2	1/4 in. Dr. 11/32 in. Deep Well 6 pt. Socket	
648295	2	1/4 in. Dr. 3/8 in. Deep Well 6 pt. Socket	
648296	2	1/4 in. Dr. 7/16 in. Deep Well 6 pt. Socket	
648297	2	1/4 in. Dr. 1/2 in. Deep Well 6 pt. Socket	



Part#	Peg Qty.	Description	BAR 6
640048	2	6 Pc. 1/4 in. Dr. Deep Well SAE Socket Set	
640046	2	6 Pc. 1/4 in. Dr. Deep Well Metric Socket Set	
640087	2	14 Pc. 1/4 in. Dr. SAE/Metric Socket Set	
640501	2	1/4 in. Dr. Finger Ratchet	
640500	2	1/4 in. Dr. Stubby Spin Disk Ratchet	
640502	2	1/4 in. Dr. Spin Disk Ratchet	
640508	2	1/4 in. Dr. Gear-to-Gear Quick Release Ratchet	
940504	2	1/4 in. Dr. Flex Handle	
940503	2	1/4 in. Dr. 2 in. Extension	
640504	2	1/4 in. Dr. 6 in. Extension	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	4	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	73	Peg Hooks	
690605	73	Label Holder	

Tool Boards



#430979 - 3/8 In. Drive Sockets

Part#	Peg Qty.	Description	BAR 1
641011	2	3/8 in. Dr. 6mm Standard 12 pt. Socket	
641012	2	3/8 in. Dr. 7mm Standard 12 pt. Socket	
641013	2	3/8 in. Dr. 8mm Standard 12 pt. Socket	
641014	2	3/8 in. Dr. 9mm Standard 12 pt. Socket	
641015	2	3/8 in. Dr. 10mm Standard 12 pt. Socket	
641016	2	3/8 in. Dr. 11mm Standard 12 pt. Socket	
641000	2	3/8 in. Dr. 1/4 in. Standard 12 pt. Socket	
641001	2	3/8 in. Dr. 5/16 in. Standard 12 pt. Socket	
641002	2	3/8 in. Dr. 3/8 in. Standard 12 pt. Socket	
641003	2	3/8 in. Dr. 7/16 in. Standard 12 pt. Socket	
641004	2	3/8 in. Dr. 1/2 in. Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 2
641017	2	3/8 in. Dr. 12mm Standard 12 pt. Socket	
641018	2	3/8 in. Dr. 13mm Standard 12 pt. Socket	
641019	2	3/8 in. Dr. 14mm Standard 12 pt. Socket	
641020	2	3/8 in. Dr. 15mm Standard 12 pt. Socket	
641021	2	3/8 in. Dr. 16mm Standard 12 pt. Socket	
641022	2	3/8 in. Dr. 17mm Standard 12 pt. Socket	
641005	2	3/8 in. Dr. 9/16 in. Standard 12 pt. Socket	
641006	2	3/8 in. Dr. 5/8 in. Standard 12 pt. Socket	
641007	2	3/8 in. Dr. 11/16 in. Standard 12 pt. Socket	
641008	2	3/8 in. Dr. 3/4 in. Standard 12 pt. Socket	
641009	2	3/8 in. Dr. 13/16 in. Standard 12 pt. Socket	
641010	2	3/8 in. Dr. 7/8 in. Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 3
641023	2	3/8 in. Dr. 18mm Standard 12 pt. Socket	
641024	2	3/8 in. Dr. 19mm Standard 12 pt. Socket	
641025	2	3/8 in. Dr. 21mm Standard 12 pt. Socket	
641200	2	3/8 in. Dr. 3/8 in. Deep Well 6 pt. Socket	
641201	2	3/8 in. Dr. 7/16 in. Deep Well 6 pt. Socket	
641202	2	3/8 in. Dr. 1/2 in. Deep Well 6 pt. Socket	
641203	2	3/8 in. Dr. 9/16 in. Deep Well 6 pt. Socket	
641204	2	3/8 in. Dr. 5/8 in. Deep Well 6 pt. Socket	
641205	2	3/8 in. Dr. 11/16 in. Deep Well 6 pt. Socket	
641206	2	3/8 in. Dr. 3/4 in. Deep Well 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 4
641210	2	3/8 in. Dr. 10mm Deep Well 6 pt. Socket	
641211	2	3/8 in. Dr. 11mm Deep Well 6 pt. Socket	
641212	2	3/8 in. Dr. 12mm Deep Well 6 pt. Socket	
641213	2	3/8 in. Dr. 13mm Deep Well 6 pt. Socket	
641214	2	3/8 in. Dr. 14mm Deep Well 6 pt. Socket	
641215	2	3/8 in. Dr. 15mm Deep Well 6 pt. Socket	
641216	2	3/8 in. Dr. 16mm Deep Well 6 pt. Socket	
641217	2	3/8 in. Dr. 17mm Deep Well 6 pt. Socket	
641218	2	3/8 in. Dr. 18mm Deep Well 6 pt. Socket	
641219	2	3/8 in. Dr. 19mm Deep Well 6 pt. Socket	
643000	2	3/8 in. Dr. 5/8 in. Spark Plug Socket	
643001	2	3/8 in. Dr. 13/16 in. Spark Plug Socket	

Part#	Peg Qty.	Description	BAR 5
640071	2	33 Pc. SAE/Metric Socket Set	
640050	2	7 Pc. 3/8 in. Dr. SAE Deep Well 6 pt. Socket	
640051	2	7 Pc. 3/8 in. Dr. Metric Deep Well 6 pt. Socket	
640855	2	5 Pc. 3/8 in. Dr. Spark Plug Socket Set	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	3	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	51	Peg Hooks	
690605	51	Label Holder	

Tool Boards

#430983 - 1/2 In. Drive Sockets

Part#	Peg Qty.	Description	BAR 1
642012	2	1/2 in. Dr. 14mm Standard 12 pt. Socket	
642013	2	1/2 in. Dr. 15mm Standard 12 pt. Socket	
642014	2	1/2 in. Dr. 16mm Standard 12 pt. Socket	
642015	2	1/2 in. Dr. 17mm Standard 12 pt. Socket	
642016	2	1/2 in. Dr. 18mm Standard 12 pt. Socket	
642017	2	1/2 in. Dr. 19mm Standard 12 pt. Socket	
642000	2	1/2 in. Dr. 1/2 in. Standard 12 pt. Socket	
642001	2	1/2 in. Dr. 9/16 in. Standard 12 pt. Socket	
642002	2	1/2 in. Dr. 5/8 in. Standard 12 pt. Socket	
642003	2	1/2 in. Dr. 3/4 in. Standard 12 pt. Socket	
642004	2	1/2 in. Dr. 13/16 in. Standard 12 pt. Socket	


Part#	Peg Qty.	Description	BAR 2
642018	2	1/2 in. Dr. 20mm Standard 12 pt. Socket	
642019	2	1/2 in. Dr. 21mm Standard 12 pt. Socket	
642020	2	1/2 in. Dr. 22mm Standard 12 pt. Socket	
642021	2	1/2 in. Dr. 23mm Standard 12 pt. Socket	
642022	2	1/2 in. Dr. 24mm Standard 12 pt. Socket	
642034	2	1/2 in. Dr. 27mm Standard 12 pt. Socket	
642005	2	1/2 in. Dr. 7/8 in. Standard 12 pt. Socket	
642006	2	1/2 in. Dr. 15/16 in. Standard 12 pt. Socket	
642007	2	1/2 in. Dr. 1 in. Standard 12 pt. Socket	
642008	2	1/2 in. Dr. 1-1/16 in. Standard 12 pt. Socket	
642009	2	1/2 in. Dr. 1-1/8 in. Standard 12 pt. Socket	
642011	2	1/2 in. Dr. 1-1/4 in. Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 3
642208	2	1/2 in. Dr. 14mm Deep Well 6 pt. Socket	
642209	2	1/2 in. Dr. 15mm Deep Well 6 pt. Socket	
642210	2	1/2 in. Dr. 16mm Deep Well 6 pt. Socket	
642211	2	1/2 in. Dr. 17mm Deep Well 6 pt. Socket	
642212	2	1/2 in. Dr. 18mm Deep Well 6 pt. Socket	
642213	2	1/2 in. Dr. 19mm Deep Well 6 pt. Socket	
642200	2	1/2 in. Dr. 9/16 in. Deep Well 6 pt. Socket	
642201	2	1/2 in. Dr. 5/8 in. Deep Well 6 pt. Socket	
642202	2	1/2 in. Dr. 11/16 in. Deep Well 6 pt. Socket	
642203	2	1/2 in. Dr. 3/4 in. Deep Well 6 pt. Socket	
642204	2	1/2 in. Dr. 13/16 in. Deep Well 6 pt. Socket	
642005	2	1/2 in. Dr. 7/8 in. Deep Well 6 pt. Socket	
643004	2	1/2 in. Dr. 5/8 in. Spark Plug Socket	


Part#	Peg Qty.	Description	BAR 4
642214	2	1/2 in. Dr. 20mm Deep Well 6 pt. Socket	
640836	2	1/2 in. Dr. 21mm Deep Well 6 pt. Socket	
640837	2	1/2 in. Dr. 22mm Deep Well 6 pt. Socket	
640838	2	1/2 in. Dr. 23mm Deep Well 6 pt. Socket	
640840	2	1/2 in. Dr. 24mm Deep Well 6 pt. Socket	
640841	2	1/2 in. Dr. 27mm Deep Well 6 pt. Socket	
642206	2	1/2 in. Dr. 15/16 in. Deep Well 6 pt. Socket	
642207	2	1/2 in. Dr. 1 in. Deep Well 6 pt. Socket	
648217	2	1/2 in. Dr. 1-1/16 in. Deep Well 6 pt. Socket	
642215	2	1/2 in. Dr. 1-1/8 in. Deep Well 6 pt. Socket	
642216	2	1/2 in. Dr. 1-1/4 in. Deep Well 6 pt. Socket	
643005	2	1/2 in. Dr. 13/16 in. Spark Plug Socket	

Part#	Peg Qty.	Description	BAR 5
640055	2	8 Pc. 1/2 in. Dr. Metric Deep Well Socket Set	
640055	2	8 Pc. 1/2 in. Dr. Metric Deep Well Socket Set	
640056	2	8 Pc. 1/2 in. Dr. SAE Deep Well Socket Set	
640056	2	8 Pc. 1/2 in. Dr. SAE Deep Well Socket Set	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	4	1 in. Crossbar	
691451	1	3 in. Crossbar	
691831	52	Peg Hooks	
690605	52	Label Holder	



Tool Boards



#430984 - 3/4 In. Drive Sockets

Part#	Peg Qty.	Description	BAR 1
643200	1	3/4 in. Dr. 7/8 in. Standard 12 pt. Socket	
643201	1	3/4 in. Dr. 15/16 in. Standard 12 pt. Socket	
643202	1	3/4 in. Dr. 1 in. Standard 12 pt. Socket	
643203	1	3/4 in. Dr. 1-1/16 in. Standard 12 pt. Socket	
643204	1	3/4 in. Dr. 1-1/8 in. Standard 12 pt. Socket	
643227	1	3/4 in. Dr. 22mm Standard 12 pt. Socket	
643228	1	3/4 in. Dr. 23mm Standard 12 pt. Socket	
643229	1	3/4 in. Dr. 24mm Standard 12 pt. Socket	
643244	1	3/4 in. Dr. 25mm Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 2
643205	1	3/4 in. Dr. 1-3/16 in. Standard 12 pt. Socket	
643206	1	3/4 in. Dr. 1-1/4 in. Standard 12 pt. Socket	
643207	1	3/4 in. Dr. 1-5/16 in. Standard 12 pt. Socket	
643208	1	3/4 in. Dr. 1-3/8 in. Standard 12 pt. Socket	
643209	1	3/4 in. Dr. 1-7/16 in. Standard 12 pt. Socket	
643230	1	3/4 in. Dr. 26mm Standard 12 pt. Socket	
643231	1	3/4 in. Dr. 27mm Standard 12 pt. Socket	
643245	1	3/4 in. Dr. 28mm Standard 12 pt. Socket	
643232	1	3/4 in. Dr. 29mm Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 3
643210	1	3/4 in. Dr. 1-1/2 in. Standard 12 pt. Socket	
643211	1	3/4 in. Dr. 1-9/16 in. Standard 12 pt. Socket	
643212	1	3/4 in. Dr. 1-5/8 in. Standard 12 pt. Socket	
643213	1	3/4 in. Dr. 1-11/16 in. Standard 12 pt. Socket	
643214	1	3/4 in. Dr. 1-3/4 in. Standard 12 pt. Socket	
643233	1	3/4 in. Dr. 30mm Standard 12 pt. Socket	
643234	1	3/4 in. Dr. 32mm Standard 12 pt. Socket	
643235	1	3/4 in. Dr. 33mm Standard 12 pt. Socket	
643236	1	3/4 in. Dr. 35mm Standard 12 pt. Socket	

Part#	Peg Qty.	Description	BAR 4
643215	1	3/4 in. Dr. 1-13/16 in. Standard 12 pt. Socket	
643216	1	3/4 in. Dr. 1-7/8 in. Standard 12 pt. Socket	
643218	1	3/4 in. Dr. 2 in. Standard 12 pt. Socket	
643219	1	3/4 in. Dr. 2-1/16 in. Standard 12 pt. Socket	
643220	1	3/4 in. Dr. 2-1/8 in. Standard 12 pt. Socket	
643237	1	3/4 in. Dr. 36mm Standard 12 pt. Socket	
643238	1	3/4 in. Dr. 38mm Standard 12 pt. Socket	
643239	1	3/4 in. Dr. 41mm Standard 12 pt. Socket	
643240	1	3/4 in. Dr. 46mm Standard 12 pt. Socket	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	4	1 in. Crossbar	
691831	36	Peg Hooks	
690605	36	Label Holder	

Tool Boards

#430987 - 1/4 In., 3/8 In., & 1/2 In. Drive Tools

Part#	Peg Qty.	Description	BAR 1
640505	2	3/8 in. Dr. F x 1/4 in. Dr. M Adapter	
940500	2	1/4 in. Dr. F x 3/8 in. Dr. M Adapter	
642500	2	1/2 in. Dr. F x 3/8 in. Dr. M Adapter	
641500	2	3/8 in. Dr. F x 1/2 in. Dr. M Adapter	
942501	2	1/2 in. Dr. F x 3/4 in. Dr. M Adapter	
640848	2	4 Pc. Adapter Set	
640503	2	1/4 in. Dr. Universal Joint	
641507	2	3/8 in. Dr. Universal Joint	
642506	2	1/2 in. Dr. Universal Joint	
640858	2	3 Pc. Universal Joint Set	

Part#	Peg Qty.	Description	BAR 2
641501	2	3/8 in. Dr. 3 in. Extension	
641502	2	3/8 in. Dr. 6 in. Extension	
641503	2	3/8 in. Dr. 10 in. Extension	
640851	2	3/8 in. Dr. 8 in. Wobble Extension	
640852	2	3/8 in. Dr. 10 in. Wobble Extension	
642502	2	1/2 in. Dr. 5 in. Extension	
642503	2	1/2 in. Dr. 10 in. Extension	
640857	2	3/8 in. Dr. 3 Pc. Wobble Extension Set	
640844	2	3/8 in. Dr. 4 Pc. Extension Set	
640856	2	1/2 in. Dr. 3 Pc. Wobble Extension Set	

Part#	Peg Qty.	Description	BAR 3
641515	2	3/8 in. Dr. Finger Ratchet	
641514	2	3/8 in. Dr. Stubby Ratchet	
641505	2	3/8 in. Dr. Spin Disc Ratchet	
641520	2	3/8 in. Dr. Quick Release Gear-to-Gear Ratchet	
640511	2	3/8 in. Dr. Quick Release Round Head Ratchet	
641506	2	3/8 in. Dr. Flex Head Ratchet	
641504	2	3/8 in. Dr. 10 in. Flex Handle	
642509	2	1/2 in. Dr. Quick Release Gear-to-Gear Ratchet	
640513	2	1/2 in. Dr. Quick Release Ratchet	
642505	2	1/2 in. Dr. Spin Disc Ratchet	
642504	2	1/2 in. Dr. 12 in. Flex Handle	



Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	2	1 in. Crossbar	
691451	1	3 in. Crossbar	
691831	31	Peg Hooks	
690605	31	Label Holder	

#430988 - 3/4 In. Drive Tools


Part#	Peg Qty.	Description	BAR 1
643500	1	3/4 in. Dr. Ratchet	
640745	1	3/4 in. Dr. Extendable Ratchet	
643502	1	3/4 in. Dr. Flex Handle	
643503	1	3/4 in. Dr. Sliding T-Handle	
643505	1	3/4 in. Dr. 16 in. Extension	
643501	1	3/4 in. Dr. 8 in. Extension	

Part#	Peg Qty.	Description	BAR 2
643242	1	3/4 in. Dr. 55mm Standard 12 pt. Socket	
643221	1	3/4 in. Dr. 2-3/16 in. Standard 12 pt. Socket	
643222	1	3/4 in. Dr. 2-1/4 in. Standard 12 pt. Socket	
643224	1	3/4 in. Dr. 2-3/8 in. Standard 12 pt. Socket	
643506	1	3/4 in. Dr. F x 1/2 in. Dr. M Adapter	
643507	1	3/4 in. Dr. F x 1 in. Dr. M Adapter	
643504	1	3/4 in. Dr. 4 in. Extension	
643508	1	3/4 in. Dr. Universal Joint	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	1	1 in. Crossbar	
691451	1	3 in. Crossbar	
691831	14	Peg Hooks	
690605	14	Label Holder	



Tool Boards



Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	2	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	35	Peg Hooks	
690605	35	Label Holder	


#430989 - Mirror Polish Combination Wrenches

Part#	Peg Qty.	Description	BAR 1
644128	1	24mm Mirror Polish Combination Wrench	
644127	1	23mm Mirror Polish Combination Wrench	
644126	1	22mm Mirror Polish Combination Wrench	
644125	2	21mm Mirror Polish Combination Wrench	
644124	2	20mm Mirror Polish Combination Wrench	
644123	2	19mm Mirror Polish Combination Wrench	
644122	2	18mm Mirror Polish Combination Wrench	
644121	2	17mm Mirror Polish Combination Wrench	

Part#	Peg Qty.	Description	BAR 2
644120	2	16mm Mirror Polish Combination Wrench	
644119	2	15mm Mirror Polish Combination Wrench	
644118	2	14mm Mirror Polish Combination Wrench	
644117	2	13mm Mirror Polish Combination Wrench	
644116	2	12mm Mirror Polish Combination Wrench	
644115	2	11mm Mirror Polish Combination Wrench	
644114	2	10mm Mirror Polish Combination Wrench	
644113	2	9mm Mirror Polish Combination Wrench	
644112	2	8mm Mirror Polish Combination Wrench	
644111	2	7mm Mirror Polish Combination Wrench	
644110	2	6mm Mirror Polish Combination Wrench	

Part#	Peg Qty.	Description	BAR 3
644155	1	1-1/4 in. Mirror Polish Combination Wrench	
644154	1	1-1/8 in. Mirror Polish Combination Wrench	
644153	1	1-1/16 in. Mirror Polish Combination Wrench	
644152	1	1 in. Mirror Polish Combination Wrench	
644150	2	15/16 in. Mirror Polish Combination Wrench	
644149	2	7/8 in. Mirror Polish Combination Wrench	
644148	2	13/16 in. Mirror Polish Combination Wrench	

Part#	Peg Qty.	Description	BAR 4
644147	2	3/4 in. Mirror Polish Combination Wrench	
640894	2	11/16 in. Mirror Polish Combination Wrench	
644146	2	5/8 in. Mirror Polish Combination Wrench	
644145	2	9/16 in. Mirror Polish Combination Wrench	
644144	2	1/2 in. Mirror Polish Combination Wrench	
644143	2	7/16 in. Mirror Polish Combination Wrench	
644142	2	3/8 in. Mirror Polish Combination Wrench	
644141	2	5/16 in. Mirror Polish Combination Wrench	
644140	2	1/4 in. Mirror Polish Combination Wrench	



#430990 - Wrench Sets

Part#	Peg Qty.	Description	BAR 1
640203	1	7 Pc. SAE Stubby Combination Wrench Set	
640204	1	7 Pc. Metric Stubby Combination Wrench Set	
640436	1	7 Pc. SAE Long Pattern Combination Wrench Set	
640437	1	7 Pc. Metric Long Pattern Combination Wrench Set	

Part#	Peg Qty.	Description	BAR 2
640185	1	4 Pc. SAE Flare Nut Wrench Set	
640186	1	4 Pc. Metric Flare Nut Wrench Set	
644506	1	5 Pc. Metric Box Wrench Set	
640990	1	7 Pc SAE Ratcheting Combination Wrench Set	

Part#	Peg Qty.	Description	BAR 3
640377	1	11 Pc. SAE Combination Wrench Set	
640378	1	11 Pc. Metric Combination Wrench Set	
640991	1	7 Pc. Reversible Ratcheting Combination Wrench Set	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	1	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	22	2 in. Peg Hooks	
690605	22	Label Holder	

Tool Boards

#430991 - Long Pattern, Crowsfoot and Hex Key Wrenches

Part#	Peg Qty.	Description	BAR 1
640830	1	10 Pc. 3/8 in. dr. SAE & Metric Open End Crowsfoot Wrench Set	
640115	1	10 Pc. 3/8 in. dr. Metric Crowsfoot Flare Nut Wrench Set	
640114	1	10 Pc. 3/8 in. dr. SAE Crowsfoot Flare Nut Wrench Set	
640082	1	9 Pc. Metric Hex Key Wrench Set	
640081	1	9 Pc. SAE Hex Key Wrench Set	

Part# Peg Qty. Description BAR 2


640475	2	1/4 in. Long Pattern Mirror Polish Combination Wrench
640476	2	5/16 in. Long Pattern Mirror Polish Combination Wrench
640477	2	3/8 in. Long Pattern Mirror Polish Combination Wrench
640440	2	7/16 in. Long Pattern Mirror Polish Combination Wrench
640441	2	1/2 in. Long Pattern Mirror Polish Combination Wrench
640442	2	9/16 in. Long Pattern Mirror Polish Combination Wrench
640449	2	13mm Long Pattern Mirror Polish Combination Wrench
640448	2	12mm Long Pattern Mirror Polish Combination Wrench
640487	2	11mm Long Pattern Mirror Polish Combination Wrench
640447	2	10mm Long Pattern Mirror Polish Combination Wrench
640486	2	9mm Long Pattern Mirror Polish Combination Wrench
640484	2	7mm Long Pattern Mirror Polish Combination Wrench
940483	2	6mm Long Pattern Mirror Polish Combination Wrench

Part# Peg Qty. Description BAR 3


640443	2	5/8 in. Long Pattern Mirror Polish Combination Wrench
640478	2	11/16 in. Long Pattern Mirror Polish Combination Wrench
640446	2	7/8 in. Long Pattern Mirror Polish Combination Wrench
640479	1	15/16 in. Long Pattern Mirror Polish Combination Wrench
640480	1	1 in. Long Pattern Mirror Polish Combination Wrench
640489	2	19mm Long Pattern Mirror Polish Combination Wrench
640453	2	18mm Long Pattern Mirror Polish Combination Wrench
640451	2	16mm Long Pattern Mirror Polish Combination Wrench
640450	2	15mm Long Pattern Mirror Polish Combination Wrench
640488	2	14mm Long Pattern Mirror Polish Combination Wrench

Part# Qty. Hardware Description INCLUDED

691447	1	32 in. x 24 in. Tool Board
691450	1	1 in. Crossbar
691451	2	3 in. Crossbar
691831	28	Peg Hooks
690605	28	Label Holder



Tool Boards



#430992 - Pliers & Wrenches

Part#	Peg Qty.	Description	BAR 1
640393	2	8 in. Long Nose Pliers	
640395	2	8 in. Slip Joint Pliers	
640388	2	8 in. Groove Joint Pliers	
640389	2	10 in. Groove Joint Pliers	
640390	2	12 in. Groove Joint Pliers	

BAR 2

Part#	Peg Qty.	Description	BAR 2
640413	2	4-1/2 in. Mini Linesman Pliers	
640412	2	4 in. Mini Diagonal Pliers	
640409	2	5 in. Mini Long Nose Pliers	
640411	2	5 in. Mini Bent Nose Pliers	
640410	2	5 in. Mini Needle Nose Pliers	
640392	2	6 in. Long Nose Pliers	
640394	2	6 in. Slip Joint Pliers	
640386	2	6 in. Diagonal Pliers	
640387	2	7 in. Diagonal Pliers	
640391	2	7 in. Linesman Pliers	

BAR 3


Part#	Peg Qty.	Description	BAR 3
644040	2	6 in. Adjustable Wrench	
644041	2	8 in. Adjustable Wrench	
644042	2	10 in. Adjustable Wrench	
644043	2	12 in. Adjustable Wrench	
640863	2	11 in. Long Reach Hose Clamp Pliers	
640862	2	11 in. Long Reach Bent Nose Pliers	

BAR 4

Part#	Peg Qty.	Description	BAR 4
944039	2	4 in. Adjustable Wrench	
645014	2	5 in. Curved Jaw Locking Pliers	
645015	2	6 in. Long Nose Locking Pliers	
646539	2	7 in. Curved Jaw Locking Pliers	
646541	2	9 in. Long Nose Locking Pliers	
645540	2	10 in. Curved Jaw Locking Pliers	
645016	2	10 in. Pivot Jaw Locking Pliers	

INCLUDED

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	2	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	28	Peg Hooks	
690605	28	Label Holder	



#430993 - Drivers & Flare Nut Wrenches

Part#	Peg Qty.	Description	BAR 1
644036	2	9 x 10mm Flare Nut Wrench	
644037	2	11 x 12mm Flare Nut Wrench	
644038	2	13 x 14mm Flare Nut Wrench	
644039	2	15 x 17mm Flare Nut Wrench	
640597	2	19 x 21mm Flare Nut Wrench	
640085	2	3/8 in. x 7/16 in. Flare Nut Wrench	
644034	2	1/2 in. x 9/16 in. Flare Nut Wrench	
644035	2	5/8 in. x 11/16 in. Flare Nut Wrench	
640184	2	3/4 in. x 7/8 in. Flare Nut Wrench	

BAR 2

Part#	Peg Qty.	Description	BAR 2
646016	2	T-10 Torx® Bit Driver	
646017	2	T-15 Torx® Bit Driver	
646018	2	T-20 Torx® Bit Driver	
646019	2	T-25 Torx® Bit Driver	
646020	2	T-27 Torx® Bit Driver	
646021	2	T-30 Torx® Bit Driver	
646022	2	T-40 Torx® Bit Driver	
646011	2	1/4 in. x 1-1/2 in. Slotted Screwdriver	
646007	2	1/8 in. x 3 in. Slotted Screwdriver	
646003	2	#2 x 1-1/2 in. Phillips Screwdriver	
646000	2	#0 x 3 in. Phillips Screwdriver	
646002	2	#1 x 3 in. Phillips Screwdriver	
646004	2	#2 x 4 in. Phillips Screwdriver	

BAR 3

Part#	Peg Qty.	Description	BAR 3
646005	2	#2 x 6 in. Phillips Screwdriver	
646006	2	#3 x 6 in. Phillips Screwdriver	
646038	2	#3 x 8 in. Phillips Screwdriver	
646046	2	5 Pc. Torx® Bit Driver Set	
646012	2	1/4 in. x 4 in. Slotted Screwdriver	
646010	2	3/16 in. x 6 in. Slotted Screwdriver	
646013	2	1/4 in. x 6 in. Slotted Screwdriver	
646014	2	5/16 in. x 6 in. Slotted Screwdriver	
646015	2	3/8 in. x 8 in. Slotted Screwdriver	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	1	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	32	Peg Hooks	
690605	32	Label Holder	

Tool Boards

#430994 - 3/8 In. & 1/2 In. Drive Impact Sockets & Accessories

Part#	Peg Qty.	Description	BAR 1
647249	1	3/8 in. Dr. 10mm Standard Impact 6 pt. Socket	
647250	1	3/8 in. Dr. 11mm Standard Impact 6 pt. Socket	
647251	1	3/8 in. Dr. 12mm Standard Impact 6 pt. Socket	
647252	1	3/8 in. Dr. 13mm Standard Impact 6 pt. Socket	
647253	1	3/8 in. Dr. 14mm Standard Impact 6 pt. Socket	
647254	1	3/8 in. Dr. 15mm Standard Impact 6 pt. Socket	
647255	1	3/8 in. Dr. 16mm Standard Impact 6 pt. Socket	
647256	1	3/8 in. Dr. 17mm Standard Impact 6 pt. Socket	
647257	1	3/8 in. Dr. 18mm Standard Impact 6 pt. Socket	
647258	1	3/8 in. Dr. 19mm Standard Impact 6 pt. Socket	


Part#	Peg Qty.	Description	BAR 2
644259	1	3/8 in. Dr. 10mm Deep Well Impact 6 pt. Socket	
647266	1	3/8 in. Dr. 11mm Deep Well Impact 6 pt. Socket	
647146	1	3/8 in. Dr. 12mm Deep Well Impact 6 pt. Socket	
647147	1	3/8 in. Dr. 13mm Deep Well Impact 6 pt. Socket	
647148	1	3/8 in. Dr. 14mm Deep Well Impact 6 pt. Socket	
647149	1	3/8 in. Dr. 15mm Deep Well Impact 6 pt. Socket	
647150	1	3/8 in. Dr. 16mm Deep Well Impact 6 pt. Socket	
647267	1	3/8 in. Dr. 17mm Deep Well Impact 6 pt. Socket	
647268	1	3/8 in. Dr. 18mm Deep Well Impact 6 pt. Socket	
647269	1	3/8 in. Dr. 19mm Deep Well Impact 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 3
647242	1	3/8 in. Dr. 3/8 in. Standard Impact 6 pt. Socket	
647243	1	3/8 in. Dr. 7/16 in. Standard Impact 6 pt. Socket	
647244	1	3/8 in. Dr. 1/2 in. Standard Impact 6 pt. Socket	
647245	1	3/8 in. Dr. 9/16 in. Standard Impact 6 pt. Socket	
647246	1	3/8 in. Dr. 5/8 in. Standard Impact 6 pt. Socket	
647247	1	3/8 in. Dr. 11/16 in. Standard Impact 6 pt. Socket	
647248	1	3/8 in. Dr. 3/4 in. Standard Impact 6 pt. Socket	
647451	1	3/8 in. Dr. 13/16 in. Standard Impact 6 pt. Socket	
647452	1	3/8 in. Dr. 7/8 in. Standard Impact 6 pt. Socket	


Part#	Peg Qty.	Description	BAR 4
647272	1	3/8 in. Dr. 3/8 in. Deep Well Impact 6 pt. Socket	
647273	1	3/8 in. Dr. 7/16 in. Deep Well Impact 6 pt. Socket	
647141	1	3/8 in. Dr. 1/2 in. Deep Well Impact 6 pt. Socket	
647142	1	3/8 in. Dr. 9/16 in. Deep Well Impact 6 pt. Socket	
647143	1	3/8 in. Dr. 5/8 in. Deep Well Impact 6 pt. Socket	
647144	1	3/8 in. Dr. 11/16 in. Deep Well Impact 6 pt. Socket	
647145	1	3/8 in. Dr. 3/4 in. Deep Well Impact 6 pt. Socket	
647610	1	3/8 in. Dr. 13/16 in. Deep Well Impact 6 pt. Socket	
647611	1	3/8 in. Dr. 7/8 in. Deep Well Impact 6 pt. Socket	
641163	2	1/2 in. Dr. Flip Impact Socket 3/4 in. x 13/16 in.	

Part#	Peg Qty.	Description	BAR 5
641164	2	1/2 in. Dr. Flip Impact Socket 19mm x 21mm	
647097	2	1/2 in. Dr. F x 3/8 in. dr. M Impact Adapter	
647096	2	3/8 in. Dr. F x 1/2 in. dr. M Impact Adapter	
647137	1	1/2 in. Dr. F x 3/4 in. dr. M Impact Adapter	
647575	2	3/8 in. Dr. Impact Universal Joint	
647274	1	3/8 in. Dr. 3 in. Impact Extension	
647138	2	1/2 in. Dr. Impact Universal Joint	
647283	2	1/2 in. Dr. 3 in. Impact Extension	
647098	2	1/2 in. Dr. 5 in. Impact Extension	
647140	1	1/2 in. Dr. 10 in. Impact Extension	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	3	1 in. Crossbar	
691451	2	3 in. Crossbar	
691831	49	Peg Hooks	
690605	49	Label Holder	



Tool Boards



#430995 - 1/2 In. Impact Sockets & Accessories

Part#	Peg Qty.	Description	BAR 1
647279	2	1/2 in. Dr. 10mm Standard Impact 6 pt. Socket	
647291	2	1/2 in. Dr. 11mm Standard Impact 6 pt. Socket	
647292	2	1/2 in. Dr. 12mm Standard Impact 6 pt. Socket	
647160	2	1/2 in. Dr. 13mm Standard Impact 6 pt. Socket	
647161	2	1/2 in. Dr. 14mm Standard Impact 6 pt. Socket	
647162	2	1/2 in. Dr. 15mm Standard Impact 6 pt. Socket	
647163	2	1/2 in. Dr. 16mm Standard Impact 6 pt. Socket	
647164	2	1/2 in. Dr. 17mm Standard Impact 6 pt. Socket	
647165	2	1/2 in. Dr. 18mm Standard Impact 6 pt. Socket	
647166	2	1/2 in. Dr. 19mm Standard Impact 6 pt. Socket	
647280	2	1/2 in. Dr. 20mm Standard Impact 6 pt. Socket	
647167	2	1/2 in. Dr. 21mm Standard Impact 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 2
647168	2	1/2 in. Dr. 22mm Standard Impact 6 pt. Socket	
647169	2	1/2 in. Dr. 24mm Standard Impact 6 pt. Socket	
647293	2	1/2 in. Dr. 27mm Standard Impact 6 pt. Socket	
647446	2	1/2 in. Dr. 30mm Standard Impact 6 pt. Socket	
647282	2	1/2 in. Dr. 7/16 in. Standard Impact 6 pt. Socket	
647151	2	1/2 in. Dr. 1/2 in. Standard Impact 6 pt. Socket	
647152	2	1/2 in. Dr. 9/16 in. Standard Impact 6 pt. Socket	
647153	2	1/2 in. Dr. 5/8 in. Standard Impact 6 pt. Socket	
647154	2	1/2 in. Dr. 11/16 in. Standard Impact 6 pt. Socket	
647155	2	1/2 in. Dr. 3/4 in. Standard Impact 6 pt. Socket	
647156	2	1/2 in. Dr. 13/16 in. Standard Impact 6 pt. Socket	
647157	2	1/2 in. Dr. 7/8 in. Standard Impact 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 3
647158	2	1/2 in. Dr. 15/16 in. Standard Impact 6 pt. Socket	
647159	2	1/2 in. Dr. 1 in. Standard Impact 6 pt. Socket	
647294	2	1/2 in. Dr. 1-1/16 in. Standard Impact 6 pt. Socket	
647295	2	1/2 in. Dr. 1-1/8 in. Deep Well Impact 6 pt. Socket	
647296	2	1/2 in. Dr. 1-1/4 in. Deep Well Impact 6 pt. Socket	
647288	2	1/2 in. Dr. 10mm Deep Well Impact 6 pt. Socket	
647289	2	1/2 in. Dr. 11mm Deep Well Impact 6 pt. Socket	
647181	2	1/2 in. Dr. 12mm Deep Well Impact 6 pt. Socket	
647182	2	1/2 in. Dr. 13mm Deep Well Impact 6 pt. Socket	
647183	2	1/2 in. Dr. 14mm Deep Well Impact 6 pt. Socket	
647184	2	1/2 in. Dr. 15mm Deep Well Impact 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 4
647185	2	1/2 in. Dr. 16mm Deep Well Impact 6 pt. Socket	
647186	2	1/2 in. Dr. 17mm Deep Well Impact 6 pt. Socket	
647187	2	1/2 in. Dr. 18mm Deep Well Impact 6 pt. Socket	
647188	2	1/2 in. Dr. 19mm Deep Well Impact 6 pt. Socket	
647192	2	1/2 in. Dr. 20mm Deep Well Impact 6 pt. Socket	
647189	2	1/2 in. Dr. 21mm Deep Well Impact 6 pt. Socket	
647190	2	1/2 in. Dr. 22mm Deep Well Impact 6 pt. Socket	
647191	2	1/2 in. Dr. 24mm Deep Well Impact 6 pt. Socket	
647193	2	1/2 in. Dr. 26mm Deep Well Impact 6 pt. Socket	
647576	2	1/2 in. Dr. 27mm Deep Well Impact 6 pt. Socket	
647607	2	1/2 in. Dr. 30mm Deep Well Impact 6 pt. Socket	

Part#	Peg Qty.	Description	BAR 5
647282	2	1/2 in. Dr. 7/16 in. Deep Well Impact 6 pt. Socket	
647151	2	1/2 in. Dr. 1/2 in. Deep Well Impact 6 pt. Socket	
647152	2	1/2 in. Dr. 9/16 in. Deep Well Impact 6 pt. Socket	
647153	2	1/2 in. Dr. 5/8 in. Deep Well Impact 6 pt. Socket	
647154	2	1/2 in. Dr. 11/16 in. Deep Well Impact 6 pt. Socket	
647155	2	1/2 in. Dr. 3/4 in. Deep Well Impact 6 pt. Socket	
647156	2	1/2 in. Dr. 13/16 in. Deep Well Impact 6 pt. Socket	
647157	2	1/2 in. Dr. 7/8 in. Deep Well Impact 6 pt. Socket	
647159	2	1/2 in. Dr. 1 in. Deep Well Impact 6 pt. Socket	
647194	2	1/2 in. Dr. 1-1/16 in. Deep Well Impact 6 pt. Socket	
647179	2	1/2 in. Dr. 1-1/8 in. Deep Well Impact 6 pt. Socket	
647180	2	1/2 in. Dr. 1-1/4 in. Deep Well Impact 6 pt. Socket	

Part#	Qty.	Hardware Description	INCLUDED
691447	1	32 in. x 24 in. Tool Board	
691450	2	1 in. Crossbar	
691451	3	3 in. Crossbar	
691831	58	Peg Hooks	
690605	58	Label Holder	

#430996 - 16 Ft. Tool Assortment Planogram



#430997 - 12 Ft. Tool Assortment Planogram



#430998 - 8 Ft. Tool Assortment Planogram



#430999 - 4 Ft. Tool Assortment Planogram



Planogram Contents

Part#	Description	Qty	4'	8'	12'	16'
Quick Release Gear-to-Gear Ratchets						
#640508	- 1/4 in. 36 Tooth	2	•	•	•	•
#649997	- 1/4 in. 60 Tooth	2			•	•
#649985	- 1/4 in. 72 Tooth	2	•	•	•	
#641520	- 3/8 in. 36 Tooth	2	•	•	•	
#649998	- 3/8 in. 60 Tooth	2			•	•
#649986	- 3/8 in. 72 Tooth	2	•	•	•	
#642509	- 1/2 in. 36 Tooth	2	•	•	•	
#649999	- 1/2 in. 60 Tooth	2			•	•
#649987	- 1/2 in. 72 Tooth	2	•	•	•	
#643500	- 3/4 in. 40 Tooth	1				•
Stubby & Finger Ratchets						
#940926	- 1/4 in. x 3/8 in. Extendable Stubby	2		•	•	•
#640931	- 1/4 in. x 3/8 in. Stubby	2		•	•	•
#641514	- 3/8 in. Stubby	2		•	•	•
#940967	- 3/8 in. Extendable Stubby	2		•	•	•
#641515	- 3/8 in. Finger	2		•	•	•
Flex-Head Ratchets						
#641506	- 3/8 in.	2		•	•	•
Spin Disc Ratchets						
#641505	- 3/8 in.	2	•	•	•	•
#642505	- 1/2 in.	2	•	•	•	•
Breaker Bars						
#641504	- 3/8 in. Dr. 10 in.	2	•			•
#642504	- 1/2 in. Dr. 12 in.	2	•	•	•	•
#640853	- 1/2 in. Dr. 18 in.	2	•	•	•	•
#640854	- 1/2 in. Dr. 24 in.	2			•	•
#649990	- 1/2 in. Dr. 24 in.	2			•	•
#641700	- 1/2 in. Dr. 24 in. Ratcheting	2			•	•
#643502	- 3/4 in. Dr. 19 in.	1				•
#640057	- 4 Pc. 3/8 in. Tune-Up Kit	2		•	•	•
Sliding T-Bars						
#643503	- 3/4 in.	1				•
Torque Wrenches						
#644998	- 3/8 in. Dr. Micrometer	1		•	•	•
#644999	- 1/2 in. Dr. Micrometer	1			•	•
#644044	- 1/2 in. Dr. Needle	1			•	•
Spinner Handles						
#640182	- 1/4 in.	2		•	•	•
Extensions						
#640504	- 1/4 in. x 6 in.	2	•	•	•	•
#640842	- 3 Pc. Set 1/4 in.	2	•	•	•	•
#641501	- 3/8 in. x 3 in.	2	•	•	•	•
#641502	- 3/8 in. x 6 in.	2	•	•	•	•
#641503	- 3/8 in. x 10 in.	2	•	•	•	•
#941505	- 3/8 in. x 18 in.	2		•	•	•
#640844	- 4 Pc. Set 3/8 in.	2			•	•
#640857	- 3 Pc. Set 3/8 in. Wobble	2	•	•	•	•
#642502	- 1/2 in. x 5 in.	2	•	•	•	•
#647098	- 1/2 in. x 5 in. Impact	2	•	•	•	•
#642503	- 1/2 in. x 10 in.	2	•	•	•	•
#647140	- 1/2 in. x 10 in. Impact	2	•	•	•	•
#640846	- 3 Pc. Set 1/2 in.	2	•	•	•	•
#640856	- 3 Pc. Set 1/2 in. Wobble	2		•	•	•
#643504	- 3/4 in. x 4 in.	1				•
#647199	- 1 in. x 4 in. Impact	1				•
Adapters						
#940500	- 1/4 in. F x 3/8 in. M	2	•	•	•	•
#640505	- 3/8 in. F x 1/4 in. M	2	•	•	•	•
#641500	- 3/8 in. F x 1/2 in. M	2	•	•	•	•
#647096	- 3/8 in. F x 1/2 in. M Impact	2	•	•	•	•
#642500	- 1/2 in. F x 3/8 in. M	2	•	•	•	•
#647097	- 1/2 in. F x 3/8 in. M Impact	2	•	•	•	•
#942501	- 1/2 in. F x 3/4 in. M	2	•			•
#643506	- 3/4 in. F x 1/2 in. M	2				•
#643507	- 3/4 in. F x 1 in. M	2				•
#640848	- 4 Pc. Adapter Set	2	•	•	•	•
#640859	- 7 Pc. Adapter & U-Joint Set	2		•	•	•
#647095	- 7 Pc. Impact Adapter &	2				•

Part#	Description	Qty	4'	8'	12'	16'
Universal Joints						
#640503	- 1/4 in.	2	•		•	•
#641507	- 3/8 in.	2	•	•	•	•
#641120	- 3/8 in. Impact	2			•	•
#642506	- 1/2 in.	2	•	•	•	•
#647138	- 1/2 in. Impact	2	•	•	•	•
#643508	- 3/4 in.	1				•
#640858	- 3 Pc. Universal Joint Set	2		•	•	•
Socket Rails						
#640506	- 1/4 in. Dr. Socket Rail	2			•	•
#941121	- 1/4 in. Dr. Anodized Socket Rail	2		•	•	•
#641509	- 3/8 in. Dr. Socket Rail	2			•	•
#941122	- 3/8 in. Dr. Anodized Socket Rail	2		•	•	•
#642507	- 1/2 in. Dr. Socket Rail	2			•	•
#941123	- 1/2 in. Dr. Anodized Socket Rail	2		•	•	•
1/4 In. Drive 6 Pt. Deep Well Sockets						
#648292	- 9/32 in.	2			•	•
#648293	- 5/16 in.	2			•	•
#648294	- 11/32 in.	2			•	•
#648295	- 3/8 in.	2			•	•
#648296	- 7/16 in.	2			•	•
#648297	- 1/2 in.	2			•	•
#648298	- 6 mm	2			•	•
#648299	- 7 mm	2			•	•
#648300	- 8 mm	2			•	•
#648301	- 9 mm	2			•	•
#648302	- 10 mm	2			•	•
#648303	- 11 mm	2			•	•
#648304	- 12 mm	2			•	•
1/4 In. Drive Bit Sockets - Torx®						
#648679	- T-10	2			•	•
#648324	- T-15	2			•	•
#648325	- T-20	2			•	•
#648326	- T-25	2			•	•
#648327	- T-27	2			•	•
#648328	- T-30	2			•	•
1/4 In. Drive Standard Socket Sets						
#640497	- 11 Pc. SAE	2		•	•	•
#640498	- 11 Pc. Metric	2		•	•	•
1/4 In. Drive Deep Well Socket Sets						
#640499	- 10 Pc. SAE	2		•	•	•
#640538	- 10 Pc. Metric	2	•	•	•	•
3/8 In. Drive 12 Pt. Standard Sockets						
#641000	- 1/4 in.	2			•	•
#641001	- 5/16 in.	2	•	•	•	•
#641002	- 3/8 in.	2	•	•	•	•
#641003	- 7/16 in.	2	•	•	•	•
#641004	- 1/2 in.	2	•	•	•	•
#641005	- 9/16 in.	2	•	•	•	•
#641006	- 5/8 in.	2	•	•	•	•
#641007	- 11/16 in.	2		•	•	•
#641008	- 3/4 in.	2		•	•	•
#641009	- 13/16 in.	2		•	•	•
#641010	- 7/8 in.	2		•	•	•
#641011	- 6 mm	2		•	•	•
#641012	- 7 mm	2		•	•	•
#641013	- 8 mm	2	•	•	•	•
#641014	- 9 mm	2	•	•	•	•
#641015	- 10 mm	2	•	•	•	•
#641016	- 11 mm	2	•	•	•	•
#641017	- 12 mm	2	•	•	•	•
#641018	- 13 mm	2	•	•	•	•
#641019	- 14 mm	2	•	•	•	•
#641020	- 15 mm	2	•	•	•	•
#641021	- 16 mm	2			•	•
3/8 In. Drive 12 Pt. Standard Sockets						
#641022	- 17 mm	2	•	•	•	•
#641023	- 18 mm	2	•	•	•	•
#641024	- 19 mm	2		•	•	•
#641025	- 21 mm	2		•	•	•

Part#	Description	Qty	4'	8'	12'	16'
3/8 In. Drive 12 Pt. Standard Sockets						
#641221	- 22 mm	2		•	•	•
3/8 In. Drive 6 Pt. Deep Well Sockets						
#648215	- 5/16 in.	2		•	•	•
#641200	- 3/8 in.	2	•	•	•	•
#641201	- 7/16 in.	2	•	•	•	•
#641202	- 1/2 in.	2	•	•	•	•
#641203	- 9/16 in.	2	•	•	•	•
#641204	- 5/8 in.	2	•	•	•	•
#641205	- 11/16 in.	2		•	•	•
#641206	- 3/4 in.	2	•	•	•	•
#641207	- 13/16 in.	2	•	•	•	•
#641208	- 7/8 in.	2	•	•	•	•
#641224	- 6 mm	2		•	•	•
#641225	- 7 mm	2		•	•	•
#641210	- 10 mm	2	•	•	•	•
#641211	- 11 mm	2		•	•	•
#641212	- 12 mm	2	•	•	•	•
#641213	- 13 mm	2	•	•	•	•
#641214	- 14 mm	2	•	•	•	•
#641215	- 15 mm	2	•	•	•	•
#641216	- 16 mm	2		•	•	•
#641217	- 17 mm	2	•	•	•	•
#641218	- 18 mm	2	•	•	•	•
#641219	- 19 mm	2	•	•	•	•
3/8 In. Drive 6 Pt. Standard Impact Sockets						
#647254	- 15 mm	2				•
3/8 In. Drive 6 Pt. Deep Well Impact Sockets						
#647141	- 1/2 in.	2				•
#647142	- 9/16 in.	2				•
#647143	- 5/8 in.	2				•
#647144	- 11/16 in.	2				•
#647145	- 3/4 in.	2				•
#647146	- 12 mm	2				•
#647147	- 13 mm	2				•
#647148	- 14 mm	2				•
#647149	- 15 mm	2				•
#647150	- 16 mm	2				•
3/8 In. Drive Bit Sockets - Hex						
#648430	- 5/32 in.	2		•	•	•
#640349	- 3/16 in.	2	•			
#640350	- 7/32 in.	2		•	•	•
#648662	- 1/4 in.	2		•	•	•
#640554	- 5/16 in.	2		•	•	•
#641400	- 3/8 in.	2	•			
#648323	- 3 mm	2		•	•	•
#648418	- 4 mm	2		•	•	•
#640347	- 5 mm	2		•	•	•
#640556	- 6 mm	2		•	•	•
#648664	- 7 mm	2		•	•	•
#648665	- 8 mm	2		•	•	•
#648425	- 9 mm	2		•	•	•
3/8 In. Drive Bit Sockets - Torx®						
#641402	- T-40	2	•			•
#641403	- T-45	2	•	•	•	•
#641408	- T-47	2		•	•	•
#641404	- T-50	2	•	•	•	•
3/8 In. Drive Splined Socket Sets						
#641990	- 8 Pc. SAE	2				•
#641991	- 8 Pc. Metric	2				•
3/8 In. Bit Socket Sets - Hex						
#648661	- 7 Pc. SAE	2		•	•	•
#648663	- 7 Pc. Metric	2		•	•	•
#642402	- 8 Pc. SAE Wobble	2		•	•	•
#642403	- 8 Pc. Metric Wobble	2		•	•	•
1/2 In. Drive 12 Pt. Standard Sockets						
#642000	- 1/2 in.	2	•	•	•	•
#642001	- 9/16 in.	2	•	•	•	•

Part#	Description	Qty	4'	8'	12'	16'
1/2 In. Drive 12 Pt. Standard Sockets						
#642002	- 5/8 in.	2	•	•	•	•
#642303	- 11/16 in.	2		•	•	•
#642003	- 3/4 in.	2	•	•	•	•
#642004	- 13/16 in.	2	•	•	•	•
#642005	- 7/8 in.	2	•	•	•	•
#642006	- 15/16 in.	2	•	•	•	•
#642007	- 1 in.	2	•	•	•	•
#642008	- 1-1/16 in.	2	•	•	•	•
#642009	- 1-1/8 in.	2	•	•	•	•
#642010	- 1-3/16 in.	2	•	•	•	•
#642011	- 1-1/4 in.	2	•	•	•	•
#642012	- 14 mm	2	•	•	•	•
#642013	- 15 mm	2	•	•	•	•
#642014	- 16 mm	2	•	•	•	•
#642015	- 17 mm	2	•	•	•	•
#642016	- 18 mm	2	•	•	•	•
#642017	- 19 mm	2	•	•	•	•
#642018	- 20 mm	2		•	•	•
#642019	- 21 mm	2	•	•	•	•
#642020	- 22 mm	2	•	•	•	•
#642021	- 23 mm	2	•	•	•	•
#642022	- 24 mm	2		•	•	•
#642023	- 26 mm	2		•	•	•
#642034	- 27 mm	2		•	•	•
#648216	- 28 mm	2		•	•	•
#642035	- 29 mm	2		•	•	•
#642025	- 32 mm	2		•	•	•
#642026	- 34 mm	2		•	•	•
#642027	- 35 mm	2		•	•	•
#642028	- 36 mm	2		•	•	•
1/2 In. Drive 6 Pt. Deep Well Sockets						
#642200	- 9/16 in.	2	•	•	•	•
#642201	- 5/8 in.	2	•	•	•	•
#642202	- 11/16 in.	2	•	•	•	•
#642203	- 3/4 in.	2	•	•	•	•
#642204	- 13/16 in.	2	•	•	•	•
#642205	- 7/8 in.	2	•	•	•	•
#642206	- 15/16 in.	2	•	•	•	•
#642207	- 1 in.	2	•	•	•	•
#648217	- 1-1/16 in.	2	•	•	•	•
#642215	- 1-1/8 in.	2	•	•	•	•
#642216	- 1-1/4 in.	2	•	•	•	•
#642208	- 14 mm	2	•	•	•	•
#642209	- 15 mm	2	•	•	•	•
#642210	- 16 mm	2	•	•	•	•
#642211	- 17 mm	2	•	•	•	•
#642212	- 18 mm	2	•	•	•	•
#642213	- 19 mm	2	•	•	•	•
#642214	- 20 mm	2	•	•	•	•
#640836	- 21 mm	2		•	•	•
#640837	- 22 mm	2	•	•	•	•
#640838	- 23 mm	2	•	•	•	•
#640840	- 24 mm	2	•	•	•	•
#640841	- 27 mm	2	•			
1/2 In. Drive 6 Pt. Deep Well Sockets Sets						
#640056	- 8 Pc. SAE	2		•	•	•
#640055	- 8 Pc. Metric	2		•	•	•
1/2 In. Drive 6 Pt. Standard Impact Sockets						
#647151	- 1/2 in.	2				•
#647152	- 9/16 in.	2				•
#647153	- 5/8 in.	2				•
#647154	- 11/16 in.	2				•
#647155	- 3/4 in.	2				•
#647156	- 13/16 in.	2				•
#647157	- 7/8 in.	2				•
#647158	- 15/16 in.	2				•
#647159	- 1 in.	2				•
#647160	- 13 mm	2				•

Planogram Contents

Part#	Description	Qty	4'	8'	12'	16'
1/2 In. Drive 6 Pt. Standard Impact Sockets						
#647161	- 14 mm	2				•
#647162	- 15 mm	2				•
#647163	- 16 mm	2				•
#647164	- 17 mm	2				•
#647165	- 18 mm	2				•
#647166	- 19 mm	2				•
#647167	- 21 mm	2				•
#647168	- 22 mm	2				•
#647169	- 24 mm	2				•
1/2 In. Drive 6 Pt. Standard Impact Socket Sets						
#940837	- 18 Pc. SAE	2			•	•
#940838	- 18 Pc. Metric	2			•	•
1/2 In. Drive 6 Pt. Deep Well Impact Sockets						
#647170	- 1/2 in.	2	•	•	•	•
#647171	- 9/16 in.	2	•	•	•	•
#647172	- 5/8 in.	2	•	•	•	•
#647173	- 11/16 in.	2		•	•	•
#647174	- 3/4 in.	2		•	•	•
#647175	- 13/16 in.	2	•	•	•	•
#647176	- 7/8 in.	2	•	•	•	•
#647177	- 15/16 in.	2			•	•
#647178	- 1 in.	2	•		•	•
#647179	- 1-1/8 in.	2			•	•
#647180	- 1-1/4 in.	2			•	•
#647181	- 12 mm	2				•
#647182	- 13 mm	2				•
#647183	- 14 mm	2	•		•	•
#647184	- 15 mm	2	•		•	•
#647185	- 16 mm	2			•	•
#647186	- 17 mm	2	•	•	•	•
#647187	- 18 mm	2	•	•	•	•
#647188	- 19 mm	2	•	•	•	•
#647192	- 20 mm	2			•	•
#647189	- 21 mm	2	•	•	•	•
#647190	- 22 mm	2	•	•	•	•
#647191	- 24 mm	2	•	•	•	•
#647193	- 26 mm	2			•	•
1/2 In. Drive 6 Pt. Deep Well Impact Socket Sets						
#647049	- 11 Pc. SAE	2	•	•	•	•
#647048	- 11 Pc. Metric	2	•	•	•	•
1/2 In. Drive 6 Pt. Flip Impact Sockets						
#641163	- 3/4 in. x 13/16 in.	2				•
1/2 In. Drive Bit Sockets - Torx®						
#642400	- T-55	2		•	•	•
#642401	- T-60	2		•	•	•
#940363	- T-70	2		•	•	•
3/4 In. Drive 12 Pt. Standard Sockets						
#643207	- 1-5/16 in.	2				•
#643208	- 1-3/8 in.	2				•
#643209	- 1-7/16 in.	2				•
#643210	- 1-1/2 in.	2				•
#643211	- 1-9/16 in.	2				•
#643212	- 1-5/8 in.	2				•
Spark Plug Sockets & Tools						
#643000	- 3/8 in. x 5/8 in.	2			•	•
#643002	- 3/8 in. x 5/8 in. U-Joint	2		•	•	•
#643001	- 3/8 in. x 13/16 in.	2		•	•	•
#643003	- 3/8 in. x 13/16 in. U-Joint	2		•	•	•
#643006	- 3/8 in. x 3/4 in.	2		•	•	•
#643009	- 3/8 in. x 18mm	2		•	•	•
#641853	- 3/8 in. x 13/16 in. Swivel Socket	2		•	•	•
#641852	- 3/8 in. x 5/8 in. Swivel Socket	2		•	•	•
#641870	- 2 Pc. 3/8 in. Magnetic Socket Set	2		•	•	•
#643004	- 1/2 in. x 5/8 in.	2		•	•	•
#643005	- 1/2 in. x 13/16 in.	2		•	•	•

Part#	Description	Qty	4'	8'	12'	16'
Spark Plug Sockets & Tools						
#648576	- 5/8 in. T-Handle	2			•	•
#648577	- 13/16 in. T-Handle	2			•	•
Bit Socket Sets - Torx®						
#641869	- 3 Pc. 1/4 in. & 3/8 in. Dr.	2				•
#648677	- 6 Pc. 3/8 in. & 1/2 in. Dr.	2		•	•	•
#940146	- 13 Pc. 1/4 in., 3/8 in. & 1/2 in. Dr.	2		•	•	•
Socket Sets						
#640397	- 24 Pc. 1/4 in. SAE & Metric	2				•
#940835	- 30 Pc. 1/4 in. SAE	2		•	•	•
#940836	- 30 Pc. 1/4 in. Metric	2				•
#941106	- 34 Pc. 1/4 in. SAE & Metric	2		•	•	•
#640381	- 26 Pc. 3/8 in. SAE & Metric	2		•	•	•
#640071	- 33 Pc. 1/4 in. & 3/8 in. SAE & Metric	2	•	•	•	•
#941107	- 33 Pc. 1/4 in. & 3/8 in. SAE & Metric	2		•	•	•
#941109	- 53 Pc. 1/4 in. & 3/8 in. SAE & Metric	2		•		•
#640743	- 61 Pc. 1/4 in. & 3/8 in. SAE & Metric	2	•		•	•
#646546	- 71 Pc. 1/4 in. & 3/8 in. SAE & Metric	2			•	•
#941108	- 25 Pc. 3/8 in. & 1/2 in. SAE & Metric	2		•	•	•
#941110	- 100 Pc. 3/8 in. & 1/2 in. SAE & Metric	2		•	•	•
#640076	- 82 Pc. 1/4 in., 3/8 in. & 1/2 in. SAE & Metric	2	•	•	•	•
#640987	- 145 Pc. 1/4 in., 3/8 in. & 1/2 in. SAE & Metric	2				•
#640745	- 161 Pc. 1/4 in., 3/8 in. & 1/2 in. SAE & Metric	2				•
Adjustable Wrenches						
#944039	- 4 in.	2			•	•
#644040	- 6 in.	2		•	•	•
#644041	- 8 in.	2	•	•	•	•
#644042	- 10 in.	2	•	•	•	•
#644043	- 12 in.	2	•	•	•	•
Mirror-Polish Combination Wrenches - Standard Length						
#644140	- 1/4 in.	2	•	•	•	•
#644141	- 5/16 in.	2	•	•	•	•
#644142	- 3/8 in.	2	•	•	•	•
#644143	- 7/16 in.	2	•	•	•	•
#644144	- 1/2 in.	2	•	•	•	•
#644145	- 9/16 in.	2	•	•	•	•
#644146	- 5/8 in.	2	•	•	•	•
#640894	- 11/16 in.	2		•	•	•
#644147	- 3/4 in.	2	•	•	•	•
#644148	- 13/16 in.	2	•	•	•	•
#644149	- 7/8 in.	2	•	•	•	•
#644150	- 15/16 in.	2	•	•	•	•
#644152	- 1 in.	2		•	•	•
#644153	- 1-1/16 in.	2		•	•	•
#644154	- 1-1/8 in.	2		•	•	•
#644155	- 1-1/4 in.	2		•	•	•
#644110	- 6 mm	2		•	•	•
#644111	- 7 mm	2	•	•	•	•
Mirror-Polish Combination Wrenches - Standard Length						
#644112	- 8 mm	2	•	•	•	•
#644113	- 9 mm	2	•	•	•	•
#644114	- 10 mm	2	•	•	•	•
#644115	- 11 mm	2	•	•	•	•
#644116	- 12 mm	2	•	•	•	•
#644117	- 13 mm	2	•	•	•	•
#644118	- 14 mm	2	•	•	•	•
#644119	- 15 mm	2	•	•	•	•
#644120	- 16 mm	2	•	•	•	•
#644121	- 17 mm	2	•	•	•	•
#644122	- 18 mm	2	•	•	•	•
#644123	- 19 mm	2	•	•	•	•
#644125	- 21 mm	2		•	•	•

Part#	Description	Qty	4'	8'	12'	16'
Mirror-Polish Combination Wrenches - Standard Length						
#644126	- 22 mm	2		•	•	•
#644127	- 23 mm	2		•	•	•
#644128	- 24 mm	2		•	•	•
#644129	- 25 mm	2			•	•
#644130	- 26 mm	2			•	•
#644131	- 27 mm	2			•	•
#644132	- 28 mm	2			•	•
#644134	- 30 mm	2			•	•
#644135	- 32 mm	2			•	•
Mirror-Polish Combination Wrenches - Extended Length						
#640476	- 5/16 in.	2			•	•
#640477	- 3/8 in.	2			•	•
#640440	- 7/16 in.	2			•	•
#640441	- 1/2 in.	2			•	•
#640442	- 9/16 in.	2			•	•
#640443	- 5/8 in.	2			•	•
#940483	- 6 mm	2			•	•
#640484	- 7 mm	2			•	•
#640485	- 8 mm	2			•	•
#640486	- 9 mm	2			•	•
#640447	- 10 mm	2			•	•
#640487	- 11 mm	2			•	•
#640449	- 13 mm	2			•	•
#640488	- 14 mm	2			•	•
#640450	- 15 mm	2			•	•
#640451	- 16 mm	2			•	•
Combination Wrench Sets						
#640078	- 6 Pc. SAE	2				•
#640203	- 7 Pc. SAE Stubby	2				•
#640204	- 7 Pc. Metric Stubby	2				•
#640077	- 7 Pc. Metric	2			•	•
#640378	- 11 Pc. Metric	2			•	•
#640377	- 11 Pc. SAE	2		•	•	•
#640079	- 5 Pc. SAE	2				•
#640080	- 7 Pc. Metric	2				•
#640990	- 7 Pc. SAE Ratcheting	2		•	•	•
#640991	- 7 Pc. Metric Ratcheting	2		•	•	•
#941132	- 7 Pc. Metric Universal	2				•
#941131	- 7 Pc. SAE Universal	2				•
#940829	- 32 Pc. SAE & Metric	2	•	•	•	•
Flare Nut Wrenches						
#640085	- 3/8 in. x 7/16 in.	2	•	•	•	•
#644034	- 1/2 in. x 9/16 in.	2	•	•	•	•
#644035	- 5/8 in. x 11/16 in.	2	•	•	•	•
#644036	- 9 x 10 mm	2	•	•	•	•
#644037	- 11 x 12 mm	2	•	•	•	•
#644038	- 13 x 14 mm	2	•	•	•	•
Flare Nut Wrench Sets						
#640185	- 4 Pc. SAE	2		•	•	•
#640186	- 4 Pc. Metric	2			•	•
Box End Wrench Sets						
#644505	- 5 Pc. SAE	2			•	•
#644506	- 5 Pc. Metric	2			•	•
Hex Key Wrench Sets						
#940785	- 9 Pc. SAE Ball End Folding	2		•		•
#940784	- 8 Pc. Metric Ball End Folding	2		•		•
#941070	- 9 Pc. SAE Short Arm Ball End	2				•
#640081	- 9 Pc. SAE Long Arm Ball End	2			•	•
#941069	- 9 Pc. Metric Short Arm Ball End	2				•
#640082	- 9 Pc. Metric Long Arm Ball End	2			•	•
#940201	- 10 Pc. SAE T-Handle	2				•
#940202	- 10 Pc. Metric T-Handle	2				•
Torx® Key Wrench Sets						
#640685	- 6 Pc. L-Type Torx® Wrench Set	2				•
#941142	- 7 Pc. Folding	2		•	•	•
#940786	- 7 Pc. Folding	2		•	•	•

Part#	Description	Qty	4'	8'	12'	16'
Pliers						
#640412	- 4 in. Diagonal	2		•	•	•
#640413	- 4-1/2 in. Linesman	2		•	•	•
#640409	- 5 in. Long Nose	2		•	•	•
#640411	- 5 in. Bent Nose Pliers	2		•		
#640410	- 6 in. Needle Nose	2			•	•
#640394	- 6 in. Slip Joint	2	•	•	•	•
#640395	- 8 in. Slip Joint	2	•	•	•	•
#640391	- 7 in. Linesman	2	•		•	•
#640386	- 6 in. Diagonal	2	•	•	•	•
#640387	- 7 in. Diagonal	2	•	•	•	•
#640392	- 6 in. Long Nose	2	•	•	•	•
#640393	- 8 in. Long Nose	2	•		•	•
#640388	- 8 in. Groove Joint	2	•	•	•	•
#640389	- 10" Groove Joint	2	•	•	•	•
#640390	- 12" Groove Joint	2		•	•	•
#645014	- 5 in. Locking	2			•	•
#646539	- 7 in. Locking	2			•	•
#646540	- 10 in. Locking	2			•	•
#645015	- 6 in. Long Nose Locking	2			•	•
#646541	- 9 in. Long Nose Locking	2				•
#645016	- 10 in. Locking Pivot Jaw	2				•
#640860	- 11 in. Long Reach	2			•	•
#640862	- 11 in. 90 Degree Long Reach	2				•
#640863	- 11 in. Hose Jaw	2				•
#640985	- 5 Pc. Locking Pliers Set	2				•
Slotted Screwdrivers						
#646007	- 1/8 in. x 3 in.	2	•	•	•	•
#646009	- 3/16 in. x 3 in.	2	•	•	•	•
#646010	- 3/16 in. x 6 in.	2	•	•	•	•
#646011	- 1/4 in. x 1-1/2 in.	2	•	•	•	•
#646012	- 1/4 in. x 4 in.	2	•	•	•	•
#646013	- 1/4 in. x 6 in.	2		•	•	•
#646014	- 5/16 in. x 6 in.	2		•	•	•
#646015	- 3/8 in. x 8 in.	2		•	•	•
Phillips Screwdrivers						
#646000	- #0 x 3 in.	2	•	•	•	•
#646002	- #1 x 3 in.	2	•	•	•	•
#646003	- #2 x 1-1/2 in.	2	•	•	•	•
#646004	- #2 x 4 in.	2	•	•	•	•
#646005	- #2 x 6 in.	2	•	•	•	•
#646038	- #3 x 8 in.	2	•	•	•	•
Torx® Screwdrivers						
#646016	- T-10	2	•	•	•	•
#646017	- T-15	2	•	•	•	•
#646018	- T-20	2	•	•	•	•
#646019	- T-25	2	•	•	•	•
#646020	- T-27	2		•	•	•
#646021	- T-30	2	•	•	•	•
#646022	- T-40	2		•	•	•
Screwdriver, Bit Driver & Bit Sets						
#646048	- 2 Pc. Pocket Screwdriver Set	2			•	•
#646500	- 5 Pc. Screwdriver Set	2		•	•	•
#646046	- 5 Pc. Torx® Screwdriver Set	2				•
#646507	- 6 Pc. Precision Screwdriver Set	2				•
#646516	- 24 Pc. Bit Driver Set	2				•
#646506	- 10 Pc. Bit Set	2			•	•
#646501	- 10 Pc. Tamper-Proof Bit Set	2			•	•
#941129	- 13 Pc. Tamper-Proof Torx® Bit Set	2			•	•
#941128	- 13 Pc. SAE Hex Bit Set	2		•	•	•
#941127	- 13 Pc. Metric Hex Bit Set	2		•	•	•
#940668	- 36 Piece Bit Set	2	•	•	•	•
Striking Tools						
#648335	- 16 oz. Soft Face Hammer	2				•
#648332	- 2.5 lb. Hand Drilling Hammer	2				•
Tape Measures						
#940984	- 25' x 1 in.	2				•
#940983	- 2 Pc. Set 12' & 25'	2	•	•	•	•
Miscellaneous						



With four different sizes of Powerbuilt EVA foams, you can build your own unique tool kit for efficient work in Daily life.

Powerbuilt Roller Cabinet Features



Roller Cabinet



#RMT0101 - 5 Drawer Roller Cabinet

	W	D	H	Loading
Overall	670 mm	460 mm	812 mm	
Overall with Casters	670 mm	460 mm	960 mm	
4 Drawers	576 mm	410 mm	75 mm	25 kg
1 Drawers	576 mm	410 mm	154 mm	40 kg
Panel Area	603 mm	404 mm	234 mm	
N.W.: 58 KGS G.W.: 66 KGS				



#RMT0102 - 7 Drawer Roller Cabinet

	W	D	H	Loading
Overall	670 mm	460 mm	812 mm	
Overall with Casters	670 mm	460 mm	960 mm	
5 Drawers	576 mm	410 mm	75 mm	25 kg
2 Drawers	576 mm	410 mm	154 mm	40 kg
N.W.: 66 KGS G.W.: 74 KGS				



#RMT0103 - 8 Drawer Roller Cabinet

	W	D	H	Loading
Overall	670 mm	460 mm	812 mm	
Overall with Casters	670 mm	460 mm	960 mm	
7 Drawers	576 mm	410 mm	75 mm	25 kg
1 Drawers	576 mm	410 mm	154 mm	40 kg
N.W.: 68 KGS G.W.: 76 KGS				



#RFT0081 - 79 Pc. Mechanic's Tools with 5D Roller Cabinet

- Contents:
- RMT0101 - 5 drawer roller cabinet
 - KBT0706 - 32 pc 1/2 in. Dr. socket set
 - WRT0801 - 15 pc combination wrench set
 - WST0603 - 19 pc screwdriver set
 - CGT0601 - 4 pc pliers set
 - HHT0101 - 8 pc chisel and hammer set



Full contents of Tool Trays can be viewed on pages 8-14. Additional trays can be purchased to expand on this set.



#RFT0083 - 117 Pc. Mechanic's Tools with 5D Roller Cabinet

- Contents:
- RMT0101 - 5 drawer roller cabinet
 - KBT0701 - 38pc 1/4 in. Dr. socket set
 - KBT0706 - 32pc 1/2 in. Dr. socket set
 - WRT0801 - 15pc combination wrench set
 - WST0603 - 19pc screwdriver set
 - CGT0601 - 4pc pliers set
 - HHT0101 - 8pc chisel and hammer set



Full contents of Tool Trays can be viewed on pages 8-14. Additional trays can be purchased to expand on this set.






#RFT0090 - 192 Pc. Mechanic's Tools with 7D Roller Cabinet

- Contents:
- RMT0102 - 7 drawer roller cabinet
 - KBT0701 - 38pc 1/4" Dr. socket set
 - KBT0704 - 22pc 3/8" Dr. socket set
 - KBT0706 - 32pc 1/2" Dr. socket set
 - KBT0709 - 11pc spark plug tool set
 - WRT0801 - 15pc combination wrench set
 - WRT0802 - 11pc combination wrench set
 - WRT0803 - 18pc double open end & box end wrench set
 - WRT0807 - 12pc reversible ratcheting wrench set
 - WST0601 - 8pc screwdriver set
 - WST0602 - 8pc torx screwdriver set
 - CGT0601 - 4pc pliers set
 - CGT0604 - 4pc circlip pliers set
 - HHT0101 - 8pc chisel and hammer set



#RFT0084 - 231 Pc. Mechanic's Tools with 7D Roller Cabinet

- Contents:
- RMT0102 - 7 drawer roller cabinet
 - KBT0701 - 38pc 1/4" Dr. socket set
 - KBT0704 - 22pc 3/8" Dr. socket set
 - KBT0706 - 32pc 1/2" Dr. socket set
 - KBT0708 - 30pc 1/2" Dr. socket bits set
 - KBT0709 - 11pc spark plug tool set
 - KBT0710 - 18pc 1/2" Dr. impact socket set
 - KBT0712 - 3pc 1/2" Dr. wheel nut impact socket set
 - WRT0803 - 18pc double open end & box end wrench set
 - WRT0804 - 23pc combination & gear wrench set
 - WST0603 - 19pc screwdriver set
 - CGT0601 - 4pc pliers set
 - CGT0603 - 4pc circlip pliers set
 - HHT0101 - 8pc chisel and hammer set



Full contents of Tool Trays can be viewed on pages 8-14. Additional trays can be purchased to expand on this set.

Full contents of Tool Trays can be viewed on pages 8-14. Additional trays can be purchased to expand on this set.

Customized Cabinet Series

Customized Cabinet Series



#RFT0091 - 270 Pc. Mechanic's Tools with 7D Roller Cabinet

- Contents:
- RMT0102 - 7 drawer roller cabinet
 - KBT0701 - 38pc 1/4" Dr. socket set
 - KBT0703 - 46pc 3/8" Dr. socket set
 - KBT0706 - 32pc 1/2" Dr. socket set
 - KBT0708 - 30pc 1/2" Dr. socket bit set
 - KBT0709 - 11pc spark plug tool set
 - KBT0710 - 18pc 1/2" Dr. impact socket set
 - KBT0712 - 3pc 1/2" Dr. alloy wheel impact socket set
 - WRT0803 - 18pc double open end & box end wrench set
 - WRT0804 - 23pc combination & ratcheting wrench set
 - WRT0809 - 15pc flare nut & crow foot wrench set
 - WST0603 - 19pc screwdriver set
 - CGT0601 - 4pc pliers set
 - CGT0604 - 4pc circlip pliers set
 - HHT0101 - 8pc chisel and hammer set



Tool Trays with EVA Foam

1/6 Drawer EVA Foam Dimensions 191mm(W) x 202mm(D) x 32mm(H)



#KBT0702 - 18 Pc. 1/4 In. Dr. Deep Socket and Star Socket Set

- Contents:
- 1/4 in. Dr. 6pt deep sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
 - 1/4 in. Dr. star sockets: E4, E5, E6, E7, E8, E10, E11




#KBT0712 - 3 Pc. 1/2 In. Dr. Wheel Nut Impact Socket Set

- Contents:
- 1/2 in. Dr. wheel nut impact sockets: 17, 19, 21 mm



1/3 Drawer EVA Foam Dimensions 191mm(W) x 406mm(D) x 32mm(H)



Full contents of Tool Trays can be viewed on pages 8-14. Additional trays can be purchased to expand on this set.

#KBT0701 - 38 Pc. 1/4 In. Dr. Socket, Socket Bit and Accessory Set

- Contents:
- 1/4 in. Dr. 6pt standard sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
 - 1/4 in. Dr. socket bits: Slotted: 4, 5.5, 7 mm; Phillips: #1, #2, #3; Hex: 3, 4, 5, 6, 8 mm; Torx: T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40
 - 1/4 in. Dr. extension bars: 50, 100 mm
 - 1/4 in. Dr. sliding T-bar: 115 mm
 - 1/4 in. Dr. universal joint
 - 3/8 in. Dr. (F) X 1/4 in. Dr. (M) adapter
 - 1/4 in. Dr. ratchet handle
 - 1/4 in. Dr. 160 mm spinner handle



#KBT0703 - 46 Pc. 3/8 In. Dr. Socket, Bit Socket and Accessories Set

- Contents:
- 3/8 in. Dr. 6pt standard sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
 - 3/8 in. Dr. star sockets: E10, E12, E14, E16, E18
 - 3/8 in. Dr. socket bits: Slotted: 4, 5.5, 7 mm; Phillips: #1, #2, #3; Hex: 3, 4, 5, 6, 8 mm; Torx: T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40
 - 3/8 in. Dr. extension bars: 75, 150mm
 - 3/8 in. Dr. 200mm sliding T-bar
 - 3/8 in. Dr. universal joint
 - 3/8 in. Dr. ratchet handle





#KBT0704 - 22 Pc. 3/8 In. Dr. Socket Set

- Contents:
- 3/8 in. Dr. 6pt standard sockets
 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
 - 3/8 in. Dr. extension bars: 75, 150 mm
 - 3/8 in. Dr. 200 mm sliding T-bar
 - 3/8 in. Dr. universal joint
 - 3/8 in. Dr. ratchet handle



#KBT0711 - 14 Pc. 1/2 In. Dr. Deep Impact Socket Set

- Contents:
- 1/2 in. Dr. 6pt deep impact sockets
 10, 11, 12, 13, 14, 15, 17, 19, 21, 22, 24, 27, 30, 32 mm



#KBT0705 - 17 Pc. 3/8 In. Dr. Deep Socket Set

- Contents:
- 3/8 in. Dr. 6pt deep Sockets:
 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm



#WRT0801 - 15 Pc. Combination Wrench Set

- Contents:
- German type combination wrenches
 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 mm



#KBT0709 - 11 Pc. 3/8 In. and 1/2 In. Dr. Spark Plug Tool Set

- Contents:
- 3/8 in. Dr. 6pt magnetic spark plug sockets
 16, 18, 21 mm
 - 1/2 in. Dr. 6pt magnetic spark plug sockets
 16, 18, 21 mm
 - 3/8 in. Dr. 12pt magnetic spark plug sockets
 14 x 90, 14 x 250 mm
 - Spark plug gauge
 - Spark plug pliers: 160, 200 mm



#WRT0805 - 12 Pc. Ratcheting Wrench Set

- Contents:
- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm



#KBT0710 - 18 Pc. 1/2 In. Dr. Impact Socket Set

- Contents:
- 1/2 in. Dr. 6pt standard impact sockets
 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
 - 1/2 in. Dr. 125 mm extension bar



#WRT0807 - 12 Pc. Reversible Ratcheting Wrench Set

- Contents:
- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm





#WRT0809 - 15 Pc. Flare Nut and Crow Foot Wrench Set

- Contents:
- German type flare nut wrenches
 9x10, 11x12, 13x14, 15x17mm
 - Crow foot wrenches
 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
 - 3/8 in. Dr. 75 mm extension bar




#CGT0601 - 4 Pc. Plier Set

- Contents:
- 180 mm combination pliers
 - 200 mm long nose pliers
 - 180 mm heavy duty diagonal pliers
 - 250 mm water pump pliers




#WRT0810 - 13 Pc. Stubby Combination Wrench Set

- Contents:
- 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm




#CGT0602 - 3 Pc. Plier Set

- Contents:
- 180 mm combination pliers
 - 200 mm long nose pliers
 - 180 mm heavy duty diagonal pliers




#WST0601 - 8 Pc. Screwdriver Set

- Contents:
- Go-thru screwdrivers
 Slotted: 5.5 x 100, 6.5 x 125, 8 x 150 mm
 Phillips: #1 x 100, #2 x 125, #3 x 150 mm
 - Regular screwdrivers
 Slotted: 3.5 x 75 mm
 Phillips: #0 x 60 mm



#CGT0603 - 4 Pc. 140 mm Circlip Plier Set

- Contents:
- Internal circlip pliers, straight
 - Internal circlip pliers, bent
 - External circlip pliers, straight
 - External circlip pliers, bent



#WST0602 - 8 Pc. Torx Screwdriver Set

- Contents:
- Torx screwdrivers
 T-8 X 75, T-10 X 75, T-15 X 100, T-20 X 100, T-25 X 100,
 T-27 X 100, T-30 X 100, T-40 X 125 mm



#CGT0604 - 4 Pc. 180mm Circlip Plier Set

- Contents:
- Internal circlip pliers, straight
 - Internal circlip pliers, bent
 - External circlip pliers, straight
 - External circlip pliers, bent



2/3 Drawer EVA Foam Dimensions 382mm(W) x 406mm(D) x 32mm(H)



#HHT0101 - 8 Pc. Hammer, Punch & Chisel Set

- Contents:
- Engineer hammer, 300 g
 - Pin punches
3 x 150, 4 x 180, 5 x 200, 6 x 210 mm
 - Center punch
2.5 x 185 mm
 - Cold chisels
12 x 160, 18 x 190 mm



#WRT0802 - 11 Pc. Combination Wrench Set

- Contents:
- German type combination wrenches
21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm



1/2 Drawer EVA Foam Dimensions 287mm(W) x 406mm(D) x 32mm(H)



#KBT0706 - 32 Pc. 1/2 In. Dr. Socket and Accessories Set

- Contents:
- 1/2 in. Dr. 6pt standard sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm
 - 1/2 in. Dr. star sockets
E16, E18, E20, E22, E24
 - 1/2 in. Dr. extension bars: 125, 250 mm
 - 1/2 in. Dr. 250 mm sliding T-bar
 - 1/2 in. Dr. universal joint
 - 1/2 in. Dr. ratchet handle



#WRT0803 - 18 Pc. Double Open and Box End Wrench Set

- Contents:
- German type double open end wrenches
8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 22 x 23, 24 x 27, 30 x 32 mm
 - German type 75 degree double box end wrenches
8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 22 x 23, 24 x 27, 30 x 32 mm



#KBT0707 - 22 Pc. 1/2 In. Dr. Deep Socket Set

- Contents:
- 1/2 in. Dr. 6pt deep sockets:
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm




#WRT0804 - 23 Pc. Combination and Ratcheting Wrench Set

- Contents:
- German type combination wrenches
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22 mm
 - Ratcheting wrenches
8, 10, 11, 13, 14, 17, 19 mm



#KBT0708 - 30 Pc. 1/2 In. Dr. Socket Bit Set

- Contents:
- Hex 55 mml socket bits
5, 6, 7, 8, 10, 12, 14, 17 mm
 - Torx 55 mml socket bits
T-25, T-27, T-30, T-40, T-45, T-50, T-55, T-60
 - XZN 55 mml socket bits
M-5, M-6, M-8, M-10
 - Deep Hex 110 mml socket bits
5, 6, 7, 8 mm
 - Deep Torx 140 mml socket bits
T-45, T-55, T-70
 - Deep XZN 100 mml socket bits
M-6, M-8, M-10



#WST0603 - 19 Pc. Multi-Purpose Screwdriver Set

- Contents:
- Go-thru screwdrivers
Slotted: 5.5 x 100, 6.5 x 125, 8 x 150 mm
Phillips: #1 x 100, #2 x 125, #3 x 150 mm
 - Regular screwdrivers
Slotted: 3.5 x 75 mm
Phillips: #0 x 60 mm
 - Torx screwdrivers
T-8 x 75, T-10 x 75, T-15 x 100, T-20 x 100, T-25 x 100, T-27 x 100, T-30 x 100, T-40 x 125 mm
 - Stubby screwdrivers:
Slotted: 6.5 x 38 mm
Phillips: #1 x 38, #2 x 38 mm



Sockets



1/4 In. Dr. Sockets - 6 Pt.

#YKT1101D - 4 mm	#YKT1107D - 8 mm
#YKT1102D - 4.5 mm	#YKT1108D - 9 mm
#YKT1103D - 5 mm	#YKT1109D - 10 mm
#YKT1104D - 5.5 mm	#YKT1110D - 11 mm
#YKT1105D - 6 mm	#YKT1111D - 12 mm
#YKT1106D - 7 mm	#YKT1112D - 13 mm



1/4 In. Dr. Deep Sockets - 6 Pt.

#YKT1201D - 4 mm	#YKT1207D - 9 mm
#YKT1202D - 4.5 mm	#YKT1208D - 10 mm
#YKT1203D - 5 mm	#YKT1209D - 11 mm
#YKT1204D - 6 mm	#YKT1210D - 12 mm
#YKT1205D - 7 mm	#YKT1211D - 13 mm
#YKT1206D - 8 mm	



1/4 In. Dr. E-Torx® Sockets

#YKT1171D - E-4	#YKT1175D - E-8
#YKT1172D - E-5	#YKT1176D - E-10
#YKT1173D - E-6	#YKT1177D - E-11
#YKT1174D - E-7	



3/8 In. Dr. Sockets - 6 Pt.

#YKT2101D - 6 mm	#YKT2110D - 15 mm
#YKT2102D - 7 mm	#YKT2111D - 16 mm
#YKT2103D - 8 mm	#YKT2112D - 17 mm
#YKT2104D - 9 mm	#YKT2113D - 18 mm
#YKT2105D - 10 mm	#YKT2114D - 19 mm
#YKT2106D - 11 mm	#YKT2115D - 20 mm
#YKT2107D - 12 mm	#YKT2116D - 21 mm
#YKT2108D - 13 mm	#YKT2117D - 22 mm
#YKT2109D - 14 mm	



3/8 In. Dr. Deep Sockets - 6 Pt.

#YKT2201D - 6 mm	#YKT2210D - 15 mm
#YKT2202D - 7 mm	#YKT2211D - 16 mm
#YKT2203D - 8 mm	#YKT2212D - 17 mm
#YKT2204D - 9 mm	#YKT2213D - 18 mm
#YKT2205D - 10 mm	#YKT2214D - 19 mm
#YKT2206D - 11 mm	#YKT2215D - 20 mm
#YKT2207D - 12 mm	#YKT2216D - 21 mm
#YKT2208D - 13 mm	#YKT2217D - 22 mm
#YKT2209D - 14 mm	



3/8 In. Dr. E-Torx® Sockets

#YKT2171D - E-10	#YKT2174D - E-16
#YKT2172D - E-12	#YKT2175D - E-18
#YKT2173D - E-14	



1/2 In. Dr. Sockets - 6 Pt.

#YKT3101D - 10 mm	#YKT3112D - 21 mm
#YKT3102D - 11 mm	#YKT3113D - 22 mm
#YKT3103D - 12 mm	#YKT3114D - 23 mm
#YKT3104D - 13 mm	#YKT3115D - 24 mm
#YKT3105D - 14 mm	#YKT3116D - 25 mm
#YKT3106D - 15 mm	#YKT3117D - 26 mm
#YKT3107D - 16 mm	#YKT3118D - 27 mm
#YKT3108D - 17 mm	#YKT3119D - 28 mm
#YKT3109D - 18 mm	#YKT3120D - 29 mm
#YKT3110D - 19 mm	#YKT3121D - 30 mm
#YKT3111D - 20 mm	#YKT3122D - 32 mm



1/2 In. Dr. Deep Sockets - 6 Pt.

#YKT3201D - 10 mm	#YKT3212D - 21 mm
#YKT3202D - 11 mm	#YKT3213D - 22 mm
#YKT3203D - 12 mm	#YKT3214D - 23 mm
#YKT3204D - 13 mm	#YKT3215D - 24 mm
#YKT3205D - 14 mm	#YKT3216D - 25 mm
#YKT3206D - 15 mm	#YKT3217D - 26 mm
#YKT3207D - 16 mm	#YKT3218D - 27 mm
#YKT3208D - 17 mm	#YKT3219D - 28 mm
#YKT3209D - 18 mm	#YKT3220D - 29 mm
#YKT3210D - 19 mm	#YKT3221D - 30 mm
#YKT3211D - 20 mm	#YKT3222D - 32 mm



1/2 In. Dr. E-Torx® Sockets

#YKT3171D - E-16	#YKT3174D - E-22
#YKT3172D - E-18	#YKT3175D - E-24
#YKT3173D - E-20	



Bit Sockets



1/4 In. Dr. Bit Sockets - Slotted

#YKT1601D - 4 mm	#YKT1603D - 7 mm
#YKT1602D - 5.5 mm	



1/4 In. Dr. Bit Sockets - Phillips

#YKT1604D - #1	#YKT1606D - #3
#YKT1605D - #2	



1/4 In. Dr. Bit Sockets - Hex

#YKT1607D - 3 mm	#YKT1610D - 6 mm
#YKT1608D - 4 mm	#YKT1611D - 8 mm
#YKT1609D - 5 mm	



1/4 In. Dr. Bit Sockets - Torx®

#YKT1612D - T-8	#YKT1616D - T-25
#YKT1613D - T-10	#YKT1617D - T-27
#YKT1614D - T-15	#YKT1618D - T-30
#YKT1615D - T-20	#YKT1619D - T-40



3/8 In. Dr. Bit Sockets - Slotted

#YKT2601D - 4 mm	#YKT2603D - 7 mm
#YKT2602D - 5.5 mm	



3/8 In. Dr. Bit Sockets - Phillips

#YKT2604D - #1	#YKT2606D - #3
#YKT2605D - #2	



3/8 In. Dr. Bit Sockets - Hex

#YKT2607D - 3 mm	#YKT2610D - 6 mm
#YKT2608D - 4 mm	#YKT2611D - 8 mm
#YKT2609D - 5 mm	



3/8 In. Dr. Bit Sockets - Torx®

#YKT2612D - T-8	#YKT2616D - T-25
#YKT2613D - T-10	#YKT2617D - T-27
#YKT2614D - T-15	#YKT2618D - T-30
#YKT2615D - T-20	#YKT2619D - T-40



1/2 In. Dr. Bit Sockets - Hex

#YKT3609D - 5 mm	#YKT3613D - 10 mm
#YKT3610D - 6 mm	#YKT3614D - 12 mm
#YKT3611D - 7 mm	#YKT3615D - 14 mm
#YKT3612D - 8 mm	#YKT3616D - 17 mm



1/2 In. Dr. Bit Deep Sockets - Hex

#YKT3631D - 5 mm	#YKT3625D - 8 mm
#YKT3624D - 6 mm	#YKT3626D - 10 mm
#YKT3632D - 7 mm	





1/2 In. Dr. Bit Sockets - Torx®

#YKT3601D - T-25	#YKT3605D - T-45
#YKT3633D - T-27	#YKT3606D - T-50
#YKT3602D - T-30	#YKT3607D - T-55
#YKT3603D - T-35	#YKT3608D - T-60
#YKT3604D - T-40	



1/2 In. Dr. Bit Deep Sockets - Torx®

#YKT3628D - T-45	#YKT3629D - T-55
#YKT3634D - T-50	#YKT3630D - T-70



1/2 In. Dr. Bit Sockets - XZN

#YKT3617D - M-5	#YKT3620D - M-10
#YKT3618D - M-6	#YKT3635D - M-12
#YKT3619D - M-8	



1/2 In. Dr. Bit Deep Sockets - XZN

#YKT3636D - M-5	#YKT3623D - M-10
#YKT3621D - M-6	#YKT3627D - M-12
#YKT3622D - M-8	



Socket Accessories and Ratchet Handle



Quick Release Ratchet Handle

#YKT1701D - 1/4 in. Dr.	#YKT3701D - 1/2 in. Dr.
#YKT2701D - 3/8 in. Dr.	

- Quick release ratchet head for fast socket mating
- Locking switch



Sliding T-Bar

#YKT1503D - 1/4 in. Dr.	#YKT3503D - 1/2 in. Dr.
#YKT2503D - 3/8 in. Dr.	



Extension

#YKT1501D-1/4 in.(55mm)	#YKT2502D-3/8 in.(150mm)
#YKT1506D-1/4 in.(100mm)	#YKT3501D-1/2 in.(125mm)
#YKT2501D-3/8 in.(75mm)	#YKT3502D-1/2 in.(250mm)



#YKT1505D - 1/4 in. Dr. M x 3/8 in. Dr. F Adapter

- Chrome Vanadium steel construction



Universal Joint

#YKT1504D - 1/4 in. Dr.	#YKT3504D - 1/2 in. Dr.
#YKT2504D - 3/8 in. Dr.	



3/8 In. Dr. Spark Plug Deep Sockets - 12 Pt.

#YKT2505 - 90 mm	#YKT2513 - 250 mm
------------------	-------------------



Magnetic Spark Plug Sockets - 6 Pt.

#YKT2514 - 3/8 in.(16mm)	#YKT3509 - 1/2 in.(16mm)
#YKT2506 - 3/8 in.(18mm)	#YKT3511 - 1/2 in.(18mm)
#YKT2515 - 3/8 in.(21mm)	#YKT3516 - 1/2 in.(21mm)



Impact Sockets



Impact Sockets - 6 Pt.

#YKT5101D - 10 mm	#YKT5110D - 19 mm
#YKT5102D - 11 mm	#YKT5111D - 20 mm
#YKT5103D - 12 mm	#YKT5112D - 21 mm
#YKT5104D - 13 mm	#YKT5113D - 22 mm
#YKT5105D - 14 mm	#YKT5114D - 24 mm
#YKT5106D - 15 mm	#YKT5115D - 27 mm
#YKT5107D - 16 mm	#YKT5116D - 30 mm
#YKT5108D - 17 mm	#YKT5117D - 32 mm
#YKT5109D - 18 mm	



Impact Deep Sockets - 6 Pt.

#YKT5201D - 10 mm	#YKT5209D - 18 mm
#YKT5202D - 11 mm	#YKT5210D - 19 mm
#YKT5203D - 12 mm	#YKT5212D - 21 mm
#YKT5204D - 13 mm	#YKT5213D - 22 mm
#YKT5205D - 14 mm	#YKT5214D - 24 mm
#YKT5206D - 15 mm	#YKT5215D - 27 mm
#YKT5207D - 16 mm	#YKT5216D - 30 mm
#YKT5208D - 17 mm	#YKT5117D - 32 mm



Lug Nut Impact Wheel Saver Sockets

#YKT5181 - 17 mm	#YKT5183 - 21 mm
#YKT5182 - 19 mm	



Bit Sockets - Impact Hex

#YKT5601 - 5 mm	#YKT5606 - 10 mm
#YKT5602 - 6 mm	#YKT5607 - 12 mm
#YKT5603 - 7 mm	#YKT5608 - 14 mm
#YKT5604 - 8 mm	#YKT5609 - 17 mm
#YKT5605 - 9 mm	#YKT5610 - 19 mm



Bit Sockets - Impact Torx®

#YKT5611 - T-25	#YKT5616 - T-50
#YKT5612 - T-27	#YKT5617 - T-55
#YKT5613 - T-30	#YKT5618 - T-60
#YKT5614 - T-40	#YKT5619 - T-70
#YKT5615 - T-45	



Bit Sockets - Impact XZN

#YKT5620 - M-5	#YKT5624 - M-12
#YKT5621 - M-6	#YKT5625 - M-14
#YKT5622 - M-8	#YKT5626 - M-16
#YKT5623 - M-10	



#YKT5501D - 125 mm Impact Extension

• Impact-rated chromoly construction



Wrenches

Combination Wrenches

#YWT1101 - 6 mm	#YWT1114 - 19 mm
#YWT1102 - 7 mm	#YWT1115 - 20 mm
#YWT1103 - 8 mm	#YWT1116 - 21 mm
#YWT1104 - 9 mm	#YWT1117 - 22 mm
#YWT1105 - 10 mm	#YWT1118 - 23 mm
#YWT1106 - 11 mm	#YWT1119 - 24 mm
#YWT1107 - 12 mm	#YWT1120 - 25 mm
#YWT1108 - 13 mm	#YWT1121 - 26 mm
#YWT1109 - 14 mm	#YWT1122 - 27 mm
#YWT1110 - 15 mm	#YWT1123 - 28 mm
#YWT1111 - 16 mm	#YWT1124 - 29 mm
#YWT1112 - 17 mm	#YWT1125 - 30 mm
#YWT1113 - 18 mm	#YWT1126 - 32 mm



Stubby Combination Wrenches

#YWT6101 - 10 mm	#YWT6108 - 17 mm
#YWT6102 - 11 mm	#YWT6109 - 18 mm
#YWT6103 - 12 mm	#YWT6110 - 19 mm
#YWT6104 - 13 mm	#YWT6111 - 20 mm
#YWT6105 - 14 mm	#YWT6112 - 21 mm
#YWT6106 - 15 mm	#YWT6113 - 22 mm
#YWT6107 - 16 mm	




Double Open End Wrenches

#YWT3110 - 6 x 7 mm	#YWT3111 - 20 x 21 mm
#YWT3101 - 8 x 9 mm	#YWT3107 - 22 x 23 mm
#YWT3102 - 10 x 11 mm	#YWT3112 - 24 x 25 mm
#YWT3103 - 12 x 13 mm	#YWT3113 - 26 x 27 mm
#YWT3104 - 14 x 15 mm	#YWT3114 - 28 x 29 mm
#YWT3105 - 16 x 17 mm	#YWT3109 - 30 x 32 mm
#YWT3106 - 18 x 19 mm	#YWT3108 - 24 x 27 mm



Double End Ring Wrenches

#YWT4110 - 6 x 7 mm	#YWT4111 - 20 x 21 mm
#YWT4101 - 8 x 9 mm	#YWT4107 - 22 x 23 mm
#YWT4102 - 10 x 11 mm	#YWT4112 - 24 x 25 mm
#YWT4103 - 12 x 13 mm	#YWT4113 - 26 x 27 mm
#YWT4104 - 14 x 15 mm	#YWT4114 - 28 x 29 mm
#YWT4105 - 16 x 17 mm	#YWT4109 - 30 x 32 mm
#YWT4106 - 18 x 19 mm	#YWT4108 - 24 x 27 mm



Ratcheting Combination Wrenches

#YWT1401I - 8 mm	#YWT1405I - 14 mm
#YWT1411I - 9 mm	#YWT1409I - 15 mm
#YWT1402I - 10 mm	#YWT1410I - 16 mm
#YWT1403I - 11 mm	#YWT1406I - 17 mm
#YWT1408I - 12 mm	#YWT1412I - 18 mm
#YWT1404I - 13 mm	#YWT1407I - 19 mm



Reversible Ratcheting Combination Wrenches

#YWT2401I - 8 mm	#YWT2407I - 14 mm
#YWT2402I - 9 mm	#YWT2408I - 15 mm
#YWT2403I - 10 mm	#YWT2409I - 16 mm
#YWT2404I - 11 mm	#YWT2410I - 17 mm
#YWT2405I - 12 mm	#YWT2411I - 18 mm
#YWT2406I - 13 mm	#YWT2412I - 19 mm



Flare Nut Wrenches

#YWT5101-9mm x 10mm	#YWT5103-13mm x 14mm
#YWT5102-11mm x 12mm	#YWT5104-15mm x 17mm



Crow Foot Wrenches

#YWT5105 - 10 mm	#YWT5110 - 15 mm
#YWT5106 - 11 mm	#YWT5111 - 16 mm
#YWT5107 - 12 mm	#YWT5112 - 17 mm
#YWT5108 - 13 mm	#YWT5113 - 18 mm
#YWT5109 - 14 mm	#YWT5114 - 19 mm



Customized Cabinet Series

Customized Cabinet Series

Screwdrivers



#YWT8508 - 11 Pc. Hex Key Wrench Set

- Contents:
- 1.2, 1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- Holder



#YWT8509 - 9 Pc. Ball End Hex Key Wrench Set

- Contents:
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- Holder



#YWT8510 - 9 Pc. Torx® Key Wrench Set

- Contents:
- T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50
- Holder



#YWT8511 - 9 Pc. Tamper-Proof Torx® Key Wrench Set

- Contents:
- T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50
- Holder



#YST1221B - 3.5 mm X 75 mm Slotted Screwdriver

- Hanger hold design can increase the used torsion
- Using bi-material PP & TPV avoid slip and resistance to chemical, oil and most solvents
- Special Alloy Steel: SVCM



#YST1222B - 6.5 mm X 38 mm Stubby Slotted Screwdriver

- Hanger hold design can increase the used torsion
- Using bi-material PP & TPV avoid slip and resistance to chemical, oil and most solvents
- Special Alloy Steel: SVCM



Impact Slotted Screwdriver

- #YST1223B - 5.5 x 100mm
- #YST1225B - 8 x 150mm
- #YST1224B - 6.5 x 125mm

- Using bi-material PP & TPV avoid slip and resistance to chemical, oil and most solvents
- The metal cap is the impact area, the shank is attached blow to transfer the impact force
- Special Alloy Steel: SVCM



#YST1201B - #0 X 60 mm Phillips Screwdriver

- Hanger hold design can increase the used torsion
- Using bi-material PP & TPV avoid slip and resistance to chemical, oil and most solvents
- Special Alloy Steel: SVCM



Stubby Phillips Screwdriver

- #YST1202B - #1 x 38 mm
- #YST1203B - #2 x 38 mm

- Hanger hold design can increase the used torsion
- Using bi-material PP & TPV avoid slip and resistance to chemical, oil and most solvents
- Special Alloy Steel: SVCM



Impact Phillips Screwdriver

- #YST1204B - #1 x 100 mm
- #YST1206B - #3 x 150 mm
- #YST1205B - #2 x 125 mm

- Using bi-material PP & TPV avoid slip and resistance to chemical, oil and most solvents
- The metal cap is the impact area, the shank is attached blow to transfer the impact force
- Special Alloy Steel: SVCM



Pliers



Torx® Screwdriver
 #YST1241B - T-8x75mm #YST1245B - T-25x100mm
 #YST1242B - T-10x75mm #YST1246B - T-27x100mm
 #YST1243B - T-15x100mm #YST1247B - T-30x100mm
 #YST1244B - T-20x100mm #YST1248B - T-40x125mm

- Hanger hold design can increase the used torsion
- Using bi-material PP & TPV avoid slip and resistance to chemical, oil and most solvents
- Special Alloy Steel: SVCM

DIN



#YST1299B - Spinner Handle

- Chrome vanadium shaft

DIN



Slotted Precision Screwdriver

#YST1901B - 1.5 mm #YST1902B - 2 mm

- Swivel end handles

DIN



Phillips Precision Screwdriver

#YST1903B - #0-0 #YST1904B - #0

- Swivel end handles

DIN



Torx® Precision Screwdriver

#YST1905B - T-6 #YST1906B - T-8

- Swivel end handles

DIN



Hex Precision Screwdriver

#YST1907B - 2 mm #YST1908B - 2.5 mm

- Swivel end handles

DIN



Straight Nose Internal Circlip Pliers

#YPT1601 - 140 mm #YPT1602 - 180 mm

- Heat treated. Chrome nickel steel

DIN



Bent Nose Internal Circlip Pliers

#YPT1604 - 140 mm #YPT1605 - 180 mm

- Heat treated. Chrome nickel steel

DIN



Straight Nose External Circlip Pliers

#YPT1607 - 140 mm #YPT1608 - 180 mm

- Heat treated. Chrome nickel steel

DIN



Bent Nose External Circlip Pliers

#YPT1610 - 140 mm #YPT1611 - 180 mm

- Heat treated. Chrome nickel steel

DIN



#YPT1803 - 280 mm Long Reach Long Nose Pliers

- Drop-forged chrome vanadium steel construction

DIN



#YPT1804 - 280 mm Long Reach Bent Nose Pliers

- Drop-forged chrome vanadium steel construction
- 15 degrees

DIN



#YPT1109 - 180 mm Combination pliers

- Drop-forged chrome vanadium steel construction
- Ergonomic, comfortable grip

DIN



#YPT1805 - 280 mm Long Reach Bent Nose Pliers

- Drop-forged chrome vanadium steel construction
- 45 degrees

DIN



#YPT1411 - 250 mm Water Pump pliers

- Drop-forged chrome vanadium steel construction
- Ergonomic, comfortable grip

DIN



#YPT1806 - 280 mm Long Reach Bent Nose Pliers

- Drop-forged chrome vanadium steel construction
- 90 degrees

DIN



Spark Plug Pliers

#YPT1801 - 160 mm #YPT1802 - 200 mm

- Drop-forged chrome vanadium steel construction
- Ergonomic, comfortable grip

DIN



#YPT1208 - 200 mm Long Nose Pliers

- Drop-forged chrome vanadium steel construction
- Ergonomic, comfortable grip

DIN



Euro-Type Locking Pliers

#YPT1706 - 145 mm #YPT1708 - 250 mm

#YPT1707 - 175 mm

- Drop-forged chromoly steel jaws
- High leverage pivot location for powerful grip

DIN



#YPT1309 - 180 mm Heavy Duty Diagonal pliers

- Drop-forged chrome vanadium steel construction
- Ergonomic, comfortable grip

DIN



#YPT1709 - 165 mm Long Nose Locking Pliers

- Drop-forged chromoly steel jaws
- High leverage pivot location for powerful grip

DIN



Striking Tools



Engineer Hammer
#YHT1101 - 300 g #YHT1102 - 500 g

- DIN Standard
- GS certified
- Wooden Handle

DIN



#YHT1605 - Ball Pein Hammer

- DIN Standard
- GS certified
- Wooden Handle

DIN



Pin Punch
#YOT0108B - 3 x 150mm #YOT0111B - 6 x 210mm
#YOT0109B - 4 x 180mm #YOT0112B - 8 x 220mm
#YOT0110B - 5 x 200mm

- DIN Standard
- Chrome molybdenum

DIN



#YOT1113B - 2.5 x 185 mm Center Punch

- DIN Standard
- Chrome molybdenum

DIN



Cold Chisels
#YOT1114B - 12 x 160mm #YOT1114B - 18 x 190mm

- DIN Standard
- Chrome molybdenum

DIN



Taper Punch
#YOT1116B - 5 x 185mm #YOT1117B - 6 x 185mm

- DIN Standard
- Chrome molybdenum

DIN



Torque Wrenches



Torque Wrenches

Item No.		Nm	ft.lb
#WRT1496	- 1/4 in. Dr.	5-25	1.5-18
#WRT1497	- 3/8 in. Dr.	10-50	3.75-37.5
#WRT1498	- 3/8 in. Dr.	10-100	7.5-75
#WRT1499	- 1/2 in. Dr.	10-100	7.5-75
#WRT1500	- 1/2 in. Dr.	20-200	15-150
#WRT1501	- 1/2 in. Dr.	60-300	45-200
#WRT1502	- 1/2 in. Dr.	80-400	60-300
#WRT1503	- 3/4 in. Dr.	100-550	75-405
#WRT1504	- 3/4 in. Dr.	60-300	112.5-555
#WRT1505	- 1 in. Dr.	80-400	112.5-555
#WRT1506	- 1 in. Dr.	100-550	150-740

- Tolerance of torque ± 3%
- Easy torque-adjusting design
- Quick release ratchet head
- Meets DIN ISO 6789



Digital Torque Adapter
#940963 - 3/8 in. Dr. #940962 - 1/2 in. Dr.

- Converts any 3/8 in. ratchet into an accurate digital torque wrench
- Can be used to calibrate torque wrenches
- 20-99 ft. lb range
- Auto and LED torque monitoring alarms help prevent over-torquing
- Displays peak or trace torque readings
- Stores up to 50 peak torque records
- Complete with a calibration device and carry case





Powerbuilt customized program allows you to build the tool set you select

Powerbuilt Top Chest Features



Heavy Duty Handles



Lockable Units



Drawer Liners



Dividers in Top of Chest




Ball Bearing Slides



Aluminum Handles



The variety of tool tray and tool boxes gives you the choice to customise your own tool chest to suit your budget and requirement.



Large Tray
 Dimensions 647mm(W) x 298mm(D)
 Fit Top of the Chest



Small Drawer
 Dimensions 170mm(W) x 275mm(D)
Small Foam
 Dimensions 169mm(W) x 250mm(D)



Middle Drawer
 Dimensions 569mm(W) x 275mm(D)
Middle Foam
 Dimensions 568mm(W) x 250mm(D)


Top Chest



#640216 - 6 Drawer Tool Chest				
	W	D	H	Loading
Overall	660 mm	307 mm	374 mm	
3 Drawers	170 mm	275 mm	50 mm	10 kg
3 Drawers	569 mm	275 mm	58 mm	25 kg
N.W.: 23.9 KGS G.W.: 26.9 KGS				



#CC0331 - 7 Drawer Tool Chest				
	W	D	H	Loading
Overall	660 mm	307 mm	427 mm	
3 Drawers	170 mm	275 mm	50 mm	10 kg
3 Drawers	569 mm	275 mm	50 mm	20 kg
1 Drawers	569 mm	275 mm	75 mm	25 kg
N.W.: 26.5 KGS G.W.: 30.5 KGS				



Ball Bearing Slides

#CC0332 - 9 Drawer Tool Chest

	W	D	H	Loading
Overall	660 mm	307 mm	427 mm	
6 Drawers	170 mm	275 mm	50 mm	10 kg
2 Drawers	569 mm	275 mm	50 mm	20 kg
1 Drawers	569 mm	275 mm	75 mm	25 kg
N.W.: 28.4 KGS G.W.: 32.4 KGS				



Heavy Duty Handles

#CC0321 - 3 Drawer Intermediate Chest

	W	D	H	Loading
Overall	660 mm	307 mm	251 mm	
2 Drawers	569 mm	275 mm	50 mm	20 kg
1 Drawers	569 mm	275 mm	75 mm	25 kg
N.W.: 13 KGS G.W.: 15.5 KGS				



Gas Strut

#CC0577 - 6 Drawer Tool Chest

	W	D	H	Loading
Overall	660 mm	307 mm	374 mm	
3 Drawers	170 mm	275 mm	50 mm	10 kg
3 Drawers	569 mm	275 mm	58 mm	25 kg
N.W.: 23.9 KGS G.W.: 26.9 KGS				



Gas Strut

#CC0578 - 9 Drawer Tool Chest

	W	D	H	Loading
Overall	660 mm	307 mm	427 mm	
6 Drawers	170 mm	275 mm	50 mm	10 kg
2 Drawers	569 mm	275 mm	50 mm	20 kg
1 Drawers	569 mm	275 mm	75 mm	25 kg
N.W.: 28.4 KGS G.W.: 32.4 KGS				

Roller Cabinet



Side Tray can be Held for Frequently Used Supplies

#640217 - 5 Drawer Roller Cabinet

	W	D	H	Loading
Overall	670 mm	460 mm	812 mm	
Overall with Casters	670 mm	460 mm	960 mm	
4 Drawers	576 mm	380 mm	75 mm	25 kg
1 Drawers	576 mm	380 mm	154 mm	40 kg
Panel Area	603 mm	404 mm	234 mm	
N.W.: 56 KGS G.W.: 64 KGS				



Caster For Easy Removing Roller Cabinet

#CC0337 - 7 Drawer Roller Cabinet

	W	D	H	Loading
Overall	670 mm	460 mm	812 mm	
Overall with Casters	670 mm	460 mm	960 mm	
5 Drawers	576 mm	380 mm	75 mm	25 kg
2 Drawers	576 mm	380 mm	154 mm	40 kg
N.W.: 56 KGS G.W.: 64 KGS				



#RMT0070 - Work Bench

	W	D	H
Overall	1525 mm	700 mm	1520 mm
Backpanel	1525 mm	20 mm	700 mm
N.W.: 61.9 KGS G.W.: 63.9 KGS			

Top Chest Kit



#RFT0088T - 189 Pc. Mechanic's Tools with 6D Top Chest

- Contents:
- 640216 - 1 pc 6 drawer top chest
 - KBT2141FT - 94 pc socket, driver and accessory foam
 - SB0185F - 38 pc gearless ratchet driver and bits foam
 - PC5420F - 31 pc pliers, hex key and adjustable wrench foam
 - WC0190F - 25 pc combination wrench and screwdriver foam



Full contents of Tool Trays can be viewed on pages 41-47. Additional trays can be purchased to expand on this set.



#RFT0087T - 219 Pc. Mechanic's Tools with 6D Top Chest

- Contents:
- 640216 - 1 pc 6 drawer top chest
 - KBT2141FT - 94 pc socket, driver and accessory foam
 - DB0802F - 8 pc punch and chisel foam
 - SB0185F - 38 pc gearless ratchet driver and bits foam
 - SC0185F - 9 pc precision screwdriver foam
 - PC5420F - 31 pc pliers, hex key and adjustable wrench foam
 - WC0190F - 25 pc combination wrench and screwdriver foam
 - CJT5031F - 13 pc hacksaw, hammer, ruler and knife foam



Full contents of Tool Trays can be viewed on pages 41-47. Additional trays can be purchased to expand on this set.



#RFT0085T - 248 Pc. Mechanic's Tools with 9D Top Chest

- Contents:
- CC0332 - 1 pc 9 drawer top chest
 - KBT2141FT - 94 pc socket, driver and accessory foam
 - DB0802F - 8 pc punch and chisel foam
 - SB0185F - 38 pc gearless ratchet driver and bits foam
 - WD1911HF - 9 pc ratcheting wrench foam
 - WHT0055F - 19 pc hex key wrench foam
 - CGT0032F - 16 pc pliers and adjustable wrench foam
 - WRT1420F - 46 pc combination wrench foam
 - SD0403F - 17 pc screwdriver foam



#RFT0089 - 293 Pc. Mechanic's Tools with 9D Top Chest

- Contents:
- CC0332 - 1 pc 9 drawer top chest
 - KBT2141FT - 94 pc socket, driver and accessory foam
 - DB0802F - 8 pc punch and chisel foam
 - SB0185F - 38 pc gearless ratchet driver and bits foam
 - WD1911HF - 9 pc ratcheting wrench foam
 - WHT0055F - 19 pc hex key wrench foam
 - SC0185F - 9 pc precision screwdriver foam
 - CGT0032F - 16 pc pliers and adjustable wrench foam
 - WRT1420F - 46 pc combination wrench foam
 - SD0403F - 17 pc screwdriver foam
 - 940668H - 36 pc tamper proof bits set



940668H



Full contents of Tool Trays can be viewed on pages 41-47. Additional trays can be purchased to expand on this set.



Full contents of Tool Trays can be viewed on pages 41-47. Additional trays can be purchased to expand on this set.



Small Drawer Dimensions 170mm(W) X 275mm(D)
 Small Tray Dimensions 169mm(W) X 250mm(D)

Tool Trays with EVA Foam



#DB0802F - 8 Pc. Punch and Chisel Foam

- Contents:
- Parallel punch 3/16 in.
 - Taper punch 1/8 in., 3/16 in.
 - Centre punch 7/16 in.
 - Cold chisel 3/8 in., 1/2 in., 5/8 in.
 - EVA foam



#SC0185F - 9 Pc. Precision Screwdriver Foam

- Contents:
- Phillips: #00, #0, #1
 - Slotted: 2.0, 2.4, 3.0
 - Torx: T-8, T-10
 - EVA foam



#WD1911HF - 9 Pc. Ratcheting Wrench Foam

- Contents:
- 8, 10, 12, 13, 14, 15, 16, 17 mm
 - EVA foam



#WHT0055HF - 19 Pc. Hex Key Wrench Foam

- Contents:
- Hex key wrench
 - SAE: 1/16 in., 5/64 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in., 5/16 in., 3/8 in.
 - Metric: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
 - EVA foam



#SB0185F - 38 Pc. Gearless Ratchet Driver and Bits Foam

- Contents:
- Gearless ratchet driver
 - 2 in. Bits Phillips #1, #2,
 - Slotted 3/16 in., 1/4 in.,
 - Torx T-10, T-15
 - 1 in. Bits Phillips #0, #1, #2, #3,
 - Slotted 1/8 in., 3/16 in., 1/4 in., 9/32 in.
 - Hex 1/16 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in.,
 - Torx T-10, T-15, T-20, T-25, T-30, T-40
 - Hex SAE nut driver: 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in.
 - Hex Metric nut driver: 6, 8, 9, 10, 11 mm
 - EVA foam



Middle Drawer Dimensions 572mm(W) X 270mm(D)
 Middle Tray Dimensions 568mm(W) X 250mm(D)



#CJT5031F - 13 Pc. Hacksaw, Hammer, Ruler and Knife Foam

- Contents:
- 16oz ball pein hammer
 - Heavy duty hacksaw, 5 blades
 - 300mm stainless ruler
 - Quick change knife w/3 extra blades
 - EVA foam



#SD0403F - 17 Pc. Screwdriver Foam

- Contents:
- Phillips #0 x 3 in., #1 x 3 in., #2 x 1-1/2 in., #2 x 4 in., #2 x 8 in., #3 x 6 in.,
 - Slotted 1/8 in. x 3 in., 3/16 in. x 4 in., 1/4 in. x 1-1/2 in., 1/4 in. x 4 in., 1/4 in. x 6 in., 5/16 in. x 6 in., 3/8 in. x 10 in.
 - Square #1 x 4 in.
 - Pozi #1 x 4 in., #2 x 4 in.
 - EVA foam




#CE2679HF - 22 Pc. Hacksaw, Hammer and Circlip Plier Foam

- Contents:
- Hacksaw, 15 blades
 - 16oz ball pein hammer
 - 175mm/ 7 in. straight nose internal, bent nose internal, straight nose external, bent nose external circlip pliers
 - EVA foam



#WD1912HF - 45 Pc. Long Series Combination Wrench Foam

- Contents:
- Combination wrench:
 - SAE: 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 15/16 in.
 - Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - Combination ignition wrench
 - SAE: 5/32 in., 3/16 in., 7/32 in., 15/64 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in.
 - Metric: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11 mm
 - EVA foam



#WRT1420F - 46 Pc. Combination Wrench Foam

- Contents:
- Combination wrench:
 - SAE: 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
 - Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
 - Combination ignition wrench
 - SAE: 5/32 in., 3/16 in., 7/32 in., 15/64 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in.
 - Metric: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11 mm
 - EVA foam





Middle Drawer Dimensions 572mm(W) X 270mm(D)
Middle Tray Dimensions 568mm(W) X 250mm(D)



#CGT0032F- 16 Pc. Plier and Adjustable Wrench Foam

- Contents:
- 7 in. diagonal plier
 - 8 in. long nose plier
 - 8 in. linesman plier
 - 10 in. groove joint plier
 - 10 in. curved jaw locking plier
 - 6 in. long nose locking plier
 - 6 in., 8 in., 10 in. adjustable wrench
 - 1/2 in. Dr. impact driver
 - Impact bits: Phillips #2, #3, Slotted: 5/16 in., 3/8 in.
 - 5/8 in. nut splitter
 - EVA foam



#WC0190F- 25 Pc. Combination Wrench and Screwdriver Foam

- Contents:
- Metric combination wrench: 6, 8, 10, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - SAE combination wrench: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
 - Screwdriver
Slotted 1/8 in. x 3 in., 1/4 in. x 4 in., 5/16 in. x 6 in.
Phillips #1 x 3 in., #2 x 4 in.,
Pozi #2 x 4 in.
Square S-2 x 4 in.
 - EVA foam



#PC5420F - 31 Pc. Hex Key and Adjustable Wrench Foam

- Contents:
- 8 in. adjustable wrench
 - 10 in. adjustable wrench
 - 10 in. locking plier
 - 10 in. groove joint plier
 - 8 in. linesman plier
 - 8 in. long nose plier
 - 7 in. side cutting plier
 - Impact screwdriver
 - Impact bits: Phillips: #2, #3, Slotted: 5/16 in., 3/8 in.
 - Metric hex key: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
 - SAE hex key: 1/16 in., 5/64 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in., 5/16 in., 3/8 in.
 - EVA foam



#KB3371F - 39 Pc. Socket Accessory Foam

- Contents:
- 1/4 in. Dr. x 3 in., 6 in., 9 in. extensions
 - 3/8 in. Dr. x 3 in., 6 in., 10 in. extensions
 - 1/2 in. Dr. x 3 in., 5 in., 10 in. extensions
 - 1/2 in. Dr. speed brace
 - 3/8 in. Dr. x 8 in., 1/2 in. Dr. x 10 in. sliding T-bar
 - 3/8 in. Dr. x 10 in., 1/2 in. Dr. x 17 in. power bar,
 - 1/4 in. Dr., 3/8 in. Dr., 1/2 in. Dr. universal Joint
 - 3/8 in. Dr. (F) x 1/4 in. Dr. (M), 1/2 in. Dr. (F) x 3/8 in. Dr. (M), 3/8 in. Dr. (F) x 1/2 in. Dr. (M) adapter
 - Ball end hex keys
SAE: 1/16 in., 5/64 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in., 5/16 in., 3/8 in.
Metric: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
 - EVA foam



Large Tray Dimensions 647mm(W) X 298mm(D)
Fit Top Of The Chest



#KBT2140F - 110 Pc. Ratchet, Socket and Accessory Set

- Contents:
- 1/4 in. Dr. X 1/4 in. hex adapter(coupler)
 - 1/4 in. Dr. spinner handle
 - 1/4 in. Dr. gear to gear ratchet
 - 1/4 in. Dr. 6 pt. sockets
SAE: 1/4 in., 5/16 in.
Metric: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm
 - 1/4 in. Dr. 6 pt. deep sockets
Metric: 4, 5, 6, 7, 8, 9, 10, 12 mm
 - 3/8 in. Dr. gear to gear ratchet
 - 3/8 in. Dr. 12 pt. sockets
SAE: 3/8 in., 7/16 in., 1/2 in.
Metric: 10, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - 3/8 in. Dr. 6 pt. deep sockets
Metric: 10, 11, 12, 13, 14, 15, 16 mm
 - 1/2 in. Dr. gear to gear ratchet
 - 1/2 in. Dr. 12pt sockets
SAE: 1/2 in., 9/16 in., 5/8 in., 3/4 in., 7/8 in., 15/16 in., 1 in.
Metric: 12, 13, 14, 15, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 34, 36 mm
 - Driver Bits: Torx: T-10, T-15, T-20, T-25, T-30, T-40
Phillip: #2, #3 Hex: 5, 6 mm Square: #2 Pozi: #2
Slotted: 5, 6 mm
 - 1/2 in. Dr. 6pt deep sockets
Metric: 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
 - 3/8 in. Dr. Metric hex bit socket: 3, 4, 5, 6, 7, 8, 10 mm
 - 3/8 in. & 1/2 in. Dr. star bit socket set
3/8 in. Dr.: T-40, T-45, T-47, T-50
1/2 in. Dr.: T-55, T-60
 - 3/8 in. Dr. spark plug sockets: 5/8 in., 13/16 in.
 - 1/2 in. Dr. deep impact sockets: 14, 17, 19, 21 mm
 - EVA foam



#KBT2141F - 94 Pc. Socket, Driver and Accessory Set

- Contents:
- 1/4 in. Dr. standard sockets: 1/4 in., 5/16 in.
 - 1/4 in. Dr. standard sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11 mm
 - 1/4 in. Dr. deep sockets: 4, 5, 6, 7, 8, 10 mm
 - 3/8 in. Dr. standard sockets: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
 - 3/8 in. Dr. standard sockets: 10, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - 3/8 in. Dr. deep sockets: 10, 12, 13 mm
 - 1/2 in. Dr. standard sockets: 1/2 in., 9/16 in., 5/8 in., 3/4 in., 15/16 in., 1 in.
 - 1/2 in. Dr. standard sockets: 14, 15, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 34, 36 mm
 - 1/2 in. Dr. deep sockets: 14, 17, 19, 21 mm
 - 3/8 in. Dr. spark plug sockets: 5/8 in.
 - 1/4 in. Dr. coupler
 - 1/4 in. (M) X 3/8 in. Dr. (F) adapter
 - 3/8 in. (F) X 1/2 in. Dr. (M) adapter
 - 1/2 in. (F) X 3/8 in. Dr. (M) adapter
 - 1/4 in. Dr. universal joint
 - 3/8 in. Dr. universal joint
 - 1/2 in. Dr. universal joint
 - 1/4 in. Dr. extension: 75mm, 150mm
 - 3/8 in. Dr. extension: 75mm, 150mm, 250mm
 - 1/2 in. Dr. extension: 125mm, 250mm
 - 3/8 in. Dr. power bar
 - 1/2 in. Dr. power bar
 - 1/4 in. Dr. spinner handle
 - 1/4 in. Dr. gear to gear ratchet handle
 - 3/8 in. Dr. gear to gear ratchet handle
 - 1/2 in. Dr. gear to gear ratchet handle
 - 3/8 in. Dr. Metric hex bit socket: 3, 4, 5, 6, 7, 8, 10 mm
 - 3/8 in. & 1/2 in. Dr. star bit socket set: 3/8 in. Dr. T-40, T-45, T-47, T-50; 1/2 in. Dr. T-55, T-60
 - EVA foam



Customized Chest Series

Customized Chest Series



Small Drawer Dimensions 172mm(W) X 270mm(D)
 Small Tray Dimensions 165mm(W) X 265mm(D)

Tool Tray



#DB0802 - 8 Pc. Punch and Chisel Tray

- Contents:
- Parallel punch 3/16 in.
 - Taper punch 1/8 in., 3/16 in.
 - Centre punch 7/16 in.
 - Cold chisel 3/8 in., 1/2 in., 5/8 in.
 - Blow tray



#SC0185 - 9 Pc. Precision Screwdriver Tray

- Contents:
- Phillips: #00, #0, #1
 - Slotted: 2.0, 2.4, 3.0
 - Torx: T-8, T-10
 - Blow tray



#WD1911H - 9 Pc. Ratcheting Wrench Tray

- Contents:
- 8, 10, 12, 13, 14, 15, 16, 17 mm
 - Blow tray



#SB0185 - 38 Pc. Gearless Ratchet Driver and Bits Tray

- Contents:
- Gearless ratchet driver
 - 2 in. Bits Phillips #1, #2,
 - Slotted 3/16 in., 1/4 in.,
 - Torx T-10, T-15
 - 1 in. Bits Phillips #0, #1, #2, #3,
 - Slotted 1/8 in., 3/16 in., 1/4 in., 9/32 in.
 - Hex 1/16 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in.,
 - Torx T-10, T-15, T-20, T-25, T-30, T-40
 - Hex SAE nut driver: 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in.
 - Hex Metric nut driver: 6, 8, 9, 10, 11 mm
 - Blow tray



Middle Drawer Dimensions 572mm(W) X 270mm(D)
 Middle Tray Dimensions 570mm(W) X 265mm(D)



#SD0403 - 17 Pc. Screwdriver Tray

- Contents:
- Phillips #0 x 3 in., #1 x 3 in., #2 x 1-1/2 in., #2 x 4 in., #2 x 8 in., #3 x 6 in.,
 - Slotted 1/8 in. x 3 in., 3/16 in. x 4 in., 1/4 in. x 1-1/2 in., 1/4 in. x 4 in., 1/4 in. x 6 in., 5/16 in. x 6 in., 3/8 in. x 10 in.
 - Square #1 x 4 in.
 - Pozi #1 x 4 in., #2 x 4 in.
 - Blow tray



#WC0190 - 25 Pc. Combination Wrench and Screwdriver Tray

- Contents:
- Metric combination wrench: 6, 8, 10, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - SAE combination wrench: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
 - Screwdriver
 - Slotted 1/8 in. x 3 in., 1/4 in. x 4 in., 5/16 in. x 6 in.
 - Phillips #1 x 3 in., #2 x 4 in.,
 - Pozi #2 x 4 in.
 - Square S-2 x 4 in.
 - Blow tray



#PC5420 - 31 Pc. Hex Key and Adjustable Wrench Tray

- Contents:
- 8 in. adjustable wrench
 - 10 in. adjustable wrench
 - 10 in. locking plier
 - 10 in. groove joint plier
 - 8 in. linesman plier
 - 8 in. long nose plier
 - 7 in. side cutting plier
 - Impact screwdriver
 - Impact bits: Phillips: #2, #3, Slotted: 5/16 in., 3/8 in.
 - Metric hex key: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
 - SAE hex key: 1/16 in., 5/64 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in., 5/16 in., 3/8 in.
 - Blow tray



#WD1912H - 45 Pc. Long Series Combination Wrench Tray

- Contents:
- Combination wrench: SAE: 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 15/16 in. Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - Combination ignition wrench SAE: 5/32 in., 3/16 in., 7/32 in., 15/64 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in. Metric: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11 mm
 - Blow tray





Large Tray Dimensions 620mm(W) X 285mm(D)
Fit Top Of The Chest



#KBT2140 - 112 Pc. Ratchet, Socket and Accessory Tray

- Contents:
- 1/4 in. Dr. X 1/4 in. coupler
 - 1/4 in. Dr. spinner handle
 - 1/4 in., 3/8 in and 1/2 in. Dr. gear to gear ratchets
 - 1/4 in. Dr. 6pt. sockets
SAE: 1/4 in., 5/16 in.
Metric: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm
 - 1/4 in. Dr. 6pt deep sockets
Metric: 4, 5, 6, 7, 8, 9, 10, 12 mm
 - 3/8 in. Dr. 12pt sockets
SAE: 3/8 in., 7/16 in., 1/2 in.
Metric: 10, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - 3/8 in. Dr. 6pt deep sockets
Metric: 10, 11, 12, 13, 14, 15, 16 mm
 - 1/2 in. Dr. 12pt sockets
SAE: 1/2 in., 9/16 in., 5/8 in., 3/4 in., 7/8 in., 15/16 in., 1 in., 1-1/16 in.
Metric: 12, 13, 14, 15, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 34, 36 mm
 - Driver bits: Torx: T-10, T-15, T-20, T-25, T-30, T-40
Phillip: #2, #3 Hex: 5, 6 mm Square: #2 Pozi: #2
Slotted: 5, 6 mm
 - 1/2 in. Dr. 6pt deep sockets
Metric: 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
 - 3/8 in. Dr. Metric hex bit socket: 3, 4, 5, 6, 7, 8, 10 mm
 - 3/8 in. & 1/2 in. Dr. star bit socket set
 - 3/8 in. Dr.: T-40, T-45, T-47, T-50
1/2 in. Dr.: T-55, T-60
 - 3/8 in. Dr. spark plug sockets: 5/8 in., 13/16 in.
 - 1/2 in. Dr. deep impact sockets: 14, 17, 19, 21 mm
 - Ratchet adapter
 - Blow tray



#KBT2141 - 85 Pc. Socket, Driver and Accessory Tray

- Contents:
- 1/4 in. Dr. standard sockets: 1/4 in., 5/16 in.
 - 1/4 in. Dr. standard sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11 mm
 - 1/4 in. Dr. deep sockets: 4, 5, 6, 7, 8, 9 mm
 - 3/8 in. Dr. standard sockets: 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
 - 3/8 in. Dr. standard sockets: 10, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - 3/8 in. Dr. deep sockets: 10, 12, 13 mm
 - 1/2 in. Dr. standard sockets: 1/2 in., 9/16 in., 5/8 in., 3/4 in., 15/16 in., 1 in., 1-1/16 in.
 - 1/2 in. Dr. standard sockets: 14, 15, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32, 34, 36 mm
 - 1/2 in. Dr. deep sockets: 14, 17, 19, 21 mm
 - 3/8 in. Dr. spark plug sockets: 5/8 in., 13/16 in.
 - 1/4 in. Dr. coupler
 - 1/4 in. (M) X 3/8 in. Dr. (F) adapter
 - 3/8 in. (F) X 1/2 in. Dr. (M) adapter
 - 1/2 in. (F) X 3/8 in. Dr. (M) adapter
 - 1/4 in. Dr. universal joint
 - 3/8 in. Dr. universal joint
 - 1/2 in. Dr. universal joint
 - 1/4 in. Dr. extension 75mm, 150mm
 - 3/8 in. Dr. extension 75mm, 150mm, 250mm
 - 1/2 in. Dr. extension 125mm, 250mm
 - 3/8 in. Dr. power bar
 - 1/2 in. Dr. power bar
 - 1/4 in. Dr. spinner handle
 - 1/4 in. Dr. gear to gear ratchet handle
 - 3/8 in. Dr. gear to gear ratchet handle
 - 1/2 in. Dr. gear to gear ratchet handle
 - Ratchet adapter
 - Blow tray



Powerbuilt Tool Sets Information



#940846 - 3 Pc. 1/2 In. Dr. Aluminum Wheel Socket Set

- Contents:
- 17, 19, 21 mm (blue- 17 mm, golden- 19 mm, red- 21 mm)
 - Storage case



#KBT0938 - 3 Pc. 1/2 In. Dr. Deep Aluminum Wheel Socket Set

- Contents:
- 17, 19, 21 mm (blue- 17 mm, golden- 19 mm, red- 21 mm)
 - Storage case



#KBT2773 - 30 Pc. 1/4 In. Dr. Socket Set

- Contents:
- 1/4 in. Dr. 6pt. socket
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
 - 1/4 in. Dr. coupler
 - 1/4 in. Dr. 3 in. wobble extension bar
 - 1/4 in. Dr. gear to gear quick release ratchet handle
 - 25 mm bits: Slotted: 5, 6 mm; Phillips: #1, #2; Hex: 5, 6 mm; Torx: T10, T15, T20, T25, T30, T40; Square: #2; Pozi: #2
 - Storage case



#KBT0943 - 28 Pc. 1/4 In. Dr. Dual Drive Little Ratchet, Bits and Universal Socket Set

- Contents:
- 1/4 in. Dr. 6pt. sockets
5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
 - 1/4 in. Dr. 75mm wobble extension bar
 - 1/4 in. Dr. 85mm socket & bit driver ratchet
 - 60mm quick change chuck with magnetic
 - 25 mm bits: Slotted: 5, 6 mm; Phillips: #1, #2; Hex: 5, 6 mm; Torx: T10, T15, T20, T25, T30, T40; Square: #2; Pozi: #2
 - Storage case





#KBT2774 - 58 Pc. 1/4 In. Dr. Socket Set - 6pt

- Contents:
- 1/4 in. Dr. 6pt. socket
SAE: 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in. 9/16 in.
Metric: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
 - 1/4 in. Dr. 6pt. deep socket
4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
 - 1/4 in. Dr. gear to gear quick release ratchet handle
 - 1/4 in. Dr. extension bar: 3 in., 6 in.
 - 1/4 in. Dr. universal joint
 - 1/4 in. Dr. 6 in. flexible handle
 - 1/4 in. Dr. 6 in. spinner handle
 - bit adapter
 - 25mm bits: Phillips: #0, #1, #2, #2, #3; Slotted: 3, 4, 5, 6, 6 mm; Torx: T10, T15, T20, T25, T27, T30, T40; Poz: #1, #2, #2; Square: #1, #2, #2
 - Storage case



#KIT1158 - 12 Pc. 1/2 In. Dr. Impact Socket Set

- Contents:
- 1/2 in. Dr. Impact Socket
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm
 - Storage case



#KIT1155 - 12 Pc. 1/2 In. Dr. Deep Impact Socket Set

- Contents:
- 1/2 in. Dr. Impact Socket
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm
 - Storage case



#KBT2810 - 53 Pc. 1/4 In. and 3/8 In. Dr. Socket Set

- Contents:
- 1/4 in. Dr. 6pt. sockets
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
 - 3/8 in. Dr. 6pt. sockets
12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm
 - 1/4 in. Dr. universal joint
 - 1/4 in. Dr. 4 in. extension bar
 - 1/4 in. Dr. coupler
 - 1/4 in. Dr. spinner handle
 - 1/4 in. Dr. gear to gear quick release ratchet handle
 - 3/8 in. Dr. universal joint
 - 3/8 in. Dr. 6 in. extension bar
 - bit adapter
 - 25mm bits: Phillips: #1, #2, #3; Slotted: 2.5, 3, 4, 5, 7 mm; Torx: T10, T15, T20, T25, T27, T30; Poz: #1, #2, #3; Square: #1, #2, #2, #3, #4
 - Storage case



#KBT2765 - 74 Pc. Mechanic's Tool Set

- Contents:
- Double injection screwdriver
5/16 x 6, 1/4 x 4, 3/16 x 4, 1/8 x 3, #2 x 4, #1 x 3
 - Bit driver
 - Combination wrench: 8, 10, 12, 13, 14, 15, 16, 17, 18, 19 mm
 - 3/8 in. Dr. 12pt sockets
6, 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm
 - 3/8 in. Dr. 5/8 in. spark plug socket
 - 3/8 in. Dr. 6 in. extension bar
 - 3/8 in. Dr. universal joint
 - 3/8 in. Dr. gear to gear quick release ratchet handle
 - 10 in. groove joint pliers
 - 7 in. linesman pliers
 - 6 in. diagonal pliers
 - 7 in. locking pliers
 - 8 in. adjustable wrench
 - Hex wrench set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
 - 25mm bits: Phillips: #0, #1, #2, #2, #3; Slotted: 3, 4, 5, 6, 6 mm; Torx: T10, T15, T20, T25, T27, T30, T40; Poz: #1, #2, #3; Square: #1, #2, #2
 - Storage case



#KBT2759 - 23 Pc. 1/2 In. Dr. Socket Set

- Contents:
- 1/2 in. Dr. 6pt. sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
 - 1/2 in. Dr. 5 in. extension bar
 - 1/2 in. Dr. 10 in. extension bar
 - 1/2 in. Dr. universal joint
 - 1/2 in. Dr. 3 way adapter
 - 1/2 in. Dr. gear to gear quick release ratchet handle
 - Storage case



#KBT2760 - 38 Pc. - 3/8 In. Dr. Socket Set

- Contents:
- 3/8 in. Dr. 12pt. sockets
SAE: 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.
Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
 - 3/8 in. Dr. 6pt. deep sockets
10, 12, 13, 14 mm
 - 3/8 in. Dr. gear to gear quick release ratchet handle
 - 3/8 in. Dr. 6 in. extension bar
 - 3/8 in. Dr. universal joint: 3 in., 6 in., 10 in.
 - 3/8 in. Dr. 12 in. flexible handle
 - 3/8 in. Dr. spark plug socket: 5/8 in., 13/16 in.
 - 3/8 in. Dr. 3 way adapter
 - Storage case



#640743 - 61 Pc. Mechanic's Tool Set

- Contents:
- 1/4 in. Dr. 6pt. sockets: SAE: 5/32 in. thru 1/2 in.
Metric: 4 thru 12 mm
 - 3/8 in. Dr. gear to gear quick release ratchet handle
 - 3/8 in. Dr. to 1/4 in. Dr. adapter
 - 3/8 in. Dr. 3 in. Extension
 - 3/8 in. Dr. 6pt. sockets: SAE: 5/16 in. thru 11/16 in.
Metric: 10 thru 19 mm
 - 3/8 in. Dr. 5/8 in. spark plug socket
 - SAE open end wrenches: 3/8 in. x 7/16 in., 1/2 in. x 9/16 in.
 - Screwdrivers: Slotted: 1/4 in. x 4 in.; Phillips: #2 x 4 in.
 - 16 each SAE and Metric hex key wrenches
 - Storage case





#640744 - 101 Pc. Mechanic's Tool Set

- Contents:
- 1/4 in. Dr. quick release gear to gear ratchet
 - 1/4 in. Dr. 6pt. sockets: SAE: 5/32 in. thru 7/16 in. Metric: 4 thru 12 mm
 - 1/4 in. Dr. 6pt. deep sockets: SAE: 3/16 in. thru 5/16 in. Metric: 6 thru 10 mm
 - 3/8 in. Dr. quick release gear to gear ratchet
 - 3/8 in. Dr. 3 in. extension
 - 3/8 in. Dr. 6pt. sockets: SAE: 1/4 in. thru 13/16 in. Metric: 6 thru 19 mm
 - 3/8 in. Dr. 5/8 in. spark plug socket
 - SAE open end wrenches 3/8 in. x 7/16 in., 1/2 in. x 9/16 in.
 - Bit driver
 - 12 each screwdriver bits
 - 12 each sut driver bits
 - 16 each SAE and Metric hex key wrenches
 - Storage case



#640745 - 161 Pc. Mechanic's Tool Set

- Contents:
- 1/4 in. Dr. quick release gear to gear ratchet
 - 1/4 in. Dr. 3 in. extension
 - 1/4 in. Dr. 6pt. sockets: SAE: 5/32 in. thru 9/16 in. Metric: 4 thru 14 mm
 - 1/4 in. Dr. 6pt. deep well sockets: SAE: 3/16 in. thru 5/16 in. Metric: 7 thru 11 mm
 - 3/8 in. Dr. quick release gear to gear ratchet
 - 3/8 in. Dr. 3 in. extension
 - 3/8 in. Dr. 6pt. sockets: SAE: 1/4 in. thru 13/16 in. Metric: 6 thru 18 mm
 - 3/8 in. Dr. 6pt. deep well sockets: SAE: 7/16 in. thru 3/4 in. Metric: 10 thru 18 mm
 - 3/8 in. Dr. 12pt. sockets: SAE: 5/16 in. thru 5/8 in. Metric: 10 thru 17 mm
 - 3/8 in. Dr. spark plug socket: 5/8 in., 13/16 in.
 - 1/2 in. Dr. quick release gear to gear ratchet
 - 1/2 in. Dr. 12pt. sockets: SAE: 7/16 in. thru 3/4 in. Metric: 14 thru 19 mm
 - SAE combination wrenches: 1/4 in. thru 9/16 in.
 - Metric combination wrenches: 9 thru 15 mm
 - Bit driver
 - 14 each screwdriver bits
 - 12 each sut driver bits
 - 24 each SAE and Metric hex key wrenches
 - Storage case



#640746 - 201 Pc. Mechanic's Tool Set

- Contents:
- 1/4 in. Dr. quick release gear to gear ratchet
 - 1/4 in. Dr. 3 in. extension
 - 1/4 in. Dr. 6pt. sockets: SAE: 5/32 in. thru 9/16 in. Metric: 4 thru 14 mm
 - 1/1 in. Dr. 6pt. deep well sockets: SAE: 3/16 in. thru 1/2 in. Metric: 7 thru 13 mm
 - 3/8 in. Dr. quick release gear to gear ratchet
 - 3/8 in. Dr. extension: 3 in., 6 in.
 - 3/8 in. Dr. 6pt. sockets: SAE: 1/4 in. thru 3/4 in. Metric: 6 thru 19 mm
 - 3/8 in. Dr. 6pt. deep well sockets: SAE: 3/8 in. thru 3/4 in. Metric: 9 thru 17 mm
 - 3/8 in. Dr. 12pt. sockets: Metric: 9 thru 18 mm
 - 3/8 in. Dr. spark plug socket: 5/8 in., 13/16 in.
 - 1/2 in. Dr. quick release gear to gear ratchet
 - 1/2 in. Dr. 12pt. sockets: SAE: 7/16 in. thru 3/4 in. Metric: 14 thru 19 mm
 - SAE combination wrenches: 1/4 in. thru 3/4 in.
 - Metric combination wrenches: 9 thru 17 mm
 - Bit driver
 - 24 each screwdriver bits
 - 12 each sut driver bits
 - 36 each SAE and Metric hex key wrenches
 - Storage case



All Powerbuilt Socket and Accessories are built to Meet or Exceed ANSI Standard. Chrome Vanadium steel with heat-treated and fully harden processing enhance the performance to your expectation.



ANSI Standard Hand Socket



HV™ Marking




Extra Depth Center Hole

DIN Standard Hand Socket



Embossed Rib Ring



Z-Drive

Socket Accessories and Ratchet Handle



Gear to Gear Mechanism



Hex & Torx Socket Bits

Sockets



1/4 In. Dr. Standard Sockets - SAE - 6 Pt.

#648270 - 5/32 in.	#648275 - 5/16 in.
#648271 - 3/16 in.	#648276 - 11/32 in.
#648272 - 7/32 in.	#648277 - 3/8 in.
#648273 - 1/4 in.	#648278 - 7/16 in.
#648274 - 9/32 in.	#648279 - 1/2 in.



#640497 - 11 Pc. SAE Socket Set - 6 Pt.

SAE Contents:
 - 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in.,
 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in.



1/4 In. Dr. Standard Sockets - Metric - 6 Pt.

#648280 - 4 mm	#648285 - 8 mm
#648004 - 4.5 mm	#648286 - 9 mm
#648281 - 5 mm	#648287 - 10 mm
#648282 - 5.5 mm	#648288 - 11 mm
#648283 - 6 mm	#648289 - 12 mm
#648284 - 7 mm	#648290 - 13 mm



#640498 - 11 Pc. Metric Socket Set - 6 Pt.

Metric Contents:
 - 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm



1/4 In. Dr. Deep Well Sockets - SAE - 6 Pt.

#648306 - 5/32 in.	#648293 - 5/16 in.
#948308 - 3/16 in.	#648294 - 11/32 in.
#948309 - 7/32 in.	#648295 - 3/8 in.
#648291 - 1/4 in.	#648296 - 7/16 in.
#648292 - 9/32 in.	#648297 - 1/2 in.



#640087 - 14 Pc. SAE & Metric Socket Set - 6 Pt.

Contents:
 - SAE: 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in.,
 7/16 in., 1/2 in.
 - Metric: 6, 7, 8, 9, 10, 11, 12 mm



1/4 In. Dr. Deep Well Sockets - Metric - 6 Pt.

#648310 - 4 mm	#648301 - 9 mm
#648311 - 5 mm	#648302 - 10 mm
#648209 - 5.5 mm	#648303 - 11 mm
#648298 - 6 mm	#648304 - 12 mm
#648299 - 7 mm	#641690 - 13 mm
#648300 - 8 mm	



#640048 - 6 Pc. Deep Well SAE Socket Set - 6 Pt.

SAE Contents:
 - 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in.



1/4 In. Dr. E-Torx® Sockets

#641721 - E-4	#641724 - E-7
#641722 - E-5	#641725 - E-8
#641723 - E-6	



#640046 - 6 Pc. Deep Well Metric Socket Set - 6 Pt.

Metric Contents:
 - 6, 7, 8, 10, 11, 12 mm



#640499 - 10 Pc. Deep Well SAE Socket Set - 6 Pt.

SAE Contents:
 - 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in.,
 3/8 in., 7/16 in., 1/2 in., 9/16 in.



#640538 - 10 Pc. Deep Well Metric Socket Set - 6 Pt.

Metric Contents:
 - 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm



3/8



3/8 In. Dr. Standard Sockets - SAE - 12 Pt.

#641000 - 1/4 in.	#641006 - 5/8 in.
#641001 - 5/16 in.	#641007 - 11/16 in.
#641002 - 3/8 in.	#641008 - 3/4 in.
#641003 - 7/16 in.	#641009 - 13/16 in.
#641004 - 1/2 in.	#641010 - 7/8 in.
#641005 - 9/16 in.	



3/8



3/8 In. Dr. E-Torx® Sockets

#641726 - E-4	#641733 - E-12
#641728 - E-6	#641734 - E-14
#641729 - E-7	#641735 - E-16
#641730 - E-8	#641736 - E-18
#641731 - E-10	#641737 - E-20
#641732 - E-11	



3/8 In. Dr. Standard Sockets - Metric - 12 Pt.

#641011 - 6 mm	#641020 - 15 mm
#641012 - 7 mm	#641021 - 16 mm
#641013 - 8 mm	#641022 - 17 mm
#641014 - 9 mm	#641023 - 18 mm
#641015 - 10 mm	#641024 - 19 mm
#641016 - 11 mm	#940038 - 20 mm
#641017 - 12 mm	#641025 - 21 mm
#641018 - 13 mm	#641221 - 22 mm
#641019 - 14 mm	



#641717 - 9 Pc. SAE Deep Socket Set - 6 Pt.

SAE Contents:
 - 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in.



3/8 In. Dr. Deep Well Sockets - SAE - 6 Pt.

#648215 - 5/16 in.	#641204 - 5/8 in.
#641200 - 3/8 in.	#641205 - 11/16 in.
#641201 - 7/16 in.	#641206 - 3/4 in.
#641202 - 1/2 in.	#641207 - 13/16 in.
#641203 - 9/16 in.	#641208 - 7/8 in.



#640051 - 7 Pc. Metric Deep Socket Set - 6 Pt.

Metric Contents:
 - 10, 11, 12, 13, 14, 15, 17 mm



3/8 In. Dr. Deep Well Sockets - Metric - 6 Pt.

#641224 - 6 mm	#641215 - 15 mm
#641225 - 7 mm	#641216 - 16 mm
#641319 - 8 mm	#641217 - 17 mm
#641209 - 9 mm	#641218 - 18 mm
#641210 - 10 mm	#641219 - 19 mm
#641211 - 11 mm	#940055 - 20 mm
#641212 - 12 mm	#641220 - 21 mm
#641213 - 13 mm	#641226 - 22 mm
#641214 - 14 mm	



#645009 - 12 Pc. Metric Deep Socket Set -

Metric Contents:
 - 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

6 Pt.



1/2



1/2 In. Dr. Standard Sockets - SAE - 12 Pt.

#642038 - 3/8 in.	#642005 - 7/8 in.
#642039 - 7/16 in.	#642006 - 15/16 in.
#642000 - 1/2 in.	#642007 - 1 in.
#642001 - 9/16 in.	#642008 - 1-1/16 in.
#642002 - 5/8 in.	#642009 - 1-1/8 in.
#642303 - 11/16 in.	#642010 - 1-3/16 in.
#642003 - 3/4 in.	#642011 - 1-1/4 in.
#642004 - 13/16 in.	



3/4



3/4 In. Dr. Standard Sockets - SAE - 12 Pt.

#643200 - 7/8 in.	#643212 - 1-5/8 in.
#643201 - 15/16 in.	#643213 - 1-11/16 in.
#643202 - 1 in.	#643214 - 1-3/4 in.
#643203 - 1-1/16 in.	#643215 - 1-13/16 in.
#643204 - 1-1/8 in.	#643216 - 1-7/8 in.
#643205 - 1-3/16 in.	#643218 - 2 in.
#643206 - 1-1/4 in.	#643219 - 2-1/16 in.
#643207 - 1-5/16 in.	#643220 - 2-1/8 in.
#643208 - 1-3/8 in.	#643221 - 2-3/16 in.
#643209 - 1-7/16 in.	#643222 - 2-1/4 in.
#643210 - 1-1/2 in.	#643224 - 2-3/8 in.
#643211 - 1-9/16 in.	



1/2 In. Dr. Standard Sockets - Metric - 12 Pt.

#641763 - 8 mm	#642019 - 21 mm
#641764 - 9 mm	#642020 - 22 mm
#640355 - 10 mm	#642021 - 23 mm
#642030 - 11 mm	#642022 - 24 mm
#642031 - 12 mm	#642023 - 26 mm
#642032 - 13 mm	#642034 - 27 mm
#642012 - 14 mm	#648216 - 28 mm
#642013 - 15 mm	#642035 - 29 mm
#642014 - 16 mm	#642024 - 30 mm
#642015 - 17 mm	#642025 - 32 mm
#642016 - 18 mm	#642026 - 34 mm
#642017 - 19 mm	#642027 - 35 mm
#642018 - 20 mm	#642028 - 36 mm



3/4 In. Dr. Standard Sockets - Metric - 12 Pt.

#643227 - 22 mm	#643236 - 35 mm
#643228 - 23 mm	#643237 - 36 mm
#643229 - 24 mm	#643238 - 38 mm
#643244 - 25 mm	#943243 - 40 mm
#643230 - 26 mm	#643239 - 41 mm
#643231 - 27 mm	#943245 - 42 mm
#643245 - 28 mm	#643240 - 46 mm
#643232 - 29 mm	#643241 - 50 mm
#643233 - 30 mm	#643242 - 55 mm
#643234 - 32 mm	#643243 - 60 mm
#643235 - 33 mm	



1/2 In. Dr. Deep Well Sockets - SAE - 6 Pt.

#642324 - 3/8 in.	#642204 - 13/16 in.
#642323 - 7/16 in.	#642205 - 7/8 in.
#642344 - 1/2 in.	#642206 - 15/16 in.
#642200 - 9/16 in.	#642207 - 1 in.
#642201 - 5/8 in.	#648217 - 1-1/16 in.
#642202 - 11/16 in.	#642215 - 1-1/8 in.
#642203 - 3/4 in.	#642216 - 1-1/4 in.



1



1 In. Dr. Standard Sockets - SAE - 12 Pt.

#641765 - 1-5/8 in.	#641774 - 2-3/8 in.
#641766 - 1-11/16 in.	#641776 - 2-5/8 in.
#641767 - 1-3/4 in.	#641778 - 2-15/16 in.
#641768 - 1-13/16 in.	#641779 - 3 in.
#641769 - 1-7/8 in.	#641780 - 3-1/8 in.
#641770 - 2 in.	



1/2 In. Dr. Deep Well Sockets - Metric - 6 Pt.

#642217 - 10 mm	#642213 - 19 mm
#642218 - 11 mm	#642214 - 20 mm
#642219 - 12 mm	#640836 - 21 mm
#642220 - 13 mm	#640837 - 22 mm
#642208 - 14 mm	#640838 - 23 mm
#642209 - 15 mm	#640840 - 24 mm
#642210 - 16 mm	#640841 - 27 mm
#642211 - 17 mm	#940121 - 30 mm
#642212 - 18 mm	#940123 - 32 mm



1/4



1/4 In. Dr. Bit Sockets - Tamper-Proof Torx®

#648195 - T-7	#648498 - T-20
#648453 - T-8	#648499 - T-25
#648496 - T-10	#648502 - T-27
#648497 - T-15	#648503 - T-30



3/8



3/8 In. Dr. Bit Sockets - Torx®

#648512 - T-15	#641402 - T-40
#648513 - T-20	#641403 - T-45
#648516 - T-25	#641408 - T-47
#648524 - T-27	#641404 - T-50
#641691 - T-30	#641692 - T-55



1/4 In. Dr. Bit Sockets - Torx®

#648108 - T-8	#648326 - T-25
#648679 - T-10	#648327 - T-27
#648324 - T-15	#648328 - T-30
#648325 - T-20	



3/8 In. Dr. Bit Sockets - Hex - SAE

#940143 - 1/8 in.	#648662 - 1/4 in.
#648430 - 5/32 in.	#640554 - 5/16 in.
#640349 - 3/16 in.	#641400 - 3/8 in.
#640350 - 7/32 in.	



3/8 In. Dr. Bit Sockets - Hex - Metric

#648323 - 3 mm	#648664 - 7 mm
#648418 - 4 mm	#648665 - 8 mm
#640347 - 5 mm	#648425 - 9 mm
#640556 - 6 mm	#641401 - 10 mm



#640049 - 6 Pc. 1/4 In. Dr. Torx® Bit Socket Set

Torx® Contents:
 - T-10, T-15, T-20, T-25, T-27, T-30



#648661 - 7 Pc. 3/8 In. Dr. SAE Hex Bit Socket Set

SAE Contents:
 - 1/8 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.



#940146 - 13 Pc. 1/4 In., 3/8 In. & 1/2 In. Dr. Torx® Bit Set

Torx® Contents:
 - 1/4 in. Dr.: T-10, T-15, T-20, T-25, T-27, T-30
 - 3/8 in. Dr.: T-40, T-45, T-47, T-50, T-55
 - 1/2 in. Dr.: T-60, T-70



#648663 - 7 Pc. 3/8 In. Dr. Metric Hex Bit Socket Set

Metric Contents:
 - 3, 4, 5, 6, 7, 8, 10 mm



3/8



#642404 - 8 Pc. 3/8 In. Dr. SAE Hex Bit Socket Set
 SAE Contents:
 - 1/8 in., 9/64 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in.,
 5/16 in., 3/8 in.



#642405 - 8 Pc. 3/8 In. Dr. Metric Hex Bit Socket Set
 Metric Contents:
 - 3, 4, 5, 6, 7, 8, 9, 10 mm



#645018 - 13 Pc. 3/8 In. Dr. SAE/Metric Hex Bit Socket Set

Contents:
 - SAE: 1/8 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in.,
 5/16 in., 3/8 in.
 - Metric: 4, 5, 6, 7, 8, 10 mm



#645019 - 8 Pc. 3/8 In. Dr. Torx® Bit Socket Set

Torx® Contents:
 - T-15, T-20, T-25, T-27, T-30, T-40, T-50, T-55



Socket Accessories and Ratchet Handle



Flex Head Stubby Ratchet

#640200 - 1/4 in. Dr. #941515 - 3/8 in. Dr.

- Stubby length for use in tight spaces
- Flexible head/shaft joint for hard-to-reach fasteners



Quick Release Ratchet

#640512 - 1/4 in. Dr. #640513 - 1/2 in. Dr.
 #640511 - 3/8 in. Dr.

- Push-button quick release for fast socket mating
- Full length spiral-machined handle



Quick Release Gear-to-Gear Ratchet

#640508 - 1/4 in. Dr. #642509 - 1/2 in. Dr.
 #641520 - 3/8 in. Dr.

- Full length spiral-machined handle
- Quick release ratchet head for fast socket mating



#941516 - 3/8 In. Dr. Flex Head Ratchet

- Extended length for added reach and torque
- Flexible head/shaft joint for hard-to-reach fasteners



#941517 - 3/8 In. Dr. Quick Release Gear-to-Gear Flex Head Ratchet

- Full length spiral-machined handle
- Sealed ratchet head for longer service life





#643500 - 3/4 In. Dr. Quick Release Gear-to-Gear Ratchet

- Full length spiral-machined handle
- Quick release ratchet head for fast socket mating



1/4 In. Dr. Extension

#640552 - 3 in.	#641798 - 10 in.
#640504 - 6 in.	#641800 - 14 in.
#641796 - 8 in.	

- Knurled center and dual grease rings for superior user grip



#649996 - 1 In. Dr. Ratchet

- Full length spiral-machined handle



#640842 - 3 Pc. 1/4 in. Dr. Extension Set

- Knurled center and dual grease rings for superior user grip

- Contents:
- 2 in. extension
 - 3 in. extension
 - 6 in. extension



1/2 In. Dr. Flex Handle

#642504 - 12 in.	#640853 - 24 in.
#640854 - 18 in.	

- Flexible head/shaft joint for hard-to-reach fasteners



3/8 In. Dr. Extension

#641501 - 3 in.	#640503 - 10 in.
#641502 - 6 in.	#941505 - 18 in.
#941504 - 8 in.	#641803 - 24 in.

- Knurled center and dual grease rings for superior user grip



940504 - 1/4 In. Dr. Flex Headle

- Flexible head/shaft joint for hard-to-reach fasteners
- 5-1/2 in. overall length.



#640844 - 4 Pc. 3/8 in. Dr. Extension Set

- Knurled center and dual grease rings for superior user grip

- Contents:
- 1-3/4 in. extension
 - 3 in. extension
 - 6 in. extension
 - 8 in. extension



#641504 - 3/8 In. Dr. Flex Headle

- Flexible head/shaft joint for hard-to-reach fasteners
- 9-1/2 in. overall length.



1/2 In. Dr. Extension

#642501 - 2 in.	#642503 - 10 in.
#942500 - 3 in.	#641805 - 15 in.
#642502 - 5 in.	#640847 - 20 in.

- Knurled center and dual grease rings for superior user grip



#649995 - 1 In. Dr. 26 in. Flex Headle

- Flexible head/shaft joint for hard-to-reach fasteners
- 34 in. overall length.



#640846 - 3 Pc. 1/2 in. Dr. Extension Set

- Knurled center and dual grease rings for superior user grip

- Contents:
- 3 in. extension
 - 5 in. extension
 - 10 in. extension



1/4 In. Dr. Wobble Extension

#641797 - 8 in.	#641799 - 10 in.
#641801 - 14 in.	

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip



3/8 In. Dr. Wobble Extension

#641744 - 3 in.	#640852 - 10 in.
#640850 - 6 in.	#641802 - 18 in.
#640851 - 8 in.	#641804 - 24 in.

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip



#640857 - 3 Pc. 3/8 In. Dr. Wobble Extension Set

- Operates at angles up to 20 degrees from vertical
- Contents:
 - 3 in. wobble extension
 - 6 in. wobble extension
 - 10 in. wobble extension



1/2 In. Dr. Wobble Extension

#641806 - 15 in.	#641807 - 20 in.
------------------	------------------

- Operates at angles up to 20 degrees from vertical
- Knurled center and dual grease rings for superior user grip



#640856 - 3 Pc. 1/2 In. Dr. Wobble Extension Set

- Operates at angles up to 20 degrees from vertical
- Contents:
 - 3 in. wobble extension
 - 5 in. wobble extension
 - 10 in. wobble extension



#649992 - 1/2 In. Dr. Speeder Handle

- Chrome vanadium shaft
- Comfortable spinner handle



Adapter

#940500 - 1/4 in. Dr. (F) x 3/8 in. Dr. (M)	
#640505 - 3/8 in. Dr. (F) x 1/4 in. Dr. (M)	
#641500 - 3/8 in. Dr. (F) x 1/2 in. Dr. (M)	
#642500 - 1/2 in. Dr. (F) x 3/8 in. Dr. (M)	
#942501 - 1/2 in. Dr. (F) x 3/4 in. Dr. (M)	
#643506 - 3/4 in. Dr. (F) x 1/2 in. Dr. (M)	
#643507 - 3/4 in. Dr. (F) x 1 in. Dr. (M)	



Universal Joint

#640503 - 1/4 in. Dr.	#642506 - 1/2 in. Dr.
#641507 - 3/8 in. Dr.	#643508 - 3/4 in. Dr.

- Chrome Vanadium steel construction



3/8 In. Dr. Spark Plug Sockets - SAE - 6 Pt.

#643000 - 5/8 in.	- U - Joints
#643001 - 13/16 in.	#643002 - 5/8 in. U
#643006 - 3/4 in.	#643003 - 13/16 in. U



3/8 In. Dr. Spark Plug Sockets - Metric - 6 Pt.

#643007 - 14 mm	#643009 - 18 mm
#643008 - 16 mm	#643010 - 21 mm



1/2 In. Dr. Spark Plug Sockets - SAE - 6 Pt.

#643004 - 5/8 in.	#643005 - 13/16 in.
-------------------	---------------------



Socket Rail

#640506 - 1/4 in. Dr.	#642507 - 1/2 in. Dr.
#641509 - 3/8 in. Dr.	

- Holds 16 clips each Sockets



Anodized Socket Rail

- #941121 - 1/4 in. Dr. includes 12 pc clips for 12 sizes of sockets
- #941122 - 3/8 in. Dr. includes 14 pc clips for 14 sizes of sockets
- #941123 - 1/2 in. Dr. includes 14 pc clips for 14 sizes of sockets
- Accepts standard and deep sockets sizes, marked on rails for easy identification.



Impact Sockets



3/8 In. Dr. Standard Impact Sockets - SAE - 6 Pt.			
#647242	- 3/8 in.	#647246	- 5/8 in.
#647243	- 7/16 in.	#647247	- 11/16 in.
#647244	- 1/2 in.	#647248	- 3/4 in.
#647245	- 9/16 in.		



3/8 In. Dr. Standard Impact Sockets - Metric - 6 Pt.			
#647249	- 10 mm	#647254	- 15 mm
#647250	- 11 mm	#647255	- 16 mm
#647251	- 12 mm	#647256	- 17 mm
#647252	- 13 mm	#647257	- 18 mm
#647253	- 14 mm	#647258	- 19 mm



3/8 In. Dr. Deep Well Impact Sockets - SAE - 6 Pt.			
#647272	- 3/8 in.	#647144	- 11/16 in.
#647273	- 7/16 in.	#647145	- 3/4 in.
#647141	- 1/2 in.	#647610	- 13/16 in.
#647142	- 9/16 in.	#647611	- 7/8 in.
#647143	- 5/8 in.		



3/8 In. Dr. Deep Well Impact Sockets - Metric - 6 Pt.			
#647259	- 10 mm	#647150	- 16 mm
#647266	- 11 mm	#647267	- 17 mm
#647146	- 12 mm	#647268	- 18 mm
#647147	- 13 mm	#647269	- 19 mm
#647148	- 14 mm	#647270	- 21 mm
#647149	- 15 mm		



3/8 In. Dr. Universal Impact Sockets - SAE - 6 Pt.			
#647216	- 3/8 in.	#647220	- 5/8 in.
#647217	- 7/16 in.	#647221	- 11/16 in.
#647218	- 1/2 in.	#647222	- 3/4 in.
#647219	- 9/16 in.		



3/8 In. Dr. Universal Impact Sockets - Metric - 6 Pt.			
#647223	- 10 mm	#647227	- 16 mm
#647224	- 11 mm	#647228	- 17 mm
#647225	- 13 mm	#647229	- 19 mm
#647226	- 14 mm		



3/8 In. Dr. Bit Sockets - Impact Hex - SAE			
#647235	- 3/8 in.	#647239	- 3/8 in.
#647236	- 7/32 in.	#647240	- 7/16 in.
#647237	- 1/4 in.	#647241	- 1/2 in.
#647238	- 5/16 in.		



1/2 In. Dr. Standard Impact Sockets - SAE - 6 Pt.			
#647282	- 7/16 in.	#647157	- 7/8 in.
#647151	- 1/2 in.	#647158	- 15/16 in.
#647152	- 9/16 in.	#647159	- 1 in.
#647153	- 5/8 in.	#647294	- 1-1/16 in.
#647154	- 11/16 in.	#647295	- 1-1/8 in.
#647155	- 3/4 in.	#647296	- 1-1/4 in.
#647156	- 13/16 in.		



1/2 In. Dr. Standard Impact Sockets - Metric - 6 Pt.			
#647277	- 8 mm	#647164	- 17 mm
#647278	- 9 mm	#647165	- 18 mm
#647279	- 10 mm	#647166	- 19 mm
#647291	- 11 mm	#647280	- 20 mm
#647292	- 12 mm	#647167	- 21 mm
#647160	- 13 mm	#647168	- 22 mm
#647161	- 14 mm	#647281	- 23 mm
#647162	- 15 mm	#647169	- 24 mm
#647163	- 16 mm	#647293	- 27 mm



1/2 In. Dr. Deep Well Impact Sockets - SAE - 6 Pt.			
#647297	- 7/16 in.	#647176	- 7/8 in.
#647170	- 1/2 in.	#647177	- 15/16 in.
#647171	- 9/16 in.	#647178	- 1 in.
#647172	- 5/8 in.	#647194	- 1-1/16 in.
#647173	- 11/16 in.	#647179	- 1-1/8 in.
#647174	- 3/4 in.	#647180	- 1-1/4 in.
#647175	- 13/16 in.		



1/2 In. Dr. Deep Well Impact Sockets - Metric - 6 Pt.			
#647277	- 8 mm	#647164	- 17 mm
#647278	- 9 mm	#647165	- 18 mm
#647279	- 10 mm	#647166	- 19 mm
#647291	- 11 mm	#647280	- 20 mm
#647292	- 12 mm	#647167	- 21 mm
#647160	- 13 mm	#647168	- 22 mm
#647161	- 14 mm	#647281	- 23 mm
#647162	- 15 mm	#647169	- 24 mm
#647163	- 16 mm	#647293	- 26 mm



1/2 In. Dr. Bit Sockets - Impact Torx®			
#647121	- T-30	#647220	- T-55
#647122	- T-40	#647221	- T-60
#647123	- T-45	#647222	- T-70
#647124	- T-50		



1/2 In. Dr. Lug Nut Impact Wheel Saver Sockets			
SAE		Metric	
#941042	- 3/4 in.	#941039	- 17 mm
#941043	- 13/16 in.	#941040	- 19 mm
#941044	- 7/8 in.	#941041	- 21 mm
#941103	- 1 in.		
#941104	- 1-1/16 in.		



3/4



#940623 - 8 Pc. SAE Impact Socket Set - 6 Pt.
 SAE Contents:
 - 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in., 1-5/16 in., 1-3/8 in.,
 1-7/16 in., 1-1/2 in.

6-Pt. ANSI CR-MO



1/4 In. Dr. Impact Extension
 #647230 - 2 in. #647232 - 6 in.
 #647231 - 4 in.

Impact-rated chromoly construction
 1/4 ANSI CR-MO



#647196 - 11 Pc. SAE Impact Socket Set - 6 Pt.
 SAE Contents:
 - 13/16 in. square impact socket
 - 6 pt. impact sockets: 3/14in., 13/16 in., 7/8 in., 15/16in.,
 1 in., 1-1/16 in., 1-1/8 in., 1-3/16 in., 1-1/4 in., 1-1/2 in.

6-Pt. ANSI CR-MO



3/8 In. Dr. Impact Extension
 #647274 - 3 in. #647276 - 10 in.
 #647275 - 6 in.

Impact-rated chromoly construction
 3/8 ANSI CR-MO



#647195 - 11 Pc. Metric Impact Socket Set - 6 Pt.
 SAE Contents:
 - 17, 19, 21 mm square impact socket
 - 6 pt. impact sockets: 27, 30, 32, 33, 35, 36, 38, 41 mm

6-Pt. ANSI CR-MO



1/2 In. Dr. Impact Extension
 #647283 - 3 in. #647140 - 10 in.
 #647098 - 5 in.

Impact-rated chromoly construction
 1/2 ANSI CR-MO



#940626 - 8 Pc. SAE Deep Impact Socket Set - 6 Pt.
 SAE Contents:
 - 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in., 1-5/16 in., 1-3/8 in.,
 1-7/16 in., 1-1/2 in.

6-Pt. ANSI CR-MO



Impact Adapter
 #647234 - 1/4 in. Dr. (F) x 3/8 in. Dr. (M)
 #647096 - 3/8 in. Dr. (F) x 1/2 in. Dr. (M)
 #647097 - 1/2 in. Dr. (F) x 3/8 in. Dr. (M)
 #647137 - 1/2 in. Dr. (F) x 3/4 in. Dr. (M)
 #940585 - 3/4 in. Dr. (F) x 1 in. Dr. (M)
 #940586 - 3/4 in. Dr. (F) x 1/2 in. Dr. (M)
 #940587 - 1 in. Dr. (F) x 3/4 in. Dr. (M)

Impact-rated chromoly construction
 1/4 3/8 1/2 3/4 1 ANSI CR-MO



Impact Universal Adapter
 #647233 - 1/4 in. #647201 - 3/4 in.
 #647575 - 3/8 in. #647198 - 1 in.
 #647138 - 1/2 in.

Impact-rated chromoly construction
 1/4 3/8 1/2 3/4 1 ANSI CR-MO

Socket and Accessories

Socket and Accessories

Powerbuilt Wrench Series are Built to Meet ANSI Standard and with high performance




Regular Length Combination Wrench



Long Patten Combination Wrench



Extra Long Double Box Wrench



Stubby Combination Wrench



Flare Nut Wrench



Powerbuilt Wrench Features



Z-Drive
 design to drive fasteners by walls, not corners



Chamfered open end
 for easy access



Thin Wall



Mirror Polished Finish



Flare Nut



ANSI
 Meets or Exceeds ANSI Requirements for Torque and Hardness
 ANSI IS THE INDUSTRY STANDARD FOR QUALITY AUTOMOTIVE PRODUCTS




Raised Panel Combination Wrenches - SAE

#644000	- 1/4 in.	#644015	- 1-1/4 in.
#644001	- 5/16 in.	#644049	- 1-5/16 in.
#644002	- 3/8 in.	#940307	- 1-3/8 in.
#644003	- 7/16 in.	#940312	- 1-7/16 in.
#644004	- 1/2 in.	#940313	- 1-1/2 in.
#644005	- 9/16 in.	#940314	- 1-5/8 in.
#644006	- 5/8 in.	#940315	- 1-11/16 in.
#644007	- 11/16 in.	#940316	- 1-3/4 in.
#644008	- 3/4 in.	#940317	- 1-13/16 in.
#644009	- 13/16 in.	#940318	- 1-7/8 in.
#644010	- 7/8 in.	#940319	- 2 in.
#644011	- 15/16 in.	#941324	- 2-5/16 in.
#644012	- 1 in.	#940322	- 2-3/8 in.
#644013	- 1-1/16 in.	#940311	- 2-7/16 in.
#644014	- 1-1/8 in.	#940323	- 2-1/2 in.

- Heat-treated chrome plated carbon steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Driver® box end contacts flat walls of fasteners for stronger grip

ANSI




Raised Panel Combination Wrenches - Metric

#644016	- 7 mm	#644028	- 19 mm
#644017	- 8 mm	#644029	- 20 mm
#644018	- 9 mm	#644030	- 21 mm
#644019	- 10 mm	#644031	- 22 mm
#644020	- 11 mm	#644032	- 23 mm
#644021	- 12 mm	#644033	- 24 mm
#644022	- 13 mm	#644060	- 25 mm
#644023	- 14 mm	#644061	- 26 mm
#644024	- 15 mm	#644062	- 27 mm
#644025	- 16 mm	#644063	- 28 mm
#644026	- 17 mm	#644064	- 29 mm
#644027	- 18 mm	#644065	- 30 mm

- Heat-treated chrome plated carbon steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Driver® box end contacts flat walls of fasteners for stronger grip

ANSI




Mirror Polish Combination Wrenches - SAE

#644140	- 1/4 in.	#644147	- 3/4 in.
#644141	- 5/16 in.	#644148	- 13/16 in.
#644142	- 3/8 in.	#644149	- 7/8 in.
#644143	- 7/16 in.	#644150	- 15/16 in.
#644144	- 1/2 in.	#644152	- 1 in.
#644145	- 9/16 in.	#644153	- 1-1/16 in.
#644146	- 5/8 in.	#644154	- 1-1/8 in.
#640894	- 11/16 in.	#644155	- 1-1/4 in.

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Driver® box end contacts flat walls of fasteners for stronger grip

ANSI





Mirror Polish Combination Wrenches - Metric

#644110 - 6 mm	#644123 - 19 mm
#644111 - 7 mm	#644124 - 20 mm
#644112 - 8 mm	#644125 - 21 mm
#644113 - 9 mm	#644126 - 22 mm
#644114 - 10 mm	#644127 - 23 mm
#644115 - 11 mm	#644128 - 24 mm
#644116 - 12 mm	#644129 - 25 mm
#644117 - 13 mm	#644130 - 26 mm
#644118 - 14 mm	#644131 - 27 mm
#644119 - 15 mm	#644132 - 28 mm
#644120 - 16 mm	#644133 - 29 mm
#644121 - 17 mm	#644134 - 30 mm
#644122 - 18 mm	#644135 - 32 mm

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Driver® box end contacts flat walls of fasteners for stronger grip

ANSI



Mirror Polish Stubby Combination Wrenches - SAE

#641781 - 3/8 in.	#641785 - 1-1/4 in.
#641782 - 7/16 in.	#641786 - 1-5/16 in.
#641783 - 1/2 in.	#641787 - 1-3/8 in.
#641784 - 9/16 in.	

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Driver® box end contacts flat walls of fasteners for stronger grip

ANSI




Mirror Polish Stubby Combination Wrenches - Metric

#641788 - 10 mm	#641792 - 14 mm
#641789 - 11 mm	#641793 - 15 mm
#641790 - 12 mm	#641794 - 17 mm
#641791 - 13 mm	#641795 - 18 mm

- Mirror-polished chrome vanadium steel
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Driver® box end contacts flat walls of fasteners for stronger grip

ANSI



Long Pattern Combination Wrenches - SAE

#640475 - 1/4 in.	#640444 - 3/4 in.
#640476 - 5/16 in.	#640445 - 13/16 in.
#640477 - 3/8 in.	#640446 - 7/8 in.
#640440 - 7/16 in.	#640479 - 15/16 in.
#640441 - 1/2 in.	#640480 - 1 in.
#640442 - 9/16 in.	#640481 - 1-1/16 in.
#640443 - 5/8 in.	#640482 - 1-1/8 in.
#640478 - 11/16 in.	#640483 - 1-1/4 in.

- Mirror-polished heat-treated chrome plated carbon steel
- Extended length for added torque
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Driver® box end contacts flat walls of fasteners for stronger grip

ANSI



#WC1543 - 12 Pc. Metric Long Pattern Combination Wrench Set

Contents:
 - 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

ANSI



Long Pattern Combination Wrenches - Metric

#940483 - 6 mm	#640453 - 18 mm
#640484 - 7 mm	#640489 - 19 mm
#640485 - 8 mm	#640490 - 20 mm
#640486 - 9 mm	#640491 - 21 mm
#640447 - 10 mm	#640492 - 22 mm
#640487 - 11 mm	#640493 - 23 mm
#640448 - 12 mm	#640494 - 24 mm
#640449 - 13 mm	#640495 - 25 mm
#640488 - 14 mm	#641686 - 27 mm
#640450 - 15 mm	#641687 - 30 mm
#640451 - 16 mm	#641688 - 32 mm
#640452 - 17 mm	

- Mirror-polished heat-treated chrome plated carbon steel
- Extended length for added torque
- 15 degree offset and chamfered walls for easy mating to fasteners
- Z-Driver® box end contacts flat walls of fasteners for stronger grip

ANSI



#WC7024 - 11 Pc. Metric Combination Wrench Set - Raised Panel

Contents:
 - 8, 10, 12, 13, 14, 16, 17, 18, 19, 22, 24 mm

ANSI





#WC7023 - 19 Pc. Metric Combination Wrench Set - Raised Panel

Contents:
 - 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm

ANSI



#WC7025 - 16 Pc. SAE Combination Wrench Set - Raised Panel

Contents:
 - 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in., 1-1/16 in., 1-1/8 in., 1-1/4 in.

ANSI



#WC7065 - 19 Pc. Metric Long Pattern Combination Wrench Set

Contents:
 - 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm

ANSI



#WC7030 - 28 Pc. SAE and Metric Long Pattern Combination Wrench Set

Contents:
 - SAE long pattern combination wrench
 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in.
 - Metric long pattern combination wrench
 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm

ANSI



#640077 - 7 Pc. Metric Combination Wrench Set

Contents:
 - 6, 7, 8, 9, 10, 11, 12 mm

ANSI



#640378 - 11 Pc. Metric Combination Wrench Set

Contents:
 - 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19 mm

ANSI



#640437 - 7 Pc. Metric Long Pattern Combination Wrench Set

Contents:
 - 10, 11, 12, 13, 14, 15, 17 mm

ANSI



#640204 - 7 Pc. Metric Stubby Combination Wrench Set

Contents:
 - 10, 12, 13, 14, 15, 17, 18 mm

ANSI



#941063 - 7 Pc. SAE Universal Combination Wrench Set

• Splined box end fits virtually any style bolt head, including damaged heads
 Contents:
 - 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in.

ANSI



#941062 - 7 Pc. Metric Universal Combination Wrench Set

• Splined box end fits virtually any style bolt head, including damaged heads
 Contents:
 - 10, 11, 12, 13, 14, 15, 17 mm

ANSI





Ratcheting Combination Wrenches - SAE

#641572 - 1/4 in.	#640152 - 3/4 in.
#640145 - 5/16 in.	#641126 - 13/16 in.
#640146 - 3/8 in.	#641127 - 7/8 in.
#640147 - 7/16 in.	#641685 - 15/16 in.
#640148 - 1/2 in.	#641681 - 1 in.
#640149 - 9/16 in.	#641682 - 1-1/16 in.
#640150 - 5/8 in.	#641683 - 1-1/8 in.
#640151 - 11/16 in.	#641684 - 1-1/4 in.

- Chrome vanadium steel construction
- 72 tooth ratchet mechanism

ANSI



#941207 - 7 Pc. SAE Reversible Ratcheting Combination Wrench Set

- Reversible ratchet permits direction changes without removing wrench from fastener

Contents:
 - 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.

ANSI




#941206 - 7 Pc. Metric Reversible Ratcheting Combination Wrench Set

- Reversible ratchet permits direction changes without removing wrench from fastener

Contents:
 - 8, 10, 12, 13, 14, 15, 18 mm

ANSI



Ratcheting Combination Wrenches - Metric

#641673 - 6 mm	#640159 - 14 mm
#641672 - 7 mm	#640160 - 15 mm
#640153 - 8 mm	#640161 - 16 mm
#640154 - 9 mm	#640162 - 17 mm
#640155 - 10 mm	#640163 - 18 mm
#640156 - 11 mm	#640164 - 19 mm
#640157 - 12 mm.	#641128 - 20 mm
#640158 - 13 mm	#641123 - 21 mm

- Chrome vanadium steel construction
- 72 tooth ratchet mechanism

ANSI



#941067 - 7 Pc. SAE Flex Head Ratcheting Combination Wrench Set

- Box end flexes up to 90 degrees in either direction for added reach

Contents:
 - 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.

ANSI



#941068 - 7 Pc. Metric Flex Head Ratcheting Combination Wrench Set

- Box end flexes up to 90 degrees in either direction for added reach

Contents:
 - 8, 10, 12, 13, 14, 15, 19 mm

ANSI



#640990 - 7 Pc. SAE Ratcheting Combination Wrench Set

Contents:
 - 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 3/4 in.

ANSI



#640532 - 7 Pc. SAE Stubby Ratcheting Combination Wrench Set

Contents:
 - 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in.

ANSI



#640991 - 7 Pc. Metric Ratcheting Combination Wrench Set

Contents:
 - 8, 10, 12, 13, 14, 15, 19 mm

ANSI



#640533 - 7 Pc. Metric Stubby Ratcheting Combination Wrench Set

Contents:
 - 10, 12, 13, 14, 15, 16, 18 mm

ANSI





#WC0346 - 7 Pc. Metric Reversible Ratcheting Combination Wrench Set

Contents:
 - 8, 10, 12, 13, 14, 16, 17 mm



#WC0522 - 7 Pc. Metric Flexi-Head Reversible Ratcheting Combination Wrench Set

Contents:
 - 8, 10, 12, 13, 14, 16, 17 mm



#WC6012 - 13 Pc. SAE Ratcheting Combination Wrench Set

Contents:
 - 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4 in., 13/16 in., 7/8 in., 15/16 in., 1 in.



#WC6013 - 13 Pc. Metric Ratcheting Combination Wrench Set

Contents:
 - 6, 8, 10, 12, 13, 14, 15, 17, 19, 21, 22, 24, 25 mm



E-Torx® Ratcheting Combination Wrenches

#641759 - E6 x E8	#641761 - E14 x E18
#641760 - E10 x E12	#641762 - E20 x E24

- Mirror-polished chrome vanadium steel
- 72 tooth ratchet for use in tight spaces



Flare Nut Wrenches - SAE

#640085 - 3/8 in. x 7/16 in.	#640035 - 5/8 in. x 11/16 in.
#644034 - 1/2 in. x 9/16 in.	

- Chrome vanadium steel construction



Flare Nut Wrenches - Metric

#644036 - 9 mm x 10 mm	#644038 - 13 mm x 14 mm
#644037 - 11 mm x 12 mm	

- Chrome vanadium steel construction



Flex Head Flare Nut Wrenches - Metric

Metric	SAE
#641865 - 10 mm x 12 mm	#641866 - 3/8 in. x 7/16 in.

- Chrome vanadium steel construction
- Ends flex up to 230 degrees in either direction for added reach



Flare Nut Crowfoot Wrenches - SAE

#641831 - 3/8 in.	#641836 - 11/16 in.
#641832 - 7/16 in.	#641837 - 3/4 in.
#641833 - 1/2 in.	#641838 - 13/16 in.
#641834 - 9/16 in.	#641839 - 7/8 in.
#641835 - 5/8 in.	

- Chrome vanadium steel construction
- 3/8 in. square drive



Flare Nut Crowfoot Wrenches - Metric

#641840 - 10 mm	#641845 - 15 mm
#641841 - 11 mm	#641846 - 16 mm
#641842 - 12 mm	#641847 - 17 mm
#641843 - 13 mm	#641848 - 18 mm
#641844 - 14 mm	#641849 - 19 mm

- Chrome vanadium steel construction
- 3/8 in. square drive





Open End Crowfoot Wrenches - SAE

#641809 - 3/8 in.	#641815 - 3/4 in.
#641810 - 7/16 in.	#641816 - 13/16 in.
#641811 - 1/2 in.	#641817 - 7/8 in.
#641812 - 9/16 in.	#641818 - 15/16 in.
#641813 - 5/8 in.	#641819 - 1 in.
#641814 - 11/16 in.	

- Chrome vanadium steel construction
- 3/8 in. square drive

ANSI



#640081 - 9 Pc. SAE Ball End Hex Key Wrench Set

- Contents:
- 1/16 in., 5/64 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in., 5/16 in., 3/8 in.
 - Hex key holder



Open End Crowfoot Wrenches - Metric

#641820 - 10 mm	#641825 - 15 mm
#641821 - 11 mm	#641826 - 16 mm
#641822 - 12 mm	#641827 - 17 mm
#641823 - 13 mm	#641828 - 18 mm
#641824 - 14 mm	#641829 - 19 mm

- Chrome vanadium steel construction
- 3/8 in. square drive

ANSI



#640082 - 9 Pc. Metric Ball End Hex Key Wrench Set

- Contents:
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
 - Hex key holder



#644505 - 5 Pc. SAE Box Wrench Set

- Contents:
- 1/4 in. x 5/16 in., 3/8 in. x 7/16 in., 1/2 in. x 9/16 in., 5/8 in. x 11/16 in., 3/4 in. x 7/8 in.

ANSI



#644506 - 5 Pc. Metric Box Wrench Set

- Contents:
- 8 x 9 mm, 10 x 11 mm, 13 x 14 mm, 15 x 17 mm, 18 x 19 mm

ANSI



#941069 - 9 Pc. Metric Short Arm Hex Key Set

- Contents:
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
 - Hex key holder



Extra Long Double Box Wrench

#WC7186 - 10 mm x 12 mm (Length: 290 mm)
#WC7187 - 13 mm x 14 mm (Length: 327 mm)
#WC7189 - 17 mm x 19 mm (Length: 402 mm)

- Chrome vanadium steel, chrome plated, fully polished
- Thin wall with boxed end offering Z-Drive
- Ideal for use in hard to reach spaces

ANSI



#941070 - 9 Pc. SAE Short Arm Hex Key Set

- Contents:
- 1/16 in., 5/64 in., 3/32 in., 1/8 in., 5/32 in., 3/16 in., 1/4 in., 5/16 in., 3/8 in.
 - Hex key holder



#WC7191 - 3 Pc. Extra Long Double Box Wrench

- Chrome vanadium steel, chrome plated, fully polished
- Thin wall with boxed end offering Z-Drive
- Ideal for use in hard to reach spaces

- Contents:
- 10 x 12 mm, 13 x 14 mm, 17 x 19 mm

ANSI



#941071 - 9 Pc. Tamper-Proof Torx® Key Set

- Contents:
- T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50
 - Wrench holder



Powerbuilt Screwdriver New tech material on the handle allows it to work in all kinds of environment

Soft Grip Handle Screwdriver

ANSI
 Meets or Exceeds
 ANSI Requirements
 for Torque and Hardness
 ANSI IS THE INDUSTRY
 STANDARD FOR QUALITY
 AUTOMOTIVE PRODUCTS




Typical properties:
 excellent long term heat
 aging, excellent low
 temperature impact

New tech material can resist
 following chemicals: Brake fluid,
 gasoline, ethylene glycol, motor
 oil, kerosene, etc.



Double Injection
 Ergonomic
 Design Handles



High Strength Alloy Steel



Magnetic Tip



Comfort Grip for
 Using All Day



Thermo Plastic
 Rubber Material
 For Non-slip Soft Grip



Soft Grip Handle Screwdriver - Phillips

#SD1203 - #0 x 3 in.	#SD1210 - #2 x 4 in.
#SD1224 - #1 x 1-1/2 in.	#SD1211 - #2 x 6 in.
#SD1202 - #1 x 3 in.	#SD1225 - #2 x 8 in.
#SD1204 - #2 x 1-1/2 in.	#SD1201 - #3 x 6 in.

⊕ ANSI



Soft Grip Handle Screwdriver - Square

#SD1226 - S-1 x 4 in.	#SD1214 - S-2 x 4 in.
-----------------------	-----------------------

■ ANSI



Soft Grip Handle Screwdriver - Pozidriv

#SD1221 - #1 x 4 in.	#SD1223 - #2 x 6 in.
#SD1213 - #2 x 4 in.	

⊗ ANSI



Soft Grip Handle Screwdriver - Slotted

#SD1212 - 1/8 in. x 3 in.	#SD1209 - 1/4 in. x 4 in.
#SD1227 - 5/32 in. x 4 in.	#SD1218 - 1/4 in. x 6 in.
#SD1215 - 5/32 in. x 6 in.	#SD1219 - 1/4 in. x 8 in.
#SD1206 - 3/16 in. x 4 in.	#SD1207 - 5/16 in. x 6 in.
#SD1216 - 3/16 in. x 6 in.	#SD1220 - 5/16 in. x 10 in.
#SD1217 - 3/16 in. x 8 in.	#SD1208 - 3/8 in. x 10 in.
#SD1205-1/4 in. x 1-1/2 in.	

⊖ ANSI



#SC0322 - 13 Pc. Soft Grip Handle Screwdriver Set

- Contents:
- Slotted: 1/8 in. X 3 in., 5/32 in. X 4 in., 3/16 in. X 4 in., 1/4 in. X 4 in., 1/4 in. X 1-1/2 in., 5/16 in. X 6 in., 3/8 in. X 10 in.
 - Phillips: #0 X 3 in., #1 X 3 in., #2 X 1-1/2 in., #2 X 4 in., #3 X 6 in.
 - Square: #2 X 4 in.
 - Storage case

⊕ ⊖ ■ ANSI



#941127 - 13 Pc. Metric Hex Bit Set

- Storage tray with magnetic case
- Contents:
 - Premium chromoly bits: 1.5, 2, 2.5, 3, 4, 5, 5.5, 7, 8, 10 mm hex bits
 - Chrome vanadium adapters: 1/4 in. drive bit adapter, 3/8 in. drive bit adapter



#941128 - 13 Pc. SAE Hex Bit Set

- Storage tray with magnetic case
- Contents:
 - Premium chromoly bits: 1/16 in., 3/32 in., 1/8 in., 9/64 in., 5/32 in., 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in. hex bits
 - Chrome vanadium adapters: 1/4 in. drive bit adapter, 3/8 in. drive bit adapter



#941129 - 13 Pc. Tamper Proof Torx® Bit Set

- Storage tray with magnetic case
- Contents:
 - Premium chromoly bits: T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50, T-55 bits
 - Chrome vanadium adapters: 1/4 in. drive bit adapter, 3/8 in. drive bit adapter



#941130 - 13 Pc. Tamper Proof 5 Lobe Torx® Bit Set

- Storage tray with magnetic case
- Contents:
 - Premium chromoly bits: T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50, T-55 bits
 - Chrome vanadium adapters: 1/4 in. drive bit adapter, 3/8 in. drive bit adapter



#KCT2260 - 40 Pc. Flexible Ratchet with Socket Set

- Contents:
 - 1/4 in. Dr. 60T flexible stubby ratchet with black TPR and red PP handle
 - 1/4 in. Dr. 6PT sockets: 6, 7, 8, 10, 11, 12, 13 mm
 - 25 mm bits: Phillips: #1, #2, #3; Slotted: 4, 5.5, 6.5 mm; Torx: T10, T15, T20, T25, T27, T30, T40; Pozi: #1, #2, #3; Hex: 3, 4, 5, 6 mm; Square: #1, #2
 - 25 mm tamper proof bits: T10, T15, T20, T25, T27, T30, T40
 - 1/4 in. Dr. coupler
 - 1/4 in. Dr. 75 mm extension
 - Storage case



#KCT2261 - 26 Pc. Thumb Ratchet with Socket Set

- Contents:
 - 1/4 in. Dr. 60T flexible stubby ratchet with black TPR and red PP handle
 - 1/4 in. Dr. universal sockets: 4, 5, 6, 8, 10, 13 mm
 - 25 mm bits: Phillips: #1, #2, #3; Slotted: 4, 5.5, 6.5 mm; Torx: T10, T15, T20, T25, T30, T40; Pozi: #1, #2; Hex: 3, 4, 5, 6 mm
 - 1/4 in. Dr. coupler
 - 1/4 in. Dr. 75 mm extension
 - Storage case



Powerbuilt Pliers Offer Comfortable Comfort Grip for Easy Using and Provide Better Performance



Double Injection Grip Handle Pliers



Ergonomically Design and TPR Soft Handle



Durable High Carbon Alloy Steel



High Leverage to Save 25% Force During Operation



Linesman Pliers

#640413	- 4-1/2 in.	#640408	- 8 in.
#640391	- 7 in.		

• Durable high carbon alloy steel

ANSI



Long Nose Pliers

#640409	- 5 in.	#640393	- 8 in.
#640392	- 6 in.		

• Durable high carbon alloy steel

ANSI



Diagonal Pliers

#640412	- 4 in.	#640387	- 7 in.
#640386	- 6 in.		

• Durable high carbon alloy steel

ANSI



Groove Joint Pliers

#640388	- 8 in.	#640390	- 12 in.
#640389	- 10 in.		

• Durable high carbon alloy steel

ANSI



HRC 52-50
Induction
Harden Teeth



Strong and Safe
Single Riveting Joint



Hatched Rib & Groove
Enable Strong Jaw Action



Self-Adjusting Plier

#941311	- 7 in.	#941312	- 10 in.
---------	---------	---------	----------

- Jaws auto-adjust with one hand operation
- Layered steel construction for added strength
- Non-slip shaped cushioned grips for comfort

ANSI

3X Faster

Jaws Auto-adjust With One Hand Operation

4X Clamping Power

Combo Straight and V-Jaw Grip Hex, Square and Round Objects

Easy One-Hand Self-Adjusting Pliers That Grips All-Shapes!!!





#150003 - Auto-Loading Squeeze Knife



Removing Old Blades
 Press and hold quick release button and remove blade



Loading Blades
 Squeeze lever to load blade



Adding New Blades
 Open auto loading compartment to load new blades



#836449 - 4-in-1 X2 Cutter Interchangeable

Easy One-Hand Selector to Switch Tools

Bottom

Push toggle down to swivel Handle and change tools



Top

Push Toggle Up for Use of Tool



#640932 - 8 In. Multi-purpose Shears

• For Shear: wood Sticks, Dowel Rods, Cardboard, Rope, Cord
 • Wire Notch Cuts Up To 2.5mm Soft Metal Wire



#640933 - 6-1/2 In. Cable Cutter

• For shearing up to 10mm soft cable, wood sticks, dowel rods, animal nail, rope, cord




#640959 - 2 Pc. Multi-Purpose Shear Set

Contents:
 - 7-1/2 in. straight multi-purpose shears
 - 6-1/2 in. cable cutter



Powerbuilt Automotive Specialty Tool has rapidly gained acceptance among heavy DIY'ers and pros as a quality brand that offer great value.

Automotive Specialty Tool



Brakes



Fuel and Ignition



Engine and Drivetrain



Steering and Suspension



General

**Consumer
 Service Kits**



#948003 - 12 Pc Fuel / Transmission / A/C Line Disconnect Kit

• Disconnect tools that separate fittings on fuel, filter, transmission, air conditioning systems and fuel tank return lines on most vehicles, trucks and other heavy equipment.



#948004 - Bearing and Installer Kit


• Installs tapered bearing races and seals with damage to component or housing.

9pc adapters:
 - 1.565 in., 1.75 in., 1.965 in., 2.31 in., 2.47 in., 2.555 in., 2.83 in., 2.995 in., 3.18 in.



#948005 - 7 Pc Oxygen Sensor Socket Set

• Easily removes vacuum switches, oil pressure sending units and oxygen sensors on most car models.



#948006 - Master Tubing Service Kit

• Complete kit for cutting and mending tubing for brake lines, A/C lines, etc.



#948007 - 15 Pc Brake Service Set

• Remove and install brake pads. Adjust brake drums and shoe clearance. Includes all tools needed to perform general brake maintenance on most vehicles.



#948008 - 8 Pc Air Hold and Compression check Kit

• Set includes a compression gauge with protective boot and special air-hold valve for easy reset, one extension, two hand-held adapters and flexible line with three brass adapters. Gauge checks from 0 to 300 PSI (0 to 21 kg / cm).



#948012 - Coil Spring Compressor

• For removing and installing automotive coil springs. Works on straight or curved coil springs. Chrome vanadium steel arms are unequal lengths to better follow the spiral of the spring.

Installer Kits



#648610 - 9 Pc Double Flaring Tool Kit

- Kit 23
- For flaring automotive tubing. Precisely flares copper, aluminum and mild steel tubing up to .040 in. wall thickness. Flares 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in. and 5/8 in. sizes. Heat-treated clamping bar and yoke assembly. Creates both single and double flares.



#648601 - Disc Brake Tool Set

- Kit 18
- For disc brake caliper piston adjustment. Dual-purpose tool is used both to adjust the piston position by screwing it into or out of the cylinder bore and to push piston straight back in the cylinder bore. Kit contains center screw and T-handle, plate, disc and adapters to work with all calipers, including rear calipers on vehicles with self-adjusting parking brakes.



#648622 - Master Disc Brake Set

- Kit 48
- For servicing disc brakes on most domestic and import vehicles.



#641341 - Master Cylinder Adapter Set

- Kit 75
- For bleeding master cylinders on select Japanese and European vehicles.



#648996 - Master Bearing Race & Seal Driver Set

- Kit 66
- For installing wheel bearings and seals found on many domestic and imported cars, trucks and SUVs. Includes common sizes of seal and bearing drivers.



#648635 - 4 Pc Axle Nut Socket Set

- Kit 10
- For removing front wheel driver axle nuts. Impact rated 6-point chrome vanadium sockets. Kit contains 30 mm, 32 mm, 34 mm, 36 mm sockets to cover almost all applications.



#648991 - 9 Pc Deluxe Axle Nut Socket Set

- Kit 61
- For removing front wheel driver axle nuts. Tough 6-point chrome vanadium sockets are impact rated. Kit contains 27 mm, 29 mm, 30 mm, 32 mm, 33 mm, 34 mm, 35 mm, 36 mm and 38 mm sockets to cover almost all applications.



#648642 - 7 Pc Wheel Bearing Locknut Set

- Kit 58
- For servicing wheel bearing locknuts found on many Ford, Dodge and Toyota trucks and SUVs.



#648636 - 5 Pc Spindle Nut Socket Set

- Kit 11
- For removing spindle nuts. Impact rated 6-point chrome vanadium sockets.



#641326 - 6 Pc Oil Filter Socket Set

- Kit 83
- For removing oil filters on various automobiles with special sized oil filters.
- Contents:
 - 24 mm, 27 mm, 29 mm, 32 mm, 36 mm 38 mm



#648993 - Master Budd Wheel Socket Set

- Kit 63
- For removing wheel nuts from Budd wheels and dual rear wheels found on medium and heavy duty imported and domestic trucks, including Fuso, Hino, Mack, Mitsubishi, Isuzu, White and Volvo trucks.



#641335 - General Purpose Bushing Driver Set

- Kit 81
- Removes and installs small and medium press-in bushings on cars, trucks, tractors, construction equipment, etc.



#940579 - 10 Pc Ball Joint Service Set

- Kit 72
- Removes and replaces most sizes of press-fit ball joints found on domestic and import rear wheel drive cars, as well as Ford, GM and Dodge 2 and 4 wheel drive pickups, vans and SUVs. Allows changeout of ball joint without removal of control arm. Also can be used to remove and replace U-Joint.



#648569 - Universal Hub Puller Kit

- Kit 95
- For pulling automotive wheel hubs including front hubs on front wheel drive vehicles and rear hubs on rear wheel drive, independent rear suspension vehicles. Maximum reach 7-1/2 in. Fully adjustable.



#648602 - Ball Joint / U-Joint Service Set

- Kit 24
- Removes and replaces all sizes of press-fit ball joints found on domestic and import rear wheel drive cars, as well as Ford, GM and Dodge 2 and 4 wheel drive pickups, vans and SUVs. Allows changeout of ball joint without removal of control arm. Also can be used to remove and replace U-Joint.



#648611 - 21 Pc Master Axle Puller Kit

- Kit 41
- For removing front and rear axles, axle bearings and seals from front and rear wheel drive vehicles. Can also be used as a slide hammer, for dent pulling and gear pulling duty.



#648617 - 23 Pc Ball Joint / U-Joint Service Set

- Kit 46
- Removes and installs pressed-in type ball joints found on most vehicles. Changes ball joint without removing control arm from the vehicle.



#648626 - Front End Service Set

- Kit 3
- For automotive front end work including changing tie rod ends, ball joints steering linkages and steering boxes. Pullers designed to permit part reuse versus "pickle - fork" type tools that may damage parts. Kit contains tie rod end pullers, pitman arm puller, ball joint remover, and tie rod end lifter.



#940581 - 14 Pc Master Ball Joint Adapter Set

- Kit 74
- Contains additional Ball Joint Adapters not contained in Ball Joint Service Set #940579.



#648646 - 5 Pc Front - End Fork Set

- Kit 15
- For separating tie rod, ball joints and pitman arms. Kit contains 1-1/8 in. pitman arm fork, 15/16 in. ball joint fork, and 11/16 in. tie rod fork. All forks are threaded to interchange with either handle. A 7-3/4 in. knurled striking handle is included for use with conventional hammers. A 6-3/4 in. adapter handle is included for use with air hammers.



#648630 - 5 Pc Tie Rod / Ball Joint Separator Set

• Kit 56
• For separating tie rod, ball joints and pitman arms found on automotive and light truck applications. Also for removing camber adjustment sleeves on light-duty Ford truck. Up-to-date coverage includes separators for current Ford and General Motors pickup trucks.



#641449 - 8 Pc Inner Tie Rod Kit

• Kit 89
• For removing hard-to-reach inner tie rods on popular trucks and SUVs without removing rack and pinion steering. Sizes: 1-7/16 in., 1-1/4 in., 1-5/16 in., 1-7/16 in. 14 mm, 17 mm, 33.6 mm



#641440 - 5 Pc Truck / SUV Inner Tie Rod Set

• Kit 85
• For removing hard-to-reach inner tie rods on popular trucks and SUVs without removing rack and pinion steering. Fits many Toyota, Nissan, Ford, Lincoln, Mercury, Chevrolet, trucks and SUVs. Also fits Cadillac Escalade, Hummer H2 and Honda Passport. 1-7/16 in., 33.6 mm, 38.4 mm, 42 mm



#648627 - Strut Spring Compressor

• Kit 1
• For safe and easy removal and installation of coil springs from McPherson struts. Built-in locking safety pins prevent tool from slipping off of the spring coil.



#641429 - Strut Tool / Strut Coil Compressor Kit

• Kit 91
• For off-vehicle strut spring removal and installation using a bench vise. Patented design. Tool is designed for quick, safe strut spring removal and installation.



#648992 - 7 Pc Specialty Switch Socket Set

• Kit 62
• For removal and installation of hard to reach oxygen sensors, oil pressure switches, oil pressure sending units and thermal sensor switches.



#648994 - Harmonic Balance Puller & Installer Kit

• Kit 64
• For removing and installing harmonic balancers that have threaded holes. Fits balancers found on many automotive and light truck applications.



#648949 - Harmonic Balance Pulley Puller Kit

• Kit 30
• Low-profile design pulls the balancer pulley with engine and radiator in the vehicle. For most late model Chrysler and Mitsubishi vehicles.



#648615 - Valve Spring Compressor

• Kit 6
• For compressing valve springs with the cylinder head removed from engine. Powerful lever action tool has handle on the outside. Throat depth is 9-3/4 in. Jaws open from 3-1/4 in. to 8-1/2 in. to fit large displacement engines. Interchangeable offset and straight jaws are included. Chrome and black oxide.



#648747 - A/C Clutch Removal Kit

• Kit 35
• For servicing automotive air conditioning system components. Kit includes removal and installation tools for almost all automotive AC compressor clutches. Works with both domestic and import AC systems.



#641441 - Dual R12 / R134 A/C Manifold Gauge Set

- Kit 86
- For servicing automotive A/C systems. Includes sight glass for visual confirmation of gas or liquid flow. Works on R12 and R134 systems. (This kit does not provide tools for discharge of refrigerant gas.)



#648629 - Serpentine Belt Tool

- Kit 52
- For removing and installing serpentine belts on vehicles with spring-loaded belt tensioners. Includes accessories for specific vehicle applications, including GM, Ford, Chrysler, SAAB, VW and Volvo.



#648651 - 10 Pc Fan Clutch Wrench Master Set

- Kit 60
- For removing threaded-on viscous fan clutches on Ford, Chrysler, Jeep and some imported vehicles. Includes smaller spanner-type wrenches for engaging hex nut on the fan clutch, and larger square-drive tools to hold water pump output shaft stationary.



#940427 - 22 Pc Cooling System Pressure Set

- Kit 70
- For testing the performance and integrity of cooling systems on most cars and light trucks. Includes adapters to fit domestic, Japanese and European vehicles.



#648634 - 2 Pc Exhaust Service Set

- Kit 9
- For expanding and cutting exhaust pipe (thru 3-1/2 in.) and pipe dent removal. Cutting rollers produce clean, straight edges tool handle is applied.



#648612 - 4 Pc Exhaust Service Set

- Kit 42
- For servicing exhaust system, including cutting (thru 3-1/2 in.), pipe dent repair and pipe fitting. Includes chain cutter, nut splitter and pipe expander.



#648613 - 2/3 Jaw Gear Puller Set

- Kit 43
- For Versatile puller kit with 4 in. and 6 reversible jaws for 2 jaw or 3 jaw set-up. 4 ton capacity. Chrome vanadium steel yoke and jaws. Fine thread center bolt for maximum torque and minimal effort.



#940580 - Fuel Injection Test (Noid) Light Kit

- Kit 73
- For checking for the presence of on-off signals at electronic fuel injection components. Noid lights flash when signal is present. Includes 6 fuel injection test (noid) lights for various models of injector plugs.



#648745 - Deluxe Fuel Injection Test (Noid) Light Kit

- Kit 33
- For checking for the presence of on-off signals at electronic fuel injection components. Noid lights flash when signal is present. Includes 8 fuel injection noid lights and 2 Idle Air Control Valve (IAC valve) noid lights, to provide the most complete testing of fuel injection components available. Includes 48 in. fiber optic cable for use when it is difficult to see the noid light clearly.



#648997 - Universal Radio Removal & Antenna Installation Kit

- Kit 67
- For removing and installing radios, CD players, tape decks and antennas from many foreign and domestic vehicles. works on Audi, BMW, Ford, General Motors, Land Rover, Mercedes-Benz, Porsche, Saab, Volkswagen and many other makes of vehicles.



#641448 - 19 Pc Master Terminal Tool Kit

- Kit 87
- Prevents damage to sensors, wire harnesses and terminal blocks during release / removal. Included most common types of terminal tool for a broad range of vehicles.



#944050 - 1/2 in. Dr. Needle Torque Wrench Kit

- Kit 68
- For accurate tightening of automotive fasteners. Torque range: 0 - 150 ft. lbs

Description	Page
A	
Auto Specialty Tool - Consumer Service Kits	91 - 92
Auto Specialty Tool - Installer Kits	93 - 100
B	
Bit Sets	85
Bit Sockets	59 - 61
Bit Sockets (EU TYPE)	17 - 19
C	
Chisels & Punches (EU TYPE)	31
Circlip Pliers (EU TYPE)	28
Cutting Tools - Cable Cutter	89
Cutting Tools - Multi Purpose Shear	89
Cutting Tools - Squeeze Knife	89
Cutting Tools - X2 Cutter	89
D	
Digital Torque Wrenches	32
F	
Flexible Handles	63
H	
Hammers (EU TYPE)	31
Hex Key Wrenches	82
Hex Key Wrenches (EU TYPE)	25
I	
Impact Bits Sockets	67 - 68
Impact Bits Sockets (EU TYPE)	22
Impact Sockets	67 - 69
Impact Sockets (EU TYPE)	21
Impact Socket Accessories - Adapters	70
Impact Socket Accessories - Extension Bars	70
Impact Socket Accessories - Universal Adapters	70
L	
Lug Nut Impact Wheel Saver Sockets	68
P	
Pliers	87 - 88
Pliers (EU TYPE)	28 - 30
Pliers - Self Adjusting Type	88
R	
Ratchet Handles	62 - 63

Description	Page
Ratcheting Wrenches	77
Ratcheting Wrenches (EU TYPE)	25
Ratcheting Wrench - E Torx Type	80
Ratcheting Wrench Sets	77 - 79
Roller Cabinets	2, 36
Roller Cabinet - Mechanic's Tool Kits	3 - 7
Roller Cabinet - Tool Sets with EVA Foam	8 - 14
S	
Screwdrivers	84
Screwdrivers (EU TYPE)	26 - 27
Screwdrivers Sets	84
Sockets	53 - 58
Sockets (EU TYPE)	15 - 16
Socket Accessories - Adapters	66
Socket Accessories - Extension Bars	64 - 65
Socket Accessories - Spark Plug Sockets	66
Socket Accessories - Universal Joints	66
Socket Accessories (EU TYPE)	20
Socket Rails	66
Speeder Handles	65
Spinner Handle (EU TYPE)	27
T	
Tool Sets	48 - 51
Top Chests	34 - 35
Top Chests - Mechanic's Tool Kits	37 - 40
Top Chests - Tool Sets with Blow Molded Tray	45 - 47
Top Chests - Tool Sets with EVA Foam	41 - 44
Torque Wrenches	32
W	
Work Benches	36
Wrenches (EU TYPE)	23 - 24
Wrenches Combination Type	72 - 74
Wrenches - Box End Type	81
Wrenches - Crowfoot Type	80 - 81
Wrenches - Extra Long Double Box End Type	81
Wrenches - Flare Nut Type	80
Wrench Sets	74 - 76



POWERBUILT®
Serious Tools For Serious Work®



- ✓ Spend Less Time Looking for Tools
- ✓ Spend More Time Making Money
- ✓ Superior Tool Quality and Performance
- ✓ Work Smarter and Faster with Powerbuilt® Tools
- ✓ Master Assortments Feature the Highest Quality Hand Tools Powerbuilt® has to Offer
- ✓ 100% Lifetime Warranty

New Professional Technician Master Assortments are designed for busy techs who need to locate and identify the right tool, right now.

- High quality tools that meet or exceed ANSI standards
- Laser-cut durable EVA storage trays drop into toolbox drawers
- Easy to identify and inventory your tools
- Comprehensive size coverage with zero duplication

Ratchet, Socket & Accessory Sets



Wrench Sets



Screwdriver Sets



Pliers Sets



DIN



WRENCHES



Powerbuilt® combination wrenches are built to meet or exceed ANSI specifications for length, torque and hardness. They have chamfered edges on both the open and box end of the wrench. The box end also features Z Drive™ for a stronger grip on fasteners. All combination wrenches are made from high quality Chrome Vanadium (CR-V) Steel with a mirror polished chrome plated finish giving these professional grade tools the look and feel the technician desires.

Product Features:

- 72 Tooth Ratcheting Mechanism
- 5 Degree Swing Angle
- Meets or Exceeds ANSI Specifications
- Mirror Polished Chrome Plated Finish
- Heat Treated Chrome Vanadium (CR-V) Steel Construction
- Z Drive™ Box end broaching
- Powerbuilt® Lifetime Warranty



DIN



RATCHETS & ACCESSORIES



Powerbuilt® ratchets and accessories are made for high grade chrome vanadium (CR-V) steel polished to a mirror finish and then chrome plated giving these tools the look of a piece of jewelry. The chrome plating also prevents rusting and corrosion. Each tool is tested to withstand a 30 hour salt spray corrosion resistance test. Powerbuilt® ratchets all exceed ANSI specification for torque, reverse torque and tolerance. The sealed head design also prevents dirt and oil from penetrating the interior components and gear mechanism of the ratchet extending the life and durability of the tool.

Product Features:

- Meets or Exceeds ANSI Specifications
- Heat Treated Chrome Vanadium (CR-V) Steel Construction
- Mirror Polished Chrome Plated Finish
- 72 Tooth Gear to Gear Design
- Powerbuilt® Lifetime Warranty



DIN



SOCKETS



Powerbuilt® sockets come in both 6 point and 12 point options. All are made from heat treated chrome vanadium (CR-V) steel and feature HV high visibility size markings on each unit. Each socket is mirror polished and chrome plated for the highest degree of durability and corrosion resistance. The Master Technician Assortments feature complete "Master" sets with a complete range of sizes in all sets.

Product Features:

- Meets or Exceeds ANSI Specifications
- Chrome Vanadium (CR-V) Steel Construction
- Mirror Polished Chrome Plated Finish on Sockets
- HV - High Visibility Size Markings
- Powerbuilt® Lifetime Warranty



Powerbuilt® chrome sockets feature HV High Visibility size markings that are three times larger for easy size selection. The size callout is forged into the socket wall using a patent-pending process and will not rub off or wear out with use.



Finally Powerbuilt® sockets feature Z-Drive™, contacting the flat walls of fasteners for stronger grip.



DIN



BIT SOCKETS



Powerbuilt® bit sockets are all made from heat treated chrome vanadium (CR-V) steel sockets with press fit S-2 high durability bits. Each socket is mirror polished and chrome plated for the highest degree of durability and corrosion resistance. Each piece is made to meet or exceed ANSI specifications for dimensions, hardness and torque. The Master Technician Bit Socket Assortment features a wide range of bit socket sizes in SAE and Metric Hex, Star and E-Star (external) bit sockets and also includes a selection of extra long bit sockets as well.

Product Features:

- Meets or Exceeds ANSI Specifications
- Chrome Vanadium (CR-V) Steel Construction
- Mirror Polished Chrome Plated Finish on Sockets
- S-2 Material On Bits w/ Sand Blasted Finish
- Powerbuilt® Lifetime Warranty



DIN



SCREWDRIVERS

Powerbuilt® screwdriver sets come in both acetate and dual density double injection handles to offer each technician the tools that they prefer. All screwdriver shafts construction is made from silicon vanadium chrome magnesium (SVCM) material. Each driver is produced with sandblasted tips for better grip without slipping and are magnetized for ease of use. They also feature hex bolsters on the larger size screwdrivers. The heavy duty handles are made with eye holes at the ends to be able to insert the shaft of another driver for added torque, and the butt end of each handle is marked with the type and size for each unit.

Product Features:

- Meets or Exceeds ANSI Specifications
- Acetate and Double Injection Handle Options
- Silicon Vanadium Chrome Magnesium (SVCM) Material (The latest metallurgical technology for optimum performance and durability)
- Sandblasted Tips for Added Grip
- Hex Bolsters on Larger Sizes
- Powerbuilt® Lifetime Warranty



PLIERS

Powerbuilt® professional grade pliers are made from the highest quality chrome molybdenum (CrMo) steel. Each unit is precision machined for the highest quality and performance, and feature hardened rivets, jaws and cutting edges. Comfortable non-slip double dip grips add comfort and control to these quality tools. Each piece is built to exceed ANSI standards.

Product Features:

- Meets or Exceeds ANSI Specifications
- Double Dip Handle Grips
- Heat Treated Chrome Molybdenum (CrMo) Steel Construction
- Hardened Rivets, Jaws and Cutting Edges
- Precision Machining On Each Unit
- Powerbuilt® Lifetime Warranty



#WRT3151 - 16 Pc. German Type Double Open End Wrench Set

- Quality Cr-V Steel Material
- Drop Forged and Heat Treated for Maximum Durability
- Mirror Polished Chrome Finish Prevents Corrosion
- Meets or Exceeds ANSI Specifications
- Durable EVA Storage Trays Designed to Fit Most Tool Boxes
- Vertical Wrench Placement Saves Space

Contents:

- Size: 6 x 7 mm, 8 x 9 mm, 10 x 11 mm, 12 x 13 mm, 14 x 15 mm, 16 x 17 mm, 18 x 19 mm, 20 x 21 mm
 EVA Tray Size: 7.5 In. (H) x 16 In. (W)



#WRT3152 - 16 Pc. German Type Combination Wrench Set

- Quality Cr-V Steel Material
- Drop Forged and Heat Treated for Maximum Durability
- Mirror Polished Chrome Finish Prevents Corrosion
- Meets or Exceeds ANSI Specifications
- Durable EVA Storage Trays Designed to Fit Most Tool Boxes
- Vertical Wrench Placement Saves Space

Contents:

- Size: 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 17 mm, 18 mm, 19 mm, 20 mm, 22 mm
 EVA Tray Size: 7.5 In. (H) x 16 In. (W)



#WRT3153 - 7 Pc. Ratcheting Wrench Set

- Cr-V Material / Mirror Polished Finish
- 72 Tooth Ratcheting Mechanism
- 5 Degree Swing Angle
- Color Ring Identifies SAE Sizes
- Meets or Exceeds ANSI Specifications
- Durable EVA Storage Trays Designed to Fit Most Tool Boxes

Contents:

- Size: 8 mm, 10 mm, 11 mm, 13 mm, 14 mm, 17 mm, 19 mm
 EVA Tray Size: 7.5 In. (H) x 16 In. (W)



#WRT3154 - 8 Pc. German Type 75 Degree Double Box End Wrench Set

- Quality Cr-V Steel Material
- Drop Forged and Heat Treated for Maximum Durability
- Mirror Polished Chrome Finish Prevents Corrosion
- Meets or Exceeds ANSI Specifications
- Durable EVA Storage Trays Designed to Fit Most Tool Boxes
- Vertical Wrench Placement Saves Space

Contents:

- Size: 6 x 7 mm, 8 x 9 mm, 10 x 11 mm, 12 x 13 mm, 14 x 15 mm, 16 x 17 mm, 18 x 19 mm, 20 x 21 mm
 EVA Tray Size: 7.5 In. (H) x 16 In. (W)



#KBT3326 - 69 Pc. 1/4 In. Dr. Standard Socket & Bit Socket Set

- All Made from High Quality Chrome Vanadium Cr-V Steel
 - Mirror Polished Chrome Finish to Prevent Corrosion
 - Meets or Exceeds ANSI Specifications
 - Durable EVA Storage Trays Designed to Fit Most Tool Boxes
- Contents:
- 6 Pt. MM Sockets: 4 mm - 13 mm
 - Slotted Bit Sockets MM: 4 mm, 5.5 mm, 7 mm,
 - Phillips Bit Sockets: #1, #2, #3
 - Hex Bit Sockets MM: 3 mm, 4 mm, 5 mm, 6 mm, 8 mm
 - Torx Bit Sockets: T-8, T-10, T-15, T-20, T-27, T-30, T-40
 - 72 Tooth Gear to Gear Ratchet Handle
 - 50 mm, 100 mm, 150 mm Extension Bars
 - 115 mm Sliding T-bar
 - Universal Joint
 - 25 mm Bits: Slotted: 5.5, 6, 8 mm; Phillips: #1, #2, #3; Pozzi: #1, #1, #2, #2, #3, #3; Hex: 4, 5, 6 mm; Torx: T-10, T-10, T-15, T-15, T-15, T-20, T-20, T-25, T-25, T-25, T-30, T-30, T-30, T-40, T-40
 - Quick Chuck
- EVA Tray Size: 7.5 In. (H) x 16 In. (W)



#KBT3322 - 22 Pc. 3/8 In. Dr. Standard Socket & Bit Socket Set

- All Made from High Quality Chrome Vanadium Cr-V Steel
 - Mirror Polished Chrome Finish to Prevent Corrosion
 - Meets or Exceeds ANSI Specifications
 - Durable EVA Storage Trays Designed to Fit Most Tool Boxes
- Contents:
- 6 Pt. MM Sockets: 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm
 - 72 Tooth Gear to Gear Ratchet Handle
 - 75 mm, 150 mm Extension Bars
 - 200 mm Sliding T-bar
 - Universal Joint
- EVA Tray Size: 7.5 In. (H) x 16 In. (W)



#KBT3325 - 26 Pc. 1/2 In. Dr. Standard Socket Set

- All Made from High Quality Chrome Vanadium Cr-V Steel
 - Mirror Polished Chrome Finish to Prevent Corrosion
 - Meets or Exceeds ANSI Specifications
 - Durable EVA Storage Trays Designed to Fit Most Tool Boxes
- Contents:
- 6 Pt. MM Sockets: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm, 23 mm, 24 mm, 27 mm, 28 mm, 30 mm, 32 mm
 - Spark Plug MM Socket: 16 mm, 21 mm
 - 72 Tooth Gear to Gear Ratchet Handle
 - 125 mm, 250 mm Extension Bars
 - 250 mm Sliding T-bar
 - Universal Joint
- EVA Tray Size: 7.5 In. (H) x 16 In. (W)




#KBT3323 - 19 Pc. 1/2 In. Dr. Bit Socket Set

- All Made from High Quality Chrome Vanadium Cr-V Steel
 - Mirror Polished Chrome Finish to Prevent Corrosion
 - Meets or Exceeds ANSI Specifications
 - Durable EVA Storage Trays Designed to Fit Most Tool Boxes
- Contents:
- 55 mm Hex Bit Sockets MM: 5 mm, 6 mm, 7 mm, 8 mm, 10 mm, 12 mm, 14 mm, 17 mm (8 pc. bit sockets)
 - 110 mm Hex Bit Sockets MM: 5 mm, 6 mm, 7 mm, 8 mm (4 pc. bit sockets)
 - 55 mm XZN Bit Sockets: M5, M6, M8, M10 (4 pc. bit sockets)
 - 100 mm XZN Bit Sockets: M6, M8, M10 (3 pc. bit sockets)
- EVA Tray Size: 7.5 In. (H) x 16 In. (W)



#KBT3324 - 15 Pc. 1/2 In. Dr. Bit Socket Set

- All Made from High Quality Chrome Vanadium Cr-V Steel
 - Mirror Polished Chrome Finish to Prevent Corrosion
 - Meets or Exceeds ANSI Specifications
 - Durable EVA Storage Trays Designed to Fit Most Tool Boxes
- Contents:
- 55 mm Torx Bit Sockets: T-25, T-27, T-30, T-40, T-45, T-50, T-55, T-60 (8 pc. bit sockets)
 - 140 mm Torx Bit Sockets: T-45, T-55 (2 pc. bit sockets)
 - E-Star Sockets: E-16, E-18, E-20, E-22, E-24
- EVA Tray Size: 7.5 In. (H) x 16 In. (W)



#WRT3391 - 11 Pc. Master Screwdriver Set (Injection Grip Handles)

- Soft Grip Dual Density Material for Non-Slip Comfort
 - Silicon Vanadium Chrome Magnesium (SVCM) Alloy Shafts
 - Hex Bolsters on Mid & Large Size Drivers
 - Textured Magnetic Tips to Grab Fasteners Easier
 - Size Marking on Handle End for Easy Identification
 - Meets or Exceeds ANSI Specifications
 - Durable EVA Storage Trays Designed to Fit Most Tool Boxes
- Contents:
- All Screwdrivers Needed for Any Job:
- Go-thru Screwdrivers:
- Slotted: 5.5 x 100 mm, 6.5 x 125 mm, 8 x 150 mm
 - Phillips: #1 x 100 mm, #2 x 125 mm, #3 x 150 mm
- Regular Screwdrivers:
- Slotted: 3.5 x 75 mm
 - Phillips: #0 x 60 mm
- Stubby Screwdrivers:
- Slotted: 6.5 x 38 mm
 - Phillips: #1 x 38 mm, #2 x 38 mm
- EVA Tray Size: 7.5 In. (H) x 16 In. (W)



#WRT3390 - 17 Pc. Master Screwdriver & Hex Key Set (Injection Grip Handles)

- Soft Grip Dual Density Material for Non-Slip Comfort
- Silicon Vanadium Chrome Magnesium (SVCM) Alloy Shafts
- Hex Bolsters on Mid & Large Size Drivers
- Textured Magnetic Tips to Grab Fasteners Easier
- Size Marking on Handle End for Easy Identification
- Meets or Exceeds ANSI Specifications
- Durable EVA Storage Trays Designed to Fit Most Tool Boxes

Contents:
- 75 mm Torx Screwdrivers: T-8, T-10
- 100 mm Torx Screwdrivers: T-15, T-20, T-25, T-27, T-30
- 125 mm Torx Screwdrivers: T-40
- Hex Key Wrench: 1.5 mm - 10 mm
EVA Tray Size: 7.5 In. (H) x 16 In. (W)



DIN



SVCM

#HPT0084 - 8 Pc. Punch & Hammer Set

- All Made from High Quality Chrome Vanadium Cr-V Steel
- Mirror Polished Chrome Finish to Prevent Corrosion
- Meets or Exceeds ANSI Specifications
- Durable EVA Storage Trays Designed to Fit Most Tool Boxes

Contents:
- Parallel Punch: 3/16 In.
- Taper Punch: 1/8 In., 3/16 In.
- Centre Punch: 7/16 In.
- Cold Chisel: 3/8 In., 1/2 In., 5/8 In.
- 300 g Engineer Hamer
EVA Tray Size: 7.5 In. (H) x 16 In. (W)



DIN

CR·V

#CGT0628 - 3 Pc. Pliers Set

- Chrome Molybdenum Material for Industrial Grade Durability
- Heat Treated Cutting Edges
- Professional Style Heavy Duty Double Dip Handles
- Meets or Exceeds ANSI Specifications
- Durable EVA Storage Trays Designed to Fit Most Tool Boxes

Contents:
- 250 Water Pump Pliers
- 200 mm Long Nose Pliers
- 180 mm Heavy Duty Diagonal Pliers
EVA Tray Size: 7.5 In. (H) x 16 In. (W)




DIN

CR·V

#CGT0627 - 4 Pc. Pliers Set

- Chrome Molybdenum Material for Industrial Grade Durability
- Heat Treated Cutting Edges
- Professional Style Heavy Duty Double Dip Handles
- Meets or Exceeds ANSI Specifications
- Durable EVA Storage Trays Designed to Fit Most Tool Boxes

Contents:
- Internal circlip pliers, straight
- Internal circlip pliers, bent
- External circlip pliers, straight
- External circlip pliers, bent
EVA Tray Size: 7.5 In. (H) x 16 In. (W)



DIN

CR·NI

Shop the largest selection of reliable hand tools in our online store.