

CUSTOM SHOCKS

SHOCKS FOR CUSTOM OFF-ROAD USE ONLY

RS5000™ SERIES / RS9000™XL SERIES

PART No.	PART No.	MOUNTING CODES		LENGTHS		
		Upper	Lower	Compressed	Extended	Travel
-	RS999028	L1	L1	17.25	27.96	10.71
RS55012	RS999012	L1	L1	19.01	32.54	13.53
RS55034	RS999034	L1	L1	20.01	34.04	14.03
RS55036	RS999036	L1	L1	21.01	36.04	15.03

RS7000® MT SERIES

PART No.	MOUNTING CODES		LENGTHS		
	Upper	Lower	Compressed	Extended	Travel
RS7008	L1	L1	14.00	21.470	7.46
RS7034	L1	L1	20.81	33.63	12.81
RS7112	L1	L1	16.25	25.88	9.63
RS7118	L1	L1	14.26	22.31	8.06
RS7391	S51	L1	12.33	19.01	6.68




REPLACEMENT URETHANE SHOCK BUSHING

BUSHING KIT	PARTS PACK	MOUNTING CODE	DESCRIPTION
RS980	-	L1	5/8-in. Straight wall bushing
RS978	-	L1	5/8-in. Hour glass bushing
RS992	-	L2	11/16-in. Straight wall bushing
RS984	-	L3	3/4-in. Hour glass bushing
-	P01192	S42	3/8-in. - 16 Stem
-	P01356	S51	1/2-in. - 13 Stem

SHOCK BOOTS

PART No.	LENGTH	COLOR
RS1927	9.50	Red
RS1950	9.50	Blue
RS1951	9.50	Yellow
RS1952	9.50	Black
RS1937	12.50	Red






CLEV - LS Type



CLEV - L Type



CLEV - S Type



CLEV - XP Type



LS Type - LS Type



LS Type - L Type



LS Type - S Type



LS Type - XP Type



L Type - LS Type



L Type - L Type



L Type - S Type



L Type - XP Type




S Type - LS Type



S Type - L Type



S Type - S Type



S Type - XP Type




XP Type - LS Type



XP Type - L Type



XP Type - S Type



XP Type - XP Type

Specifications



Strut Type SS1



Strut Type SS2



Strut Type SS3



Strut Type SS4



Strut Type SS5



Strut Type SS6



Strut Type SS7



Strut Type B4



Strut Type B8



Strut Type B11




Specifications — Shock Mount Codes

Mount Code	Sleeve ID (A)	Sleeve OAL (B)
LS1	10MM	15/16"
LS2	10MM	1"
LS3	10MM	1 1/4"
LS4	10MM	1 3/8"
LS5	10MM	1 7/16"
LS6	10MM	1 9/16"
LS7	10MM	1 5/8"
LS8	10MM	2"
LS9	10MM	2 1/8"
LS10	10MM	2 3/8"
LS11	10MM	3"
LS12	7/16"	1 1/4"
LS13	7/16"	1 5/16"
LS14	7/16"	1 3/8"
LS15	7/16"	1 7/16"
LS16	7/16"	1 5/8"
LS17	7/16"	1 7/8"
LS18	7/16"	2 1/8"
LS19	7/16"	3 3/16"
LS20	7/16"	3 3/8"
LS21	12MM	1"
LS22	12MM	1 1/8"
LS23	12MM	1 1/4"
LS24	12MM	1 3/8"
LS25	12MM	1 7/16"
LS26	12MM	1 1/2"
LS27	12MM	1 9/16"
LS28	12MM	1 5/8"
LS29	12MM	1 3/4"
LS30	12MM	1 7/8"
LS31	12MM	2"
LS32	12MM	2 1/8"
LS33	12MM	2 5/16"
LS34	12MM	2 7/8"
LS35	1/2"	1 1/4"
LS36	1/2"	1 5/16"
LS37	1/2"	1 3/8"
LS38	1/2"	1 1/2"
LS39	1/2"	1 5/8"
LS40	1/2"	1 11/16"
LS41	1/2"	2 1/4"
LS42	14MM	1 5/16"
LS43	14MM	1 9/16"
LS44	14MM	1 7/8"
LS45	14MM	2 7/16"
LS46	14MM	3 1/8"
LS47	9/16"	1 5/8"
LS48	9/16"	2 7/16"

Mount Code	Sleeve ID (A)	Sleeve OAL (B)
LS49	5/8"-16MM	1 3/16"
LS50	5/8"-16MM	1 1/2"
LS51	5/8"-16MM	1 9/16"
LS52	5/8"-16MM	1 11/16"
LS53	5/8"-16MM	2"
LS54	3/4"	1 3/4"
LS55	18MM	1 5/8"
LS56	20MM	1 9/16"
LS57	20MM	2"
LS58	20MM	2 7/16"
LS59	3/4"	3 13/16"
LS60	3/4"	3 3/16"
LS61	5/8"-16MM	4"
LS62	5/8"-16MM	2 9/16"
LS63	1/2"	1/2"
LS64	21MM	1 15/16"
LS65	1"	2"
LS66	3/4"	1 3/8"
LS67	3/4"	1 11/16"
LS68	3/4"	1 7/8"
LS69	3/4"	1 15/16"
LS70	3/4"	2 1/4"
LS71	3/4"	2 3/4"
LS72	7/16"	2"
LS73	7/16"	2 1/2"
LS74	12MM	1 11/16"
LS75	20MM	1 3/4"
LS76	1/2"	2 3/8"
LS77	1/2"	2 7/16"
LS78	9/16"	1 1/2"
LS79	5/8"-16MM	1 3/8"
LS80	5/8"-16MM	1 3/4"
LS81	5/8"-16MM	1 7/8"
LS82	5/8"-16MM	1 1/2"
LS83	18MM	2"
LS84	12MM	2 3/8"
LS85	5/8"-16MM	1 3/16"
LS86	3/4"	2 5/16"
LS87	5/8"-16MM	3 9/16"
LS88	14MM	2 7/16"
LS89	1"	1 3/4"
LS90	14MM	2 5/8"
LS91	14MM	1 3/4"
LS92	14MM	1 11/16"
LS93	18MM	3 1/4"
LS94	5/8"-16MM	2 3/4"
LS95	20MM	2 3/8"
LS96	1/2"	1 7/8"

Mount Code	Sleeve ID (A)	Sleeve OAL (B)
LS97	1/2"	2 3/4"
LS98	5/8"-16MM	3"
LS99	5/8"-16MM	3 1/4"
LS100	1 1/8"	4"
LS101	1 1/8"	2 5/8"
LS102	7/8"	2 1/4"
LS103	1/2"	3 3/4"
LB1	1/2"	3/4"





Specifications — Shock Mount Codes





Stem Mount Code	Sleeve Length	Thread Pitch
S1	1 3/16"	M10
S12	1 3/16"	M10
S15	2 5/8"	M10
S2	2"	M12
S3	2"	3/8"-24
S33	2"	3/8"-24
S34	2 1/4"	3/8"-24
S4	2 3/8"	3/8"-16
S42	2 3/8"	3/8"-16
S5	2 5/8"	1/2"-13
S51	2 5/8"	1/2"-13
S52	2 5/8"	1/2"-20
S6	3 5/16"	5/8"-11
S61	3 5/16"	5/8"-11
S62	2 1/2"	5/8"-18
S7	1 1/8"	M8

Cross Pin Mount Code	X.Pin End Type	X.Pin Hole Diameter	X.Pin Length (Cntr to Cntr)
XP1	Open	5/16"	2 3/16"
XP2	Open	5/16"	2 3/8"
XP3	Open	5/16"	2 7/16"
XP4	Closed	5/16"	2 7/16"
XP5	Closed	5/16"	2 1/2"
XP6	Open	5/16"	2 3/4"
XP7	Closed	5/16"	2 7/8"
XP8	Open	5/16"	3"
XP9	Open	5/16"	3 5/8"
XP10	Open	3/8"	2 5/8"
XP11	Closed	3/8"	2 3/4"
XP12	Open	3/8"	3 3/16"
XP13	Closed	12MM	2 15/16"
XP14	Closed	1/2"	3 3/8"
XP15	Closed	1/2"	3 3/4"
XP16	Closed	3/8"	4"




Loop Mount Code	Bushing ID (A)	Bushing OAL (B)
L1	5/8"	1 5/16"
L2	11/16"	1 9/16"
L3	3/4"	1 1/16"
L4	1"	1 3/4"
L5	1 1/4"	2 9/16"
L6	1 1/2"	3/4"


Cantilever Mount Code	Stud Diameter (A)	Stud Length (B)
CP1	1/2"	1 1/16"
CP2	1/2"	1 3/16"
CP3	1/2"	1 5/16"
CP4	1/2"	1 1/2"
CP5	5/8"	1 5/16"
CP5	5/8"	1 5/16"




Special Mount	Mount Description
CLEV	Clevis Bracket Mount
SPEC	Special Mount
SP	Stud Plate Mount




MOUNTING & LENGTH CHARTS REPLACEMENT UNITS




B4




B8




B10



B11




SS1




SS2

SS3 w/Dirt Shield Not
Shown



SS4

SS5 w/Dirt Shield Not
Shown



SS6

BODY LENGTH

COMPRESSED AND EXTENDED LENGTH

NOTE:

All Piston Rod Ends are Designed Special For Each Application.

Specifications — Shock Absorbers



All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			PARTS PACK(S)
	UPPER	LOWER	COMP.	EXTENDED	TRAVEL	
RANCHO® RS5000 SHOCK ABSORBERS						
RS5001	LS37	LS37	13.250	21.010	7.760	P00816
RS5005	LS39	L2	17.390	29.050	11.660	None
RS5006	L1	L1	11.750	17.960	6.210	P00915, P01057
RS5007	L1	LS26	14.900	24.310	9.410	None
RS5008	L1	L1	13.770	22.060	8.290	P00915, P01057
RS5009	S4	LS38	15.680	26.310	10.630	P01134
RS5010	L1	L1	15.900	26.270	10.370	P00915, P01057, P00920
RS5012	L1	L1	19.020	32.570	13.550	P00915, P00934
RS5014	S4	S4	14.690	24.820	10.130	P01134
RS5017	S4	LS38	15.180	25.300	10.120	P01135
RS5029	S42	LS26	9.680	14.300	4.620	P01135
RS5034	L1	L1	20.140	34.010	13.870	P00915, P01013
RS5036	L1	L1	21.150	36.050	14.900	P00915, P01013
RS5039	S4	L1	9.690	14.310	4.620	P01134, P01013
RS5040	S4	LS23	13.930	22.320	8.390	P01134
RS5041	S4	LS23	13.270	21.360	8.090	P01134
RS5042	S5	LS47	13.860	20.800	6.940	P01167
RS5043	S5	LS47	15.100	23.280	8.180	P01167
RS5044	S5	LS92	15.860	24.780	8.920	P01167
RS5045	L1	LS26	19.840	33.820	13.390	None
RS5046	L1	LS26	16.480	27.120	10.640	None
RS5047	L1	LS26	18.610	31.390	12.780	None
RS5048	S5	LS92	16.770	26.690	9.920	P01167
RS5056	LS92	LS92	18.840	31.970	13.130	None
RS5111	L2	L2	13.030	20.340	7.310	None
RS5112	L1	L1	16.150	26.360	10.210	P00913, P00915
RS5113	L1	L1	13.030	20.340	7.310	P00916
RS5114	L2	L2	15.280	24.680	9.400	P00939
RS5115	S4	L1	13.050	20.670	7.620	P01134, P00910
RS5116	L1	L1	14.900	24.020	9.120	P00916
RS5117	S4	L1	12.060	18.700	6.640	P01134, P00910
RS5118	L1	L1	14.150	22.290	8.140	P00912, P00915, P01013
RS5119	L1	L1	11.770	18.030	6.260	P00916, P00925
RS5120	L1	LS36	9.900	14.150	4.250	P00915, P00916
RS5123	LS39	LS39	11.770	18.030	6.260	None
RS5124	XP7	LS47	14.860	23.670	8.810	None
RS5125	L1	LS26	14.140	22.280	8.140	None
RS5126	L1	LS26	16.140	26.360	10.220	None
RS5128	S4	XP5	13.050	21.030	7.980	P00941, P01136
RS5129	XP12	L1	12.900	20.030	7.130	None
RS5132	L1	L1	16.150	26.360	10.210	P00911
RS5134	L1	L1	19.150	32.700	13.550	P00915, P00934
RS5136	S4	L1	11.300	17.450	6.150	P01134, P00910
RS5137	S4	L1	15.180	25.300	10.120	P01134, P00932
RS5143	L3	L3	15.560	25.270	9.710	None
RS5144	L3	L3	14.200	22.340	8.140	None
RS5145	S4	LS82	9.430	13.440	4.010	P01134
RS5147	LS74	LS74	14.710	23.170	8.460	None
RS5150	LS77	LS39	11.640	16.790	5.150	None
RS5151	LS37	LS37	12.280	18.900	6.620	P00816
RS5152	LS77	LS40	12.140	17.900	5.760	None
RS5157	LS54	S5	13.710	22.070	8.360	P01167



Specifications — Shock Absorbers

All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			PARTS PACK(S)
	UPPER	LOWER	COMP.	EXTENDED	TRAVEL	
RANCHO® RS5000 SHOCK ABSORBERS (Cont.)						
RS5158	S4	L3	13.060	20.920	7.860	P01134
RS5159	S4	S4	12.780	20.920	8.140	P01136
RS5165	LS26	LS26	14.020	22.390	8.370	None
RS5166	S4	XP5	9.490	13.870	4.380	P01134
RS5167	S4	L1	10.300	15.320	5.020	P01134, P00910
RS5168	S4	LS38	15.300	25.270	9.970	P01135
RS5179	S4	L1	13.930	22.320	8.390	P01135, P00920
RS5180	L3	L3	13.710	21.470	7.760	None
RS5181	XP8	LS39	14.150	22.290	8.140	None
RS5185	XP7	LS38	15.280	25.350	10.070	P00941
RS5186	S42	L1	13.430	21.570	8.140	P01134
RS5187	S4	L3	12.690	19.810	7.120	P01134
RS5188	S4	LS23	8.680	12.740	4.060	P01134
RS5190	XP7	LS47	15.980	26.360	10.380	None
RS5193	XP7	LS47	14.230	22.990	8.760	None
RS5194	L1	LS25	14.400	23.280	8.880	None
RS5195	S51	LS47	9.560	13.810	4.250	P01167
RS5197	S51	LS47	13.780	22.030	8.250	P01167
RS5198	LS47	LS47	15.830	25.590	9.760	None
RS5199	S4	XP8	8.980	13.450	4.470	P01135
RS5201	S4	S4	11.580	18.570	6.990	P01135
RS5202	L3	L3	14.830	23.710	8.880	P00888
RS5203	L1	LS50	12.520	19.250	6.730	None
RS5205	L1	L1	14.020	22.410	8.390	None
RS5207	S5	S5	14.350	23.360	9.010	P01167
RS5208	S5	L3	13.960	22.690	8.730	P01167
RS5213	S4	LS50	11.810	18.470	6.660	P01134
RS5214	S4	LS23	9.680	14.300	4.620	P01134
RS5215	LS78	L3	12.830	19.770	6.940	None
RS5221	S5	LS92	14.530	23.660	9.130	P01167
RS5222	S4	XP11	9.050	13.810	4.760	P01134
RS5223	S4	LS24	9.180	13.040	3.860	P01134
RS5226	L3	L3	13.070	20.320	7.250	None
RS5227	XP11	LS47	17.500	29.000	11.500	None
RS5229	S4	XP5	13.890	18.260	4.370	P01135, P00941
RS5233	S4	LS38	10.030	14.400	4.370	P01136
RS5234	S4	LS26	15.810	27.110	11.300	P01136
RS5235	S5	XP5	10.400	15.020	4.620	P01167
RS5236	S4	LS26	14.410	24.050	9.640	P01135
RS5237	S4	LS39	11.760	18.020	6.260	P01136
RS5238	S4	LS26	16.560	28.490	11.930	P01136
RS5239	S4	XP4	14.430	23.840	9.410	P01136
RS5240	XP12	LS37	12.890	20.020	7.130	None
RS5241	XP12	LS37	13.660	21.630	7.970	None
RS5244	LS77	LS39	13.530	21.750	8.220	None
RS5246	LS26	LS26	14.280	23.030	8.750	None
RS5248	LS28	LS28	15.520	24.650	9.130	None
RS5251	S4	LS43	15.810	27.110	11.300	P01135
RS5254	L1	LS26	18.280	30.820	12.540	None
RS5255	S4	XP4	15.800	26.530	10.730	P01136
RS5256	XP12	LS37	15.150	24.660	9.510	None
RS5259	L1	LS25	14.060	21.480	7.420	None

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.

Specifications — Shock Absorbers



All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			PARTS PACK(S)
	UPPER	LOWER	COMP.	EXTENDED	TRAVEL	
RANCHO® RS5000 SHOCK ABSORBERS (Cont.)						
RS5260	LS29	LS25	13.520	21.570	8.050	None
RS5261	L1	LS26	19.130	32.910	13.780	None
RS5262	LS47	LS47	15.080	23.890	8.810	None
RS5263	S4	XP5	9.930	14.480	4.550	P01134
RS5264	L1	LS38	15.400	24.380	8.980	None
RS5265	S4	CLEV	10.950	15.330	4.380	P01135
RS5267	L1	LS38	14.400	22.870	8.470	None
RS5268	S4	CLEV	13.860	20.880	7.020	P01135
RS5269	LS47	LS47	16.950	27.590	10.640	None
RS5272	S5	L1	10.310	15.050	4.740	P01167
RS5273	L1	LS38	16.770	28.070	11.300	None
RS5274	LS47	LS47	16.190	26.440	10.250	None
RS5279	S5	XP10	10.810	16.440	5.630	P01167
RS5281	S5	XP10	9.620	14.240	4.620	P01167
RS5282	S5	LS47	11.020	16.640	5.620	P01167
RS5283	S5	LS47	12.520	19.830	7.310	P01167
RS5284	LS29	LS28	14.160	22.310	8.150	None
RS5285	LS39	LS39	15.390	24.890	9.500	None
RS5286	LS39	LS39	16.540	27.290	10.750	None
RS5287	LS39	LS39	18.580	30.560	11.980	None
RS5288	S5	LS42	13.280	15.390	2.110	P01167
RS5289	S5	LS42	14.000	21.360	5.070	P01167
RS5295	S5	LS42	10.440	15.200	4.760	P01167
RS5296	S51	LS42	13.440	21.690	8.250	P01167
RS5297	LS47	LS47	18.080	30.470	12.390	None
RS5298	LS38	LS38	11.020	16.970	5.950	None
RS5299	XP7	LS47	13.740	20.980	7.240	None
RS5300	S4	LS21	10.290	14.540	4.250	P01135
RS5301	XP7	LS47	14.860	23.150	8.290	None
RS5304	LS47	LS47	16.540	27.290	10.750	None
RS5308	XP11	LS47	15.350	23.990	8.640	None
RS5315	LS28	LS28	14.840	24.050	9.210	None
RS5317	S5	LS92	18.030	28.940	10.910	P01356
RS5319	S42	LS23	13.940	22.490	8.550	P01134
RS5324	S5	LS38	14.900	24.420	9.520	P01167
RS5325	XP11	LS47	15.110	24.090	8.980	None
RS5326	S51	LS38	14.030	21.790	7.760	P01167
RS5327	XP12	LS38	14.000	21.310	7.310	None
RS5328	XP12	LS38	14.620	22.670	8.050	None
RS5329	S5	LS38	15.520	24.990	9.470	P01167
RS5330	XP12	LS38	16.110	25.770	9.660	None
RS5331	S5	LS38	16.150	27.220	11.070	P01167
RS5332	XP12	LS38	16.860	28.250	11.390	None
RS5358	S6	LS78	11.470	17.470	6.000	P01482
RS5359	S6	LS54	14.230	22.970	8.740	P01482
RS5367	LS47	LS47	16.460	25.560	9.100	None
RS5368	S5	XP14	9.560	13.910	4.350	P01167
RS5369	LS47	LS47	17.210	28.220	11.010	None
RS5370	S5	LS42	13.120	16.270	3.150	P01167
RS5371	S4	CLEV	11.200	16.340	5.140	P01135
RS5372	S4	LS38	10.270	15.400	5.130	P01135
RS5373	S5	LS92	11.010	16.780	5.770	P01167

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.



Specifications — Shock Absorbers

All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			PARTS PACK(S)
	UPPER	LOWER	COMP.	EXTENDED	TRAVEL	
RANCHO® RS5000 SHOCK ABSORBERS (Cont.)						
RS5374	S4	XP5	14.140	19.280	5.140	P01135, P00941
RS5375	S4	LS21	10.270	15.560	5.290	P01135
RS5376	S5	CLEV	13.550	16.210	2.660	P01167
RS5377	XP15	CLEV	13.660	17.950	4.290	P01299
RS5378	XP15	CLEV	14.670	18.960	4.290	P01299
RS5379	LS47	LS47	16.120	25.240	9.120	None
RS5380	XP15	CLEV	16.680	22.950	6.270	P01617
RS5381	LS47	LS47	17.990	29.330	11.340	None
RS5382	XP15	CLEV	18.310	24.590	6.280	P01617
RS5383	LS47	LS47	19.370	31.120	11.750	None
RS5384	LS38	LS38	18.460	28.580	10.120	None
RS5385	LS38	XP7	16.770	28.200	11.430	None
RS5386	LS39	LS41	14.580	23.070	8.490	None
RS5387	LS39	LS41	14.580	23.190	8.610	None
RS5388	LS29	LS23	10.870	15.760	4.890	None
RS5389	LS30	LS28	14.900	23.780	8.880	None
RS5390	LS52	LS30	14.580	23.230	8.650	None
RS5391	LS28	LS52	15.100	24.210	9.110	None
RS5392	S4	LS23	8.300	11.870	3.570	P01135
RS5393	L1	L1	13.890	22.560	8.670	None
RS5394	LS47	LS44	15.090	24.190	9.100	None
RS5395	LS52	LS81	14.460	22.950	8.490	None
RS5396	LS44	LS44	11.840	17.590	5.750	None
RS5397	S5	LS68	14.090	22.090	8.000	P01167
RS5398	LS29	LS38	15.220	24.460	9.240	None
RS5399	S2	CLEV	16.130	20.990	4.860	P00762
RS5601	L1	L1	12.390	19.830	7.440	None
RS5602	S4	XP1	8.920	13.420	4.500	P01134
RS5604	L1	S4	11.920	19.360	7.440	P01134
RS5605	S4	LS23	8.920	13.890	4.970	P01134
RS5606	S4	LS38	9.700	15.000	5.300	P01135
RS5609	S4	XP5	9.140	14.370	5.230	P01134
RS5610	S4	LS21	11.450	18.400	6.950	P01134

RANCHO® RS5000X SHOCK ABSORBER

RS55001	LS24	LS24	13.390	21.080	7.690	P00816
RS55009	S4	LS38	15.750	26.320	10.570	P01134
RS55012	L1	L1	19.010	32.540	13.530	P00915, P00934
RS55023	LS47	LS47	14.970	22.560	7.590	None
RS55029	S4	LS26	9.750	14.320	4.570	P01135
RS55034	L1	L1	20.010	34.040	14.030	P00915, P01013
RS55036	L1	L1	21.010	36.040	15.030	P00915, P01013
RS55036A	L1	LS78	21.060	36.090	15.030	None
RS55042	S5	LS92	13.850	20.790	6.940	P01167
RS55043	S5	LS92	14.970	23.370	8.400	P01167
RS55044	LS92	S5	15.720	24.860	9.140	P01167
RS55045	L1	LS26	19.760	33.790	14.030	None
RS55046	L1	LS26	16.390	27.170	10.780	none
RS55047	L1	LS26	18.510	31.460	12.950	None
RS55048	S5	LS92	16.600	26.730	10.130	P01167
RS55056	LS92	LS92	18.690	31.970	13.280	None
RS55112	L1	L1	16.010	26.420	10.410	P00913, P00915

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.

Specifications — Shock Absorbers



All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			PARTS PACK(S)
	UPPER	LOWER	COMP.	EXTENDED	TRAVEL	
RANCHO® RS5000X SHOCK ABSORBER (Cont.)						
RS55113	L1	L1	12.890	20.290	7.400	P00916
RS55115	S4	L1	12.870	20.660	7.790	P00916
RS55116	L1	L1	14.860	24.050	9.190	P00916
RS55118	L1	L1	14.010	22.290	8.280	P00912, P00915, P01013
RS55119	L1	L1	11.640	18.040	6.400	P00916, P00925
RS55126	L1	LS26	16.010	26.420	10.410	None
RS55128	S4	XP5	13.050	21.030	7.980	P01136
RS55129	XP12	L1	12.760	20.040	7.280	None
RS55136	S4	L1	11.250	17.440	6.190	P01134, P00910
RS55144	L3	L3	14.190	22.340	8.150	None
RS55145	S4	LS50	9.250	13.450	4.200	P01134
RS55149	LS27	LS27	16.810	27.840	11.030	None
RS55150	LS77	LS40	11.510	16.790	5.280	None
RS55152	LS77	LS40	12.010	17.960	5.950	None
RS55168	S4	LS38	15.130	25.280	10.150	P01135
RS55180	L3	L3	13.690	21.470	7.780	None
RS55185	XP7	LS26	15.510	25.420	9.910	P0941
RS55190	XP7	LS92	16.080	26.360	10.280	None
RS55198	LS47	LS47	15.690	25.590	9.900	None
RS55221	S5	LS92	14.590	23.630	9.040	P01167
RS55226	L3	L3	13.190	20.340	7.150	None
RS55229	S4	XP5	13.720	18.250	4.530	P01135, P00941
RS55233	S4	LS27	9.840	14.370	4.530	P01136
RS55234	S4	LS26	16.130	27.030	10.900	P01136
RS55239	S4	XP4	14.430	23.840	9.410	P01136
RS55240	XP12	LS37	12.760	20.040	7.280	None
RS55241	XP12	LS37	13.510	21.670	8.160	None
RS55245	XP12	L1	15.010	24.670	9.660	None
RS55254	L1	LS26	18.260	30.830	12.570	None
RS55255	S4	XP4	15.800	26.530	10.730	P01136
RS55256	XP12	LS37	15.010	24.670	9.660	None
RS55261	L1	LS26	19.010	32.980	13.970	None
RS55262	LS47	LS47	15.080	23.890	8.810	None
RS55264	L1	LS26	15.260	24.420	9.160	None
RS55265	S4	CLEV	11.020	15.310	4.290	P01135
RS55267	L1	LS26	14.260	22.920	8.660	None
RS55268	S4	CLEV	13.780	20.810	7.030	P01135
RS55269	LS47	LS47	16.810	27.590	10.780	None
RS55272	S5	L1	10.130	15.040	4.910	P01167
RS55273	L1	LS26	16.890	28.080	11.190	None
RS55274	LS47	LS47	16.190	26.440	10.250	None
RS55281	S5	XP12	9.760	14.200	4.440	P01167
RS55286	LS26	LS26	16.430	27.220	10.790	None
RS55287	LS26	LS26	18.430	30.590	12.160	None
RS55288	S5	LS42	13.040	15.390	2.350	P01167
RS55289	S5	LS42	13.880	21.410	7.530	P01167
RS55296	S5	LS42	13.500	21.660	8.160	P01167
RS55297	LS47	LS47	18.080	30.470	12.390	None
RS55316	LS38	LS38	17.560	29.380	11.820	None
RS55317	S5	LS92	17.850	28.940	11.090	P01356
RS55325	XP7	LS92	14.960	24.110	9.150	None
RS55326	S51	LS38	13.850	21.750	7.900	P01167

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.



Specifications — Shock Absorbers

All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			PARTS PACK(S)
	UPPER	LOWER	COMP.	EXTENDED	TRAVEL	
RANCHO® RS5000X SHOCK ABSORBER (Cont.)						
RS55328	XP12	LS38	14.460	22.610	8.150	None
RS55329	S5	LS38	15.350	25.010	9.660	P01167
RS55330	XP12	LS38	15.960	25.750	9.790	None
RS55331	S5	LS38	15.970	27.260	11.290	P01167
RS55332	XP12	LS38	16.960	28.250	11.290	None
RS55369	LS47	LS47	17.310	28.170	10.860	None
RS55370	S5	LS42	10.750	16.270	5.520	P01167
RS55371	S4	CLEV	11.280	16.310	5.030	P01135
RS55374	S4	XP5	13.970	19.250	5.280	P01135, P00941
RS55377	XP15	CLEV	13.670	17.970	4.300	P01299
RS55378	XP15	CLEV	14.670	18.980	4.310	P01299
RS55380	XP15	CLEV	16.690	22.970	6.280	P01299
RS55610	S4	LS21	11.600	18.340	6.740	P01134
RANCHO® RS5000 STEERING DAMPERS						
RS5401	L1	L1	12.270	19.450	7.180	P00920, P00837, P00829
RS5402	S4	S4	12.230	20.250	8.020	P01134
RS5403	S4	S4	13.220	22.250	9.030	P01134
RS5404	L1	L1	14.520	23.960	9.440	P01619, P00932, P00837
RS5405	S4	L1	12.820	21.740	8.920	P01134, P00932
RS5406	L1	L1	17.770	30.370	12.600	None
RS5407	L1	LS37	11.910	19.470	7.560	P00837, P00953
RS5409	LS5	LS24	12.780	20.710	7.930	P01326
RS5410	L1	LS38	14.420	24.340	9.920	P01730, P00847
RS5411	L1	LS35	12.530	20.640	8.110	P01368
RS5412	L1	LS24	14.150	23.360	9.210	P01368
RS5413	S4	L1	15.700	27.480	11.780	P01135, P01385
RS5415	LS26	L1	16.160	27.940	11.780	P01385
RS5416	LS37	LS24	14.150	23.360	9.210	None
RS5417	L1	LS35	13.660	22.960	9.300	P01368
RS5418	LS24	LS24	13.150	20.700	7.550	None
RANCHO® RS7000MT SHOCK ABSORBERS						
RS7008	L1	L1	14.004	21.470	7.465	P00915, P01057
RS7034	L1	L1	20.815	33.630	12.815	P00915, P01013
RS7040	S4	LS23	13.878	21.933	8.055	P01134
RS7042	S5	LS92	13.780	20.650	6.870	P01167
RS7043	S5	LS92	15.126	22.965	7.839	P01167
RS7044	S51	LS92	15.710	24.330	8.610	P01167
RS7046	L1	LS26	16.680	26.590	9.910	None
RS7048	S51	LS92	16.320	25.830	9.510	P01167
RS7050	L1	LS26	16.840	27.100	10.260	None
RS7055	S5	LS42	15.470	23.470	8.000	P01167
RS7056	LS47	LS47	19.570	31.780	12.210	None
RS7061	S42	XP5	17.410	28.200	10.790	P01134
RS7062	XP12	LS37	15.770	24.933	9.180	None
RS7112	L1	L1	16.250	25.880	9.630	P00913, P00915
RS7113	L1	L1	13.420	20.730	7.310	P00916
RS7118	L1	L1	14.260	22.311	8.010	P00912, P00915, P01013
RS7119	L1	L1	12.142	18.272	6.130	P00916
RS7128	S42	XP5	13.510	21.210	7.700	P01136, P00941
RS7129	XP12	L1	13.620	21.120	7.500	None
RS7150	LS33	LS40	11.350	16.600	5.240	None

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.

Specifications — Shock Absorbers



All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			PARTS PACK(S)
	UPPER	LOWER	COMP.	EXTENDED	TRAVEL	
RANCHO® RS7000MT SHOCK ABSORBERS (Cont.)						
RS7152	LS33	LS40	12.142	18.114	5.970	None
RS7168	S42	LS38	15.783	25.413	9.630	P01135
RS7190	XP7	LS92	16.051	25.622	9.571	None
RS7198	LS92	LS92	16.430	25.350	8.930	None
RS7239	S42	XP5	15.040	23.970	8.930	P01136
RS7240	XP12	LS37	12.390	18.910	6.520	None
RS7241	XP12	LS37	14.210	22.300	8.090	None
RS7254	L1	LS26	18.320	29.760	11.440	None
RS7255	S4	XP5	15.780	25.410	9.630	P01136
RS7256	XP12	LS37	15.580	24.860	9.280	None
RS7261	L1	LS26	19.550	32.400	12.850	None
RS7264	L1	LS26	15.504	24.543	9.039	None
RS7267	L1	LS26	14.650	23.130	8.490	None
RS7268	S42	CLEV	13.750	20.850	7.110	P01135
RS7269	LS47	LS47	17.409	27.374	9.970	None
RS7272	S5	L1	10.420	15.300	4.880	P01167
RS7274	LS47	LS47	16.430	26.050	9.630	None
RS7286	LS38	LS38	16.740	26.720	9.980	None
RS7287	LS38	LS38	18.890	30.520	11.630	None
RS7295	S5	LS42	10.600	15.630	5.020	P01167
RS7296	S51	LS42	13.430	21.130	7.700	P01167
RS7297	LS47	LS47	18.330	29.710	11.390	None
RS7305	LS68	S5	14.570	22.490	7.920	P01167
RS7317	S51	LS92	17.600	28.710	11.110	P01167
RS7319	S4	LS23	14.360	22.560	8.200	P01134
RS7324	S5	LS27	15.570	24.750	9.180	P01167
RS7326	S51	LS38	14.730	23.580	8.850	P01167
RS7328	XP12	LS38	15.160	24.010	8.850	None
RS7329	S5	LS27	15.820	25.000	9.180	P01167
RS7330	XP12	LS38	16.950	27.170	10.220	None
RS7331	S51	LS38	16.500	26.760	10.260	P01167
RS7367	LS92	LS92	16.420	25.660	9.240	None
RS7369	LS92	LS92	17.640	28.280	10.640	None
RS7370	S51	LS42	11.150	16.600	5.440	P01167
RS7371	S4	CLEV	11.560	16.480	4.920	P01135
RS7377	XP15	CLEV	13.640	17.960	4.320	P01617
RS7379	LS92	LS92	16.310	25.880	0.377	None
RS7380	XP15	CLEV	16.640	23.000	6.360	P01617
RS7381	LS92	LS92	18.120	29.340	11.220	None
RS7384	LS38	LS38	18.110	28.860	10.760	None
RS7388	L1	L1	18.350	29.640	11.290	None
RS7391	S5	L1	12.330	19.012	6.680	P01167
RANCHO® RS7000MT STEERING DAMPERS						
RS7401	LS49	LS49	12.200	19.300	7.100	P00920, P00837, P00829
RS7402	S4	S2	12.210	20.200	7.984	P01134
RS7405	S4	L1	13.000	21.500	8.500	P00932, P01134
RS7407	L1	LS37	12.200	19.303	7.100	P00837, P00953
RS7410	L1	LS38	14.730	24.170	9.440	P00847, P01730
RS7411	L1	LS35	12.710	20.540	7.830	P01368
RS7412	L1	LS24	14.330	23.320	8.990	P01368
RS7415	LS21	L1	17.255	28.177	10.922	P01385

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.



Specifications — Shock Absorbers

All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			PARTS PACK(S)
	UPPER	LOWER	COMP.	EXTENDED	TRAVEL	
RANCHO® RS7000MT STEERING DAMPERS (Cont.)						
RS7416	LS37	LS24	14.330	23.320	8.990	None
RS7418	LS37	LS24	13.170	20.630	7.470	None
RANCHO® RS9000XL SHOCK ABSORBERS						
RS999001	L1	L1	13.680	20.830	7.150	P00976, P00816
RS999005	L1	L1	17.600	28.670	11.070	P00934
RS999006	L1	L1	11.870	17.330	5.460	P00915, P01057, P00927
RS999008	LS50	LS50	14.110	21.530	7.420	P00920, P01020
RS999009	S4	LS38	16.090	26.100	10.010	P01192
RS999010	L1	L1	16.360	26.040	9.680	P01057, P00920
RS999012	L1	L1	19.410	32.290	12.880	P00934, P00915
RS999014	S4	S4	15.170	24.580	9.410	P01192
RS999017	S4	LS50	15.660	25.150	9.490	P00829, P01192
RS999028	L1	L1	17.250	27.960	10.710	P00934, P00915
RS999029	S42	LS26	10.390	14.550	4.160	P01192
RS999034	L1	L1	20.270	34.010	13.740	P01013, P00915
RS999036	L1	L1	21.330	36.130	14.800	P01013, P00915
RS999039	S4	L1	10.390	14.550	4.160	P01192, P01013
RS999040	S42	LS23	14.280	22.340	8.060	P01192
RS999042	S51	LS47	13.950	20.610	6.660	P01356
RS999043	S51	LS47	15.200	23.110	7.910	P01356
RS999044	S51	LS47	15.950	24.600	8.650	P01356
RS999045	LS50	LS26	19.920	33.310	13.390	None
RS999046	L1	LS26	16.650	26.760	10.110	None
RS999047	L1	LS26	18.870	31.210	12.340	None
RS999048	S51	LS47	16.920	26.540	9.620	P01356
RS999050	L1	LS26	18.120	29.190	11.070	None
RS999055	S51	LS42	15.460	23.200	5.460	P01356
RS999056	LS47	LS47	19.490	32.270	12.780	None
RS999057	S42	CLEV	15.030	22.980	7.950	P01192
RS999058	LS47	LS47	18.240	29.740	11.500	None
RS999059	LS77	LS39	15.690	24.380	8.690	None
RS999060	XP7	LS47	18.563	30.470	11.910	None
RS999061	S42	XP4	16.520	26.750	10.230	P01358
RS999062	XP12	LS24	16.000	25.200	9.200	None
RS999112	L1	L1	16.250	25.960	9.710	P00915, P00913, P01013
RS999113	L1	L1	13.280	20.030	6.750	P00916
RS999114	L2	L2	15.410	24.290	8.880	P00939
RS999115	S4	L1	13.320	20.570	7.250	P00910, P01192
RS999116	L1	L1	15.140	23.750	8.610	P00916, P01013
RS999117	S4	L1	12.370	18.670	6.300	P01192, P00910
RS999118	L1	L1	14.320	22.280	7.960	P00915, P00912, P01013
RS999119	L1	L1	11.930	17.330	5.400	P00916
RS999120	L1	L1	9.980	13.510	3.530	P00916, P00915
RS999123	LS39	LS39	11.760	17.350	5.590	None
RS999124	XP7	LS47	15.250	23.670	8.420	None
RS999126	L1	LS26	16.360	26.040	9.680	None
RS999128	S4	XP11	13.390	20.490	7.100	P01358, P00941
RS999129	XP12	L1	13.360	19.910	6.550	None
RS999136	S4	L1	11.530	16.840	5.310	P01192, P00910, P01013
RS999143	L3	L3	16.050	25.060	9.010	None
RS999144	L3	L3	14.430	21.880	7.450	None

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.

Specifications — Shock Absorbers



All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			PARTS PACK(S)
	UPPER	LOWER	COMP.	EXTENDED	TRAVEL	
RANCHO® RS9000XL SHOCK ABSORBERS (Cont.)						
RS999145	S4	LS82	9.770	13.330	3.560	P01192
RS999147	LS74	LS74	15.060	23.010	7.950	None
RS999150	LS77	LS39	11.640	16.580	4.940	None
RS999151	LS37	LS37	12.610	18.530	5.920	P00816
RS999152	LS77	LS39	12.240	17.830	5.590	None
RS999157	LS54	S5	14.310	22.000	7.750	P01167
RS999158	S42	L3	13.560	20.760	7.200	P01192
RS999159	S4	S4	13.250	20.920	7.670	P01136
RS999165	LS26	LS26	14.650	22.250	7.600	P01059
RS999166	S4	XP5	10.030	13.780	3.750	P01192
RS999168	S4	LS38	15.650	25.230	9.580	P01192
RS999179	S4	L1	14.280	22.340	8.060	P01192
RS999180	L3	L3	14.180	21.180	7.000	None
RS999185	XP11	LS38	16.360	26.040	9.680	P00941
RS999186	S42	L1	13.400	20.500	7.100	P01192
RS999187	S4	L3	13.570	20.570	7.000	P01192
RS999188	S4	LS23	9.020	12.390	3.370	P01192
RS999190	XP7	LS47	16.490	26.340	9.850	None
RS999194	L1	LS25	14.850	23.070	8.220	None
RS999195	S5	LS92	10.130	13.800	3.670	P01356
RS999197	S5	LS92	14.350	21.900	7.550	P01356
RS999198	LS47	LS47	15.910	25.080	9.170	None
RS999201	S42	S42	12.190	18.540	6.350	P01192
RS999202	L3	L3	15.300	23.600	8.300	P00888
RS999204	S4	S4	11.830	17.880	6.050	P01192
RS999207	S5	S5	14.700	23.370	8.670	P01356
RS999208	S5	L3	14.840	23.170	8.330	P01356
RS999213	S42	LS82	12.260	18.130	5.870	P01192
RS999214	S4	LS23	10.390	14.550	4.160	P01192
RS999215	LS78	L3	13.180	19.280	6.100	None
RS999221	S5	LS92	15.300	23.800	8.500	P01356
RS999223	S4	LS24	9.650	13.060	3.410	P01192
RS999226	L3	L3	13.300	19.820	6.520	None
RS999227	XP7	LS47	16.940	27.230	10.290	None
RS999229	S4	XP5	14.060	18.010	3.950	P01192, P00941
RS999233	S5	LS39	10.350	14.400	4.050	P01356
RS999234	S4	LS26	16.530	26.990	10.460	P01192
RS999235	S5	XP5	10.750	14.900	4.150	P01356
RS999236	S4	LS26	14.780	23.890	9.110	P01192
RS999237	S5	LS39	12.170	18.030	5.860	P01356
RS999238	S4	LS26	17.370	28.660	11.290	P01192
RS999239	S4	XP4	14.660	23.110	8.450	P01192
RS999240	XP12	LS24	12.860	19.220	6.360	None
RS999241	XP12	LS24	13.730	20.990	7.260	None
RS999244	LS77	LS39	14.310	21.760	7.450	None
RS999248	LS28	LS28	15.370	23.970	8.600	None
RS999250	S4	LS23	10.030	13.780	3.750	P01192
RS999254	L1	LS26	18.520	30.510	11.990	None
RS999255	S4	XP4	16.150	26.010	9.860	P01358
RS999256	XP12	LS24	15.360	24.220	8.860	None
RS999259	L1	LS25	14.110	21.530	7.420	None
RS999260	LS29	LS25	14.110	21.530	7.420	None

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.



Specifications — Shock Absorbers

All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			PARTS PACK(S)
	UPPER	LOWER	COMP.	EXTENDED	TRAVEL	
RANCHO® RS9000XL SHOCK ABSORBERS (Cont.)						
RS999261	L1	LS26	19.500	32.460	12.960	None
RS999262	LS47	LS47	15.280	23.830	8.550	None
RS999263	S42	XP7	10.390	14.450	4.060	P01192
RS999264	L1	LS26	15.700	24.340	8.640	None
RS999265	S4	CLEV	11.180	15.280	4.100	P01192
RS999266	XP7	LS26	17.310	28.080	10.770	None
RS999267	L1	LS26	14.650	22.250	7.600	None
RS999268	S4	CLEV	13.930	20.780	6.850	P01192
RS999269	LS47	LS47	17.030	27.320	10.290	None
RS999272	S5	L1	10.640	15.110	4.470	P01356
RS999273	L1	LS26	17.250	27.960	10.710	None
RS999274	LS47	LS47	16.520	26.300	9.780	None
RS999275	XP7	LS26	19.540	32.760	13.220	None
RS999276	S5	LS47	12.020	17.440	5.420	P01356
RS999278	XP7	LS26	15.640	25.070	9.430	None
RS999279	S51	XP8	11.270	16.430	5.160	P01356
RS999280	S5	LS92	13.850	20.900	7.050	P01356
RS999281	S5	XP12	10.140	14.180	4.040	P01356
RS999282	S5	LS92	11.650	16.500	4.850	P01356
RS999283	S5	LS92	13.350	19.900	6.550	P01356
RS999284	LS29	LS28	14.380	22.080	7.700	None
RS999285	LS38	LS38	15.820	24.900	9.080	None
RS999286	LS38	LS38	17.030	27.330	10.300	None
RS999287	LS38	LS38	18.610	30.470	11.860	None
RS999288	S51	LS42	11.030	15.350	2.040	P01356
RS999289	S51	LS42	14.070	21.410	5.060	P01356
RS999291	S4	XP5	9.890	13.500	3.610	P01192
RS999292	L3	S4	9.680	13.190	3.510	P01016, P01192
RS999293	L3	S4	13.300	20.210	6.910	P01192
RS999294	S4	LS23	11.400	16.760	5.360	P01192
RS999295	S5	LS42	10.730	15.260	4.530	P01356
RS999296	S51	LS42	13.920	21.650	7.730	P01356
RS999297	LS47	LS47	18.610	30.470	11.860	None
RS999299	XP11	LS47	13.860	20.960	7.100	None
RS999300	S4	LS21	10.360	14.510	4.150	P01192
RS999301	XP11	LS47	14.850	23.000	8.150	None
RS999303	LS47	LS44	15.430	24.120	8.690	None
RS999304	LS47	LS44	16.960	27.190	10.230	None
RS999305	S51	LS68	14.570	22.480	7.910	P01356
RS999306	LS44	LS44	12.310	17.740	5.430	None
RS999307	S51	CLEV	13.540	15.280	1.820	P01356
RS999308	XP11	LS47	15.200	23.500	8.300	None
RS999309	S5	CLEV	15.060	19.440	2.110	P01356
RS999310	XP11	LS47	17.220	27.580	10.360	None
RS999311	L1	LS47	13.840	21.100	7.260	None
RS999312	LS44	LS44	10.670	14.680	4.010	None
RS999313	L1	LS47	12.720	19.180	6.460	None
RS999314	L1	LS47	13.120	20.010	6.890	None
RS999317	S51	LS92	18.040	28.770	10.730	P01356
RS999318	S4	LS23	10.650	15.190	4.540	P01192
RS999319	S42	LS23	14.270	22.450	8.180	P01192
RS999320	S42	LS23	13.150	20.360	7.210	P01192

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.

Specifications — Shock Absorbers



All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			PARTS PACK(S)
	UPPER	LOWER	COMP.	EXTENDED	TRAVEL	
RANCHO® RS9000XL SHOCK ABSORBERS (Cont.)						
RS999321	LS75	LS27	15.160	23.490	8.330	None
RS999322	S4	LS23	10.140	14.650	4.510	P01192
RS999323	L1	L3	14.150	21.960	7.810	None
RS999324	S51	LS39	15.480	24.650	9.170	P01356
RS999326	S51	LS38	14.110	21.760	7.650	P01356
RS999327	XP12	LS39	13.960	21.160	7.200	None
RS999328	XP12	LS39	14.720	22.610	7.890	None
RS999329	S5	LS39	15.750	25.060	9.310	P01356
RS999330	XP12	LS38	16.110	25.700	9.590	None
RS999331	S5	LS39	16.630	27.050	10.420	P01356
RS999332	XP12	LS39	16.850	27.270	10.420	None
RS999333	L1	L1	15.230	23.810	8.580	P00916, P01013
RS999334	L1	S4	12.360	18.620	6.260	P01134, P00910
RS999337	S4	LS3	9.020	12.390	3.370	P01192
RS999338	L1	L1	12.900	19.460	6.550	P00829
RS999339	S4	S4	13.540	21.660	8.120	P01136
RS999340	LS54	S5	14.310	22.060	7.750	P01356
RS999341	L1	L1	13.160	20.060	6.900	P00916
RS999342	S5	S5	12.290	18.850	6.560	P01356
RS999343	L3	LS54	15.650	24.610	8.970	None
RS999344	L1	L1	14.840	23.340	8.490	None
RS999345	S4	LS23	10.750	15.650	4.900	P01192
RS999346	LS23	LS23	12.090	18.130	6.040	None
RS999347	S4	L1	10.750	15.910	5.160	P01192
RS999348	L1	L1	11.560	17.040	5.480	None
RS999349	S4	LS26	11.880	18.130	6.250	P01192
RS999350	LS50	LS50	15.160	23.790	8.630	None
RS999351	S4	L1	11.880	18.130	6.250	P01192
RS999352	S4	L3	13.310	20.760	7.450	P01192
RS999353	L3	L3	13.920	21.360	7.440	None
RS999354	S4	L3	13.800	21.590	7.790	P01192
RS999355	L3	L3	15.520	24.430	8.910	None
RS999357	S4	L3	14.420	22.820	8.400	P01192
RS999358	S6	LS43	11.650	17.320	5.670	P01482
RS999359	S6	LS54	14.670	23.120	8.450	P01482
RS999361	LS40	LS40	14.530	22.480	7.950	None
RS999362	LS40	S5	13.730	21.330	7.600	P01356
RS999363	LS40	S5	12.610	19.100	6.490	P01356
RS999364	L1	LS50	13.570	20.720	7.150	None
RS999365	S4	LS44	14.350	22.710	8.360	P01192
RS999366	S4	LS25	12.750	19.810	7.060	P01192
RS999367	LS47	LS47	16.410	25.580	9.170	None
RS999368	S5	XP12	9.860	13.920	4.060	P01356
RS999377	XP15	CLEV	13.560	17.950	4.240	P01617
RS999379	LS47	LS47	16.060	25.400	9.490	None
RS999380	XP15	CLEV	16.560	23.000	6.290	P01617
RS999381	LS47	LS47	18.060	29.400	11.490	None
RS999384	LS39	LS39	17.640	28.550	10.910	None

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.



Specifications — Struts

All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	STRUT BODY TYPE	LENGTHS			PARTS PACK(S)
		COMP.	EXTENDED	TRAVEL	
RANCHO® RS5000 STRUTS					
RS5753	SS3	17.590	20.420	2.830	P01611
RS5754	SS3	13.520	19.390	5.870	P01611
RS5757	SS7	13.560	18.080	4.520	None
RS5758	SS2	17.760	23.520	5.760	P01613
RS5762	SS3	13.620	18.190	4.570	P01612
RS5763	SS3	13.500	16.180	2.680	P01612
RS5764	B4	9.700	13.820	4.120	None
RS5766	SS3	13.620	17.930	4.310	P01612
RS5767	SS2	17.330	21.630	4.300	P01499
RS5769	SS2	21.400	26.180	4.780	P01499
RS5770	SS3	11.040	15.810	4.770	P01612
RS5773	SS3	14.960	18.790	3.830	P01614
RS5774	SS2	15.700	20.640	4.940	P01499
RS5775	SS2	12.520	16.440	3.920	P00762
RS5776	SS2	12.520	16.440	3.920	P00762
RS5777	SS2	16.890	21.830	4.940	P01613
RS5784	SS7	13.940	17.710	3.770	P01426, P01415
RS5786	SS7	18.860	22.600	3.740	P01426, P01415
RS5788	SS4	15.430	21.190	5.760	P01747
RS5789	SS4	18.720	24.500	5.780	P01747
RS5803	SS1	16.380	20.870	4.490	P01499
RS5804	SS1	17.170	21.640	4.470	P01499
RS5806	SS2	21.490	26.150	4.660	P01499
RS5808	SS4	15.430	21.190	5.760	P01747
RS5810	SS4	18.720	24.500	5.780	P01747
RS5811	B11	16.480	23.350	6.870	P00762
RS5812	B11	16.480	23.350	6.870	P00762
RS5813	B11	15.730	22.600	6.870	P00762
RS5814	B10	15.730	22.600	6.870	P00762
RS5815	B10	15.730	22.600	6.870	P00762
RS5816	B10	15.730	22.600	6.870	P00762
RS5817	B8	11.070	16.080	5.010	None
RS5818	SS2	16.140	19.630	3.490	P01499
RS5819	SS2	14.360	21.200	6.850	P01499
RS5820	SS2	16.660	19.180	2.500	P01611
RS5821	SS3	16.540	19.060	2.520	P01611
RS5822	SS3	13.520	19.390	5.870	P01611
RS5825	SS2	11.400	15.710	4.310	P00906
RS5826	B4	14.070	20.250	6.180	None
RS5827	SS3	10.790	14.620	3.830	P01614
RS5828	SS2	16.890	21.830	4.940	P01167
RS5829	SS4	13.560	18.080	4.520	P01632, P01650
RANCHO® RS5000X STRUT					
RS55762	SS3	13.620	18.190	4.570	P01612
RS55784	SS7	13.910	17.720	3.810	P01426, P01415
RS55785	SS7	14.170	17.990	3.820	P01426, P01415
RS55786	SS7	18.840	22.510	3.670	P01426, P01415
RS55789	SS4	18.690	24.500	5.810	P01747
RS55803	SS2	16.470	20.890	4.420	P01499
RS55804	SS1	17.030	21.640	4.470	P01499
RS55806	SS2	21.620	26.090	4.620	P01499

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.

Specifications — Struts



All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	STRUT BODY TYPE	LENGTHS			PARTS PACK(S)
		COMP.	EXTENDED	TRAVEL	
RANCHO® RS5000X STRUT (Cont.)					
RS55810	SS4	18.690	24.500	5.810	P01747
RS55830	SS7	13.570	16.840	3.270	P01707, P01415
RS55831	SS7	13.980	17.480	3.500	P01707, P01415
RS55832	SS7	20.310	23.760	3.450	P01707, P01415
RS55833	SS2	21.620	26.090	4.620	P01499
RS55834	SS7	16.470	20.890	4.420	P01726, P01499
RS55836	SS7	17.180	21.630	4.430	P01726, P01499
RS55838	SS7	21.620	26.090	4.620	P01726, P01499
RS55839	SS7	22.440	26.890	4.450	P01726, P01499
RS55840	SS2	14.560	19.270	4.810	P01431
RS55842	SPEC	26.417	30.693	4.276	P00839
RANCHO® RS7000MT STRUTS					
RS7759	SS2	17.760	23.620	5.870	P01696, P01613
RS7760	SS2	16.890	22.080	5.190	P01613, P01696
RS7767	SS2	16.340	21.930	5.590	P01683
RS7777	SS2	16.890	20.080	5.190	P01613, P01696
RS7784	SS7	14.252	17.790	3.540	P01658, P01415
RS7785	SS7	14.440	17.980	3.540	P01658, P01415
RS7786	SS7	19.030	22.560	3.540	P01658, P01415
RS7792	SS2	16.340	21.930	5.590	P01683
RS7804	SS2	16.930	21.850	4.920	P01659
RS7805	SS2	16.930	21.850	4.920	P01659
RS7806	SS2	21.270	26.190	4.920	P01659
RS7808	SS4	15.350	21.200	5.850	P01728
RS7810	SS4	18.590	24.450	5.860	P01728
RS7830	SS7	13.630	16.850	3.230	P01706, P01415
RS7831	SS7	14.280	17.500	3.230	P01706, P01415
RS7832	SS2	20.510	23.740	3.230	P01706, P01415
RS7833	SS2	21.270	26.190	4.921	P01659
RS7838	SS7	21.270	26.190	4.920	P01659, P01726
RS7841	SS2	15.080	19.510	4.430	P01749
RANCHO® RS9000XL STRUTS					
RS999758	SS2	17.880	23.510	5.630	P01613
RS999762	SS3	13.730	18.210	4.480	P01612
RS999763	SS3	13.500	18.440	3.280	P01612
RS999764	B4	7.620	12.070	4.450	P01372
RS999766	SS3	13.730	17.960	4.230	P01612
RS999767	SS1	16.700	21.710	5.010	P01499
RS999769	SS2	21.380	26.390	5.020	P01499, P01576
RS999773	SS3	15.060	18.770	3.710	P01614
RS999774	SS2	15.650	20.670	5.020	P01499
RS999777	SS2	16.730	22.000	5.270	P01613
RS999782	SS2	17.070	22.000	4.930	P01613
RS999784	SS7	13.840	17.680	3.840	P01426, P01415
RS999786	SS7	18.960	22.600	3.740	P01426, P01415
RS999787	SS3	10.970	14.980	4.010	P01614
RS999788	SS6	15.760	21.140	5.380	P01747
RS999789	SS6	18.640	24.440	5.800	P01747
RS999799	SPEC	18.960	22.800	3.840	P01504, P01415, P01510
RS999802	SS2	13.320	18.620	5.300	P01431
RS999803	SS2	16.410	20.870	4.460	P01499

Rancho® only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho® shock absorbers will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.



Specifications — Struts

All listed specifications are for convenience only and are subject to change without notice. Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by ½". Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	STRUT BODY TYPE	LENGTHS			PARTS PACK(S)
		COMP.	EXTENDED	TRAVEL	
RANCHO® RS9000XL STRUTS (Cont.)					
RS999804	SS2	17.130	21.600	4.510	P01499
RS999806	SS2	21.810	26.280	4.470	P01499, P01576
RS999808	SS4	14.600	21.190	7.190	P01747
RS999830	SS7	13.570	16.860	3.280	P01707, P01415
RS999832	SS7	20.360	23.810	3.450	P01707, P01415
RANCHO® LOADED quickLIFT COMPLETE STRUT ASSEMBLIES					
RS999901	SS7	13.810	18.060	4.250	P01577
RS999902	SS3	16.700	21.710	5.010	P01141
RS999903	SS3	14.670	21.600	6.930	P01141
RS999904	SS3	16.550	20.600	4.050	P01113
RS999905	SS3	13.980	19.750	5.770	P01113
RS999907	SS3	14.110	18.750	4.640	P01101
RS999908	SS3	14.110	18.750	4.640	P01101
RS999909	SS3	16.700	21.710	5.010	P01101
RS999910	SS3	17.190	22.210	5.020	P01101
RS999911	SS2	17.130	21.600	4.470	P01141
RS999912	SS3	16.410	20.870	4.460	P01141
RS999913	SS3	17.130	21.980	4.850	P01101
RS999914	SS3	17.130	21.980	4.850	P01101
RS999915	SS3	17.130	21.980	4.850	P01101
RS999919	SS3	17.880	23.510	5.630	P01123
RS999920	SS3	17.880	23.510	5.630	P01123
RS999921	SS3	11.290	15.000	3.710	P01101
RS999922	SS3	11.050	15.060	4.010	P01101
RS999923	SS3	13.730	18.040	4.310	P01101
RS999924	SS3	17.350	22.000	4.650	P01113
RS999925	SS3	16.160	21.300	5.140	P01141
RS999926	SS2	15.450	21.200	5.750	P01141
RS999927	SS3	13.490	19.410	5.920	P01113
RS999928	SS7	13.810	18.060	4.250	P01577, P01510
RS999929	SS5	15.720	21.220	5.500	P01141
RS999930	SS5	15.720	21.220	5.500	P01141
RS999931	SS3	13.730	18.040	4.310	P01101
RS999932	SS3	16.700	21.710	5.010	P01141
RS999933	SS3	14.670	21.600	6.930	P01141
RS999934	SS3	13.980	19.750	5.770	P01113
RS999935	SS2	17.130	21.600	4.470	P01141
RS999936	SS3	16.410	20.870	4.460	P01141
RS999937	SS3	11.290	15.000	3.710	P01101
RS999939	SS3	17.350	22.000	4.650	P01113
RS999940	SS3	16.160	21.300	5.140	P01141
RS999941	SS2	15.450	21.200	5.750	P01141
RS999942	SS3	13.490	19.410	5.920	P01113
RS999943	SS5	15.720	21.220	5.500	P01141
RS999944	SS5	15.720	21.220	5.500	P01141
RS999945	SPEC	16.930	22.240	5.310	P01141, P01726
RS999946	SPEC	16.930	22.240	5.310	P01141, P01726