BACKUP CAMERA SYSTEM WITH WATERPROOF QUAD VIEW MONITOR



RVS - 7709900Q



This amazing waterproof backup camera system is complete with a 7" QUAD DIGITAL TFT-LCD monitor, a touch screen display which is completely waterproof with an IP69K rating (highest in the market) and is suited for any application where the monitor is exposed to water elements. The CCD camera boasts a 130° viewing angle with 18 infra-reds and an IP69K rating. The system comes with all the wires, connectors and mounts you will need. It comes with a full year warranty.

BACKUP CAMERA SYSTEM WITH WATERPROOF QUAD VIEW MONITOR RVS - 77099000



- COMPLETELY WEATHERPROOF WITH AN IP69K RATING
- 7" DIGITAL TFT LCD COLOR MONITOR WITH REMOVABLE SUNSHADE
- 2.5 MM COLOR CCD CAMERAS WITH A 130° VIEWING ANGLE
- 4 CHANNEL SYSTEM ALLOWING YOU TO CONNECT AN ADDITIONAL CAMERA
- SHOCK RESISTANT WITH A 20G VIBRATION AND 100G IMPACT RATING



MONITOR

DIMENSION
TV SYSTEM
RESOLUTION
BRIGHTNESS
CONTRAST
VIEWING ANGLE
ASPECT RATIO
OPERATING TEMPERATURE
STORAGE TEMPERATURE
POWER SOURCE
POWER FOR CAMERAS
DOT PITCH
VIDEO INPUTS

AUDIO INPUTS

VIDEO OUTPUTS AUDIO OUTPUT TOUCH SCREEN TRANSMITTANCE SCREEN OPERATION PRESSURE SCREEN RESPONSE TIME NTSC/ PAL 800 X 3 (RGB) X 480 400 CD/M2 500:1 U: 50°/ D: 60°, R/L: 70° 16:9 -10~+65°C -30~+80°C DC 9V - 32V MAX. 4×300MA, 12V 0.192 (H) X 0.1805 (V) 4 VIDEO INPUTS; 1 DVD INPUT 4 AUDIO INPUTS; 1 DVD INPUT 1 REC VIDEO OUTPUT 1 LIVE AUDIO OUTPUT ≥80%

10~110G


<10MS

CAMERA

CAMERA
PICTURE ELEMENTS
GAMMA CORRECTION
IMAGE SENSOR
PIXELS

LENS
VIEW ANGLE
WATERPROOF RATING
SYNC SYSTEM
INFRA - RED DISTANCE
USABLE ILLUMINATION
POWER SOURCE
S/N RATIO
ELECTRONIC IRIS
VIDEO OUTPUT
IR SWITCH CONTROL
VIBRATION AND SHOCK RATING
OPERATING TEMPERATURE
STORAGE TEMPERATURE
NET WEIGHT

1/3" SHARP® COLOR CCD 410,000 PIXELS R=0.45 TO 1.0 620 TV LINES PAL: 752 (H) X 582 (V) NTSC: 811 (H) X 507 (V) F=2.5MM 130° IP69K INTERNAL SYNCHRONIZATION 50 FEET (18 INFRARED) 0 LUX (IR ON) DC 9V - 32V MORE THAN 48DB 1/50, 1/160-1/100,000 SEC 1V P - P. 75 Ω ACDS AUTOMATIC CONTROL 20G / 100G -40 °C ~ +70 °C / RH 95% MAX -40 °C ~ +85 °C / RH 95% MAX 22 OZ





System usually outlives the vehicles they are mounted on





BACKUP CAMERA

This color CCD camera is built with heavy duty zinc metal which encases the 2.1 mm Sharp lens. It has a viewing angle of 130 degrees and 600 TV lines, which means you get the best quality image with no blind spots. The 18 infra red lights allow you to see up to 50 feet even in the darkest night and the foam around the lens guarantees no glare from these infra reds.

With an IP69K rating this camera will be fit to ride out any storm and boasts a 20G impact rating as well as aircraft grade cable connections.



WATERPROOF QUAD VIEW MONITOR

In addition to all the features packed into this monitor, its casing is also completely waterproof!

It has an IP69K rating which means that even with the most severe weather thrown against it, this monitor will still function perfectly. With its built-in speakers, quad view display, grid lines, auto dimming, back-lit buttons and touch screen, this monitor truly has it all.

Learn more about other cameras & driver safety products by Rear View Safety on our website.