


REAR VIEW SAFETY

A Safe Fleet Brand

"A leading manufacturer and distributor of rear view camera systems in the USA & Canada"



PRODUCT ID # RVS-TAILGATE

Camera	MT9V139
PICTURE ELEMENTS	307,200 PIXELS
GAMMA CORRECTION	R=0.45 TO 1.0
IMAGE SENSOR	480TV LINES PAL:720(H)*576(V), NTSC:720(H)*480(V)
LENS	2.1MM
VIEW ANGLE	170°
SYNC SYSTEM	INTERNAL SYNCHRONIZATION
NIGHT VISION	YES
POWER SOURCE	DC 12V-24V (+/- 10%)
S/N RATIO	MORE THAN 48DB
ELECTRONIC IRIS	1/50, 160-1/100,000SEC
VIDEO OUTPUT	1VPP 75Ω
IR SWITCH CONTROL	ACDS AUTOMATIC CONTROL
VIBRATION RATING	10G
OPERATING TEMPERATURE	-30°C - 50°C / RH 95% MAX
STORAGE TEMPERATURE	-30°C - 60°C / RH 95% MAX

BACKUP CAMERA FOR PICKUP TRUCKS

RVS - TAILGATE

REAR VIEW
SAFETY
A Safe Fleet Brand



DESCRIPTION

This tailgate camera is complete with a crystal clear 170° MT9V139 backup camera with night vision and all the wires, connectors and mounts you will need. The rear view camera system is completely weatherproof with an IP68 rating, strong and reliable, shock resistant with a 10G vibration rating (highest in the industry) and comes with a full year warranty. The tailgate camera mounts to the handle and looks OEM and flush with the vehicle. The camera is very easy to install and makes hitching and backing up easy.

SPECIFICATIONS

Sensor	MTV9V139
Sensor Format	728 (H) X 560 (V)
Picture Elements	307,200 Pixels
NTSC Output	720 (H) X 480 (V)
PAL Output	720 (H) X 576 (V)
TV Lines	480
Viewing Angle	170°
Weatherproof Rating	IP68
Night Vision	Yes
Usable Illumination	0.5 Lux
Power Source	DC 12V - 24V (+/- 10%)
Power	<1W
S/N Ratio	48 dB
Video Output	1.0 Vp.p 75 ohm

170° Viewing Angle

Ultra wide angle



IP68 Rating

Protected against complete, continuous submersion in water



Mounts Flush Against Vehicle



Compact Design

Less than an inch in length, width and depth




Night Vision

With very little ambient light provides a great picture at night

TAILGATE BACKUP CAMERA

The Tailgate Backup Camera is built with an MT9V139 sensor and a lens with an ultra wide viewing angle of 170°. Its tiny size (less than an inch long, wide and deep) makes it ideal for smaller vehicles and allows its installation to be virtually invisible. It mounts flush against the vehicle and with an IP68 weatherproof rating is fit to operate in almost all weather conditions.



Learn more about other cameras & driver safety products by Rear View Safety on our website.