

## ROCK HARD 4X4 JEEP WRANGLER JK 2/4-DOOR 2007-2017 TAILGATE VENT PLATE PART #: RH-5016 Installation Manual



## **PACKING LIST:**

- 1 TAILGATE VENT PLATE
- 1 STAINLESS STEEL INSERT

## **REQUIRED TOOLS:**

20 TORX SOCKET / WRENCH 13 MM SOCKET / WRENCH 3/4" SOCKET / WRENCH

## Thank you for your purchase! Whether you bought this Rock Hard 4x4 product from one of our fantastic dealers or our factory direct team, we thank you for your business.

Rock Hard 4x4 is a family owned and operated business. We are headquartered in Saint Paul, Nebraska where we design, fabricate, and produce every single one of our products. Every single part we manufacture is 100% Made in the USA and exclusively in house by the Rock Hard 4x4 team.

We outsource zero processes.

**To you**, that means the product you are installing is the highest quality and longest lasting component on the market.

**To us**, that means you've selected a part we've spent years developing. Each Rock Hard 4x4 part has gone through more research and development and evolution than most people realize. While our parts may have the same striking look year after year, subtle revisions and refinements we implement maintain their status as the most durable and easy to install on the market.

- 1. Remove spare tire/wheel using ¾" socket.
- 2. Open tailgate, remove 4 T20 screws from back side of 3<sup>rd</sup> brake light. Disconnect connector at light.
- 3. Remove factory tire carrier using 13mm socket.
- 4. Remove vent by depressing plastic tabs.
- 5. Clean body/paint with mild soap and water.
- 6. Install tail gate vent plate with stainless steel insert.
- 7. Reinstall factory tire carrier, 3<sup>rd</sup> brake light, and spare tire.

CONGRATULATIONS! Now go wheel your rig with a whole new level of confidence and capability.