

# HARNESSES





## FIA 8853-2016

### SALOON / RALLY

SILVER

CCA622SRDLP

NEW



STEEL

CCS632SRDN



GOLD

CCG832FSR

NEW



CCA622SRDN1

NEW



CCS622SRUN



CCG622FSR

NEW



CCA622SRUN1



CCS633SRUN



SILVER

CCA622FRUN1

NEW



CCA633SRUN



STEEL

CCS622FRUN

NEW



## 8854/98

### SALOON / RALLY

SILVER

CCA433SRDN

NEW



STEEL

CCS433SRDN

NEW



CCS433SRUN



## SFI

### SINGLE STRAP

#### SHOULDER

CASP2133\_KIT

NEW



CASP2135\_KIT

NEW



CASP2136\_KIT

NEW



CASP2151\_KIT

NEW



#### LAP

CAAD2140

NEW



CAAD2141

NEW



CAAD2142

NEW



CAAD2143

NEW



CAAD2154

NEW



#### CROTCH

CAC02075\_KIT

NEW



CAC02076\_KIT

NEW



### INDYCAR

CFCI2294



CFCI2339



### NASCAR

CFCI2190



CFCI2256



CFCI2257



## ECE

### CLUBMAN

CFCC4046 (no ECE)



904020NP



904070NP



904059NP



904005N



904019N



## BUCKLES



**B1**

Tongues entry designed to simplify the driver fastening. Machined from solid aluminium.



**B5**

Tongues entry designed to simplify the driver fastening. Quick release with spring ejectors. **255 g**



**B2**

With integrated crotch belt "T" type attachment. Aluminium. Patented buckle. **219 g**



**B6**

Developed with Formula1 Teams. Su-perlight buckle in machined from solid aluminium.



**B3**

For "Formula" safety belt developed in Formula1. Aluminium. Protection for the lever. **192 g**



**B4**

Buckle for 4 points safety belt. Dx fixed point. Aluminium. **184 g**

## ADJUSTERS



**A9**

2" Quick release adjuster machined from solid aluminium. Developed in Formula1. **54 g**



**A10**

2" Quick release adjuster machined from solid aluminium. Developed for double shoulder belt. **74 g**



**A1**

Quick release adjuster for 3" webbing. Forged and anodized aluminium. **95 g**



**A2**

Quick release adjuster for 2" webbing. Forged and anodized aluminium. **70 g**



**A3**

Adjuster integrated to the buckle tongue designed for 2" webbing. Developed for GT/Endurance cars. Steel-aluminium. **123 g**




**A4**

Adjuster for 2" webbing. Steel-aluminium. **113 g**



**A5**

"America" adjuster for 3" webbing. Steel. **147 g**



**A6**

"America" adjuster for 2" webbing. Steel. **94 g**



**A7**

"Tribar" adjuster for 3" webbing. Steel. **110 g**



**A8**

"Tribar" adjuster for 2" webbing. Steel. **80 g**



**A12**

"Bufflug" steel adjuster. **63 g**



**A11**

Steel "Stop" adjuster for 2" webbing. **24 g**



## FIXINGS



**F1**

Carabiner. Inox Steel. **24 g**



**F2A**

Snap hook in combination with A7 or A8. Steel. **77 g**



**F2B**

Sewn snap hook in combination with A7 or A8. Steel. **77 g**



**F7**

Titanium double fixing plate for 2" webbing. For M8 screw. **38 g**



**F3A**

Fixing plate in combination with A7 or A8. Steel. **63 g**



**F3B**

Sewn fixing plate in combination with A7 or A8. Steel. **63 g**



**F5**

"Wrap around" fixing in combination with A7 or A8.



**F6**

"Sewn loop" fixing.



**F4**

Sewn "P" type steel fixing plate. **47 g**



**F8**

Small Sewn fixing plate. **45 g**

## TONGUES



**T1**

Lap belt tongue with ergonomic bend. Steel. **32 g**



**T2**

Shoulder belt tongue for 3" webbing. Steel. **30 g**



**T3**

Shoulder belt tongue for 2" webbing. Steel. **23 g**



**T4**

Titanium mini-tongue for CCG622FSR, CCG832FSR harnesses. **7 g**



**T5**

Titanium tongue for E1 harnesses. **9 g**



**T6**

Lap belt tongue with ergonomic bend. Titanium. **18 g**

## OPTIONALS



**O6**

Intercom or Drink System cord.



**O2**

Logo printed directly on the webbing in high grip material for FHR.



**O7**

Hook and loop fastener on upper shoulder belt.



**O4**

Closure hook and loop fastener for adjustable straps.



**O5**


Ergonomic handle.

# CCA622SRDLPM


# CCA622SRDLPM

## STANDARD FEATURES

**NEW**



## CONFIGURATIONS ON DEMAND



FIA APPROVED

MANUFACTURER: SABELT  
MODEL: E1  
HOM. NO: SH.006.16-T-6  
FIA STANDARD: 8853-2016

**SALOON**

FIA 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 680 • D 850

STANDARD COLOURS/CODES

CCA622SRDLPM • CCA622SNDLPM • CCA622SBDLPM

OPTIONALS

04




# CCA622SRDN1


# CCA622SRDN1

## STANDARD FEATURES

**NEW**



## CONFIGURATIONS ON DEMAND



FIA APPROVED

**SALOON**

FIA 8853-2016

MANUFACTURER: SABELT  
MODEL: NEW SPEC SALOON  
HOM. NO: SH.001.16-T-6  
FIA STANDARD: 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 680 • D 850

STANDARD COLOURS/CODES

CCA622SRDN1 • CCA622SNDN1 • CCA622SBDN1


## OPTIONALS




# CCA622SRUN1

# CCA622SRUN1

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



**FIA APPROVED**

MANUFACTURER: SABELT  
MODEL: NEW SPEC SALOON  
HOM. NO: SH.001.16-T-6  
FIA STANDARD: 8853-2016

**SALOON / RALLY**

FIA 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 560 + 120 • D 850

STANDARD COLOURS/CODES

CCA622SRUN1 • CCA622SNUN1 • CCA622SBUN1

## OPTIONALS






# CCA633SRUN

# CCA633SRUN

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



**SALOON**

FIA 8853-2016

MANUFACTURER: SABELT  
 MODEL: NEW SPEC S3  
 HOM. NO: SH.031.17-T-6  
 FIA STANDARD: 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 560 + 120 • D 850

STANDARD COLOURS/CODES

CCA633SRUN • CCA633SNUN • CCA633SBUN

## OPTIONALS






STANDARD FEATURES



CONFIGURATIONS ON DEMAND



MANUFACTURER: SABELT  
 MODEL: NEW SPEC S3  
 HOM. NO: SH.031.17-T-6  
 FIA STANDARD: 8853-2016

**SALOON**

FIA 8853-2016


STANDARD MEASURES (mm)

A 380 • B 1700 • C 680 • D 850


STANDARD COLOURS/CODES

CCS632SRDN • CCS632SNDN • CCS632SBDN

STANDARD FEATURES



CONFIGURATIONS ON DEMAND



FIA APPROVED

MANUFACTURER: SABELT  
MODEL: NEW SPEC SALOON  
HOM. NO: SH.001.16-T-6  
FIA STANDARD: 8853-2016

SALOON

FIA 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 560 + 120 • D 850

STANDARD COLOURS/CODES

CCS622SRUN • CCS622SNUN • CCS622SBUN




# CCS633SRUN

# CCS633SRUN

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



FIA APPROVED

MANUFACTURER: SABELT  
 MODEL: NEW SPEC S3  
 HOM. NO: SH.031.17-T-6  
 FIA STANDARD: 8853-2016

**SALOON**

FIA 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 560 + 120 • D 850

STANDARD COLOURS/CODES

CCS633SRUN • CCS633SNUN • CCS633SBUN



STANDARD FEATURES

**NEW**



FIA APPROVED

MANUFACTURER: SABELT  
MODEL: ---  
HOM. NO.: ---  
FIA STANDARD: 8853-2016

FORMULA

FIA 8853-2016

STANDARD MEASURES (mm)

A 360 • B2 495+105 • B3 430 • C 975 • D 960  
FULL Length FULL Length

STANDARD COLOURS/CODES

CCG832FSR • CCG832FSN




STANDARD FEATURES

**NEW**



CONFIGURATIONS ON DEMAND



**FIA APPROVED**

MANUFACTURER: SABELT  
MODEL: NEW SPEC F3  
HOM. NO: SH.047.18-T-6  
FIA STANDARD: 8853-2016

**FORMULA**

FIA 8853-2016

STANDARD MEASURES (mm)

**A** 360 • **B** 370 • **C** 975 • **D** 960  
FULL Length FULL Length

STANDARD COLOURS/CODES

■ CCG622FSR • ■ CCG622FSN

OPTIONALS



# CCA622FRUN1


# CCA622FRUN1

## STANDARD FEATURES

**NEW**



## CONFIGURATIONS ON DEMAND



FIA APPROVED

MANUFACTURER: SABELT  
MODEL: NEW SPEC F2  
HOM. NO: SH.033.17-T-6  
FIA STANDARD: 8853-2016

**FORMULA**

FIA 8853-2016

STANDARD MEASURES (mm)

A 440 • B 700 • C 530 + 120 • D 1200

STANDARD COLOURS/CODES

CCA622FRUN1 • CCA622FNUN1 • CCA622FBUN1

## OPTIONALS





# CCS622FRUN


# CCS622FRUN

## STANDARD FEATURES

**NEW**



## CONFIGURATIONS ON DEMAND



**FIA APPROVED**

MANUFACTURER: SABELT  
MODEL: NEW SPEC F2  
HOM. NO: SH.033.17-T-6  
FIA STANDARD: 8853-2016

**FORMULA**

FIA 8853-2016

STANDARD MEASURES (mm)

**A** 440 • **B** 700 • **C** 530 + 120 • **D** 1200

STANDARD COLOURS/CODES

■ CCS622FRUN • ■ CCS622FNUN • ■ CCS622FBUN

# CCA433SRDN


# CCA433SRDN

## STANDARD FEATURES

**NEW**



## CONFIGURATIONS ON DEMAND



**SALOON**

FIA 8854/98

MANUFACTURER: SABELT  
MODEL: TOP FORMULA  
HOM. NO: B.122.T/98  
FIA STANDARD: 8854/98

**FOR KIT CAR "W"**

STANDARD MEASURES (mm)

A 480 • B 450 • C 130+610

STANDARD COLOURS/CODES

CCA433SRDN • CCA433SNDN • CCA433SBDN



# CCS433SRDN

# CCS433SRDN

## STANDARD FEATURES

**NEW**



Super strong steel adjuster



LHD CONFIGURATION

## CONFIGURATIONS ON DEMAND



A1

A1

A12 (2" only)



RHD CONFIGURATION

FIA APPROVED

MANUFACTURER: SABELT  
MODEL: TOP FORMULA  
HOM. NO: B.122.T/98  
FIA STANDARD: 8854/98

**SALOON**

FIA 8854/98

**FOR KIT CAR "C"**

STANDARD MEASURES (mm)


A 480 • B 450 • C 130+610

STANDARD COLOURS/CODES

■ CCS433SRDN • ■ CCS433SNDN • ■ CCS433SBDN

# CCS433SRUN

## STANDARD FEATURES



MANUFACTURER: SABELT  
MODEL: TOP FORMULA  
HOM. NO: B.122.T/98  
FIA STANDARD: 8854/98

**SALOON**

**FIA 8854/98**

STANDARD MEASURES (mm)

**A** 380 • **B** 1700 • **C** 560 + 120

STANDARD COLOURS/CODES

■ CCS433SRUN • ■ CCS433SNUN • ■ CCS433SBUN

## CROTCH STRAPS

To upgrade 4-point Belts 8854/98 to 6-Point 8853/98. **Warning:** only until "Not valid after 2022" produced until 2017 can be converted. The 4-point belts produced since 2018 cannot be converted.



**T-TYPE** - T-type crotch strap. Snap hook fixing with 7/16" eyebolt included. Adjustable length. New anatomical T-bar. 2" webbing. Fits to all Sabelt range of harnesses for saloon cars.

**BOLT-IN V-TYPE** - V-type crotch strap bolt-in. 2" webbing, adjustable length. Fits to all Sabelt range of harnesses for saloon cars.

**SNAP HOOK V-TYPE** - V-type crotch strap. Snap hook fixing with 7/16" eyebolt included. 2" webbing adjustable length. Fits to all Sabelt range of harnesses for saloon cars.

■ 414850E

■ 412850E

■ 411850E

■ 414853E

■ 412853E

■ 411853E

■ 414853ME

■ 412853ME

■ 411853ME

## EYE BOLTS AND PLATES



407005

Standard eye-bolt diam. 7/16" UNF thread length 23 mm, 25 mm tot., 8.8.



CCM10018

Eye-bolt 7/16" UNF thread length 32 mm, 8.8



CCM10023

Eye-bolt metric M10 x 1.5 thread length 23 mm, 8.8. Does not comply with FIA requirements.



CCM10017 - WESTFIELD

Eye-bolt 50 mm. long, 7/16", 8.8



CCM10016

Eye-bolt back plate 65 mm x 65 mm x 3 mm 7/16" UNF thread welded nut, 40 mm2. Complies with FIA requirements.



SB/2049

Eye bolt back plate 50 x 25 mm, 6 mm thick, 7/16" UNF thread. Does not comply with FIA requirements.

## PADS



Vep fabric shoulder cover. 75 mm (3") width. Hook and loop fastening.

■ 475040

■ 475020

■ 475010



Vep fabric shoulder cover. 50 mm (2") width. hook and loop fastening.


■ 450040

■ 450020

■ 450010




**SHOULDER**




**CASP2135\_KIT** STANDARD MEASURES (mm)  
**NEW** A 280 • B3 (3") 430  
 B2 (2") 515+100



**CASP2151\_KIT** STANDARD MEASURES (mm)  
**NEW** A 280 • B3 (3") 430  
 B2 (2") 515+200




**CASP2133\_KIT** STANDARD MEASURES (mm)  
**NEW** A 410 • B 760



**CASP2136\_KIT** STANDARD MEASURES (mm)  
**NEW** A 355 • B 395

**SFI 16.5 HARNESSSES**

**LAP**



**CAAD2140**  
**NEW**

**CAAD2141**  
**NEW**

**CAAD2142**  
**NEW**

**CAAD2143**  
**NEW**

**CAAD2154**  
**NEW**

**CROTCH**



**CAC02075\_KIT**  
**NEW**

**CAC02076\_KIT**  
**NEW**



# INDYCAR

## CFCI2294

- SF116.5 Formula style (Indycar)
- Double shoulder • Shoulder 3": sewn loop
- Shoulder 2": sewn loop adjustable pull down
- Quick release 3" aluminum adjusters on shoulders
- Adjustable lap w/tribars • Lap belts Bolt in fixing
- Formula style crotches bolt in and stop



STANDARD COLOURS/CODES

■ CFCI2294

STANDARD MEASURES (mm)

A 335 • B3 (3") 430 • B2 (2") 515+120  
C 550 • D 990

## CFCI2339

- SF116.5 Formula style (Indycar)
- 3+2 shoulder belts
- Shoulder fixing: sewn loop or wrap around
- Quick release 3" aluminum adjusters on shoulders
- Adjustable lap w/tribars
- Flat lever camlock
- Formula style crotches bolt in and stop



STANDARD COLOURS/CODES

■ CFCI2339

STANDARD MEASURES (mm)

A 410 • B 760 • C 840  
D 780





# NASCAR

## CFCI2256

- SF116.6 NASCAR • Double shoulder
- Shoulder 3": wrap around • Shoulder 2": wrap around pull up
- Quick release 3" and 2" aluminum adjusters on shoulders
- double pull down lap, 2" quick release adjuster integrated to camlock
- Lap belts Bolt in fixing • T-bar crotches style bolt in + tribar
- Negative G belt double bolt in

STANDARD COLOURS/CODES

■ CFCI2256

STANDARD MEASURES (mm)

A 350 • B3 455 • B2 100+400  
C 550 • D 650 • Neg G 320



## CFCI2190

- SF116.6 NASCAR • 3+2 shoulder belts
- Shoulder fixing: wrap around
- Quick release 3" aluminum adjusters on shoulders
- Adjustable lap w/tribars • Formula style crotches bolt in and stop
- Negative G belt double bolt in

STANDARD COLOURS/CODES

■ CFCI2190

STANDARD MEASURES (mm)

A 406 • B 760 • C 838  
D 766 • Neg G 510



## CFCI2257

- SF116.6 NASCAR • 3+2 shoulder belts
- Shoulder fixing: wrap around
- Quick release 3" aluminum adjusters on shoulders
- double pull down lap, 2" quick release adjuster integrated to camlock
- T-bar crotches style bolt in + tribar
- Negative G belt double bolt in

STANDARD COLOURS/CODES

■ CFCI2257

STANDARD MEASURES (mm)

A 350 • B 555 • C 590  
D 510 • Neg G 475



## CFCC4046

SALOON  
4 FIXING POINTS  
NOT Homologated

STANDARD COLOURS/CODES

- CFCC4046
- CFCC2046
- CFCC1046



AVAILABLE ON DEMAND

## 904059NP

SALOON  
3 FIXING POINTS  
Homologation: ECE

STANDARD COLOURS/CODES

- 904059NP
- 902059NP
- 901059NP
- 907059NP



Coppia cuscinetti coprispalla inclusa. Pair of shoulder pads included.

## 904020NP

SALOON  
4 FIXING POINTS  
Homologation: ECE

STANDARD COLOURS/CODES

- 904020NP
- 902020NP
- 901020NP
- 907020NP



Coppia cuscinetti coprispalla inclusa. Pair of shoulder pads included.

## 904005N

SALOON  
3 FIXING POINTS  
Homologation: ECE

STANDARD COLOURS/CODES

- 904005N
- 902005N
- 901005N
- 907005N



## 904070NP

SALOON  
4 FIXING POINTS  
Homologation: ECE

STANDARD COLOURS/CODES

- 904070NP
- 902070NP
- 901070NP
- 907070NP



Coppia cuscinetti coprispalla inclusa. Pair of shoulder pads included.

## 904019N

SALOON  
3 FIXING POINTS  
Homologation: ECE


STANDARD COLOURS/CODES

- 904019N
- 902019N
- 901019N
- 907019N






NETS








**Z280988**

**WINDOW NET**

**NEW**

- Professional window net.
- Quick release with push button
  - Rollcage fixing clamps
  - Rigid metal bars
  - Tightening adjusters
  - Polyester webbing

In compliance with Fia regulation.



**FCRN2000**

**RACING NET**

**NEW**



MANUFACTURER: SABELT  
MODEL: FCRN2000  
HOM. NO: RN.015.18  
FIA STANDARD: 8863-2013

LEFT VERSION  
FCRN2000S01LH  
RIGHT VERSION  
FCRN2000S01RH

**Z280985**

**WINDOW NET**

**NEW**

- Professional window net
- Red webbing opening system
  - Rollcage mounting
  - Tightening adjusters
  - Polyester webbing

In compliance with Fia regulation.

