



The Way
To Fish®



FISHING & OUTDOOR CATALOGUE

CONTENTS



DOWNRIGGERS

- 6 electric
- 10 manual

DOWNRIGGER PARTS & ACCESSORIES

- 14 downrigger spare parts
- 15 downrigger accessories
- 16 downrigger tackle
- 17 cable and line

LINE RELEASES

- 18 power grip plus
- 18 mini power grip plus
- 19 hairtrigger
- 19 snapper
- 19 mini snapper

LINE PULLER

- 20 electric
- 20 manual

ROD HOLDERS

- 21 orca
- 22 striker
- 24 power lock
- 26 rodmaster
- 27 rocket launcher
- 27 side winder
- 28 bait caster/spinning
- 30 fly rod

MOUNTS

- 32 downrigger mounts
- 33 compact downrigger mounts
- 33 dual
- 34 rod holder mounts & adapters
- 36 electronic mounts
- 38 low profile track
- 38 gearhead
- 39 stick/glue on mounts

ACCESSORIES

- 40 rod holder accessories
- 41 fishing accessories
- 42 boat accessories
- 44 extension & adapters

SAFETY EQUIPMENT

- 45 lighting
- 45 pumps
- 45 first aid

PADDLE SPORTS

- 46 kayak
- 48 stand up paddle board

JORDAN-SCOTTY

- 50 fish incubator systems

ICON LEDGEND

 no assembly required

 colour options

 best suited for paddle sports

 best suited for still water

The Way
To Fish®

65 years of quality, innovation & customer service

SCOTTY® FISHING & OUTDOOR PRODUCTS

A family business for over 60 years, Scott Plastics Ltd. has grown from a local BC company to operating and shipping worldwide. The company is now situated near the YYJ Victoria Airport in an 85,000 sq.ft. manufacturing plant that was built back in year 2000, and has recently expanded.

The Scotty trademark has become recognized to mean product excellence. The total commitment to quality, fair pricing and unmatched service means our customers

everywhere can expect reliability and satisfaction from every product that carries the Scotty name. This commitment has taken us to where we are today and will hopefully serve us well for many years to come.

All products are backed by years of manufacturing experience and the highest quality customer service. Excellent vendor support and a superior product have made Scotty a leader in the fishing industry. Scotty: The Way to Fish!

IN 1952, Blayney Scott and his wife Almeda Scott started a small company in Victoria, British Columbia that pioneered the use of plastics in the manufacturing of salmon fishing, lures and other marine products. From humble beginnings, Scott Plastics Ltd. evolved to produce thousands of products under the Scotty trademark which are sold to the fishing, marine, outdoor and firefighting industries worldwide.



LIMITED ★★★★★
LIFETIME
WARRANTY

Each Scotty Downrigger comes with a Limited Lifetime Warranty. The best warranty in the industry, backed by over 60 years of manufacturing experience and unbeatable customer service.

DOWNRIGGERS

WHAT IS A DOWNRIGGER?

Fight the fish, not the fishing gear

Downriggers were created for one principal reason: to allow anglers to troll their lures at a specific depth. Years of testing and practical use had shown that a moving bait or lure in the water, trolled at the depth where fish were present, was the best way to ensure a hookup and to get results. Downriggers improved both trolling results, and the fun factor—they put the sport back in sport fishing.


The earliest downriggers were very simple in

form, generally consisting of a spool of wire mounted to the boat with a heavy weight hung on the end of the wire. The lure or bait was attached directly to the downrigger weight and did not release when a fish struck. The angler had to wind up both the weight and the fish. This concept of deep trolling became popular with the sport fisherman when the idea of attaching a rod to the downrigger, by means of a release clip, was introduced.


A release clip is attached to the wire and then the fishing line from the rod is clipped

into the release. The downrigger weight is then lowered to precisely the depth required. When a fish hits, the line is released from the downrigger wire, leaving the heavy weight on the downrigger. The angler is then free to fight the fish on the rod and reel alone, without the added drag of heavy lines and trolling weights used in the past.

Scotty introduced its first downrigger over 40 years ago and now produces the most complete range of downriggers and accessories in the world.



1. Clip your fishing line to the downrigger line using the patented Scotty Power Grip line release.
2. Loosen the drag on your fishing reel and carefully let the downrigger line out to a specific depth.



CHOOSING THE RIGHT ELECTRIC DOWNRIGGER

	HIGH PERFORMANCE			DEPTHPOWER				
	2106 HIGH PERFORMANCE	2106B HIGH PERFORMANCE	2116 HIGH PERFORMANCE PROPACK	1099 DEPTHPOWER	1101 DEPTHPOWER	1106 DEPTHPOWER	1106B DEPTHPOWER	1116 PROPACK
STAINLESS STEEL CABLE • premium test 150 lb • premium test 180 lb	300 ft.		300 ft.	250 ft.	250 ft.	250 ft.		250 ft.
BRAIDED LINE • premium test 200 lb • premium test 250 lb		300 ft.					300 ft.	
16 POSITION SWIVEL MOUNTING BASE	✓	✓	✓	sold separately	✓	✓	✓	✓
LOCKING TILT-UP MOUNT	✓	✓	✓	✓	✓	✓	✓	✓
POWER GRIP PLUS LINE RELEASE MODEL NO.	1170	1170	1170 + 1171	1170	1170	1170	1170	1170 + 1171
ROD HOLDER MODEL	470 Rocket Launcher	470 Rocket Launcher	447 Dual Rocket Launcher	355 Rodmaster II	358 Rodmaster II	358 Rodmaster II	358 Rodmaster II	247 Dual Rod Holder
WEIGHT STORAGE HOOK	✓	✓	✓	sold separately	sold separately	sold separately	✓	✓
STAINLESS STEEL BOOM LENGTH	36" - 60" Telescopic	36" - 60" Telescopic	36" - 60" Telescopic	24" Fixed	30" Fixed	36" - 60" Telescopic	36" - 60" Telescopic	36" - 60" Telescopic
12 V MARINCO™ CORROSION RESISTANT PLUG + SOCKET	✓	✓	✓	✓	✓	✓	✓	✓
LARGE SURFACE AUTOMATIC BRAKE	✓	✓	✓	✓	✓	✓	✓	✓
SPRAY PROTECTED POSITIVE-DRIVE DEPTH COUNTER	✓	✓	✓	✓	✓	✓	✓	✓
KEVLAR™ BELT DRIVEN	✓	✓	✓	✓	✓	✓	✓	✓
AUTO STOP WITH JOG BUTTON FEATURE	✓	✓	✓	✓	✓	✓	✓	✓

LIMITED ★★★★★

EACH SCOTTY DOWNRIGGER IS FACTORY ASSEMBLED AND LOAD TESTED

**LIFETIME
WARRANTY**

HIGH PERFORMANCE	12lb.			15lb.			20lb.			DEPTHPOWER
	Weight	12lb.	15lb.	20lb.	Weight	7 lb.	10lb.	15lb.		
Retrieval Speed	304 ft./min.	295 ft./min.	260 ft./min.	235 ft./min.	222 ft./min.	203 ft./min.				
Amperage Draw	13 amps	14.5 amps	19.5 amps	4 amps	5 amps	8 amps				

CHOOSING THE RIGHT MANUAL DOWNRIGGER

	MANUAL			COMPACT			LAKETROLLER	
	1080 STRONGARM	1085 STRONGARM	1091 LONGARM COMBO PACK	1050 DEPTHMASTER	1050MP MASTERPACK	1060 DEPTHKING	1071 CLAMP MOUNT	1073 BRACKET MOUNT
PREMIUM 150 LB. TEST STAINLESS STEEL CABLE	200 ft.	200 ft.	200 ft.	200 ft.	200 ft.	200 ft.	100 ft.	100 ft.
LOCKING TILT-UP MOUNT	✓	✓	✓	N/A	N/A	N/A	N/A	N/A
POWER GRIP PLUS LINE RELEASE MODEL NUMBER	1170	1170	1170	1170	1170	1170	1181 Mini Grip	1181 Mini Grip
ROD HOLDER MODEL	355 Rodmaster II	358 Rodmaster II	358 Rodmaster II	355 Rodmaster II	355 Rodmaster II	355 Rodmaster II	N/A	N/A
WEIGHT STORAGE HOOK	sold separately	sold separately	sold separately	N/A	N/A	N/A	N/A	N/A
STAINLESS STEEL BOOM - LENGTH	24" Fixed	30" Fixed	36" - 60" Telescopic	23" Fixed	23" Fixed	23" Fixed	12" Fixed	12" Fixed
LARGE SURFACE AUTOMATIC BRAKE	✓	✓	✓	✓	✓	✓	manual drag break	manual drag break
SPRAY PROTECTED POSITIVE-DRIVE DEPTH COUNTER	✓	✓	✓	✓	✓	✓	N/A	N/A
SPOOL DIAMETER FT. PER TURN	2 ft.	2 ft.	2 ft.	1 ft.	1 ft.	2 ft.	1 ft.	1 ft.

DOWNRIGGERS

electric

STANDARD FEATURES INCLUDED WITH ALL HIGH PERFORMANCE MODELS

A 1170
18" Power Grip Plus line release

B 469
Rocket Launcher Rod Holder

C 1023
Tilt-up Mounting Bracket

D Auto-stop

E 2132
Illuminated LCD Counter

F Auto Stop beads (4)


G 1148
Weight Storage Hook

H Limited Lifetime Warranty

I 1026
Swivel Mount

J 2125
Marinco® 12V Plug & Receptacle

K 2128
Right Angle Receptacle mount



HIGH PERFORMANCE

Scotty High Performance Electric Downriggers have reached the highest performance and reliability standards yet, while remaining competitively priced. Thousands of anglers now enjoy the superior speed, power and years of reliability that only Scotty offers. Scotty's custom designed marine components and final quality control tests produce a downrigger that is unmatched in the industry.



LIMITED ★★★★★
LIFETIME
WARRANTY

DOWNRIGGERS

electric



2106

High Performance

The downrigger of choice for serious fishermen. Unmatched in power, performance and reliability. Equipped with 300 ft. of 180 lb. test stainless steel cable. 36"-60" 1 1/4" telescopic stainless steel boom.



2106B

High Performance

Power and performance packaged with our strongest braided downrigger line. Equipped with 300 ft. of 250 lb. test braided line. 36"-60" 1 1/4" telescopic stainless steel boom.



2116

High Performance ProPack

The number one choice in performance downriggers for the charter captain. Equipped with 300 ft. of 180 lb. test stainless steel cable and our stainless steel rocket launcher dual rod holder. 36"-60" 1 1/4" telescopic stainless steel boom.



DOWNRIGGERS

electric

STANDARD FEATURES INCLUDED WITH ALL DEPTHPOWER MODELS

A 1170
18" Power Grip Plus line release

B 358
Rod Master II Rod Holder

C 1023
Tilt-up Mounting Bracket

D Auto-stop

E 1145
Mechanical Counter

F Auto Stop beads (4)

G Limited Lifetime Warranty

H 1026
Swivel Mount (except 1099 model)

I 2125
Marinco® 12V Plug & Receptacle

J 2128
Right Angle Receptacle mount



DEPTHPOWER

Scotty Depthpower Electric Downriggers have the highest performance and reliability standards ever, while remaining competitively priced. Thousands of fishermen now enjoy the superior speed, power and years of reliability that only Scotty offers. From custom designed marine motors to the final quality control tests, Scotty performance is unmatched in the industry.

G
LIMITED ★★★★★
LIFETIME
WARRANTY



DOWNRIGGERS

electric



1099 Compact



All the performance features in an easy to stow compact size. Equipped with 250 ft of 150 lb. test stainless steel cable. 24" long, 1" dia. boom.



1101 Depthpower



Designed for heavy duty use, this unit will handle long hours and heavy weights in tough conditions. Equipped with 250 ft of 150 lb. test stainless steel cable. 30" long, 1 1/4" dia. boom.



1106 Depthpower



Our most popular electric downrigger. Equipped with 250 ft of 150 lb. test stainless steel cable. 36"-60" long, 1 1/4" dia. telescopic boom.



1106B Depthpower



All the features you have come to love with our depthpower series. Now available with more options than ever. Equipped with 300 ft of 200 lb. test braided line. 36"-60" long, 1 1/4" dia. telescopic boom. Included, downrigger weight storage hook and sure-stop kit.



1116 Propack



The top choice of charter captains. Equipped with 250 ft of 150 lb. test stainless steel cable. 36"-60" long, 1 1/4" dia. telescopic boom. Heavy duty adjustable dual rod holder also included.



DOWNRIGGERS

manual

STANDARD FEATURES INCLUDED WITH ALL MANUAL DOWNRIGGERS

- A 358**
Rod Master II Rod Holder
- B 1023**
Tilt-up Mounting Bracket
- D 1170**
18" Power Grip Plus line release
- C** Limited Lifetime Warranty
- E 1146**
Mechanical Counter

MANUAL

Scotty Manual Downriggers have been the preferred choice of fishermen for over forty years. They are engineered with a number of exclusive features contained in no other downrigger



C
LIMITED ★★★★★
LIFETIME
WARRANTY



1080
Strongarm



This downrigger has outstanding features for small and intermediate size boats. Equipped with 200 ft. of 150 lb. test stainless steel cable. 24" long, 1" dia. boom.

1085
Strongarm



The heavy duty workhorse of the Scotty manual lineup. Excellent for the intermediate size boat. Equipped with 200 ft. of 150 lb. test stainless steel cable. 30" long 1 1/4" dia. boom.

1091
Longarm



Ideal for big boats. Equipped with 200 ft. of 150 lb. test stainless steel cable. 36-60" long 1 1/4" dia. telescopic boom. Includes 1026 swivel mount.



DOWNRIGGERS

compact

COMPACT

The Depthmaster and Depthking models offer more value for the fisherman than anything else on the market. The price and operating features of these units beat the competition hands down.

STANDARD FEATURES INCLUDED WITH ALL COMPACT DOWNRIGGERS

A Limited Lifetime Warranty

B 355
Rod Master II Rod Holder

C 1170
18" Power Grip Plus line release

D 1010
Quick-Slide Deck Mounting Bracket

E 1146
Mechanical Counter

A LIMITED ★★★★★
LIFETIME
WARRANTY



1050 Depthmaster

The perfect introductory downrigger. One foot per turn of the spool. Equipped with 200 ft. of 150 lb. test stainless steel cable. 23" long, 3/4" dia. boom.



1050 MP Masterpack

The 1050 Depthmaster equipped with 200 ft. of 150 lb. test stainless steel cable. 23" long, 3/4" dia. boom. Includes 1021 portable anodized aluminum clamp mount for added versatility.



1060 Depthking

Ideal for the small boat that fishes deep and needs a high speed retrieve. Includes a high speed 2 ft. per turn of the spool. Equipped with 200 ft. of 150 lb. test stainless steel cable. 23" long, 3/4" dia. boom.



DOWNRIGGERS

laketroller



1071
Clamp Mount



Comes with fully portable engineering grade modified nylon clamp for mounting on the gunnel or transom (2" opening). Great for aluminum boats and canoes. 1 ft. per turn of the spool. Includes 1181 mini power grip line release.



1073
Bracket Mount



Mounting bracket permits mounting on a flat deck surface or on the side of a gunnel or transom. The mounting design gives 360° of rotation. Comes with a 241 side/deck Mount. 1 ft. per turn of the spool. Includes 1181 mini power grip line release.



1017
3 lb. finned Downrigger lead weight.



LAKETROLLER

Laketroller downriggers built for the smaller boat. Great for aluminum boats, kayaks and canoes.



DOWNRIGGER PARTS & ACCESSORIES

spare parts/accessories



1140
Fairlead for 3/4" downrigger boom.

1141
Fairlead for 1" downrigger boom.

1149
Fairlead for 1 1/4" downrigger boom.



1147
Downrigger Weight Hook for 1" Booms.

1148
Downrigger Weight Hook for 1 1/4" Booms (not shown).



1139
Downrigger Pulley Upgrade Kit.

1014
Downrigger Pulley Replacement Kit.



1142
Manual Downrigger Handle.



1034
4 1/2" Downrigger Mounting Bolt

1134
6" Downrigger Mounting Bolt
(1034-2000 models and earlier,
1134-2001 models and later).



1035
1" Replacement Mounting Bolts (2)

1135
2" Replacement Mounting Bolts (2).

DOWNRIGGER ELECTRICAL ACCESSORIES

1125 4 & 5 Hella Electric Plug and Socket
For 12 volt max. 18 amp applications.

1126 5 Hella Electric Socket only.

1127 4 Hella Electric Plug only.

2125 1 & 2 Marinc® 12V Downrigger Plug and Receptacle.

2126 5 Marinc® 12V Downrigger Receptacle .

2127 1 Marinc® 12V Downrigger Plug.

2128 3 Optional Right Angle Receptacle. Mount for ConnectPro® Downrigger Receptacle.

Scotty electric downriggers now come standard with Marinc® ConnectPro plug and receptacle.



DOWNRIGGER PARTS & ACCESSORIES

spare parts/accessories



3134
Downrigger Locking Plates.
For your electric or manual downrigger.



2129
Spare Belt for HP Downrigger and Line Puller.

1129
Spare Single Belt for Depthpower Downrigger
made after 2001 (not shown).

1128
Spare Belts for Depthpower Downrigger made
before 2000 (not shown).



1132
Replacement Emergency Crank Handle
for Electric Downriggers.



1145
Depthpower Counter with Base.



2132
High Performance Digital Counter.



1146
Manual Counter with Base.



1131
Depthpower Replacement Lid.



2131
High Performance Replacement Lid with
Digital Counter.



1024
Manual Counter Cover.

1133 6 12 ft. premium tinned copper 12 gauge 2
conductor power wire.

1124 7 30 amp marine in-line fuse holder (fuse
included).




1158
Depthpower
Downrigger Spare
Parts Kit

1159
High Performance
Downrigger Spare
Parts Kit

DOWNRIGGER PARTS & ACCESSORIES

downrigger tackle



- A 1150** 225 lb. Test coastlock snaps (2) **B 1004** connector sleeves (10) **C 374** sure stop electric downrigger stopper system
D 2008-24 auto stop beads for braided line (24) **2008** auto stop beads for braided line (6, not shown) **E 1009** insulating downrigger weight swivel hooks (2) **F 1039** soft stop bumper for snap hooks (4) **G 371** trolling snubber with trolling snap
H 1157 stainless steel thimble kit (2) **I 1011** double line connector sleeves (10) **J 1007** release clip locators (10)
K 1008 stopper beads for downrigger cable (6) **L 373** diver snubber **M 1151** 350 lb. Test coastlock snap with sampo® swivel
N 1153 terminal kit **O 1152** large coastlock snaps (2) **P 1154** terminal kit **Q 1038** cable coupler **R 370** trolling snubber with swivel and snap
S 1008-24-BK black stopper beads for downrigger cable (24) **1008-24-YL** yellow stopper beads for downrigger cable (24, not shown)
T 1161 dummy flasher rig (2)

DOWNRIGGER PARTS & ACCESSORIES

downrigger cable & line

DOWNRIGGER CABLE & LINE

1000 SERIES PREMIUM STAINLESS STEEL DOWNRIGGER CABLE	2400 SERIES HP STAINLESS STEEL DOWNRIGGER CABLE	2800 SERIES LOW DRAG BRAIDED DOWNRIGGER LINE	2700 SERIES PREMIUM BRAIDED DOWNRIGGER LINE	2200 SERIES HEAVY DUTY BRAIDED DOWNRIGGER LINE
150 LB. TEST	180 LB. TEST	150 LB. TEST	200 LB. TEST	250 LB. TEST
1000 200 FT.				
1001 300 FT.				
1002 400 FT.				
1000K 200 FT. with terminal kit	2400K 200 FT. with terminal kit	2800K 200 FT. with terminal kit	2700K 200 FT. with terminal kit	2200K 200 FT. with terminal kit
1001K 300 FT. with terminal kit	2401K 300 FT. with terminal kit	2801K 300 FT. with terminal kit	2701K 300 FT. with terminal kit	2201K 300 FT. with terminal kit
1002K 400 FT. with terminal kit	2402K 400 FT. with terminal kit	2802K 400 FT. with terminal kit	2702K 400 FT. with terminal kit	2202K 400 FT. with terminal kit



LINE RELEASES

power grip plus & mini power grip plus





1. Attach the Cannonball snap to the Cannonball.
2. Attach your fishing line to the Power Grip release by squeezing the jaws apart and placing your fishing line between the pads. The release tension is lighter at the outer tip, and is heavier the further into the jaws you place the line.
3. The tension adjuster can be moved forward to decrease or back to increase the release tension.

POWER GRIP PLUS

Streamlined design won't snag on weeds or foul lines.


- A 1170** 18" heavy monofilament leader with cannonball snap
- B 1171** 18" leader with stacking, self locating snap
- B 1172** 30" leader with stacking, self locating snap
- B 1173** 48" leader with stacking, self locating snap
- B 1178** 60" leader with stacking, self locating snap
- C 1176** stacker with 6" leader
- C 1179** stacker with 30" leader
- C 1191** stacker with 40" leader
- C 1192** stacker with 60" leader
- D 1190** 6 replacement power grip pads
- E 1177** planer board snap



MINI POWER GRIP PLUS


A compact version of the Power Grip Plus.

- F 1181** 18" wire leader with cannonball snap
- G 1182** planer board - (4)
- H 1180** 18" wire leader with stacking, self locating snap
- H 1183** 30" wire leader with stacking, self locating snap



LINE RELEASES

hairtrigger, snapper & mini snapper



1022

Extra pins for all hairtrigger release clips (3).



1020

Hairtrigger Release Clip

Release clip attaches directly to the downrigger line. Simple and effective.

Ideal for use with Braided Line



1041 18"
1049 30"
1040 48"

Snapper Release Clip

Leader with stacking, self-locating snap.



1042

Snapper Release Clip

18" Leader with cannonball snap.



1043

Snapper Release Clip

Planer Board Release.



1045

Snapper Release Clip

7" wire cable leader.



1160

Snapper Release Clip

Stacker - 6" leader.



1156

3" stainless steel trolling snap (2)

1155

5" stainless steel trolling snap (2)



1048

Mini Snapper Release Clip

Planer Board - (4).



1046

Mini Snapper Release Clip

18" leader with stacking, self-locating snap.



1047

Mini Snapper Release Clip

18" leader with cannonball snap.



1006

Extra Pins for Original Plug Style Downrigger Release (3).



1005

Original Style Downrigger Release

The fishing line is gripped between the soft pads and variable release tension is attained by moving the line in or out of the jaws.

LINE PULLER

manual & electric



2500 Line Puller



The ultimate crab and prawn trap pulling machine. This compact puller makes for easy stowing, and attaches directly to your existing Scotty downrigger mounts.

LINE PULLER

- High torque 12v motor pulls 1 crab trap and up to 4 prawn traps • 120 fpm retrieval speed • Accommodates 1/4" - 3/8" line • Compact size makes for easy stowing • Low amperage draw • Heavy duty stainless steel and composite construction • Easy access on/off switch • Scotty/Marinco™ plug, receptacle and mount included
- Backed by a 2 year warranty • For recreational use only



749

Trap-ease

Crab and prawn trap roller for easy retrieval. Fits all Scotty post mounts.



750

Trap-ease

with 241 Combination side/deck mount.



2515

Line Puller Stow-Away Bag

This durable stow-away bag protects your Scotty Line Puller from the elements when not in use.

ROD HOLDERS

orca



UNLOCKED

LOCKED



400 Orca

with 241L Locking side/deck mount.



401 Orca

with 244L Locking Flush Deck mount.



405 Orca

with 459 Double ended height extender specifically designed for mounting on your downrigger boom.

ORCA

- The inner sleeve opens in one complete motion allowing your rod to be released in an instant
- With one quick motion, your fishing rod is lifted straight out into the fish fighting position
 - Built-in front locking tab to prevent rod loss while traveling

ROD HOLDERS

striker



239
Striker
without mount.



240
Striker
with 241 Combination side/deck mount.



246
Striker
with 244 Flush Deck mount.



UNLOCKED



LOCKED



STRIKER

- Designed and built tough for Salmon, Muskie, Halibut, Sturgeon, and other big game fish
- Stainless steel reinforced post with an oversized opening and easy lock/unlock ring
- The inner support rotates with the rod to instantly remove and strike simultaneously
- All post mount Scotty Rod Holders are fully adjustable



ROD HOLDERS

power lock



UNLOCKED



LOCKED



229
Power Lock
without mount.



230
Power Lock
with 241 Combination side/deck mount.



231
Power Lock
with 244 Flush Deck mount.



339
Power Lock
with 449 Clamp mount.



330
Power Lock
with 259 Height Extender.



256
Triple Power Lock
with three 230 Power Lock rod holders and the
257 Triple mount.



POWER LOCK

- Scotty's most popular value-priced, positive-locking, open style rod holder • Universal cradle holds almost any reel type and has a front locking ring to prevent rod loss while traveling • Fibre reinforced engineering grade nylon provides strength, resilience and reliability

ROD HOLDERS

rod master & rod master II



250
Rodmaster
with 241 Combination side/deck mount.



251
Rodmaster
with 244 Flush Deck mount.



255
Rodmaster
bolts through the boom, fitting 3/4" and 1" Scotty downrigger booms.



258
Rodmaster
clamp-on boom rod holder fits 1 1/4" Scotty downrigger booms.



350
Rodmaster II
with 241 Combination side/deck mount.



351
Rodmaster II
with 244 Flush Deck mount.



349
Rodmaster II
without mount.



355
Rodmaster II
bolts through the boom, fitting 3/4" and 1" Scotty downrigger booms.



358
Rodmaster II
clamp-on boom rod holder fits 1 1/4" Scotty downrigger booms.

ROD HOLDERS

rocket launcher & sidewinder



469
Rocket Launcher
Stainless steel without mount.



470
Rocket Launcher
Stainless steel with 241L Combination side/deck mount.



471
Rocket Launcher
Stainless steel with 244L Locking Flush mount.



473
Rocket Launcher
Stainless steel with 344 Round Flush Deck mount.



477
Rocket Launcher
with 244 Flush mount.



476
Rocket Launcher
with 241Combination side/deck mount.



478
Rocket Launcher
with 344 Round Flush Deck mount.



479
Rocket Launcher
without mount.



222
Sidewinder
5/16" stainless steel construction. 237 Triggerlock mount Included. 223 Sidewinder without mount (not shown).

ROD HOLDERS

bait caster/spinning

BAIT CASTER/SPINNING

- Holds a bait caster reel securely in the cushioned cradle
- A slot in the front of the rod holder allows for secure holding of a spinning reel
- This rod holder is designed with a side mounted flange which leaves the bottom open, this allows for the rod holder to accommodate trigger grips.
- Rods can be secured with a soft latching strap which snaps over the top for baitcaster or under the bottom for spinning reels

ROD HOLDERS

bait caster/spinning



281
Bait Caster/Spinning
 with 244 Flush Deck mount.



282
Bait Caster/Spinning
 with 438 Gear-Head and 440-4 Low-Pro Track.



279
Bait Caster/Spinning
 without mount.



280
Bait Caster/Spinning
 with 241 Combination side/deck mount.



284
Bait Caster/Spinning
 with 243 Square Rail mount.



389
Bait Caster/Spinning
 with 449 Clamp mount.



388
Bait Caster/Spinning
 with 428 Gear-Head, 459 double ended
 extender and 241 side/deck mount.

ROD HOLDERS

fly rod

FLY ROD

- Innovative compact design allows for hands free trolling with a fly rod
- Rod can be secured in holder with a soft latching strap which snaps over the top
- Works well with "short butt" fly rods
- All post mount Scotty Rod Holders are fully adjustable



260
Fly rod
without mount.



264
Fly rod
with 244 Flush Deck mount.



265
Fly rod
with 241 Combination side/deck mount.



267
Fly Rod
with Float Tube mount combination.





MOUNTS

for downriggers



1023
Tilt-up Mounting Bracket
Extra mounting bracket for all Scotty tilt-up downriggers. Also used as the mounting bracket for the Scotty 2500 Line Puller.
Dimensions: 2 1/2" x 4 1/2"
Bolting dimensions: 3 3/4" x 1 5/8"



1025
Right Angle Side Gunnel Mount
For boats with narrow or uneven gunnels. Fits all Scotty downriggers (except Laketrollers) and can be used with 1026 Swivel mount.
Dimensions: 6" x 6" x 6" (top plate)
Bolting dimensions: 2" x 4" (side plate)



1026
Swivel Mount
Gives a full 360° of rotation with 16 locking positions. Comes with 1036 Mounting Plate. Fits all Scotty downriggers (except Laketrollers).
Dimensions: 5 1/2" x 5 1/2" x 4"
Bolting dimensions: 3 1/2" x 4 1/2"



1027
Rail Mount
Fits up to 1 1/2" round rails, including oval-shaped wooden rails. Transfers the downward pressure to the boat gunnel. Fits all Scotty downriggers (except Laketrollers) and can be used with 1026 Swivel mount.
Dimensions: 6 1/8" x 7 1/8"



1036
Mounting Plate
Extra mounting plate for 1026 Swivel mount, 2606 Pedestal Riser 6" and the 2612 Pedestal Riser 12".
Dimensions: 5 1/2" x 5 1/2"
Bolting dimensions: 4 1/2" x 3 1/2"



1037
Mounting Plate
Extra mounting plate for 1025 Right Angle Side Gunnel mount.



2027
Stanchion Mount
The Scotty Stanchion Mount enables you to quickly mount a downrigger to your boats railing stanchion for extra stability. Fits all Scotty downriggers (except Laketrollers) and can be used with 1026 Swivel mount.
Dimensions: 6" x 6" x 6" (top plate)
Bolting dimensions: 2" x 4" (side plate)



MOUNTS for downriggers



1028/1029

Gimbal Mount - 9"/Gimbal Mount - 12"

Fits into a boat's flush mount rod holder. Made from welded stainless steel and nylon for strength and durability. For use in heavy duty factory mounted gimbal rod holders only. Fits all Scotty downriggers (except Laketrollers) and can be used with 1026 Swivel mount.

Dimensions: 1028 6 1/8" x 7 1/8" (top plate)
9" x 1 1/2" dia. (gimbal)
1029 6 1/8" x 7 1/8" (top plate)
12" x 1 3/4" dia. (gimbal)



2612

Pedestal Riser - 12"

Made from fibre reinforced nylon and 2" stainless steel tubing for the ultimate in strength and durability. Designed to be used with 1026 swivel mount, 1023 tilt-up downrigger mount and 1010 compact downrigger mount.

Plate Dimensions: 5 1/2" x 5 1/2"
Bolting Dimensions: 3 1/2" x 4 1/2"



2606

Pedestal Riser - 6"

Made from fibre reinforced nylon and 2" stainless steel tubing for the ultimate in strength and durability. Designed to be used with 1026 swivel mount, 1023 tilt-up downrigger mount and 1010 compact downrigger mount.

Plate Dimensions: 5 1/2" x 5 1/2"
Bolting Dimensions: 3 1/2" x 4 1/2"

MOUNTS downrigger dual rod holder



347

Extended Dual Rod Holder

Comes with 346 Extended Rodmaster II rod holders. Designed for use with the 1026 Swivel mount.



247

Dual Rod Holder

Designed for use with the 1026 Swivel mount.



447

Stainless Steel Dual Rod Holder

Rocket Launcher rod holders, features stainless steel. Designed for use with 1026 swivel mount.



1021

Portable Clamp-on Bracket

Portable mounting option. Great for aluminum boats. Double stainless steel bolts and black anodized aluminum. 2" clamp opening. To be used in with 1010 (not included) mounting bracket.

Dimensions: 5 5/8" x 4 3/4" x 3 1/8"



1015

Side Mount Bracket

For boats with narrow or uneven gunnels. Fits 1050 downriggers. To be used in with 1010 (not included) mounting bracket.

Dimensions: 5 1/4" x 2 1/2"
Bolting Dimensions: 4 9/19" x 1 5/8"



1010

Quick-Slide Deck Mounting Bracket

Works with the 1025 through 1029 optional mounts.



Dimensions: 4 3/4" x 5 5/8"
Bolting dimensions: 2 5/8" x 4 7/8"

MOUNTS for compact downriggers

MOUNTS

for rod holders



241
Combination Side/Deck Mount  
 Can be mounted on top or side of your gunnel.




241L
Locking Combination Side/Deck Mount
 A 241 mount with an easy to use lock and unlock push button system.



344
Round Flush Deck Mount
 Sealed base for watertight applications.



248
Oarlock Mount 
 Use the Oarlock mount on your row boat to mount any post mount rod holder or accessory.



444
Compact Threaded Deck Mount
 Use on gunnels up to 2" thick. Base cap for water tight applications.



449
Clamp Mount
 Fully portable mounting option for all Scotty post mount rod holders and accessories.



244
Flush Deck Mount  
 Sealed base for watertight applications.



244L
Locking Flush Deck Mount
 Locks and unlocks your post mount product easily by sliding a lever.



433
Coaming/Gunnel Clamp Mount 
 Position your rod holder or accessory virtually anywhere on the lip of your kayaks coaming or boat gunnel.



MOUNTS

for rod holders & adapters



237
Triggerlock
 Designed for No. 222 Sidewinder Rod Holder and 1015 Right Angle Mount.



238
Rail Mount Adapter
 Works in conjunction with 237 Triggerlock mount to clamp to a 7/8" and 1" round rail.



441
Backing Plate
 Use the Backing Plate to add structural support when attaching the 241L or 241 side/deck mounts or the 244L or 244 Flush Deck mounts to a thin-walled watercraft.



242
Rail Mount Adapter
 Works in conjunction with 241 side/deck Mount (not included).



340
Track Adapter
 Enables you to use all Scotty Rod Holders with 3 1/2" wide track systems.



423
Downrigger Rod Holder adapter
 In combination with a 241 or 241L Combination side/deck Mounts, easily place the 423 Downrigger Rod Holder Adapter on top of a 1023 Tilt-up Mounting Bracket and select your favourite rod holder to attach.



243
1 1/4" Square Rail Mount



245
1 1/4" Round Rail Mount



287
7/8" Round Rail Mount



132
Extra Long Grip Mounting Rivets
 These structural rivets are an excellent solution for mounting hardware where you don't have access to the back side of a fastener (10). Great for mounting to thin-walled watercraft.



133
Well Nut Mounting Kits
 Securely fasten a multitude of products onto thin walled structures with ease. Available in 4, 16, or 100 pack options. Fasteners included.

RAIL MOUNTS

Position your Scotty rod holder anywhere on your rail. Provides versatile mounting without having to drill more holes in your boat. Perfect for boats with limited mounting surfaces. Stainless steel fasteners (included) hold this tough mount securely in place. Works with all Scotty post mount rod holders and accessories.

MOUNTS

for electronics



368

Universal Sounder Fishfinder Mount

This uses a multi pattern universal top plate and the post mount design for quick removal and adjustable rotation.



268

Float Tube Fishfinder Mount

Adapt a fishfinder to your float tube or pontoon boat. Includes transducer bracket and 6' strap.



135

Camera/Compass Mount

This mount is fully twistable, turnable, rotatable and best of all, instantly portable. Locks down a sport or standard camera without needing a special adapter.



272

Swivel Fishfinder Mount

Mount only.



269

Swivel Fishfinder Mount Kit

With 241 side/deck mount.



270

Swivel Fishfinder Mount with 244 flush deck mount.





TRANSDUCER MOUNT

- Designed for kayaks and small boats
- Made from high strength composite materials
- 415 slip disks for micro adjustments
- Adjustable arm allows for multiple depths and angles
- Collapses easily for storage



140



Transducer Arm Post Mount

Transducer Mounting Arm with 241 side/deck mount

141



Transducer Arm Track Mount

Transducer Mounting Arm with 438 Gear-Head and 440-4" low profile track

MOUNTS

low profile track

LOW PROFILE TRACK

- Made from corrosion proof high strength composite materials that will last a lifetime
- The lowest profile track on the market
- Top load design for quick and easy use
- Use the 438 Gear Head Track Adaptor to mount all of your favourite rod holders and accessories



440-1
1" low profile track



440-4
4" low profile track



440-8
8" low profile track



GEAR HEAD

- Quick and easy, drop and lock system
- Allows you to secure and reposition your rod holder or accessory with just a twist
- Fits all Scotty post mount rod holders and accessories



438
Gear-Head Track Adapter



Use the Track Adapter with the 440 Low Profile track for quick and easy instal and removal of your favourite Scotty post mount product.



428
Gear-Head Mount

Use in conjunction with any of our hight extenders to bring your rod or accessory closer to you.



426
Side Slide Track Adapter



Our unique track adaptor allows you to securely fasten your favourite post mount product to side mounted track.



MOUNTS

gear head & stick/glue on mounts



445
2" Stick-On Accessory Mount with Gear-Head



448
3" Stick-On Accessory Mount with Gear-Head



345
2" Stick-On Accessory Mount



341
Glue-on Mount



342
Glue-on Paddle Clip



348
3" Stick-On Accessory Mount

STICK/GLUE ON MOUNTS

- Our flexible PVC mounts are the perfect fit where bolts and screws are not an option
- Simply peel and stick to any ridged surface or glue any of our mounts to your inflatable and you are ready to attach your favourite Scotty product to your watercraft
- When glue your mount onto a inflatable we always recommend using a marine grade adhesive such as Poly Marine Glue, Stabond UK-148, HH-66 (RH Adhesives), and many more that can be found at your favourite marine dealer



442
Cup Holder Button with 3" Stick-On Accessory Mount



443
Flexible D-Ring with 3" Stick-On Accessory Mount

ACCESSORIES

rod holder accessories



414
Offset Gears
Doubles your rod holder positions for ultimate versatility.



415
Slip Disks
Allow you to make micro adjustments to your rod holder or any Scotty post mount products.



412
Replacement Post
The replacement post fits all Scotty post mount rod holders.



3025
Downrigger Weight Retriever
A safety precaution for the downrigger fisherman. Brings your weight in for rigging lines and releases without having to lean out over the gunnel.

ACCESSORIES

fishing accessories



- A 206 4 ft. aluminum landing net with 30" hoop
- 207 6 ft. aluminum landing net with 30" hoop
- 215 Replacement net bag (not shown)
- B 670 White 1/2 L Vented bait jar (not shown)
- 672 Florescent red 1/2 L Vented bait jar
- C 416 Rod Balancer/Rest
- D 327 Fender Ring
- E 226 30" Gaff/Bonker
- F 210 Net Minder
- G 650 White 1/2 L bait jar
- 652 Florescent red 1/2 L bait jar (not shown)
- 654 White 1/2 L jar only (no lid not shown)
- H 455 Bait Board
- I 225 24" Gaff/Bonker
- J 651 White 1 L bait jar (not shown)
- 657 Florescent red 1 L bait jar
- 653 White lid only (not shown)
- 656 Florescent red lid only (not shown)
- K 3022 Weight Mate (2)
- L 420 Reel E-Z Rod Handle
- M 425 Rod Butt cushion
- N 671 White 1 L vented bait jar
- 677 Florescent red 1 L vented bait jar (not shown)

ACCESSORIES

boating accessories



278
Anchor Lock
Fixed mount.



276
Anchor Lock
with 241 Combination side/deck mount.



277
Anchor Lock
with 244 Flush Deck mount.



300BK
300YL
Tarp Clip (4)
Quick and easy to use design with powerful locking jaws for the ultimate hold.



301
Tarp clip Bucket (60)



125
Tumbler cup
Holds up to 12 oz. dishwasher safe.



309
Cup Holder Button
Cup Holder Bulkhead/Gunnel mount (2)



310BK
Cup Holder
with Bulkhead/Gunnel mount.



311BK
Cup Holder
with Bulkhead/Gunnel mount and Post mount.



ACCESSORIES

boating accessories



3010 
Snap Hook Key Chain



590
Snap Hooks (6)





990
Knife Sharpener
Safe and easy to use. Comes with rotatable carbide blades.





103 
Oarlock Post
Adapts all Scotty Post-mounts to a 1/2" oarlock socket.




102 
Strongback Oarlock
2 1/8" Standard Oar.
104 
Strongback Oarlock
1 3/4" Small Oar.




101  
Oar Collar (2)
Made from polyethylene. Quick and easy to instal. 1 3/4" inside dia. can be trimmed to fit smaller oars (fasteners included).



797 
Anchor Kit
with 50 ft. of nylon line and 1 1/2 lb. folding anchor.



302 
Kayak Stabilizer
Over 30 lb. of extra buoyancy. Our unique design makes installation and removal quick and easy.

ACCESSORIES

extensions & adapters



EXTENSION & ADAPTERS

- A 429** gearhead mount extender
- B 459M** 5 1/2" double ended rod holder height extender
- C 254** 8 1/2" height extender
- D 2028** 1 1/2" dia. 9" Long gimbal mount for big game
- 2029** 1 3/4" dia. 12" Long gimbal mount for big game
- E 453** gimbal adapter with gearhead
- F 254M** 4 1/4" mini rod holder height extender
- G 459** 9 1/2" double ended height extender
- H 253** gimbal mount
- I 259** 6 1/2" height extender



SAFETY FIRST

Always be prepared on the water.

SAFETY EQUIPMENT

- A 828** Folding Sea-Light 
- 823** Sea-Light with 241 side/deck Mount (not shown) 
- 824** Sea-Light with Flush Deck Mount (not shown) 
- 827** Sea-Light with Compact Flush Mount (not shown) 
- B 546** Kayak Pump Float 
- C 803** 12V White Navigation Light with surface mount 
- 802** 12V White Navigation Light—IPT base (not shown)
- D 545** 25 1/2" Bilge Pump
- 548** 38 1/2" Bilge Pump (not shown)
- 544** 18 1/2" Bilge Pump (not shown)
- E 795** Watertight Flashlight
- F 793** Throw Bag
- G 806** 12V Red Navigation Light—mast head base
- H 780** Lifesaver #1 Safety Whistle
- 784** Pealess Lifesaver #1 Safety Whistle
- I 794** Paddle Sports Accessory Kit 
- 544K** 18 1/2" Kayak Pump with Float 
- 545K** 25 1/2" Kayak Pump with Float 
- J 789** Watertight First Aid Kit
- K 779** Small Vessel Safety Equipment Kit 
- L 130** Paddle Leash 
- M 774** Watertight Emergency Equipment Container
- N 825** Sea-Light with Suction Cup Mount and Safety Leash 

PADDLE SPORTS

kayak



- A 828** folding sea-light
- B 438** gearhead track adapter
- C 136** paddle clip
- D 368** universal sounder/fishfinder mount
- E 282** bait caster/spinning rod holder with track
- F 476** rocket launcher rod holder with 241 side/deck mount
- G 429** gearhead mount extender
- H 797** anchor kit
- I 257** triple rod holder mount
- J 135** camera mount
- K 1073** laketroller downrigger
- L 140** transducer arm post mount
- M 276** anchor lock with 241 side/deck mount
- N 780** lifesaver #1 safety whistle
- O 789** watertight first aid kit
- P 544K** 13 1/2" kayak pump with float
- Q 441** backing plate
- R 302** kayak stabilizers
- S 440-4** 4" low profile track (also available in 1" and 8")
- T 455-BK** bait board
- U 311-BK** cup holder with bulkhead/gunnel mount and post mount
- V 130** paddle leash

PADDLE SPORTS

kayak



PADDLE SPORTS

stand up paddle board



PADDLE SPORTS

stand up paddle board



436
Stand up paddle board leash plug adapter
The adapter attaches to your SUP pre-installed leash plug with a stainless steel j hook. Accepts all post mount rod holders and accessories.



443
Flexible D-Ring
Stick-on accessory mount is a great additional mounting point and works well with the 130 Paddle Leash.



342
Paddle/Net Clip
Now comes with the option of a glue-on/stick-on mounting pad.



130
Paddle Leash
Attaches to your paddle, fishing rod or anything else you wish to secure to the watercraft



Jordan-Scotty

FISH EGG INCUBATOR SYSTEMS

JORDAN-SCOTTY

fish egg incubator systems

Purpose

The critical need to enhance our salmon and fish stocks is well documented. Natural spawning has declined dramatically over the past few decades for many reasons. Many of the spawning areas no longer exist. The areas that do still exist are only partially effective and many of our original salmon stocks are now extinct.

The need for enhancement programs by volunteers and organizations has never been greater. The availability of the Jordan-Scotty Fish Egg Incubator unity can be of great help for our precious salmon and other fish stocks and their eventual recovery. The development of the Jordan-Scotty Fish Egg Incubator is the direct result of the desire by Scotty to make a contribution to the enhancement of the salmon, trout

and walleye stocks in the streams and creeks around the world. Over the years, due to human interference, these habitats have lost their natural spawning and rearing capabilities. At Scotty, we hope that our efforts will assist bringing the fish back. With your help, future generations will be able to watch fish return to streams and rivers in historic quantities.

For use by everyone who is interested in enhancing salmon and other fish runs in any stream, river or lake. Perfect for streamkeeper groups, research applications and education projects.



How to Obtain Jordan-Scotty Fish Egg Incubators



Common Problems & Solutions

Weight comes up too fast and breaks away from the HP Downrigger.

The Scotty High Performance Downrigger is equipped with a high speed, high torque motor. Extra caution should be observed when jogging your downrigger weight near the surface. When retrieving your weight near the surface you may want to apply the brake while pressing the jog button at the same time. This will help you retrieve the weight at a slower speed.

This should only be done for the final few feet at the surface when you wish to lift your weight out of the water.

Downrigger runs backwards after installation.

Wiring may be reversed at either the battery or the socket. **Auto stop switch won't shut off.**

Be sure you are operating the auto stop correctly. Press and hold green button for momentary, controlled power. Turn and release the ring around the green button for hands free auto retrieve. Make sure that you have stopper beads on your cable.

Cable jumps when spooling out or is bunched on one side of spool.

Your rigger may have a slight bend in the boom, causing the cable to spool unevenly and catch on itself. You may need to adjust the fairlead (if applicable), or straighten or replace the boom. This may also be caused by a lack of tension on the cable at some point in time, causing the cable to unwind and then catch on itself. Unspool and respool as much cable as necessary. Always keep tension on the cable.

Motor hums and won't retrieve.

Motor may hum or growl if there is insufficient power to it. Check all your connections and your power source.

Release clip is not holding.

Pads may be worn—replace pads or release clip. Pads may have scent, lubricant or oil on them. Replace pads or release clip. Line type may not be compatible to release clip. Refer to replacement pads on product pages.

Cable hums when fishing.

Downriggers may produce a hum as the wire is dragged through the water. Normally this is not audible, although sometimes it can be high or low pitched noise that drives some fishermen crazy. It is not widely believed that this bothers the fish in any way. However, if the hum bothers you, it can be reduced several ways. Sometimes changing the weight size will do it. Another solution is to hang a piece of styrofoam or other floating material around the wire at the surface of the water to dampen the noise. Or use a ring or pulley on the wire and a cord tied onto the boat (or a bungee snapped from the downrigger to the wire). The 3025 Downrigger Weight Retriever can also be used for this application.

My gear keeps tangling when I put it down.

Make sure you start your trolling motion before you lower your gear. Reduce the speed at which you lower your gear. This will help keep it untangled as it descends. Do not allow the gear to freespool.