

SEM<sup>®</sup>

# CLASSIC COAT<sup>™</sup>

- **Renews Color on Vinyl & Leather**
- **Superior Adhesion and Flexibility**
- **Multidirectional Fan Spray**
- **Ideal for In-Car Repairs**
- **OEM Matched Colors**



# CLASSIC COAT™

**CLASSIC COAT** uses advanced technology to provide superior adhesion and flexibility when changing or restoring the color of most leather and vinyl. **CLASSIC COAT** is a fade resistant coating that won't chip or peel and is available in many of today's popular OEM colors.

PART #	COLOR	TRIM CODE
<b>FORD</b>		
17013	Midnight Black	ZUEA
17023	Lt. Graphite	ZUBA
17033	Lt. Parchment	BJAA
17043	Med. Graphite	ZUCA
17053	Med. Parchment	BJCA
17063	Med. Prairie Tan	AYCA
17073	Med. Dk Graphite	ZU4A
17083	Dk. Graphite	ZU5A
<b>GENERAL MOTORS</b>		
17093	Black	848
17103	Dk. Gray	9780
17113	Graphite	7701
17123	Lt. Gray	9781
17133	Lt. Neutral	9772
17143	Lt. Oak	101E
17153	Med. Beige	9777
17163	Med. Dk. Pewter	110D
17173	Med. Gray	9779
17183	Med. Neutral	195A
17203	Shale	149B
17213	Very Dk. Gray	9902
17223	Very Dk. Pewter	642H
<b>CHRYSLER</b>		
17233	Agate	AZ
17243	Taupe	L5
17253	Lt. Taupe	L2

PART #	COLOR	TRIM CODE
<b>HONDA</b>		
17263	Classy Gray	N/A
17273	Mild Beige	N/A
<b>TOYOTA</b>		
17283	Oak	N/A
17293	Ivory	N/A
17303	Blue Gray	N/A
<b>ACURA</b>		
17313	Tan	N/A
17323	Creamy Ivory	N/A
17333	Charcoal	N/A
<b>BMW</b>		
17343	Neutral	N/A
17353	Silver Gray	N/A

## 17002 CLASSIC RACK ASSORTMENT

Contains 2 of each **CLASSIC COAT** color and 4 each of the following:

PART #	PRODUCT	SIZE
39362	SEM Soap	15oz
38343	Vinyl Prep	Aerosol
38353	Plastic & Leather Prep	Aerosol



*The Right Choice*




CHANGE OR RENEW  
COLOR ON MOST  
VINYL & LEATHER

# CLASSIC COAT™

SUPERIOR COLOR,  
ADHESION &  
FLEXIBILITY

**FOR  
REFERENCE  
ONLY**  
Color chips may  
slightly vary  
in color

## AEROSOLS



Ford | ZUEA | **Midnight Black**  
SEM No. **17013**



Ford | ZUBA | **Lt. Graphite**  
SEM No. **17023**



Ford | BJAA | **Lt. Parchment**  
SEM No. **17033**



Ford | ZUCA | **Med. Graphite**  
SEM No. **17043**



Ford | BJCA | **Med. Parchment**  
SEM No. **17053**



Ford | AYCA | **Med. Prairie Tan**  
SEM No. **17063**



Ford | ZU4A | **Med. Dk. Graphite**  
SEM No. **17073**



Ford | ZU5A | **Dk. Graphite**  
SEM No. **17083**



GM | 0848 | **Black**  
SEM No. **17093**



GM | 9780 | **Dk. Gray**  
SEM No. **17103**



GM | 7701 | **Graphite**  
SEM No. **17113**



GM | 9781 | **Lt. Gray**  
SEM No. **17123**



GM | 9772 | **Lt. Neutral**  
SEM No. **17133**



GM | 101E | **Lt. Oak**  
SEM No. **17143**



GM | 110D | **Med. Dk. Pewter**  
SEM No. **17163**



GM | 9779 | **Med. Gray**  
SEM No. **17173**



GM | 195A | **Med. Neutral**  
SEM No. **17183**



GM | 149B | **Shale**  
SEM No. **17203**



GM | 9902 | **Very Dk. Gray**  
SEM No. **17213**



GM | 642H | **Very Dk. Pewter**  
SEM No. **17223**



Chrysler | L5 | **Taupe**  
SEM No. **17243**



Honda | N/A | **Classy Gray**  
SEM No. **17263**



Toyota | N/A | **Ivory**  
SEM No. **17293**



Acura | N/A | **Tan**  
SEM No. **17313**



Acura | N/A | **Creamy Ivory**  
SEM No. **17323**



BMW | N/A | **Silver Gray**  
SEM No. **17353**



Chrysler | D1 | **Lt. Graystone**  
SEM No. **17363**



Chrysler | DV | **Dk. Slate Gray**  
SEM No. **17373**



Ford | 1T3A | **Med. Lt. Stone**  
SEM No. **17383**



Ford | 1TBA | **Lt. Stone**  
SEM No. **17393**



Ford | 4T1A | **Camel**  
SEM No. **17403**



GM | 830K | **Lt. Cashmere**  
SEM No. **17413**



GM | 931K | **Med. Cashmere**  
SEM No. **17423**



GM | 935L | **Very Dk. Cashmere**  
SEM No. **17433**



N/A | N/A | **Limo Flat Black**  
SEM No. **17503**

**PREPARE YOUR SUBSTRATE**

**VINYL**

Clean first with **SEM Soap** and a gray scuff pad, paying close attention to textured or recessed areas. Rinse with water or wipe off with a clean, damp, lint-free towel.

Clean thoroughly with **Vinyl Prep** using a clean, damp, lint free towel and wiping in one direction or apply **Zero VOC Surface Cleaner**. Rinse with water and dry or wipe off with a clean, damp, lint-free towel. If contamination still exists, water will bead on the surface. Repeat this step until beading no longer occurs.

**CAUTION:** Do not allow **Vinyl Prep** or **Zero VOC Surface Cleaner** to splash or stand on painted surface as discoloring may occur.

**LEATHER**

Clean with **SEM Soap** and a gray scuff pad, paying close attention to textured or recessed areas. Wipe with a clean damp towel to remove all residue and allow surface to dry.

Clean with **Plastic & Leather Prep** or **Zero VOC Surface Cleaner** wiping in one direction only.

When dry, scuff the leather with a clean, gray scuff pad or 400 – 600 grit sandpaper.

Clean again with **Plastic & Leather Prep** or **Zero VOC Surface Cleaner**.

**CAUTION:** Do not allow **Zero VOC Surface Cleaner** to splash or stand on painted surface as discoloring may occur.

**SEM SOAP**

A mild abrasive cleaner used as the first step in refinishing flexible substrates.

39362 16 oz. Tube



**PLASTIC & LEATHER PREP**

A mild solvent blend to clean plastic and leather prior to refinishing.

38351 Gallon  
38353 16 oz. Aerosol  
38354 Cone Top Quart



**VINYL PREP**

A strong solvent blend critical to refinishing vinyl.

38343 16 oz. Aerosol  
38344 Quart



**ZERO VOC SURFACE CLEANER**

A water-based cleaner designed to eliminate surface contaminants prior to refinishing.

40401 Gallon  
40404 Quart



**APPLY CLASSIC COAT**

**VINYL OR LEATHER**

Apply 2 – 3 light coats, allowing 5 – 10 minutes between coats. Even though coating is dry to touch, the substrate should not be subjected to heavy abuse or abrasion for 24 hours.

**Note:** Spray tip may be adjusted for either a vertical or horizontal fan spray pattern. After each use, turn can upside down and spray several seconds to clear spray tip.

**CLASSIC COAT**

OEM matched aerosols for renewing or restoring leather and vinyl.

- Superior adhesion, flexibility and hiding
- Will not crack
- Quick drying
- Simple to use

17013 – 17503 16 oz. Aerosol

