Reviewed on 06/20/2017

Printing date 06/28/2017

1 Identification

· Product identifier

· Trade name: 38403 Blenz In

· Article number: 38403

· Application of the substance / the mixture Coating

2 Hazard(s) identification

· Classification of the substance or mixture





GHS02 GHS04 Flame, Gas cylinder

Flam. Aerosol 1 H222 Extremely flammable aerosol.



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



GHS08 Health hazard

H361 Suspected of damaging fertility or the unborn child. Repr. 2

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02 GHS04

GHS07 GHS08



Printing date 06/28/2017 Reviewed on 06/20/2017

Trade name: 38403 Blenz In

(Contd. of page 1)

· Signal word Danger

· Hazard-determining components of labeling:

ace to ne

toluene

· Hazard statements

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P312 Call a POISON CENTER/doctor if you feel unwell.
P314 Get medical advice/attention if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 4Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH *2	Health = *2
	Fire = 4
REACTIVITY 0	Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.

USA

SEM

Printing date 06/28/2017 Reviewed on 06/20/2017

Trade name: 38403 Blenz In

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components.

Weight percentages

· Dangerous components:			
67-64-1	acetone	30 - 40%	
108-94-1	-94-1 cyclohexanone		
68476-86-8	58476-86-8 Petroleum gases, liquefied, sweetened		
108-88-3	108-88-3 toluene		
	NJ TSRN: 8009285004 Polyester Plasticizer		
763-69-9	ethyl 3-ethoxypropionate	≤1%	

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

SEM

Printing date 06/28/2017 Reviewed on 06/20/2017

Trade name: 38403 Blenz In

(Contd. of page 3)

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
67-64-1	acetone	200 ppm
108-94-1	cyclohexanone	60 ppm
108-88-3	toluene	67 ppm
763-69-9	ethyl 3-ethoxypropionate	1.6 ppm
· PAC-2:		
67-64-1	acetone 3	3200* ppm
108-94-1	cyclohexanone 8	330 ppm
108-88-3	toluene 5	60 ppm
763-69-9	9 ethyl 3-ethoxypropionate 1	
· PAC-3:		
67-64-1	acetone 5	700* ppm
108-94-1	cyclohexanone 5	5000* ppm
108-88-3	toluene 3	8700* ppm
763-69-9	ethyl 3-ethoxypropionate	10 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm

(Contd. on page 5)

SEM

Printing date 06/28/2017

Reviewed on 06/20/2017

Trade name: 38403 Blenz In

REL Lon	(Contd.	of pa
	ng-term value: 590 mg/m³, 250 ppm	
	ort-term value: 1187 mg/m³, 500 ppm ng-term value: 594 mg/m³, 250 ppm I	
108-94-1	cyclohexanone	
PEL Lon	ng-term value: 200 mg/m³, 50 ppm	
REL Lon Skin	ng-term value: 100 mg/m³, 25 ppm n	
TLV Lon Skin	ng-term value: 50 mg/m³, 20 ppm n	
108-88-3	toluene	
Cei	ng-term value: 200 ppm iling limit value: 300; 500* ppm 0-min peak per 8-hr shift	
	ort-term value: 560 mg/m³, 150 ppm ng-term value: 375 mg/m³, 100 ppm	
TLV Lon BEI	ng-term value: 75 mg/m³, 20 ppm I	
In or - 12	nts with biological limit values:	
ıngreatei	o a constant of the constant o	
67-64-1 a		
67-64-1 a	acetone mg/L	
67-64-1 a BEI 50 n Mea	acetone mg/L dium: urine	
67-64-1 a BEI 50 m Mea Time	acetone mg/L dium: urine ne: end of shift	
67-64-1 a BEI 50 m Mea Time Para	acetone mg/L dium: urine ne: end of shift vameter: Acetone (nonspecific)	
67-64-1 a BEI 50 m Mea Time Parc 108-94-1	acetone mg/L dium: urine ne: end of shift rameter: Acetone (nonspecific)	
67-64-1 a BEI 50 m Mea Timm Para 108-94-1 BEI 80 m	acetone mg/L dium: urine ne: end of shift rameter: Acetone (nonspecific) d cyclohexanone mg/L	
67-64-1 a BEI 50 m Mea Time Para 108-94-1 BEI 80 m Mea	acetone mg/L dium: urine ne: end of shift rameter: Acetone (nonspecific) cyclohexanone mg/L dium: urine	
67-64-1 a BEI 50 n Mea Time Para 108-94-1 BEI 80 n Mea Time	acetone mg/L dium: urine ne: end of shift rameter: Acetone (nonspecific) cyclohexanone mg/L dium: urine ne: end of shift at end of workweek	
67-64-1 a BEI 50 n Mea Time Para 108-94-1 BEI 80 n Mea Time	acetone mg/L dium: urine ne: end of shift rameter: Acetone (nonspecific) cyclohexanone mg/L dium: urine	
67-64-1 a BEI 50 n Mea Time Para 108-94-1 BEI 80 n Mea Time Para	acetone mg/L dium: urine ne: end of shift rameter: Acetone (nonspecific) cyclohexanone mg/L dium: urine ne: end of shift at end of workweek rameter: 1.2-Cyclohexanediol with hydrolysis (nonspecific, semi-quantitative)	
67-64-1 a BEI 50 n Mea Time Para 108-94-1 BEI 80 n Mea Time Para 8 mg	acetone mg/L dium: urine ne: end of shift rameter: Acetone (nonspecific) cyclohexanone mg/L dium: urine ne: end of shift at end of workweek rameter: 1.2-Cyclohexanediol with hydrolysis (nonspecific, semi-quantitative)	
67-64-1 a BEI 50 n Mea Time Para 108-94-1 BEI 80 n Mea Time Para 8 mg Mea	acetone mg/L dium: urine ne: end of shift rameter: Acetone (nonspecific) l cyclohexanone mg/L dium: urine ne: end of shift at end of workweek rameter: 1.2-Cyclohexanediol with hydrolysis (nonspecific, semi-quantitative)	
### 108-94-1 ### 108-94-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-94-1 ### 108-94-94-1 ### 108-94-94-94-94-94-94-94-94-94-94-94-94-94-	acetone mg/L dium: urine ne: end of shift rameter: Acetone (nonspecific) l cyclohexanone mg/L dium: urine ne: end of shift at end of workweek rameter: 1.2-Cyclohexanediol with hydrolysis (nonspecific, semi-quantitative) ng/L dium: urine	
### 108-94-1 ### 108-94-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-1 ### 108-94-94-1 ### 108-94-94-1 ### 108-94-94-94-94-94-94-94-94-94-94-94-94-94-	acetone mg/L dium: urine ne: end of shift rameter: Acetone (nonspecific) le cyclohexanone mg/L dium: urine ne: end of shift at end of workweek rameter: 1.2-Cyclohexanediol with hydrolysis (nonspecific, semi-quantitative) ng/L dium: urine ne: end of shift trameter: Cyclohexanol with hydrolysis (nonspecific, semi-quantitative)	

USA

Reviewed on 06/20/2017

Printing date 06/28/2017

Trade name: 38403 Blenz In

(Contd. of page 5)

BEI 0.02 mg/L

Medium: blood

Time: prior to last shift of workweek

Parameter: Toluene

 $0.03 \, mg/L$ Medium: urine Time: end of shift Parameter: Toluene

0.3 mg/g creatinine Medium: urine Time: end of shift

Parameter: o-Cresol with hydrolysis (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses


(Contd. on page 7)

Reviewed on 06/20/2017

Printing date 06/28/2017

Trade name: 38403 Blenz In

(Contd. of page 6)



9 Physical and chemical properties

· 1	Information	on basic p	physical	and c	hemical	properties
-----	-------------	------------	----------	-------	---------	------------

· General Information

· Appearance:

Form: Aerosol

Color: According to product specification

· Odor: Characteristic · Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 55 °C

-103 °C · Flash point:

· Flammability (solid, gaseous): Not applicable.

420 °C · Ignition temperature:

Not determined. · Decomposition temperature:

Product is not selfigniting. · Auto igniting:

· Danger of explosion: In use, may form flammable/explosive vapour-air mixture.

· Explosion limits:

Lower: 1.3 Vol % Upper: 13.0 Vol %

· Vapor pressure at 20 °C: 233 hPa

0.74651 g/cm³ · Density at 20 °C: · Relative density Not determined. · Vapor density Not determined. Not applicable. · Evaporation rate

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

· Solvent content:

96.4 % Organic solvents:

58.1 % **VOC** content:

679.4 g/l / 5.67 lb/gl

(Contd. on page 8)



Printing date 06/28/2017 Reviewed on 06/20/2017

Trade name: 38403 Blenz In

(Contd. of page 7)

Solids content: 3.6 %

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:			
108-94-1 c	108-94-1 cyclohexanone			
Oral	LD50	1535 mg/kg (rat)		
Dermal	LD50	948 mg/kg (rabbit)		
Inhalative	LC50/4 h	8000 mg/l (rat)		
108-88-3 to	108-88-3 toluene			
Oral	LD50	5000 mg/kg (rat)		
Dermal	LD50	12124 mg/kg (rabbit)		
Inhalative	LC50/4 h	5320 mg/l (mouse)		

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (In	ternational Agency for Research on Cancer)		
108-94-1	cyclohexanone	3	
108-88-3	toluene	3	
· NTP (Nat	· NTP (National Toxicology Program)		
None of th	ne ingredients is listed.		
· OSHA-Ca	a (Occupational Safety & Health Administration)		
None of th	ne ingredients is listed.		

USA

Reviewed on 06/20/2017

Printing date 06/28/2017

Trade name: 38403 Blenz In

(Contd. of page 8)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

Pranspo		

•	UN-Numb	ber
---	---------	-----

· DOT, ADR, IMDG, IATA UN1950

· UN proper shipping name

 $\cdot DOT$ Aerosols, flammable 1950 Aerosols $\cdot ADR$ \cdot *IMDG* **AEROSOLS**

 \cdot IATA AEROSOLS, flammable

- · Transport hazard class(es)
- $\cdot DOT$



· Class 2.1

· Label 2.1

(Contd. on page 10)

SEM

Printing date 06/28/2017 Reviewed on 06/20/2017

Trade name: 38403 Blenz In

	(Contd. of page
· ADR	
Class	2 5E Casas
· Class · Label	2 5F Gases 2.1
· IMDG, IATA	
**	
· Class	2.1
Label	2.1
· Packing group · DOT, ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user EMS Number:	Warning: Gases
· EMS Number: · Stowage Code	F-D,S-U SW1 Protected from sources of heat.
· Segregation Code	SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clear of livin quarters. SG69 For AEROSOLS with a maximum capacity of 1 litr Segregation as for class 9. Stow "separated from" class 1 except f division 1.4. For AEROSOLS with a capacity above 1 litr Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
· DOT	
Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
· ADR	
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· IMDG	
· Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity



Printing date 06/28/2017

Reviewed on 06/20/2017

Trade name: 38403 Blenz In

(Contd. of page 10)

· UN "Model Regulation": UN 1950 AEROSOLS, 2.1

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

108-88-3 toluene

· TSCA (Toxic Substances Control Act):

67-64-1 acetone

108-94-1 cyclohexanone

108-88-3 toluene

763-69-9 ethyl 3-ethoxypropionate

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

108-88-3 toluene

· Cancerogenity categories

. FPA	(Environmental	Protection	Agency)

 67-64-1 acetone
 I

 108-88-3 toluene
 II

· TLV (Threshold Limit Value established by ACGIH)

 67-64-1
 acetone
 A4

 108-94-1
 cyclohexanone
 A3

 108-88-3
 toluene
 A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02 GHS04 GHS07

Reviewed on 06/20/2017

Printing date 06/28/2017

Trade name: 38403 Blenz In

(Contd. of page 11)

· Signal word Danger

· Hazard-determining components of labeling:

acetone

toluene

· Hazard statements

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P201	Obtain sp	ecial instr	uctions	before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P304+P340 *IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention. P312 Call a POISON CENTER/doctor if you feel unwell. P314 Get medical advice/attention if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Date of preparation / last revision 06/28/2017 / 10
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 13)

Reviewed on 06/20/2017

Printing date 06/28/2017

Trade name: 38403 Blenz In

(Contd. of page 12)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Aerosol 1: Aerosols - Category 1

Press. Gas: Gases under pressure - Compressed gas

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

* Data compared to the previous version altered.