Safety Data Sheet acc. to OSHA HCS



Reviewed on 06/28/2017

## Printing date 06/28/2017

## 1 Identification

- · Product identifier
- · Trade name: 77763 XXX Universal Gun Cleaner
- Article number: 77763
- · Application of the substance / the mixture Instrument cleaner

# 2 Hazard(s) identification

\*

· Classification	of the substance or mixture
	GHS02 GHS04 Flame, Gas cylinder
Flam. Aerosol	1 H222 Extremely flammable aerosol.
GHS	504 Gas cylinder
Press. Gas	H280 Contains gas under pressure; may explode if heated.
GHS	508 Health hazard
Muta. 1B	H340 May cause genetic defects.
Carc. 1B	H350 May cause cancer.
Repr. 2	H361 Suspected of damaging fertility or the unborn child.
STOT SE 1	H370 Causes damage to organs.
STOT RE 2	H373 May cause damage to organs through prolonged or repeated exposure.
GHS	507
Acute Tox. 4	H332 Harmful if inhaled.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2A	H319 Causes serious eye irritation.
STOT SE 3	H336 May cause drowsiness or dizziness.
• Label elements • GHS label eler	s nents The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)



Reviewed on 06/28/2017

Trade name: 77763 XXX Universal Gun Cleaner

• Hazard pictogr	(Contd. of page 1)
· mazara piciogr	ums
	$\land \land \land$
< (%) <	
GHS02 GH	S04 GHS07 GHS08
· Signal word Do	inger
· Hazard-determ	ining components of labeling:
methanol	
acetone	
Solvent naphthe	a (petroleum), light arom.
toluene	
• Hazard stateme	
	y flammable aerosol.
	gas under pressure; may explode if heated.
H332 Harmful	
H315 Causes sl	
	erious eye irritation.
	se genetic defects.
H350 May caus	
	l of damaging fertility or the unborn child.
	amage to organs.
•	e drowsiness or dizziness.
	the damage to organs through prolonged or repeated exposure.
• Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264 P270	Wash thoroughly after handling.
P270 P271	Do not eat, drink or smoke when using this product.
P271 P280	Use only outdoors or in a well-ventilated area.
P280 P302+P352	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P332 P304+P340	IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
1 303+1 331+1	and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P321	Specific treatment (see on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	(Contd. on page 3)



Reviewed on 06/28/2017

Trade name: 77763 XXX Universal Gun Cleaner

(Contd. of page 2)

Page 3/15

- · Classification system:
- ·NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH 1 Health = \*1 FIRE 4 Fire = 4 REACTIVITY 3 Reactivity = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

\*

### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description:

*Mixture: consisting of the following components. Weight percentages* 

· Dangerous	components:	
67-64-1	acetone	40 - 60%
68476-86-8	Petroleum gases, liquefied, sweetened	13 - 30%
1330-20-7	xylene	10 -13%
67-56-1	methanol	10 -13%
111-76-2	2-butoxyethanol	5 - 7%
64742-95-6	Solvent naphtha (petroleum), light arom.	1.5 - 5%
78-93-3	butanone	1.5 - 5%
108-88-3	toluene	1.5 - 5%
95-63-6	1,2,4-trimethylbenzene	1-1.5%

### 4 First-aid measures

#### · Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.



(Contd. of page 3)

Reviewed on 06/28/2017

Printing date 06/28/2017

Trade name: 77763 XXX Universal Gun Cleaner

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

67-64-1	acetone	200 ppn
1330-20-7	xylene	130 ppn
67-56-1	methanol	530 ppr
111-76-2	2-butoxyethanol	60 ppm
78-93-3	butanone	200 ppr
108-88-3	toluene	67 ppm
95-63-6	1,2,4-trimethylbenzene	140 ppr
108-67-8	mesitylene	140 ppr
98-82-8	cumene	50 ppm
PAC-2:		
67-64-1	acetone	3200* ppi
1330-20-7	xylene	920* ppm
67-56-1	methanol	2,100 ppn
111-76-2	2-butoxyethanol	120 ppm
78-93-3	butanone	2700* ppi
108-88-3	toluene	560 ppm
95-63-6	1,2,4-trimethylbenzene	360 ppm

Reviewed on 06/28/2017

Trade name: 77763 XXX Universal Gun Cleaner

		(Contd. of page
108-67-8	mesitylene	360 ppm
98-82-8	cumene	300 ppm
• PAC-3:		
67-64-1	acetone	5700* pp
1330-20-7	xylene	2500* pp
67-56-1	methanol	7200* pp
111-76-2	2-butoxyethanol	700 ppm
78-93-3	butanone	4000* pp
108-88-3	toluene	3700* pp
95-63-6	1,2,4-trimethylbenzene	480 ppm
108-67-8	mesitylene	480 ppm
98-82-8	cumene	730 ppm

7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- No special measures required.

Ensure good ventilation/exhaustion at the workplace.

• Information about protection against explosions and fires: Do not spray on a naked flame or any incandescent material. Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 67-64-1 acetone

PEL Long-term value: 2400 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 590 mg/m<sup>3</sup>, 250 ppm

(Contd. on page 6)

USA

Trade name: 77763 XXX Universal Gun Cleaner



Reviewed on 06/28/2017

(Contd. of page 5)


TLV	Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI
1330	-20-7 xylene
	Long-term value: 435 mg/m <sup>3</sup> , 100 ppm
REL	Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm
TLV	Short-term value: 651 mg/m³, 150 ppm Long-term value: 434 mg/m³, 100 ppm BEI
67-50	5-1 methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI
111-2	76-2 2-butoxyethanol
PEL	Long-term value: 240 mg/m³, 50 ppm Skin
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 97 mg/m³, 20 ppm BEI
78-9	3-3 butanone
PEL	Long-term value: 590 mg/m³, 200 ppm
REL	Short-term value: 885 mg/m³, 300 ppm Long-term value: 590 mg/m³, 200 ppm
	Short-term value: 885 mg/m³, 300 ppm Long-term value: 590 mg/m³, 200 ppm BEI
	88-3 toluene
PEL	Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift
REL	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm
TLV	Long-term value: 75 mg/m³, 20 ppm BEI
95-63	3-6 1,2,4-trimethylbenzene
	Long-term value: 125 mg/m³, 25 ppm
TLV	Long-term value: 123 mg/m³, 25 ppm



Reviewed on 06/28/2017

#### Trade name: 77763 XXX Universal Gun Cleaner

	(Contd. of	pag
-	edients with biological limit values:	
	4-1 acetone	
	50 mg/L	
	Medium: urine	
	Time: end of shift	
	Parameter: Acetone (nonspecific)	
	-20-7 xylene	
	1.5 g/g creatinine	
	Medium: urine	
	Time: end of shift	
	Parameter: Methylhippuric acids	
	6-1 methanol	
	15 mg/L	
	Medium: urine	
	Time: end of shift	
	Parameter: Methanol (background, nonspecific)	
	76-2 2-butoxyethanol	
	200 mg/g creatinine	
	Medium: urine	
	Time: end of shift	
	Parameter: Butoxyacetic acid with hydrolysis	
	3-3 butanone	
	2 mg/L	
	Medium: urine	
	Time: end of shift	
	Parameter: MEK	
108-	88-3 toluene	
BEI	0.02 mg/L	
	Medium: blood	
	Time: prior to last shift of workweek	
	Parameter: Toluene	
	0.02 <i>I</i>	
	0.03 mg/L	
	Medium: urine	
	Time: end of shift	
	Parameter: Toluene	
	0.3 mg/g creatinine	
	Medium: urine	
	Time: end of shift	
	Parameter: o-Cresol with hydrolysis (background)	
	tional information: The lists that were valid during the creation were used as basis.	
	osure controls onal protective equipment:	
	eral protective equipment: eral protective and hygienic measures:	
	away from foodstuffs, beverages and feed.	
	ediately remove all soiled and contaminated clothing.	





Trade name: 77763 XXX Universal Gun Cleaner

(Contd. of page 7)

Store protective clothing separately. Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.* • *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection:* Safety glasses






Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information		
· Appearance: Form:	Aerosol	
Color:	According to product specification	
• Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	55 °C	
· Flash point:	-103 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	240 °C	
• Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	

(Contd. on page 9)





Page 9/15

Reviewed on 06/28/2017

### Trade name: 77763 XXX Universal Gun Cleaner

	(Contd. of page
· Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
· Explosion limits:	
Lower:	1.1 Vol %
Upper:	44.0 Vol %
· Vapor pressure at 20 °C:	233 hPa
· Density at 20 •C:	$0.75264 \text{ g/cm}^3$
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wa	uter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	100.0 %
VOC content:	59.7 %
	729.3 g/l / 6.09 lb/gl
• Other information	No further relevant information available.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50	values th	at are relevant for classification:
1330-20-2	7 xylene	
Oral	LD50	4300 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
67-56-1 n	nethanol	
Oral	LD50	5628 mg/kg (rat)
Dermal	LD50	15800 mg/kg (rabbit)
		(Contd on page 10

(Contd. on page 10)



#### Trade name: 77763 XXX Universal Gun Cleaner

	<u>(                                    </u>	(Contd. of	page 9)
64742-95-		naphtha (petroleum), light arom.	
Oral	LD50	>6800 mg/kg (rat)	
Dermal	LD50	>3400  mg/kg (rab)	
Inhalative	LC50/4 h	>10.2 mg/l (rat)	
95-63-6 1,	2,4-trimet	hylbenzene	
Oral	LD50	5000 mg/kg (rat)	
on the eye Sensitizati Additiona The produ Harmful Irritant	n: Irritant : Irritating ion: No ser I toxicolog ct shows th ct can cau.	to skin and mucous membranes. e effect. isitizing effects known. <b>ical information:</b> he following dangers according to internally approved calculation methods for prepara se inheritable damage.	tions:
		Agency for Research on Cancer)	
1330-20-7	-		3
111-76-2	2-butoxy	ethanol	3
108-88-3	toluene		3
98-82-8	cumene		2B
NTP (Nat	ional Toxi	cology Program)	
98-82-8 с	umene		R
OSHA-Ca	(Occupat	ional Safety & Health Administration)	
None of th	· •		

## 12 Ecological information

· Toxicity


- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

USA





Trade name: 77763 XXX Universal Gun Cleaner

(Contd. of page 10)

# 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, IMDG, IATA	UN1950	
UN proper shipping name		
DOT	Aerosols, flammable	
ADR	1950 Aerosols	
IMDG	AEROSOLS	
ΙΑΤΑ	AEROSOLS, flammable	
Transport hazard class(es)		
DOT		
I LAMMALE GAS		
2		
Class	2.1	
Label	2.1	
ADR		
<b>^</b>		
2		
Class	2 5F Gases	
Label	2.1	
IMDG, IATA		
Class	2.1	
Label	2.1	
Packing group DOT, ADR, IMDG, IATA	Void	
	voia	
Environmental hazards:		
Marine pollutant:	No	

USA



Page 12/15

Reviewed on 06/28/2017

#### Trade name: 77763 XXX Universal Gun Cleaner

	(Contd. of page 11)
· EMS Number:	F-D,S-U
· Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	f Not applicable.
· Transport/Additional information:	
DOT	
• Quantity limitations	On passenger aircraft/rail: 75 kg
2	On cargo aircraft only: 150 kg
· ADR	······
· Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· IMDG	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

\*

# 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 35:	5 (extremely hazardous substances):	
None of the	e ingredient is listed.	
· Section 31.	3 (Specific toxic chemical listings):	
1330-20-7	xylene	
67-56-1	methanol	
111-76-2	2-butoxyethanol	
78-93-3	butanone	
108-88-3	toluene	
95-63-6	1,2,4-trimethylbenzene	
98-82-8	cumene	
· TSCA (Toxic Substances Control Act):		
67-64-1	acetone	
1330-20-7	7 xylene	
	(Contd. on page 13)	



### Trade name: 77763 XXX Universal Gun Cleaner


17		(Contd. of page
	methanol	
	2-butoxyethanol	
	Solvent naphtha (petroleum), light arom.	
	butanone	
108-88-3		
	1,2,4-trimethylbenzene	
	mesitylene	
	cumene	
Proposition		
	known to cause cancer:	
1330-20-7		
	1,2,4-trimethylbenzene	
98-82-8	cumene	
	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
Chemicals I	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
<b>Chemicals</b>	known to cause developmental toxicity:	
67-56-1 m		
108-88-3 to	luene	
Cancerogen	ity categories	
-	onmental Protection Agency)	
67-64-1	acetone	Ι
1330-20-7	xylene	I
111-76-2	2-butoxyethanol	NL
78-93-3	butanone	I
108-88-3	toluene	II
95-63-6	1,2,4-trimethylbenzene	II
108-67-8		II
98-82-8	cumene	D, CB
TLV (Thres	hold Limit Value established by ACGIH)	
67-64-1		A
1330-20-7		-
	2-butoxyethanol	-
108-88-3	-	۲ ۸
1 V II I V H_I //	(National Institute for Occupational Safety and Health)	
67-56-1 me		

USA



Printing date 06/28/	2017 Reviewed on 06/28/201	Reviewed on 06/28/2017	
Trade name: 77763	XXX Universal Gun Cleaner		
Hazard vistory	(Contd. of page 1	3)	
· Hazard pictogra	ins a second		
	$\land \land \land$		
<u>(8</u> )(-			
GHS02 GHS	04 GHS07 GHS08		
· Signal word Da	nger		
	ning components of labeling:		
methanol			
acetone			
solvent naphtha toluene	(petroleum), light arom.		
• Hazard stateme	nto		
	flammable aerosol.		
2	gas under pressure; may explode if heated.		
H332 Harmful i			
H315 Causes sk			
	rious eye irritation.		
	e genetic defects.		
H350 May caus			
÷	of damaging fertility or the unborn child.		
	mage to organs.		
H336 May caus	e drowsiness or dizziness.		
H373 May caus	e damage to organs through prolonged or repeated exposure.		
• Precautionary s	tatements		
P201	Obtain special instructions before use.		
P202	Do not handle until all safety precautions have been read and understood.		
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.		
P211	Do not spray on an open flame or other ignition source.		
P251	Do not pierce or burn, even after use.		
P260	Do not breathe dust/fume/gas/mist/vapors/spray.		
P264	Wash thoroughly after handling.		
P270	Do not eat, drink or smoke when using this product.		
P271	Use only outdoors or in a well-ventilated area.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P303+P331+P.	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if preserved a continue ringing	IT	
P308+P313	and easy to do. Continue rinsing.		
P312	IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell.		
P314	Get medical advice/attention if you feel unwell.		
P321	Specific treatment (see on this label).		
P332+P313	If skin irritation occurs: Get medical advice/attention.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P405	Store locked up.		
P410+P403	Protect from sunlight. Store in a well-ventilated place.		
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.		
	(Contd. on page 1	5)	
	]	JSA	

USA -





Trade name: 77763 XXX Universal Gun Cleaner

(Contd. of page 14) *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).
- Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Date of preparation / last revision 06/28/2017 / 11

· Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Conce	rning the
International Transport of Dangerous Goods by Rail)	
ICAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Inte	rnational
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flam. Aerosol 1: Aerosols – Category 1	
Press. Gas: Gases under pressure – Compressed gas	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Muta. 1B: Germ cell mutagenicity – Category 1B	
Carc. 1B: Carcinogenicity – Category 1B	
Repr. 2: Reproductive toxicity – Category 2	
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
• * Data compared to the previous version altered.	