

# SKF Differential, Transfer Case and Transmission Kits





## Premium products. Extensive coverage.

SKF now offers a complete line of differential, transfer case and transmission kits for automotive, light duty and commercial vehicle applications. Providing extensive coverage for the most popular applications, each kit contains high quality bearings, seals and gaskets (where applicable) that meet or exceed original equipment specifications.

The premium quality bearings included in each kit contain matching cones and cups. The seals are manufactured to SKF's standards and contain the patented Bore-Tite<sup>®</sup> coating on the outer diameter to increase sealing performance. And the form fitting gaskets and silicone sealant are provided in the kits (where applicable).

SKF's complete line of differential, transfer case and transmission kits offers over 280 kit part numbers for automotive, light duty and commercial vehicle applications. Find the complete kit listing in the SKF Differential, Transfer Case and Transmission Kit Catalog (publication #457604).

New packaging provides longer shelf life!



Extensive product data



Website and electronic catalog provide easier parts look-up

4P				Advention: ApJA tradition data and	
10000	-	1.000	-	The local division of	
- 4.00		Sec			
Sec.	-	-	the second s	THE REPORT FOR MANY	
100		-	the second se	Contraction of a strength of a strength of a strength of a strength of the str	
100		-	And the second	CONTRACTOR AND	
the state of the s	-	-	the second second	CONTRACTOR Dealerships of an	
territorian -		-	inere in the second sec	1.000	
Sector Sector		-	the state of the s	1.000	
And in case of the	-	-	the last	- D.B. They has a striken at	
Second 1	-	-	and the second second	1.0 Burner Incident	
and the local division of the local division	_	-	-	1 Aug. Strandard Incidential	
The local division in which the local division in the local divisi	and the second	-	-	THE ROOM FORM	
	_	_		the strength of the strength o	

New, easier part numbering system





#### **SKF Differential Kits**

SKF differential kits come in either a standard kit or a master kit. Standard differential kits from SKF contain all the components needed for a complete repair, including:

- Pinion bearings
- Differential bearings
- Pinion seal
- Pinion nut
- Crush sleeve (where applicable)
- •Gear marking compound and brush
- •Thread locker
- Silicone sealant

Master differential kits from SKF contain all the elements that come with the standard differential kits, as well as:

- Pinion shims (where applicable)
- Pinion adjusting shims
- Differential shims
- Ring gear bolts



#### **SKF Transmission Kits**

SKF transmission kits contain all the components needed to help maintenance personnel save time during the installation process. Each kit contains:

- Ball bearings
- Cylindrical roller bearings
- •Needle bearings
- Tapered roller bearings
- •Seals
- •0-Rings
- Gaskets
- •Snap rings (where applicable)
- •Bushings (where applicable)
- Clutch nuts (where applicable)
- Fork pads (where applicable)



#### SKF Transfer Case Kits

Engineered for light duty vehicles, SKF transfer case kits contain all the components needed to rebuild to original equipment specifications, including:

- •Input and output shaft bearings and seals
- •Shift shaft bearings and seals
- Oil pump seals
- •0-Rings
- Gaskets
- Washers (where applicable)
- Fork pads (where applicable)





### Serving the automotive and heavy duty markets with a wide range of quality SKF products and kits

SKF differential, transfer case and transmission kits are part of a broad line of SKF products that contribute to an automotive and commercial vehicle's safety and reliability. This range of premium products consist of SKF hub units, tapered bearing sets, and timing belt kits for automotive applications, as well as Scotseal<sup>®</sup> brand wheel seals, TF hubcaps and the industry's only all-in-one rebuild kit for PreSet<sup>®</sup> hub assemblies for commercial vehicle applications. SKF also manufactures a popular line of air dryers for commercial vehicles with compressed air needs.

