



Installation Instructions

SRC Classic Sides (Part # 76636)
07-10 Jeep Unlimited (4-Door)

NOTE: Carefully read entire instructions thoroughly before attempting to install this part.


Parts Included	Qty
Driver Side Bar	1
Passenger Side Bar	1
Nut-Clip	4
6mm Flat Washer	12
6mm Ny-lock Nut	12

Parts Included	Qty
10 x 25mm Hex Bolt	4
10mm Flat Washer	4
8mm Flat Washer	2
8 x 25mm Hex Bolt	2

Step 1: Remove oem or aftermarket side rails/steps if equipped. (Fig A)

Step 2: Identify the passenger and driver side. Place the passenger side guard onto the vehicle by lining up the 6 tabs (2 front, 2 center and 2 back) on the guard with the already existing holes on the pinch weld area of your vehicle. (On some models you may need to drill 2 holes) Fig A

Step 3: Identify the two holes (one front and one in the center) on the bottom of the body that the Nut-clips will be inserted into by where the top brackets of the guard align with. (You may Need to remove some tape that is applied from the factory that is covering the holes) Fig B,C,D



(Fig A)



(Fig B)




Installation Instructions


SRC Classic Sides (Part # 76636)
07-10 Jeep Unlimited (4-Door)

Step 4: Loosely attach the guard to the vehicle by inserting the 2-10mm hex bolts into the nut clips and 6mm lock-nuts onto the bracket studs that go through the pinch weld area. (Fig D)


Step 5: Insert the 8mm hex bolt with flat washer through the rear bracket into the factory threaded hole in the bottom of your body tub. (Fig E)



(Fig C)



(Fig D)



(Fig E)



(Fig F)



Installation Instructions

SRC Classic Sides (Part # 76636)
07-10 Jeep Unlimited (4-Door)

Step 6: Now proceed to tighten all of the bolts and nuts completely. Installation is now complete. Follow these same steps on the opposite side.

CARE AND MAINTENANCE

To protect your investment it is recommended to regularly wash and wax this part. Do not use any type of cleaners that contain abrasives that may damage the finish of your part.