

## Features

- > Intense warning power provides a distinct safety advantage
- > Each module has 3 very bright, high bin LEDs for better reliability and performance
- > Slim, narrow design is perfect for headliner, dash/windshield and rear deck mounts in all types of vehicles
- > Program up to 3 warning patterns on the 8 and 12 module dual/split color bars
- > 8 and 12 module warning bars can be programmed to flash three separate warning patterns controlled by discrete input wires
- > Compatible with our directional arrow switch (#ETSWDASØ1)
- > Includes adjustable height universal "L" brackets (pair) for dash/deck or headliner mounts

## Interior LED Directional Warning Bars



### 4 Module , Solid or Split

10-16 Vdc

#EL3HØ4AØØ(x)



### 8 Module, Solid or Split

10-16 Vdc

#EL3HØ8AØØ(x)

### 8 Module, Single Warning Ends, Amber Center

10-16 Vdc

#EL3HØ8A1Ø(x)

### 8 Module, Independent Warning Ends, Amber Center

(ends flash independently from arrow)

10-16 Vdc

#EL3HØ8B1Ø(x)



### 12 Module, Solid or Split

10-16 Vdc

#EL3H12AØØ(x)

### 12 Module, Single Warning Ends, Amber Center

10-16 Vdc

#EL3H12A1Ø(x)

### 12 Module, Dual Warning Ends, Amber Center

10-16 Vdc

#EL3H12B1Ø(x)

### 12 Module, Single Independent Warning Ends, Amber Center

(ends flash independently from arrow)

10-16 Vdc

#EL3H12B1Ø(x)

### 12 Module, Dual Independent Warning Ends, Amber Center

(ends flash independently from arrow)

10-16 Vdc

#EL3H12B2Ø(x)








## Technical Specifications

INPUT VOLTAGE RANGE	10-16 Vdc
CURRENT DRAW	< 1 Amp per module
LED COUNT	4 Module: 12 LEDs 8 Module: 24 LEDs 12 Module: 36 LEDs
FLASH PATTERNS	4 Module: 21 flash patterns 8 Module: 12 to 20 flash patterns (configuration dependent) 12 Module: 12 to 20 flash patterns (configuration dependent)
OPERATING TEMPERATURE	-40° C to +65° C / -40° F to +149° F
DIMENSIONS	Length: 4 Module: 13.25" (34 cm) 8 Module: 26" (66 cm) 12 Module: 38.75" (98 cm) Height: All modules: 1.5" (3.8 cm) Depth: All modules: 1.5" (3.8 cm)
CERTIFICATIONS	SAE J595 Class 1 certified and Article 22: CA Title 13 compliant
WARRANTY	Five-year

Replace (x) in the Order Number for Color Selection

Solid Colors: A=  B=  G=  R=  W= 

Dual Colors: A=  B=  D=  E=  F=  G=  H=  J= 

K=  L=  M=  N=  P=  R=  W= 



ACCESSORIES  
**visors** Light not included.

- a. Chevrolet Tahoe, pair **#PUL3MØ2**
- b. Chevrolet Impala, pair **#PUL3MØ3**
- c. Dodge Charger, single **#PUL3MØ4**



For Universal bracket accessories, refer to the following page.

# UltraLITE

## Interior LED Directional Warning Bars



[continued]

ACCESSORIES

### universal brackets Light not included.

- a. One hole, pair
- b. Two holes, pair
- c. Three holes, pair
- d. Seven holes, pair

**#PUL3DGMØ1**  
**#PUL3DGMØ2**  
**#PUL3DGMØ3**  
**#PUL3DGM**





## Interior LED Directional Warning Bars



### 4 Module , Solid or Split

10-16 Vdc

#EL3H04A00(x)



### 8 Module, Solid or Split

10-16 Vdc

#EL3H08A00(x)

### 8 Module, Single Warning Ends, Amber Center

10-16 Vdc

#EL3H08A10(x)

### 8 Module, Independent Warning Ends, Amber Center

(ends flash independently from arrow)

10-16 Vdc

#EL3H08B10(x)



### 12 Module, Solid or Split

10-16 Vdc

#EL3H12A00(x)

### 12 Module, Single Warning Ends, Amber Center

10-16 Vdc

#EL3H12A10(x)

### 12 Module, Dual Warning Ends, Amber Center

10-16 Vdc

#EL3H12B10(x)

### 12 Module, Single Independent Warning Ends, Amber Center

(ends flash independently from arrow)

10-16 Vdc

#EL3H12B10(x)

### 12 Module, Dual Independent Warning Ends, Amber Center

(ends flash independently from arrow)

10-16 Vdc

#EL3H12B20(x)

## Technical Specifications

INPUT VOLTAGE RANGE	10-16 Vdc
CURRENT DRAW	< 1 Amp per module
LED COUNT	4 Module: 12 LEDs 8 Module: 24 LEDs 12 Module: 36 LEDs
FLASH PATTERNS	4 Module: 21 flash patterns 8 Module: 12 to 20 flash patterns (configuration dependent) 12 Module: 12 to 20 flash patterns (configuration dependent)
OPERATING TEMPERATURE	-40° C to +65° C / -40° F to +149° F
DIMENSIONS	Length: 4 Module: 13.25" (34 cm) 8 Module: 26" (66 cm) 12 Module: 38.75" (98 cm) Height: All modules: 1.5" (3.8 cm) Depth: All modules: 1.5" (3.8 cm)
CERTIFICATIONS	SAE J595 Class 1 certified and Article 22: CA Title 13 compliant
WARRANTY	Five-year








## Features

- > Intense warning power provides a distinct safety advantage
- > Each module has 3 very bright, high bin LEDs for better reliability and performance
- > Slim, narrow design is perfect for headliner, dash/windshield and rear deck mounts in all types of vehicles
- > Program up to 3 warning patterns on the 8 and 12 module dual/split color bars
- > 8 and 12 module warning bars can be programmed to flash three separate warning patterns controlled by discrete input wires
- > Compatible with our directional arrow switch (#ETSWDAS01)
- > Includes adjustable height universal "L" brackets (pair) for dash/deck or headliner mounts

Replace (x) in the Order Number for Color Selection

Solid Colors: A=  B=  G=  R=  W= 

Dual Colors: A=  B=  D=  E=  F=  G=  H=  J=  

K=  L=  M=  N=  P=  R=  W= 



Also featured is the GHOST® Deck/Grille Light

ACCESSORIES  
**visors** Light not included.

- a. Chevrolet Tahoe, pair **#PUL3MØ2**
- b. Chevrolet Impala, pair **#PUL3MØ3**
- c. Dodge Charger, single **#PUL3MØ4**



For Universal bracket accessories, refer to the following page.

# UltraLITE

## Interior LED Directional Warning Bars


[continued]

ACCESSORIES

### universal brackets Light not included.

- a. One hole, pair
- b. Two holes, pair
- c. Three holes, pair
- d. Seven holes, pair

**#PUL3DGMØ1**  
**#PUL3DGMØ2**  
**#PUL3DGMØ3**  
**#PUL3DGM**



# UltraLITE



**Visor Mount for Ford Crown Victoria**  
(pair) - #PUL3MØ1



**Visor Mount for Chevrolet Tahoe**  
(pair) - #PUL3MØ2



**Visor Mount for Chevrolet Impala**  
(pair) - #PUL3MØ3



**Visor Mount for Dodge Charger**  
(single brkt.) - #PUL3MØ4



**Headliner Mount for Dodge Durango**  
(pair) - #PUL3MØ5



**Dash Mount for Dodge Charger**  
(pair) - #PUL3MØ6



**Rear Deck Mount for Dodge Charger**  
(pair) - #PUL3MØ7



**Center Mount for Ford Crown Victoria**  
(pair) - #PUL3MØ8



**Windshield Shroud**  
2 Module - #PUL3WS2  
4 Module - #PUL3WSS



(4 module length shown)

**Universal Bracket, 1 hole:**  
(pair) - #PUL3DGMØ1



**Universal Bracket, 2 hole:**  
(pair) - #PUL3DGMØ2



**Universal Bracket, 3 hole:**  
(pair) - #PUL3DGMØ3



**Universal Bracket, 7 hole:**  
(pair) - #PUL3DGM



**Exterior Replacement Modules:**

Amber #PUL3MØ5AMB  
Blue #PUL3MØ5BLU  
Green #PUL3MØ5GRN  
Red #PUL3MØ5RED  
White #PUL3MØ5WHT

**Interior Replacement Modules:**

Amber #PUL3M16AMB  
Blue #PUL3M16BLU  
Green #PUL3M16GRN  
Red #PUL3M16RED  
White #PUL3M16WHT