

# SPEC-D *Tuning*

## 2001-2006 GMC PROJECTOR HEADLIGHTS

### INSTALLATION INSTRUCTIONS



If you experience any difficulties that the instruction did not cover, Please seek local auto shop for advise.  
Please wear protection before you work on your vehicle.

An assistant is helpful when removing the front bumper.

Please be careful while working with the bumper or body part to avoid scratching.

Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.

#### TOOLS AND SUPPLIES REQUIRED



\*Wire Stripper/Cutter/Crimper.

**Models: Sierra, Sierra Denali, Yukon, Yukon Denali, Yukon Denali XL, Yukon XL**

#### **Product Part Numbers:**

2LHP-DEN00-TM

2LHP-DEN00JM-TM

2LHP-DEN00B-TM

2LHP-DEN00JMB-TM





# 2001-2006 GMC PROJECTOR HEADLIGHTS INSTALLATION INSTRUCTIONS



If you experience any difficulties that the instruction did not cover, Please seek local auto shop for advise.  
Please wear protection before you work on your vehicle.  
An assistant is helpful when removing the front bumper.  
Please be careful while working with the bumper or body part to avoid scratching.  
Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.

**Model: Sierra, Sierra Denali, Yukon, Yukon Denali, Yukon Denali XL, Yukon XL**




1. Open the hood



2. There are two locking pins



3. Gently pull the first pin up and remove the pin



4. Pull the other pin up and remove





5. pull out the headlight slightly



6. Remove the two light bulb sockets on the back of the headlight



7. After remove the headlight, you will see like this.  
Before Install the headlight, please connect the connectors



8. Install the headlight gently  
please see the "Halo and L.E.D.Installation Instructions"  
if your headlights don't have HALO or L.E.D. You can skip the the  
Installation Instructions.



9. Install the two locking pins (Please repeat the picture order  
from 1 to 10 on opposite side)



10. The installation now is complete