

SPEC-D *Tuning*

2007-UP CHEVY AVALANCHE LED TAIL LIGHTS INSTALLATION INSTRUCTIONS

If you experience any difficulties that the instruction did not cover, Please seek assistance at a local automotive shop

Please wear protection before you work on any vehicle.



An assistant is useful when removing the front bumper from your vehicle.

Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.

Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

TOOLS AND SUPPLIES REQUIRED

Phillips Screwdriver

Handy Remover

Product Part Numbers:

LT-AVA07RLED-TM

LT-AVA07JMLED-TM

LT-AVA07GLED-TM

LT-AVA07CLED-TM



2007-UP CHEVY AVALANCHE LED TAIL LIGHTS INSTALLATION INSTRUCTIONS

If you experience any difficulties that the instruction did not cover, Please seek assistance at a local automotive shop

Please wear protection before you work on any vehicle.



An assistant is useful when removing the front bumper from your vehicle.

Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.

Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.



1. Remove the (2) phillips head screws



2. Remove the tail light



3. Remove the tail light sockets from the tail light



4. Remove the brake lightbulbs



5. Plug in the LED tail light into the brake light socket
please see the " L.E.D. tail lights installation instructions"
If your tail lights don't have L.E.D. you can skip the installation instructions.



6. Plug in the tail light sockets into the LED tail light



7. Place the LED tail light into stock location



8. Tighten the (2) phillips head screws



9. Please repeat the steps in order from 1 to 8 for the opposite side
The installation is now complete