

1997-2002 FORD EXPEDITION LED TAIL LIGHTS INSTALLATION INSTRUCTIONS

If you experience any difficulties that the instruction did not cover, Please seek assistance at a local automotive shop

Please wear protection before you work on any vehicle.

An assistant is useful when removing the front bumper from your vehicle.

Please be cautions when working with the bumper or any parts belonging to the vehicles's body to prevent scratching.

Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.





1/4" Ratchet

6" Extension

7mm Socket

Handy Remover

Product Part Numbers:

LT-EPED97CLED-RS LT-EPED97GLED-RS LT-EPED97RLED-RS





1997-2002 FORD EXPEDITION LED TAIL LIGHTS INSTALLATION INSTRUCTIONS

If you experience any difficulties that the instruction did not cover, Please seek assistance at a local automotive shop

Please wear protection before you work on any vehicle.

An assistant is useful when removing the front bumper from your vehicle.

Please be cautions when working with the bumper or any parts belonging to the vehicles's body to prevent scratching.

Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.



1. (2) 7mm bolts location



2. Remove the (2) 7mm bolts



3. Pry and remove the factory taillight



4. Remove the taillight sockets



5. Remove the taillight sockets



6. Remove the taillight bulb



7. Connect the LED taillight harness to the taillight socket
Please see the "L.E.D. tail lights installation instructions"
If your tail lights don't have L.E.D. you can skip the installation instructions.



8. Install the taillight socket into the LED taillight Install the reverse light socket into the LED taillight



9. Place the LED taillight in the stock location Please repeat the steps in order from 1 to 9 for the opposite side.



10. The installation is now complete.