

# SPEC-D *Tuning*

## 2012-2014 FORD FOCUS 5DR LED TAIL LIGHTS INSTALLATION INSTRUCTIONS

If you experience any difficulties that the instruction did not cover, Please seek assistance at a local automotive shop

Please wear protection before you work on any vehicle.



An assistant is useful when removing the front bumper from your vehicle.

Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.

Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

### TOOLS AND SUPPLIES REQUIRED



Flathead Screwdriver



Handy Remover Tool

### Product Part Numbers:

LT-FOC125RLED-TM

LT-FOC125GLED-TM

LT-FOC125CLEL-TM



## 2012-2014 FORD FOCUS HB LED TAILLIGHTS INSTALLATION INSTRUCTIONS

If you experience any difficulties that the instruction did not cover, Please seek assistance at a local automotive shop

Please wear protection before you work on any vehicle.



An assistant is useful when removing the front bumper from your vehicle.

Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.

Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.



1. Before



2. Remove the access hole cover



3. Remove the plastic wingnut



4. Wingnut location




5. Remove the plastic wingnut



6. Remove the factory taillight



7. Disconnect the taillight harness



8. Connect the taillight harness to the LED taillight  
Please see the "L. E. D. tail lights installation instructions"  
If your tail lights don't have L. E. D. you can skip the installation instructions.



9. Place the LED taillight in the stock location



10. Replace the plastic wingnut



11. Replace the plastic wingnut  
Please repeat the steps in order from 1 to 11 for the opposite side.



12. The installation is now complete.

SPEC TUNING