

SPEC-D *Tuning*

2006-2008 VOLKSWAGEN GOLF V GTI ALTEZZA TAIL LIGHTS INSTALLATION INSTRUCTIONS



If you experience any difficulties that the instruction did not cover, Please seek local auto shop for advise.
Please wear protection before you work on your vehicle.
An assistant is helpful when removing the front bumper.
Please be careful while working with the bumper or body part to avoid scratching.
Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.

TOOLS AND SUPPLIES REQUIRED

Handy Remover
13mm Wrench
10mm Wrench
Flat Tip Screwdriver

Product Part Numbers:

LT-GLF05-TM

LT-GLF05JM-TM



2006-2008 VOLKSWAGEN GOLF V GTI ALTEZZA TAIL LIGHTS INSTALLATION INSTRUCTIONS



If you experience any difficulties that the instruction did not cover, Please seek local auto shop for advise.
Please wear protection before you work on your vehicle.
An assistant is helpful when removing the front bumper.
Please be careful while working with the bumper or body part to avoid scratching.
Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.



1. Remove the cover from inside of the trunk



2. Remove back up light light bulb socket



3. Remove two 10mm bolts then remove the trunk taillight



4. Install new trunk taillight two 10mm bolts and install back up light socket



5. Install the cover



6. Remove the cover



7. Disconnect taillight harness



8. Remove two 13mm taillight bolts



9. Remove the taillight



10. Remove the taillight socket from the OEM taillight



11. Install taillight socket to the new taillight



12. Install the new taillight and two 13mm taillight bolts



13. Connect the taillight harness
please repeat the picture order from 1 to 13 for the opposite side



8. The installation is now complete

SAR