

# SPEC-D *Tuning*

## 2004-2006 NISSAN TITAN L.E.D. TAIL LIGHTS INSTALLATION INSTRUCTIONS



- \*If you experienced any difficulties that the instruction did not cover, Please seek local auto shop for advise.
- \*Please wear protection before you work on your vehicle.
- \*An assistant is helpful when removing the front bumper.
- \*Please be careful while working with the bumper or body part to avoid scratching.
- \*Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.

### TOOLS AND SUPPLIES REQUIRED

- 1/4" Ratchet
- 6" Extension
- 10mm Socket
- Handy Remover

### Product Part Number:

LT-TIT04JMLED-TM  
LT-TIT04RLED-TM  
LT-TIT04GLED-TM  
LT-TIT04CLEL-TM



## NISSAN TITAN L.E.D. TAIL LIGHTS INSTALLATION INSTRUCTIONS



- \*If you experienced any difficulties that the instruction did not cover, Please seek local auto shop for advise.
- \*Please wear protection before you work on your vehicle.
- \*An assistant is helpful when removing the front bumper.
- \*Please be careful while working with the bumper or body part to avoid scratching.
- \*Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.



1. (2) 10mm bolts location



2. Remove the (2) 10mm bolt



3. Remove the (2) 10mm bolts



5. Remove the factory taillight



6. Remove the brake light sockets



6. Remove the brake light sockets



7. Remove the brake light sockets



8. Remove the brake light sockets



9. Remove the brake light bulbs



10. Remove the brake light bulb



11. Connect the LED taillight harness to the taillight socket please see the "L.E.D. TAIL LIGHT installation instruction" If your Tail light don't have L.E.D. You can skip the the installation instruction.



12. Install the taillight socket to the LED taillight housing




13. Connect the LED taillight harness to the taillight socket



14. Install the taillight socket into the LED taillight



15. Install the taillight socket into the LED taillight



16. Install the taillight socket into the LED taillight



17. Place the LED taillight in the stock location  
please see the "L.E.D. TAIL LIGHT installation instruction"  
If your Tail light don't have L.E.D. You can skip the the installation  
instruction.



18. Tighten the (2) 10mm bolts



19. Tighten the (2) 10mm bolts  
Please repeat the picture order from 1 to 19 for the opposite  
side



20. The installation now is complete