# Classic Style Current Technology

#### Up to 1000hp

The Speedmaster Individual throttle body EFI systems have all the flash of classic Weber induction but provide a higher state of tune and the engine performance versatility of EFI.













#### SEMA Show Award Winner



We were honoured to recieve the prestigious SEMA 'Global Media Award' for our Down Draft ITB Manifolds.



#### EFI Performance Built to Last

Delivering crisp EFI performance with systems capable of supporting up to 1000 hp, Speedmaster throttle bodies are CNC machined and manufactured from Heat treated 601 Cast aluminum, so they are built to last.








**Total Fuel Control** 



**CNC Machined** 





#### Black/ Polished Finish Available

Our ITBs are available in a variety of styles and shapes, including side draft and down draft models to fit your taste and application. DNA ITBs come in Speedmaster black or a machine polished finish.







### Precision


Superior idle characteristics and astounding throttle response, improving emissions and economy through tight air/fuel ratio control.



## IDA Style Throttle Bodies

## Linkage Kit

Includes throttle stops, idle controls, lever arms and joiner/balancer all in one. It also features a single screw adjustment for calibrating front to rear throttle shafts.



## Full Throttle Geometry



**Brand:**Speedmaster Part Number: 1-148-004

Part Type:Intake Manifolds, Fuel Injected

Engine Block Style:Stock/OEM standard deck

Injection Style:8 Throttle body Basic Operating RPM Range: Idle-7,000

Intake Trumpets: Intake Trumpets Included

EGR: No Injectors Included: No Fuel Rails Included: Yes Throttle Body Included: 8 Pieces

Base Material: Aluminum Casting

Base Finish: Satin Assembled: Assembled Quantity: Sold as a Kit

Notes: Includes throttle linkage assembly and can be used with standard throttle cable.

Speedmaster linkage set incorporates the throttle stops, idle controls, lever arms and joiner/balancer all in one. It also features a single screw adjustment for calibrating front to rear throttle shafts.

The bell crank has a fully indexable eccentric cable pulley that enables good slow speed drivability and still attain full throttle geometry.

Speedmaster throttle bodies have the following feature:

- CNC machined, Heat treated 601 Cast aluminum.
- Butterflies are measured for each bore & precision machined to a closer tolerance.
- Butterflies are secured to centerless ground brass shafts with split screws to ensure reliability and service
- O'ring seals on lower mounting faces.

The Speedmaster Individual throttle body EFI system have all the flash of classic Weber induction but provide higher state of tune and engine performance versatility of EFI. Delivering crisp EFI performance with systems capable of supporting up to 1000 hp. Fuel and air is delivered through precision cast aluminum 50mm IDA style throttle bodies that allow for superior idle characteristics and astounding throttle response while improving emissions and economy through tight air/fuel ratio control.