

PRODUCT DATA SHEET

Lithium General Purpose Grease, 14 Wt Oz Part Number: SI 3311

Product Description

Applications

A high purity, NLGI Grade 2 lithium based grease. Provides superior lubrication & durability in any weather and most temperatures. It is a versatile grease designed for light duty applications requiring a long grease life. Will not break down or run out.

Hinges, latches, overhead door tracks, open gears, chains, cables, slide conveyors, guide rails, cams, pistons, machinery, tools, & equipment. A break-in lubrication for bearings.

Unit Package Description 14 Ounce Can Brand Sta-Lube Generic Description 1 Lithium General Purpose Grease Net Fill 14 Wt Oz UPC Code 072213331103 **Unit Dimensions** 3.44H x 4.13W x 4.13D in Units Per Case 12 **Case Dimensions** 3.5H x 12.5W x 17D in Cases Per Pallet 108 14 lbs Case Weight I 2 of 5 Code 30072213331104 Appearance Amber Semi-Solid to Solid Grease Base Type Lithium-12 435°F Flash point (F) 224°C Flash point (C) Flammability Class - CPSC None Spec Gravity Concentrate 0.9 at 60°F 2 NLGI Grade Plastic Safe Not Determined **Evaporation Rate** <0.01 (Butyl Acetate=1) Working Temp (F) 0 to 250°F

> Last revised: 5/4/2016 Page 1 of 2





of CRC Industries, Inc.

professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production. CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with $^{\textcircled{m}}$ and $^{\textcircled{m}}$ are trademarks

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair





PRODUCT DATA SHEET



Working Temp (C)	-17.8 to 121°C
Drop Point	350°F
Leakage	Not Determined
Oil Separation	<10%
Oxidation Stability	5
Pour Point (F)	-15°F
Pour Point (C)	-26°C
ISO Viscosity Grade	150
Water Washout	<15%
Worked Penetration	265 to 295
Propellant	None
DOT Proper Shipping Name	Not Regulated
VOC % (Federal)	<0.1
VOC g/L (Federal)	<0.9
VOC Lbs./Gal. (Federal)	<0.01
VOC Category	Not Regulated
Removal (How To)	Remove with a degreaser or brake cleaner product.

Last revised: 5/4/2016 Page 2 of 2





CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with $^{\circledast}$ and m are trademarks of CRC Industries, Inc.