

# STANLEY®

## PRODUCT CATALOG HAND TOOLS & STORAGE



# HAND TOOLS & STORAGE

## TRADITION. PRODUCTIVITY. INNOVATION.

These words are everything you know STANLEY® Tools represents. They encompass all that we strive to incorporate into each product. That is why every year our engineers and research team go above and beyond to collect consumer feedback, conduct quality testing and use their own vast knowledge of hand tools to improve our broad line of products. With that information put to work in the lab, we bring you our professional STANLEY® and STANLEY® FATMAX® product lines with industry-leading innovations. We work to continually design products with superior features that will see you through to the end of your job and beyond.



### TABLE OF CONTENTS



MEASURING TOOLS	2-9
LAYOUT TOOLS	10-23
ELECTRONIC TOOLS	24-35
KNIVES & BLADES	36-59
SAWS	60-73
HAMMERS	74-87
DEMOLITION	88-101
CHISELS & NAIL SETS	102-109
FASTENING & CLAMPING	110-129
SCREWDRIVERS	130-143
FINISHING TOOLS	144-159
SNIPS, PLIERS & ADJUSTABLE WRENCHES	160-177
MECHANICS TOOLS	178-193
TOOL STORAGE	194

# STANLEY FATMAX

## AUTO-LOCK TAPE RULES

Throughout its long history of manufacturing, STANLEY® has been driven by an unwavering commitment to quality, innovation and precision. These principles led to the design and manufacture of the Auto-Lock tape rule. With a blade that automatically locks at the length to which it is extended to the customizable hook system, STANLEY® continues to deliver innovations that matter.



### STANLEY® FATMAX® TAPE RULES

#### STANLEY FATMAX Auto-Lock Tape Rules

- 11 ft blade standout\*
- BladeArmor® coating for 10X\*\* blade life
- Auto-lock mode for blade control and long life
- Detachable hook allows user to work efficiently in different conditions



\*based on maximum performance  
\*\*compared to STANLEY® tape 30-455



SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
FMHT33316	Yellow/Black	16 ft	1-1/4 in	11 ft	3	12	076174333169
FMHT33338	Yellow/Black	25 ft	1-1/4 in	11 ft	3	12	076174333381
FMHT33348	Yellow/Black	30 ft	1-1/4 in	11 ft	3	12	076174333480



#### STANLEY FATMAX Magnetic Tape Rules

- BladeArmor® coating for 10X\*\* blade life
- Tru-Zero® magnetic hook for accurate inside and outside measurements
- 11 ft blade standout\*

\*based on maximum performance  
\*\*compared to STANLEY® tape 30-455



SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
FMHT33865	Yellow/Black	25 ft	1-1/4 in	11 ft	4	24	076174338652
FMHT33866	Yellow/Black	8m / 26 ft	1-1/4 in	11 ft	4	24	076174338669



#### STANLEY FATMAX Tape Rules

- 11 ft blade standout\*
- BladeArmor® coating for 10X\*\* blade life
- Mylar® polyester film coated blade for superior protection

\*based on maximum performance  
\*\*compared to STANLEY® tape 30-455



SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
33-716	Yellow/Black	16 ft	1-1/4 in	11 ft	4	24	076174337167
33-725	Yellow/Black	25 ft	1-1/4 in	11 ft	4	24	076174337259
33-726	Yellow/Black	8m / 26 ft	1-1/4 in	11 ft	4	24	076174337266
33-730	Yellow/Black	30 ft	1-1/4 in	11 ft	4	24	076174337303
33-735	Yellow/Black	35 ft	1-1/4 in	11 ft	4	24	076174337358
33-740	Yellow/Black	40 ft	1-1/4 in	11 ft	4	24	076174337402



#### STANLEY FATMAX Keychain Tape Rule

- Tru-Zero® hook for accurate inside and outside measurements
- Key ring for easy portability and convenience

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
FMHT33706	Yellow/Black	6 ft	1/2 in	6	36	076174337068

Mylar® is a registered trademark of DuPont Teijin Films

**STANLEY® POWERLOCK® TAPE RULES**



**PowerLock® Classic Tape Rules**

- Tru-Zero® hook for accurate inside and outside measurements
- Mylar® polyester film coated blade for superior protection
- High-impact Chrome ABS case for durability

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
33-116	Chrome	16 ft	3/4 in	—	4	24	076174331165
33-158	Chrome	5m / 16 ft	3/4 in	—	6	36	076174331585
33-425	Chrome	25 ft	1 in	7 ft	4	24	076174334258
33-428	Chrome	8m / 26 ft	1 in	7 ft	4	24	076174334289
33-430	Chrome	30 ft	1 in	7 ft	4	24	076174334302
33-835	Chrome	35 ft	1 in	7 ft	4	24	076174338355



**PowerLock® Metal Case Tape Rules**

- Cast metal case for durability
- Mylar® polyester film coated blade for excellent protection
- Tru-Zero® hook for accurate inside and outside measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
33-212	Chrome	12 ft	1/2 in	6	36	076174332124
33-215	Chrome	3.5m / 12 ft	1/2 in	6	36	076174332155
33-312	Chrome	12 ft	3/4 in	6	36	076174333121
33-272	Chrome	12 ft Tape Rule Decimal Scale	1/2 in	6	36	076174332728



**PowerLock® Pocket Tape Rule**

- Polymer-coated blade for long life
- High-impact Chrome ABS case for durability
- Back of blade provides scale for measuring up to 3' diameters

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
33-115	Chrome	10 ft	1/4 in	6	36	076174331158



**PowerLock® Keychain Tape Rule**

- Polymer-coated blade withstands abrasion
- Durable key ring makes it easy to take anywhere
- Convenient and lightweight

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
39-130	Chrome	3 ft	1/4 in	6	72	076174391305

The shape of the PowerLock® tape measure is a registered trademark of Stanley Tools



**PowerLock® Stainless Steel Tape Rules**

- Nylon-coated blade for long life
- Double-sided stainless steel blade for versatility
- Tru-Zero® hook for accurate inside and outside measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
STHT33456	Chrome	5m / 16 ft Tape Rule	3/4 in	—	6	36	076174334562
STHT33457	Chrome	8m / 26 ft Tape Rule	1 in	7 ft	4	24	076174334579

**STANLEY® LEVERLOCK® TAPE RULES**



**LeverLock® Tape Rules**

- Blade locks automatically - squeeze bottom lever to retract blade
- Wear resistant blade markings for 1.5X\* blade durability
- Write-on label for repeated use with carpenter pencil

\*based on STANLEY® tape 39-140

SKU #	CASE COLOR	END HOOK	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
STHT30810	Yellow/Black	—	12 ft	1/2 in	6	36	076174308105
STHT30812	Yellow/Black	—	16 ft	3/4 in	6	36	076174308129
STHT30825	Yellow/Black	—	25 ft	1 in	4	24	076174308259
STHT33281	Yellow/Black	Magnetic	25 ft Fractional Read	1 in	4	24	076174332810
STHT30758	Yellow/Black	—	25 ft Center Read	1 in	6	—	076174307580
STHT30759	Yellow/Black	—	25 ft Engineer's Scale	1 in	6	—	076174307597
STHT30830	Yellow/Black	—	30'	1 in	4	24	076174308303
STHT33270	Red/Black	—	25 ft	1 in	2	8	076174332704

**STANLEY® TAPE RULES**



**Hi-Visibility Tape Rules**

- Polymer-coated blade for long life
- Tru-Zero® hook for accurate inside and outside measurements
- Comfortable rubber grip

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
30-305	Hi-Visibility Green	25 ft	1 in	4	24	076174303056

Mylar® is a registered trademark of DuPont Teijin Films



**Tape Rules**

- Polymer-coated blade for long life
- Tru-Zero® hook for accurate inside and outside measurements
- Tough ABS case

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
30-485	Yellow	12 ft	1/2 in	6	36	076174304855
30-495	Yellow	16 ft	3/4 in	6	36	076174304954
30-496	Yellow	5m / 16 ft cm Graduation	3/4 in	6	36	076174304961
30-455	Yellow	25 ft	1 in	6	24	076174304558
30-454	Yellow	25 ft fractional Read	1 in	6	24	076174304541
30-456	Yellow	8m / 26 ft cm Graduation	1 in	6	24	076174304565
30-464	Yellow	30 ft	1 in	6	24	076174304640



**Chrome Tape Rules**

- Chrome plated case for durability
- Tru-Zero® hook for accurate inside and outside measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
STHT33972	Chrome	12 ft	1/2 in	—	4	16	076174339727
STHT33974	Chrome	16 ft	3/4 in	—	4	16	07617433974
STHT30159	Chrome	25 ft	1 in	7 ft	4	24	076174301595
STHT30160W	Chrome	30 ft	1 in	7 ft	6	24	076174301601
STHT30161W	Chrome	35 ft	1 in	7 ft	4	24	076174301618
STHT30656	Chrome	8m / 26 ft	1 in	7 ft	6	36	076174306569

**STANLEY® FATMAX® LONG TAPE RULES**



**Steel Long Tape Rule**

- 3:1 gear ratio for fast rewind
- 3/8" wide steel blade for durability and to help eliminate stretch
- Steel roller cage helps protect case and blade from damage during rewind

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
34-130	Yellow/Black	100 ft	3/8 in	6	24	076174341300



**Steel Long Tape Rules**

- 3/8" wide steel blade for durability
- Polymer-coated blade withstands abrasion for long life
- Integrated belt hook for hands-free use and convenient transportation

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
34-103	Yellow	50 ft	3/8 in	6	24	076174341034
34-106	Yellow	100 ft	3/8 in	6	24	076174341065



**Fiberglass Long Tape Rule**

- 3:1 gear ratio for fast rewind
- 3/4" wide blade with 64 fiberglass strands for 2X\* blade strength
- Double-sided blade with fractional inch and decimal foot scales for versatility

\*than the Stanley® Long Tape 34-790

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
34-812	Yellow	100 ft	3/4 in	2	8	076174348125



**PowerWinder® Fiberglass Long Tape Rules**

- 3:1 gear ratio for fast rewind
- 1/2" wide blade for easy readability
- Double-sided blade with fractional inch and decimal foot scales for versatility

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
34-760	Yellow	100 ft	1/2 in	2	8	076174347609
34-762	Yellow	300 ft	1/2 in	2	8	076174347623
34-774	Yellow	60m / 200 ft	1/2 in	2	8	076174347746
34-776	Yellow	100m / 300 ft	1/2 in	2	8	076174347760



**Open Reel Fiberglass Long Tape Rules**

- 1/2" wide blade for easy readability
- Double-sided blade with fractional inch and decimal foot scales for versatility

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
34-790	Yellow	100 ft	1/2 in	2	8	076174347906
34-793	Yellow	200 ft	1/2 in	2	6	076174347937

# STANLEY®



# LAYOUT TOOLS

BOX & I-BEAM LEVELS	12-14
TORPEDO LEVELS	14-15
POST & LINE LEVELS	16
CHALK REELS & CHALK	16-18
LAYOUT ACCESSORIES	19
TIP MARKERS & PENCILS	19-20
SQUARES	20-23
MAGNETIC STUD FINDER	23

# STANLEY FATMAX

## PREMIUM BOX BEAM LEVELS

Precise, convenient, and lightweight, STANLEY® FATMAX® Box Beam Levels help you complete projects with accuracy and ease. Featuring removable end caps, fold-out rafter hooks\*, and MaxEdge™ Bridged Center Vials, these levels were designed for maximum accuracy and productivity.



### STANLEY® FATMAX® LEVELS



### Heavy-Duty Box Beam Levels

- Fold-out rafter hook for convenient job-site storage\*
- Removable end cap for flush and accurate markings
- Enlarged vial housing for bright lit vials
- Magnified center block vial for easy readability
- Block plumb vials for accuracy of 0.0005"/in.

\* on select models

SKU #	TYPE	MAGNETIC	HAND GRIPS	LENGTH	BOX QTY	CTN QTY	UPC
FMHT42355	Box Beam	N	1	24 in Non-Mag (hook)	—	3	076174423556
FMHT42491	Box Beam	Y	1	32 in Mag (hook)	—	3	076174424911
FMHT42400	Box Beam	N	2	48 in Non-Mag (hook)	—	3	076174424003
FMHT42493	Box Beam	N	2	58 in Non-Mag	—	3	076174424935
FMHT42401	Box Beam	N	2	72 in Non-Mag	—	3	076174424010
FMHT42407	Box Beam	Y	2	78 in Mag	—	2	076174424072
FMHT42408	Box Beam	N	2	96 in Non-Mag	—	1	076174424089

## STANLEY® LEVELS

### Box Beam Levels

- Center block vial for durability and accuracy of 0.0005"/in
- Large, 12mm plumb tubular vials for accuracy of 0.001"/in
- MaxEdge™ bridged center vial for continuous marking edge and durability
- Shock absorbing end caps for durability and long life



SKU #	TYPE	MAGNETIC	HAND GRIPS	LENGTH	BOX QTY	CTN QTY	UPC
STHT42496	Box Beam	N	1	24 in 610 mm	—	3	076174424966
STHT42497	Box Beam	Y	1	24 in 610 mm	—	3	076174424973
STHT42504	Box Beam	N	2	48 in 1219 mm	—	3	076174425048
STHT42505	Box Beam	Y	2	48 in 1219 mm	—	3	076174425055
STHT42507	Box Beam	N	1	36 in 90 cm	—	3	076174425079
STHT42508	Box Beam	Y	1	36 in 90 cm	—	3	076174425086
STHT42506	Box Beam	N	2	72 in 180 cm	—	3	076174425062

### I-Beam 180 Degree Levels

- 0.0015"/in level accuracy
- Shock absorbing end caps hold up to heavy use
- 360° vials set into frame never need adjustment
- Top read window for easy reading from above



SKU #	TYPE	MAGNETIC	HAND GRIPS	LENGTH	BOX QTY	CTN QTY	UPC
42-324	I-Beam	N	0	24 in 60 cm	—	6	076174423242
42-328	I-Beam	N	2	48 in 120 cm	—	3	076174423280

### Thrifty I-Beam

- Durable lightweight aluminum construction for multiple purpose use
- Top read center vial design for clear visibility
- Hang hole simplifies storage



SKU #	TYPE	MAGNETIC	HAND GRIPS	LENGTH	BOX QTY	CTN QTY	UPC
42-074	Thrifty I-Beam	N	0	24 in 60 cm	—	5	076174420746
42-076	Thrifty I-Beam	N	2	48 in 120 cm	—	5	076174420760



**Foamcast I-Beam Levels**

- High impact ABS plastic for durability and shock resistance
- Top read center vial for easy reading from above
- Bottom measuring scale for added utility

SKU #	TYPE	MAGNETIC	HAND GRIPS	LENGTH	BOX QTY	CARTON QTY	UPC
42-466	I-Beam	N	0	12 in 30 cm	—	10	076174424669
42-468	I-Beam	N	2	24 in 60 cm	—	6	076174424683
42-470	I-Beam	N	6	48 in 120 cm	—	6	076174424706

**Aluminum I-Beam Levels**

- 0.0015"/in level accuracy
- Shock absorbing end caps hold up to heavy use
- Top read window for easy reading from above



SKU #	TYPE	MAGNETIC	HAND GRIPS	LENGTH	BOX QTY	CTN QTY	UPC
STHT42409	I-Beam	N	1	24 in 60 cm	—	3	076174424096
STHT42411	I-Beam	Y	1	24 in 60 cm	—	3	076174424119
STHT42420	I-Beam	N	2	48 in 120 cm	—	3	076174424201
STHT42421	I-Beam	Y	2	48 in 120 cm	—	3	076174424218
STHT42425	I-Beam	Y	2	78 in 198 cm	—	3	076174424256

**STANLEY® FATMAX® TORPEDO LEVELS**



**Extruded Torpedo Level**

- Magnified center block vial for readability and accuracy of 0.0005"/in
- Plumb block vial and 45° vial for multiple leveling applications and accuracy of 0.0005"/in
- Extruded aluminum body for strength and lightweight
- Over-molded rubber end caps for shock resistance and to help protect work surface



SKU #	TYPE	MAGNETIC	LENGTH	BOX QTY	CTN QTY	UPC
FMHT42437	Torpedo	Y	9 in 228 mm	6	12	076174424379



**Cast Torpedo Level**

- Magnified center block vial for readability and accuracy of 0.005"/in
- Plumb block vials for accuracy of 0.0005"/in
- 180° rotating vial for duplicating precise angles
- Die-cast aluminum body for strength and long life
- Rare earth magnets for holding power



SKU #	TYPE	MAGNETIC	LENGTH	BOX QTY	CTN QTY	UPC
FMHT43610	Torpedo	Y	9 in 228 mm	6	12	076174436105



**Torpedo Level**

- 0.0005"/in level accuracy
- Die-cast aluminum body for durability
- Magnified center vial for visibility
- Pipe groove with rare earth magnets for holding power on rounded surfaces



SKU #	TYPE	MAGNETIC	LENGTH	BOX QTY	CTN QTY	UPC
43-605	Torpedo	Y	9 in 229 mm	6	12	076174436051

**STANLEY® TORPEDO LEVELS**

**Magnetic Torpedo Level**

- Heavy-duty cast aluminum frame for durability
- Top read window for easy reading from above
- Pipe groove enables use on rounded surfaces
- Magnetic for use on metallic surfaces



SKU #	TYPE	MAGNETIC	LENGTH	BOX QTY	CTN QTY	UPC
42-465	Torpedo	Y	9 in 229 mm	6	36	076174424652

**Torpedo Level**

- High-impact plastic for durability
- Top read window for easy reading from above
- Tinted 360° vial for visibility
- Magnetic for use on metallic surfaces



SKU #	TYPE	COLOR	MAGNETIC	LENGTH	BOX QTY	CTN QTY	UPC
42-291	Torpedo	Black	Y	8 in 203 mm	6	24	076174422917
42-294	Torpedo	Orange	N	8 in 203 mm	4	24	076174422948







**Post Level**

- Folds flat to help prevent breakage and for easy storage
- Storage for small bits, blades and line level
- Magnetic to adhere to metal surfaces

SKU #	TYPE	VIALS	LENGTH		BOX QTY	CTN QTY	UPC
47-720	Post	3	5.86 in	149 mm	4	16	076174477207



**Line Levels**

- Special hooks allow level to slide freely
- Flat bottom for surface leveling
- High-visibility yellow color for easy identification in your toolbox

SKU #	TYPE	COLOR	VIALS	LENGTH		BOX QTY	CTN QTY	UPC
42-193	High-Visibility Plastic Line	Yellow	1	3 in	76 mm	6	72	076174421934
42-287	Aluminum Line	Silver	1	3 in	76 mm	6	72	076174422870

**STANLEY® FATMAX® CHALK AND REELS**



**Chalk Reel**

- 3:1 gear ratio for 3X faster rewind\*
  - Stainless steel interlocking hook for joining lines
  - High impact ABS case with rubber grips for durability and easy holding
  - 4 oz. chalk capacity
- \*than standard 1:1 chalk line.

SKU #	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
47-140L	FATMAX® Chalk Line Reel	100 ft	30 m	—	6	076174471403



**Chalk**

- High grade, waterproof chalk to be used with chalk reels
- Oval shaped bottle helps prevent bottle from rolling off surfaces
- Tethered pop-top cap for easy pouring

SKU #	CONTAINS	WEIGHT	BOX QTY	CTN QTY	UPC
47-821	FATMAX® Red Chalk	8 oz	—	12	076174478211
47-822	FATMAX® Black Chalk	8 oz	—	12	076174478228
47-827	FATMAX® Black Chalk	5 lbs	—	4	076174478273
47-828	FATMAX® Red Chalk	5 lbs	—	4	076174478280



**Chalk Reel**

- 6:1 gear ratio for 6X faster rewind\*
- 2X\* stronger line for durability\*
- Helical gears for smooth rewind

\*than standard 1:1 47-099

SKU #	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
FMHT47345	6:1 Chalk Reel	100 ft	30 m	—	6	076174473452
FMHT47368	3:1 Clear Chalk Reel with Blue Chalk	100 ft	30 m	—	6	076174473681

**STANLEY® CHALK AND REELS**



**Compact Chalk Reel Kit**

- 3:1 gear ratio for 3X faster rewind\*
- 50% smaller reel allows for easy handling and transport\*
- Braided line for strength and clean, accurate lines

\*than standard 1:1 47-099

SKU #	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
STHT47147	Compact Chalk Reel	30 ft	10 m	6	24	076174471472
STHT47244L	Compact Chalk Reel, Blue Chalk 4 oz	30 ft	10 m	—	12	076174472448



**100' POWERWINDER® Chalk Line Reels**

- ChalkView™ case for seeing amount of chalk in case
- 3:1 gear ratio for 3X faster rewind\*
- Crank handle will not spin when pulling out string

\*than standard 1:1 chalk line

SKU #	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
47-460	PowerWinder® Chalk Line Reel	100 ft	30 m	6	24	076174474602



**Chalk Line Reel**

- Stainless steel hook for durability and long life
- Rubber sealed screw cap helps distribute uniform chalk line
- Handle folds into case for easy storage

SKU #	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
47-099	Chalk Line Reel	100 ft	30 m	2	24	076174470994
47-117L	Chalk Line Reel, Blue Chalk - 4 oz	100 ft	30 m	2	24	076174471175



### Chalk Line Reel

- High impact ABS plastic for durability and shock resistance
- On board hook storage for convenience
- Stainless steel hook for durability and long life

SKU #	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
47-440	Chalk Line Reel	100 ft	30 m	—	24	076174474404
47-442	Chalk Line Reel, Blue Chalk - 4 oz	100 ft	30 m	—	5	076174474428
47-443	Chalk Line Reel, Blue Chalk - 4 oz & Plastic Line Level	100 ft	30 m	—	5	076174474435



### 100' Replacement Chalk Line

- 100' twisted cotton line
- Designed for use with most chalk reels

SKU #	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
47-101	100 ft line	100 ft	30 m	6	36	076174471014



### Chalk Refills

- High grade chalk to be used with chalk reels
- Oval shaped bottle helps prevent bottle from rolling off surfaces
- Tethered pop-top cap for easy pouring

SKU #	COLOR	WEIGHT	PERMANENCE	APPLICATION	BOX QTY	CTN QTY	UPC
47-803	Blue	8 oz	Temporary	Roofing, Siding, Paneling & Interior Layouts	—	12	076174478037
47-804	Red	8 oz	Permanent	Exterior Layout, Concrete, Roofing, Steel or Metal	—	12	076174478044
47-808	Black	8 oz	Maximum	Long-Term Applications	—	12	076174478082
47-502	Blue	5 lbs	Temporary	Roofing, Siding, Paneling & Interior Layouts	—	4	076174475029
47-505	Red	5 lbs	Permanent	Exterior Layout, Concrete, Roofing, Steel or Metal	—	4	076174475050
47-919	Red	2.5 lbs	Permanent	Exterior Layout, Concrete, Roofing, Steel or Metal	—	6	076174479195

## STANLEY® LAYOUT ACCESSORIES



### Mason's Line

- High-quality black and white twisted polyester line
- 250-foot length and 18-pound test

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
STHT47370	250 ft	76.2 m	6	24	076174471199



### Brass Plumb Bobs

- Polished lacquer, solid brass construction for durability and rust resistance
- Replaceable, hardened steel tip for long life
- Screw top for easily attaching string to center of plumb
- Includes extra tip

SKU #	WEIGHT		LENGTH		BOX QTY	CTN QTY	UPC
47-973	8 oz	0.5 lbs	8.7 in	221 mm	6	36	076174479737
47-974	16 oz	1.0 lbs	8.7 in	221 mm	6	36	076174479744

## FATMAX® CHISEL TIP MARKER



### Chisel Tip Marker

- Ability to write on wet and oily surfaces
- Tip allows for two distinctive lines; broad and fine
- Non-slip barrel for easy removal of cap



SKU #	COLOR	BOX QTY	CTN QTY	UPC
47-314	Black	—	16	076174473148

## STANLEY® FINE TIP MARKER

### Fine Tip Marker

- Fast drying water resistant ink
- Permanent on most surfaces



SKU #	COLOR	BOX QTY	CTN QTY	UPC
47-316	Black	4	24	076174473162



**Carpenter Pencils**

- Rectangular #2 graphite core for clear marking
- Constructed of linden wood for strength

SKU #	TYPE	PENCIL TIP	LEAD COLOR	BOX QTY	CTN QTY	UPC
47-350	Multi-Pack	Fine	Black	30	180	076174473506


**STANLEY® SQUARES**



**24" Carpenter Square**

- High quality hardened steel for durability and long life
- Embossed graduations and figures for readability
- Buffed finish with clear lacquer for rust resistance

SKU #	TYPE	FINISH	BODY / TONGUE	FACE / BACK	CTN QTY	UPC		
45-910	English	Buffed	24" x 2"	16" x 1-1/2"	1/16", 1/8"	1/16", 1/10", 1/12"	6	076174459104
45-300	English	Buffed	24" x 2"	16" x 1-1/2"	1/8"	1/8"	6	076174453003
45-500	English	Buffed	24" x 2"	16" x 1-1/2"	1/8"	1/8"	6	076174455007
45-912	English	Buffed	12" x 1-1/2"	8" x 1"	1/16"	1/16"	6	076174459128



**24" Carpenter Square**

- Aircraft grade aluminum for durability and maintaining accuracy
- Yellow painted embossed graduations for readability in most light conditions
- Black finish surface treated for corrosion resistance


SKU #	TYPE	FINISH	LENGTH BODY / TONGUE	GRADUATION FACE / BACK	BOX QTY	CTN QTY	UPC		
45-011	English	Black	24" x 2"	16" x 1-1/2"	1/16", 1/8"	1/16", 1/10", 1/12"	—	3	076174450118



**8" T-Bevel**

- Stainless steel blade for durability
- Built-in blade lock for transferring angles
- Plastic handle for comfortable grip

SKU #	BLADE LENGTH	HANDLE LENGTH	BOX QTY	CTN QTY	UPC		
46-825	8 in	203 mm	5-1/2 in	140 mm	6	36	076174468250



**Adjustable Quick Square® Layout Tool**

- Heavy-duty aluminum construction for durability
- Black body with yellow graduations for readability
- Adjustable arm for repeating angles and cuts

SKU #	FINISH	BASE LENGTH	RULE LENGTH	GRADUATION	BOX QTY	CTN QTY	UPC		
46-053	Black	10-3/4 in	273 mm	6-3/4 in	171 mm	1/8 in	—	6	076174460537



**7" Quick Square® Layout Tool**

- Heavy-duty aluminum construction for durability
- Black body with yellow graduations for readability
- Works as layout square, protractor or saw guide for versatility

SKU #	FINISH	BASE LENGTH	RULE LENGTH	GRADUATION	BOX QTY	CTN QTY	UPC		
46-071	Black	10-1/4 in	260 mm	6-7/8 in	175 mm	1/8"	—	6	076174460711



**7" Rafter Quick Square® Layout Tool**

- Aluminum construction for durability
- Works as rafter square, protractor or saw guide for versatility

SKU #	FINISH	BASE LENGTH		RULE LENGTH		GRADUATION	BOX QTY	CTN QTY	UPC
46-067	Buffed	10-1/4 in	260 mm	6-3/4 in	171 mm	1/8"	—	3	076174460674



**Quick Square® Layout Tool**

- Molded in, wrapping graduations readability and accuracy
- ABS plastic body with large base helps provide better grip on materials
- Works as layout square, protractor or saw guide for versatility

SKU #	FINISH	BASE LENGTH		RULE LENGTH		BOX QTY	CTN QTY	UPC
STHT46010	Yellow	1-1/8 in	10 1/4 mm	7 in	178 mm	—	3	076174460100
STHT46011	Yellow	1-1/8 in	16 3/4 mm	12 in	305 mm	—	4	076174460117



**Hi-Visibility Quick Square® Layout Tool**

- ABS plastic body for heavy duty use
- Works as rafter square, try square protractor or saw guide for versatility

SKU #	FINISH	BASE LENGTH		RULE LENGTH		GRADUATION	BOX QTY	CTN QTY	UPC
46-060	Yellow	10-1/4 in	260 mm	6-7/8 in	175 mm	1/8"	—	6	076174460605



**8" Try/Miter Square**

- Aluminum body with plastic handle for lightweight and durability
- Embossed blade with 1/16" graduations
- Ideal for laying out 45° and 90° angles

SKU #	BLADE LENGTH		BLADE WIDTH		HANDLE LENGTH		HANDLE WIDTH		BLADE GRADUATION	BOX QTY	CTN QTY	UPC
46-502	8 in	203 mm	1-1/2 in	38 mm	5-1/8 in	130 mm	5-1/8 in	41 mm	1/16"	6	60	076174465020



**Combination Square**

- Die-cast metal handle with brass hardware for durability
- Etched stainless steel blades for corrosion resistance
- Built-in scriber for easy surface marking

SKU #	TYPE	LENGTH		WIDTH		GRADUATION	BOX QTY	CTN QTY	UPC
46-123	English	12 in	305 mm	1 in	25 mm	1/32", 1/16", 1/8"	—	3	076174461237
46-131	English	16 in	406 mm	1 in	25 mm	1/32", 1/16", 1/8"	—	3	076174463231



**12" Combination Square**

- Die-cast metal handle for durability
- Embossed hard chrome blade is coated for corrosion resistance
- 360° vial for visibility

SKU #	TYPE	LENGTH		WIDTH		GRADUATION	BOX QTY	CTN QTY	UPC
46-222	English	12 in	305 mm	1 in	25 mm	1/32", 1/16", 1/8"	—	6	076174462227



**12" Combination Square**

- ABS plastic handle for light weight and durability
- Embossed hard chrome blade is coated for corrosion resistance
- Vial is easy to read

SKU #	TYPE	LENGTH		WIDTH		GRADUATION	BOX QTY	CTN QTY	UPC
46-012	English	12 in	305 mm	1 in	25 mm	1/32", 1/16", 1/8"	—	6	076174460124



**Magnetic Stud Finder**

- Magnet works by locating steel nails and screws used to hold drywall to studs
- Notched base for convenient marking

SKU #	LENGTH	WIDTH	HEIGHT	BOX QTY	CTN QTY	UPC
47-400	1-3/8 in	1-3/8 in	1-1/4 in	6	36	076174474008

**STANLEY®**



# **ELECTRONIC TOOLS**

LASER DISTANCE MEASURERS	26-29
LASER LEVELS	30-33
STUD SENSORS	34-35

# STANLEY

## SMART MEASURE PRO

The STANLEY® SMART MEASURE PRO is a tool and app\* that immediately provides accurate measurements of areas photographed in images on mobile devices. This time-saving tool instantly provides correct dimensions and accurate estimates of how much material will be needed to complete a project.


450 ft range

Measures distance, calculates area and volume for easy job estimates

Bluetooth® Technology allows you to sync your TLM99s directly to most smart phones, tablets and computers



Download the free STANLEY® Smart Measure Pro app



\*available on both Google Play™ for Android™ and App Store® on iTunes®

### Smart Measure Pro

- Range 450' / Accuracy +/- 3%
- Measures distance and calculates area for quick and easy job estimates
- Addition/subtraction function for convenient way to compute on the job without a calculator or manual math
- Continuous measurement to help find target distance fast
- Bluetooth® connectivity with dedicated app



SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		BOX QTY	CTN QTY	UPC
STHT77366	1.4 lbs	0.635029 kg	7.9 in	200.66 mm	4.2 in	106.68 mm	1.9 in	48.26 mm	2	10	076174773668

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Stanley Tools is under license. Android and Google Play are trademarks of Google Inc. Apple, the Apple logo, and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

## STANLEY® LASER DISTANCE MEASURERS



### 100' Laser Distance Measurer with Bluetooth®

- Range 100' / Accuracy +/- 3/32"
- Measures distance, calculates area and volume for quick and easy job estimates
- Addition/subtraction function for convenient way to compute on the job without a calculator or manual math
- Continuous measurement to help find target distance fast
- Integrated Bluetooth® connection links directly to Stanley measuring and layout Apps on smartphones and tablets
- Links directly with STANLEY® Floor Plan App

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77343	TLM99s - 100 ft (30 m) LDM	2 AAA	2	10	076174773439



### 100' Laser Distance Measurer

- Range 100' / Accuracy +/- 3/32"
- Measures distance, calculates area and volume for quick and easy job estimates
- Addition/subtraction function for convenient way to compute on the job without a calculator or manual math
- Continuous measurement to help find target distance fast

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77138X	TLM99 - 100 ft (30 m) LDM	2 AAA	2	10	076174771381



### 65' Laser Distance Measurer

- Range 65' / Accuracy +/- 1/8"
- Simple 2-button design for intuitive point and click measuring
- Measures distance, calculates area and volume for quick and easy job estimates
- Continuous measurement to help find target distance fast

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77032	TLM65 - 65 ft (20 m) LDM	2 AAA	4	16	076174770322



### 165' Laser Distance Measurer

- Range 165' / Accuracy +/- 1/16"
- Indirect measurement using pythagoras measures height when point A and/or point B is not accessible for linear measurement
- Measures distance, calculates area and volume for quick and easy job estimates
- Continuous measurement to help find target distance fast
- Unit stores last 5 measurements taken for reference

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77139	TLM165 - 165 ft (50 m) LDM	2 AAA	2	8	076174771398



### 330' Laser Distance Measurer

- Range 330' (100m) / Accuracy +/- 1/32" (1mm)
- Measures distance, calculates area & volume
- Automatic calculations make job estimates quick & easy
- Integrated digital leveling of inclination sensor identifies position for accurate measurements
- Continuous measurement finds distance from target quickly & easily
- Indirect measurement using pythagoras measures height even when point A and/or point B is not accessible for linear measurement
- Unit stores last 20 measurements taken for reference
- Backlit, 2 line display provides visibility in all working conditions

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77140	TLM330 - 330 ft (100 m) LDM	2 AAA	—	10	076174771404



### Ultrasonic Distance Estimator

- Measures distance up to 40' at 0.5% accuracy
- Toggle between linear, area, and volume modes
- Displays last 3 measurements

SKU #	MEASURING DISTANCE	BATTERIES	LENGTH	BOX QTY	CTN QTY	UPC
77-018	40 ft	9V	10"	2	8	076174770186



### STANLEY® LDM COMPARISON CHART

LDM COMPARISON	TLM65 STST77032		TLM99 STHT77138X		TLM99s STHT77343		TLM165 STHT77139		TLM330 STHT77140	
	65 ft	20 m	100 ft	30 m	100 ft	30 m	165 ft	50 m	330 ft	100 m
RANGE	65 ft	20 m	100 ft	30 m	100 ft	30 m	165 ft	50 m	330 ft	100 m
ACCURACY	1/8 in		3/32 in		3/32 in		1/16 in		1/32 in	
CALCULATE AREA & VOLUME	YES		YES		YES		YES		YES	
TRACKING FUNCTION	YES		YES		YES		YES		YES	
CALCULATOR +/-	NO		YES		YES		YES		YES	
BLUETOOTH® ENABLED	NO		NO		YES		NO		NO	
MEMORY	NO		NO		NO		YES		YES	
BACKLIT LCD	NO		NO		NO		YES		YES	
PYTHAGORAS 1	NO		NO		NO		YES		YES	
PYTHAGORAS 2	NO		NO		NO		YES		YES	
PYTHAGORAS 3	NO		NO		NO		NO		YES	
CORNER STAND-OFF	NO		NO		NO		YES		YES	
INCLINATION SENSOR	NO		NO		NO		NO		YES	
TRIANGULAR AREA	NO		NO		NO		NO		YES	
INDIRECT HORIZONTAL MEASUREMENT	NO		NO		NO		NO		YES	
HEIGHT TRACKING			NO		NO		NO		YES	

Bluetooth® is a registered trademark of Bluetooth SIG, Inc.

# STANLEY

## CROSS90® LASER LEVEL


Leveling and squaring applications are made easy with the STANLEY® Cross90® Laser. DIYers and tradesmen alike can effortlessly complete projects with bright vertical and horizontal lines and an additional 90 degree vertical line for additional reference.

Over-molded grip for comfort and control



Range – 50' (15m)  
Accuracy +/- 3/16" (5mm)

QuickLink™ bracket and mounting system links into multiple product mounting slots and 1/4" thread



### STANLEY® LASER LEVELS



#### CROSS90® Cross Laser Level

- Self-leveling cross lines project bright horizontal and vertical lines onto flat surfaces for common leveling and alignment applications
- 90° vertical line for additional reference point for multiple applications
- Locking pendulum for setting angled lines and to help prevent damage to internal components

SKU #	DESCRIPTION	INDOOR VISIBILITY RANGE	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77341	STANLEY® CROSS90® LASER LEVEL	50 ft	2 AA	2	12	076174773415



#### CUBIX® Cross Laser Level

- Range 40' / Accuracy +/- 5/16"
- Self Leveling Cross Lines: Projects bright horizontal & vertical lines onto flat surfaces for common leveling and alignment applications
- QuickLink™ Bracket and Mounting System: Versatile bracket links into multiple product mounting slots and 1/4" thread
- Locking Pendulum: For setting angled lines, To help prevent damage to internal components

SKU #	DESCRIPTION	INDOOR VISIBILITY RANGE	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77340	STANLEY® CUBIX® LASER LEVEL	40 ft	2 AA	2	12	076174773408



#### SPL3 - 3 Spot Beam Laser

- Range 100' / Accuracy +/- 1/8"
- Project 3 Beams – Up, Down, Horizontal: 3 bright self leveling beams provide accurate plumb and horizontal point transfer
- Projects Down Beam with Raised Clearance: Provides dot visibility and alignment for wall track layout
- QuickLink™ Bracket and Mounting System: Versatile bracket links into multiple product mounting slots and 1/4" thread

SKU #	DESCRIPTION	INDOOR VISIBILITY RANGE	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77342	STANLEY SPL3	100 ft	2 AA	2	6	076174773422

### STANLEY® FATMAX® LASER LEVELS



#### SCL-D Cross Line Combination Laser Level

- Self leveling Cross Line and Plumb Spots
- 1/4" and 5/8" Thread
- Optional Pulse Mode allows use with detector
- Locking pendulum for setting angled lines and to help prevent damage to internal components

SKU #	DESCRIPTION	INDOOR VISIBILITY RANGE	BATTERIES	BOX QTY	CTN QTY	UPC
FMHT77321	SCL-D CROSS LINE	50 ft Lines / 100 ft Dots	2 AA	1	4	076174773217



#### SPL5 - 5 Spot Laser

- Self leveling Spot Beams and Horizontal Line
- Projects down beam with raised clearance
- Integrated magnetic pivoting base
- Locking pendulum for setting angled lines and to help prevent damage to internal components

SKU #	DESCRIPTION	INDOOR VISIBILITY RANGE	BATTERIES	BOX QTY	CTN QTY	UPC
FMHT77319	5 SPOT LASER	50 ft Line / 100 ft Slot	2 AA	1	4	076174773194





**360° Line Laser with Cross Line**

- Self leveling 360 degree line and vertical line
- 1/4" Thread Mounts and Wall Mount Bracket
- Locking pendulum for setting angled lines and to help prevent damage to internal components

SKU #	DESCRIPTION	INDOOR VISIBILITY RANGE	BATTERIES	BOX QTY	CTN QTY	UPC
FMHT77137	360 LINE LASER	50 ft	2 AA	1	4	076174771374



**Manual Wall Laser**

- Raised bubble vials help improve visibility in most working environments
- 360° rotating wall attachment projects laser at any angle

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77148	MANUAL WALL LASER	2 AA	2	6	076174771480



**Self-Leveling Wall Laser**

- Self-leveling for quick and precise leveling
- AnglePro™ automatic reference lines for projection of lines at any angle
- 90° locking positions project horizontally or vertically

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77149	Self-Leveling Wall Laser	2 AA	2	6	076174771497



**STANLEY® LASER LEVEL COMPARISON CHART**

LASER LEVEL COMPARISON	CUBIX® STHT77340	SPL3 STHT77342	CROSS90® STHT77341	SCL-D FMHT77321	SLP5 FMHT77319	SLL360 FMHT77137
INDOOR VISIBILITY RANGE	40 ft	100 ft	50 ft	50 ft / 100 ft	50 ft / 100 ft	50 ft
RANGE WITH DETECTOR	X	X	X	165 ft	165 ft	X
ACCURACY	5/16"	1/8"	3/16"	1/8"	1/8"	5/32"
POWER SUPPLY	2 AA Batteries	2 AA Batteries	2 AA Batteries	3 AA Batteries	3 AA Batteries	3 AA Batteries
LASER CLASS	II	II	II	II	II	II
NUMBER OF SPOTS	0	3	0	2	5	0
NUMBER OF LINES	2	2	3	2	1	2*
LEVELING TYPE	Self Leveling	Self Leveling	Self Leveling	Self Leveling	Self Leveling	Self Leveling
SELF-LEVELING RANGE	4	4	4	4	4	4
IP RATING	50	50	50	IP54	IP54	IP54
INCLUDES	2 AA Batteries QuickLinkBracket	2 AA Batteries QuickLink- Bracket	2 AA Batteries QuickLinkBracket	3 AA Batteries Mini Tripod laser glasses magnetic bracket grade rod attachment 1/4" bracket	3 AA Batteries target card kit bag	wall mount bracket, tripod, batteries kit bag

\*SLL360 contains 360 horizontal line

**STANLEY® FATMAX® STUD SENSORS**



**Stud Sensor**

- Wood and metal stud detection identifies studs up to 1-1/2" below surface material
- Deep metal scan senses metal up to 3" below surface material
- Marking channel allows for easy rotation of center
- OnePass® center find technology locates stud's center

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
FMHT77407	STUD SENSOR 300	9V	2	8	076174774078



**Center Finding Stud Sensor**

- Wood and metal stud detection identifies studs up to 3/4" below surface material
- AC detection identifies live wires up to 2" deep
- OnePass® center find technology locates stud's center

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77406	STUD SENSOR 200	9V	2	12	076174777208



**Edge Finding Stud Sensor**

- Wood and metal stud detection identifies studs up to 1-1/2" below surface material
- AC detection identifies live wires up to 2" deep
- Sequential LEDs and audible beeps indicate what is below the surface

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77404	STUD SENSOR 150	9V	2	12	076174771152



**Edge Finding Stud Sensor**

- Wood and metal stud detection identifies studs up to 3/4" below surface material
- AC detection identifies live wires up to 2" deep
- Sequential LEDs and audible beeps indicate what is below the surface

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77403	STUD SENSOR 100	9V	4	24	076174771107



**Stud Sensor**

- Detects wood and metal studs up to 3/4" deep
- Visual indicators on face for easy readability
- LED display indicates stud edge

SKU #	SCAN DEPTH	BATTERIES	BOX QTY	CTN QTY	UPC
77-050	Stud Sensor	9V	6	36	076174770506

**STANLEY® STUD SENSORS COMPARISON CHART**

STUD SENSORS COMPARISON	STUD SCAN DEPTH	AUDIO INDICATOR	AC WARNING	LCD SCREEN	AC SCAN	METAL MODE	LIVE WIRE TRACKING MODE
Pro Stud Sensor 500 and Laser Line Level	1/2", 1", 1-1/2"	Y	Y	Y Backlit	Y	N	N
FATMAX® Stud Sensor 300	1/2", 1", 1-1/2"	Y	Y	Y	Y	Y	Y
STANLEY® Stud Sensor 200	3/4"	Y	Y	Y	Y	N	N
IntelliSensor® Pro Stud Sensor	1/2", 1", 1-1/2"	Y	Y	Y	Y	N	N
STANLEY® Stud Sensor 150	1/2", 1", 1-1/2"	Y	Y	N	Y	N	N
STANLEY® Stud Sensor 100	3/4"	Y	Y	N	N	N	N
STANLEY® Stud Sensor 50	3/4"	N	N	N	N	N	N



# STANLEY®



RETRACTABLE BLADE KNIVES	38-42
FIXED BLADE KNIVES	43-44
SPECIALTY & POCKET KNIVES	44-47
SAFETY & HOBBY KNIVES	48-49
SNAP-OFF KNIVES	50-51
REPLACEMENT BLADES	52-58
SELECTION GUIDE	59

# KNIVES & BLADES

**⚠** WARNING: KNIVES ARE INTENDED FOR CUTTING ONLY AND SHOULD BE HANDLED WITH CARE. BENDING BLADE CAN CAUSE IT TO BREAK, POSSIBLY RESULTING IN BODILY INJURY.

**STANLEY  
FATMAX**

**EXOCHANGE™  
UTILITY KNIFE**

The STANLEY® FATMAX® EXOCHANGE™ knife allows users to quickly and easily replace blades with the fully extendable blade tray and easy access blade storage. (FMHT10288 only)



**STANLEY® FATMAX® RETRACTABLE KNIVES**

**STANLEY  
FATMAX** EXOCHANGE™ Utility Knife

- Fully extendable blade tray allows for quick and easy blade changes
- Quick and easy debris removal from slider
- Easy blade storage holds up to 5 blades for fast blade changes (FMHT10288 only)



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
FMHT10288	7-1/4 in	175 mm	4	24	076174102895
FMHT10289	7 in	175 mm	4	24	076174102888



**Twin Blade Knife**

- Twin blade design allows user to alternate between two blades and carry one knife
- Interlocking blade slides allows only one blade to be extended at a time
- Easy blade storage holds up to 9 blades for fast blade changes

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-789	6-7/8 in	175 mm	6	24	076174107890

**STANLEY  
FATMAX** Retractable Utility Knife



- Push button for easy blade changes
- Easy access blade storage for fast blade changes
- Ergonomic design and soft touch slider for comfort

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-778	6-5/8 in	168 mm	6	36	076174107784

**STANLEY  
FATMAX** Retractable Folding Twin Blade Knife



- Twin blade design allows ability to alternate between two blades and carry one knife
- Interlocking blade slides allows only one blade to be extended at a time
- Folds for safe and convenient storage

SKU #	LENGTH FOLDED	LENGTH OPEN	BOX QTY	CTN QTY	UPC
FMHT10502	4-2/5 in 111 mm	6-4/5 in 174 mm	6	36	076174105025

**InstantChange® Retractable Knife**



- Push button for easy blade changes
- Blade storage on handle for convenience
- Ergonomical design and soft touch slider for comfort
- Integrated string cutter

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-788	6-5/8 in	168 mm	6	36	076174107883



**STANLEY® RETRACTABLE KNIVES**



**Dynagrip® Retractable Utility Knife**

- All-metal construction for durability
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure

SKU #	DESCRIPTION	LENGTH		BOX QTY	CTN QTY	UPC
10-779	Standard	5-3/8 in	137 mm	6	36	076174107791



**Dynagrip® Retractable Utility Knife**

- All-metal construction for durability
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure

SKU #	DESCRIPTION	LENGTH		BOX QTY	CTN QTY	UPC
10-779G	High-Visibility	8 in	203 mm	6	36	076174761863



**Quick Change Retractable Utility Knife**

- Change blades quickly – no screwdriver required
- 3-position retractable blade for flexibility
- Integrated string cutter



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-499	6-3/8 in	162 mm	6	36	076174104998



**Swivel-Lock® Retractable Utility Knife**

- Aluminum construction is lightweight
- Interlock nose helps prevent knife from spreading under pressure
- Swivels open with push of a button for fast and easy blade changes

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-989	7 in	178 mm	6	72	076174109894



**Ergonomic All-Metal Retractable Utility Knife**

- All-metal construction for durability
- Thumb screw for easy, tool free blade changes
- Interlock nose helps prevent knife from spreading under pressure

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-707	7-1/4 in	184 mm	6	36	076174107074



**All-Metal Retractable Utility Knives**

- All-metal construction for durability
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure



SKU #	DESCRIPTION	LENGTH		BOX QTY	CTN QTY	UPC
10-079	Standard	5-7/8 in	150 mm	6	36	076174100792
10-379W	Orange	5-7/8 in	150 mm	4	24	076174103793



**All-Metal Retractable Utility Knives**

- All-metal construction for durability
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure



SKU #	DESCRIPTION	LENGTH		BOX QTY	CTN QTY	UPC
10-179	High-Visibility	5-7/8 in	150 mm	6	36	076174101799



**Classic 99® Retractable Utility Knife**

- 3-position retractable blade for flexibility
- Blade storage in handle for convenience
- Interlocking nose helps prevent knife from spreading under pressure



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-099	6 in	152 mm	6	36	076174100990



**Homeowner's Retractable Utility Knife**

- Lightweight, economical knife ideal for homeowners
- 3-position retractable blade for flexibility
- Interlocking nose helps prevent knife from spreading under pressure
- Blade storage on handle for convenience



SKU #	LENGTH	BOX QTY	CTN QTY	UPC
10-175	6-1/8 in 156 mm	6	36	076174101751

**STANLEY® FIXED BLADE KNIVES**



**Fixed Blade Utility Knife**



- Slim nose design
- Thumb screw for easy, tool free blade changes
- Soft touch grips for comfort and control
- Blade storage on handle for convenience

SKU #	LENGTH	BOX QTY	CTN QTY	UPC
10-780	6-1/4 in 160 mm	6	36	076174107807

**Swivel-Lock® Fixed Blade Knife**



- All-metal construction for durability
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure

SKU #	LENGTH	BOX QTY	CTN QTY	UPC
10-399	6 in 152 mm	6	36	076174103991

**Ergonomic All-Metal Fixed Blade Utility Knife**



- All-metal construction for durability
- Thumb screw for easy, tool free blade changes
- Interlock nose helps prevent knife from spreading under pressure



SKU #	LENGTH	BOX QTY	CTN QTY	UPC
10-705	5-1/2 in 140 mm	6	36	076174107050



**Classic 199® Fixed Blade Utility Knife**

- All-metal construction for durability
- Interlock nose helps prevent knife from spreading under pressure
- Designed for heavy-duty use
- Blade storage on handle for convenience



SKU #	LENGTH	BOX QTY	CTN QTY	UPC
10-209	5-3/8 in 137 mm	6	36	076174102093



**299® Fixed Blade Interlock® Utility Knife**

- Contoured handle with slip-resistant grip
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure



SKU #	LENGTH	BOX QTY	CTN QTY	UPC
10-299	5-3/8 in 137 mm	6	36	076174102994



**SPECIALTY & POCKET KNIVES**



**Retractable Carpet Knife**

- Retractable blade for controlling depth of cut
- Angled handle for accessing tight spaces
- Stores up to 10 regular .015" blades



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-525	6-1/2 in	158 mm	6	36	076174105254



**Hook Knife**

- Taper ground cutlery steel blade
- Slip-resistant rubber grip for comfort
- Designed to cut and trim flooring, roofing materials, sod, and turf



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-510	5-1/2 in	140 mm	6	36	076174105100

**Linoleum Flooring Knife**

- Taper ground cutlery steel blade
- Designed for cutting and trimming vinyl or linoleum floor covering, plastics, and carpeting



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-509	4-1/2 in	127 mm	6	72	076174105094

**SportUtility™ Outdoorsman Knife**

- Cutlery grade stainless steel sport blade for long life
- Alternate between 3" folding sport blade and retractable utility blade
- Includes carrying pouch and 10 pack blade dispenser



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-804	6-3/8 in	162 mm	2	6	076174108040



**Folding Fixed Blade Utility Knife**

- All-metal construction for durability
- One handed operation for easy opening/closing
- Slide button for easy, tool free blade changes

SKU #	POINTS ON BLADE	LENGTH		BOX QTY	CTN QTY	UPC
10-855	5-3/4 in	5-3/4 in	146 mm	4	16	076174108552



**QuickSlide® Utility Knife**

- Easy blade change and slide operation for quick and easy loading
- Integrated carabiner and bottle opener for added versatility
- Slim and compact design



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
STHT10828	4-3/4 in	121 mm	4	24	076174108286



**QuickSlide® Pocket Knife**

- All-metal, die-cast construction for durability
- Push tab for tool free blade changes
- Belt clip for easy carrying

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-810	5-3/4 in	146 mm	6	36	076174108101



**QuickSlide® Sport Utility Knife**

- Zinc blade slider for durability
- Alternate between 3" folding sport blade and retractable utility blade
- Locking mechanism does not allow both blades to be open

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-813	4-5/8 in	118 mm	2	6	076174108132



**Folding Pocket Knife**

- Powder coated epoxy handle for durability
- Stainless steel blade for corrosion resistance
- Blade lock for safe storage



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-049	4-1/4 in	105 mm	6	72	076174100495



**Fixed Blade Folding Utility Knife**

- Folds for safe and convenient storage
- Flip open blade storage for fast blade changes
- Integrated tape cutter when folded for added versatility

SKU #	LENGTH FOLDED	LENGTH OPEN	BOX QTY	CTN QTY	UPC
FMHT10827	4-3/20 in	105 mm	4	16	076174108279



**Fixed Blade Folding Utility Knife**

- One handed operation for easy opening/closing
- Slide button for easy, tool free blade changes

SKU #	LENGTH FOLDED		LENGTH OPEN		BOX QTY	CTN QTY	UPC
STHT10169	4 in	100 mm	6 in	151mm	6	36	076174101690



**Fixed Blade Folding Utility Knife**

- Aluminum handle with belt clip for durability
- Quick change blade mechanism
- One handed operation

SKU #	LENGTH FOLDED	LENGTH OPEN	BOX QTY	CTN QTY	UPC
10-036	4-1/4 in	108 mm	4	16	076174100365





**STANLEY® SAFETY & HOBBY KNIVES**



**Safety Knife**

- Blade automatically retracts when contact with cutting surface is lost
- Swing out blade storage for fast blade changes
- Integrated shrink wrap cutter for added versatility



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
FMHT10242	6-3/5 in	168 mm	6	36	076174102420

**Folding Safety Knife**

- Blade automatically retracts when slider is released
- Folds for safe and convenient storage
- Tape splitter for added versatility



SKU #	LENGTH FOLDED		LENGTH OPEN		BOX QTY	CTN QTY	UPC
STHT10243	4 in	100 mm	6-2/5 in	162 mm	4	24	076174102437

**Safety Wrap Cutter**

- Replaceable blade for long life
- U-shape handle design for easy pull cutting
- Full length knuckle guard helps protect hands when in use



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
STHT10244	7-3/20 in	182 mm	6	36	076174102444

**Safety Knife**

- Spring loaded blade retracts automatically when slide button is released
- Stainless steel barrel for durability
- Ergonomically designed handle for comfort



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
STHT10193	6-1/2 in	165 mm	4	24	076174101935



**Self-Retracting Safety Utility Knife**

- Spring loaded blade retracts automatically when slide button is released
- Interlock nose helps prevent knife from spreading under pressure
- Designed for opening cartons



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-189C	5-7/8 in	150 mm	6	36	076174101898

**Retractable Folding Pocket Knife**

- Folds for safe and convenient storage
- Push button for fast and easy blades changes
- Retractable blade with variable cutting depths for flexibility



SKU #	LENGTH FOLDED		LENGTH OPEN		BOX QTY	CTN QTY	UPC
10-823	3-1/2 in	89 mm	6 in	151 mm	6	36	076174108231

**Hobby Knife**

- Lightweight aluminum handle
- Positive lock in metal barrel
- Designed for precision cutting, trimming and carving



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-401	5 in	127 mm	5	50	076174104011

**Rotary Cutter**

- Lightweight aluminum handle
- Positive lock in metal barrel
- Designed for precision cutting, trimming and carving



SKU #	LENGTH		BOX QTY	CRN QTY	UPC
STHT10194	6-3/4 in	171.45 mm	4	24	076174101942

**STANLEY® FATMAX® SNAP-OFF KNIVES**

**STANLEY FATMAX® Snap-Off Knife**



- Die cast, all-metal construction stands up to the most extreme job site conditions
- Blade knob to lock blade in place for heavy-duty applications
- Diamond shaped texturing provides a sure grip
- Textured die cast finish for positive slip-resistant grip
- Stainless steel 4 blade cartridge

SKU #	SIZE	POINTS PER BLADE	LENGTH		BOX QTY	CTN QTY	UPC
10-817	25 mm	7	8-1/4 in	210 mm	6	36	076174108170

**STANLEY FATMAX® Snap-Off Knife**



- Cast aluminum body and stainless steel blade channel for durability
- Slim design for control, precision cutting, and easy storage
- Auto locking blade slider



SKU #	SIZE	POINTS PER BLADE	LENGTH		BOX QTY	CTN QTY	UPC
10-411	9 mm	13	3-1/2 in	89 mm	6	36	076174104110
10-421	18 mm	8	6-1/4 in	160 mm	6	36	076174104219
10-431	25 mm	7	5-1/4 in	133 mm	6	36	076174104318

**STANLEY FATMAX® Snap-Off Knife**



- Stainless steel blade channel for durability
- Bi-material slider for comfortable soft grip
- Thumb dial clamps down on blade to help minimize blade movement

SKU #	SIZE	POINTS PER BLADE	STORAGE CAPACITY	LENGTH		BOX QTY	CTN QTY	UPC
10-481	18 mm	8	6	7 in	179 mm	6	36	076174104813
10-486	25 mm	7	4	8-3/8 in	213 mm	6	36	076174104868

**STANLEY® SNAP-OFF KNIVES**

**DynaGrip® Snap-Off Knife**



- Quick Point® snap-off blades provide fresh, sharp cutting edge
- Removable blade snapper in cap of knife
- Clamping dial locks blade in place

SKU #	SIZE	POINTS PER BLADE	LENGTH		BOX QTY	CTN QTY	UPC
10-409	9 mm	13	6 in	151 mm	12	72	076174104097
10-418	18 mm	8	6-1/2 in	165 mm	6	72	076174104189
10-425	25 mm	7	7 in	180 mm	6	72	076174104257

**Snap-Off Knife**



- Push knob for easy, tool-free blade changes
- Removable blade snapper helps provide fresh, sharp cutting edge
- Soft touch grip for comfort and control

SKU #	LENGTH	BOX QTY	CTN QTY	UPC
STHT10186	6-3/10 in	4	24	076174101867
STHT10187	7-1/2 in	4	24	076174101874

**Quick Point® Knives**



- Quick Point® snap-off blades provide fresh, sharp cutting edge
- Removable blade snapper in cap of knife
- Designed for light-duty use

SKU #	SIZE	POINTS PER BLADE	LENGTH		BOX QTY	CTN QTY	UPC
10-150	9 mm	13	5-1/8 in	130 mm	6	72	076174101508
10-151	18 mm	8	6-1/8 in	160 mm	6	72	076174101515

**Snap-Off Knife Set**



- Quick Point® snap-off blades provide fresh, sharp cutting edge
- Removable blade snapper in cap of knife
- Designed for light-duty use

SKU #	SIZE	POINTS PER BLADE	LENGTH		BOX QTY	CTN QTY	UPC
10-202	9 mm / 18 mm	13 / 8	6 in	151 mm	6	36	076174102024

**Retractable Pocket Cutter**



- Quick Point® snap-off blades provide fresh, sharp cutting edge
- Designed for light-duty use

SKU #	SIZE	POINTS PER BLADE	LENGTH		BOX QTY	CTN QTY	UPC
10-143P	18 mm	8	6	152	30	180	076174101430

# STANLEY FATMAX

## MULTI PURPOSE BLADES

STANLEY® blades have become so popular that its state-of-the-art manufacturing facilities must create over 20,000 miles of blades each year. With blades available in a variety of sizes and styles, STANLEY® has a blade to meet almost any need.



### STANLEY® FATMAX® BLADES



#### Carbide Heavy-Duty Utility Blades

- World's longest lasting blade stays sharp 5X longer\*
- Laser deposited Carbide edge delivers long lasting blade for the jobsite
- Steel body allows flexibility to help prevent breaking

\*compared to traditional steel and bi-metal blades



SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-800	5	2-7/16 in	62 mm	.61	10	200	076174118001
11-800L	50	2-7/16 in	62 mm	.61	4	24	076174765304
11-800T	10	2-7/16 in	62 mm	.61	10	100	076174765298



#### Utility Blades

- Heat treated for 20% stronger\* blade
- Induction hardened edges for 75% longer\* lasting blade life
- Blade edge remains 35% sharper\*

\*based on average values compared with Stanley 1992® blades



SKU #	# OF BLADES	LENGTH IN/MM		THICKNESS	BOX QTY	CTN QTY	UPC
11-700	5	2-7/16 in	62 mm	.024	10	100	076174117004
11-700A	100	2-7/16 in	62 mm	.024	6	36	076174760590
11-700L	50	2-7/16 in	62 mm	.024	6	36	076174760583
11-700T	10	2-7/16 in	62 mm	.024	10	100	076174760576

### STANLEY® BLADES



#### Drywall Utility Blades

- One blade cuts over a mile of drywall in carefully conducted lab tests
- Designed for cutting and scoring drywall, ceiling tile, wallboard and similar materials
- DRYWALL is laser etched on blade to help prevent mixing with standard blades



SKU #	# OF BLADES	LENGTH IN/MM		THICKNESS	BOX QTY	CTN QTY	UPC
11-937	5	2-7/16 in	62 mm	.024	10	100	076174119374
11-937L	50	2-7/16 in	62 mm	.024	6	24	076174783513



#### 1991® Extra Heavy-Duty Utility Blades

- Cuts thick, dense sheet materials
- Fits fixed blades only



SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-931	5	2-7/16 in	62 mm	.035	10	200	076174004939
11-931A	100	2-7/16 in	62 mm	.035	1	10	076174119312
11-931D	70	2-7/16 in	62 mm	.035	6	24	076174729405



#### 1992® Heavy-Duty Utility Blades

- Precision honed edge for consistent and long cutting life
- Designed for general purpose cutting
- Fits most standard utility knives



SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-921	5	2-7/16 in	62 mm	.024	10	200	076174119213
11-921A	100	2-7/16 in	62 mm	.024	4	24	076174119923
11-921B	400	2-7/16 in	62 mm	.024	1	10	076174114928
11-921G	5	2-7/16 in	62 mm	.024	10	60	076174119213
11-921L	50	2-7/16 in	62 mm	.024	6	24	076174729078
11-921W	10	2-7/16 in	62 mm	.024	7	42	076174795905
11-921Z	500	2-7/16 in	62 mm	.024	4	240	076174767551

DR® is a registered trademark.



**Round-Point Utility Blade**

- Round points help reduce the risk of accidental cuts
- Designed for cutting open cartons
- Fits most standard utility knives



SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-987	5	2-13/64 in	56 mm	.024	10	200	076174119879
11-988	100	2-13/64 in	56 mm	.024	6	24	076174119886



**1991® Regular-Duty Utility Blade**

- Designed for cutting light sheet materials, paper and cardboard
- Fits most standard utility knives



SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-911	5	2 in	51 mm	.017	10	200	076174119114
11-911A	100	2 in	51 mm	.017	6	24	076174119916



**Roofing Utility Blades**

- 75% stronger\* for long cutting life
- Designed for cutting shingles, felt paper, Tyvek®, foamboard, insulation, shingles, and other building materials
- ROOF is laser etched on blade to help prevent mixing with standard blades

\*than Stanley's 11-983 hook blades

SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-939	5	1-7/8 in	48 mm	.031	10	100	076174119398
11-939A	70	1-7/8 in	48 mm	.031	6	36	076174781618



**Regular Hook Blades**

- Curved cutting edge helps prevent damage to materials beneath
- Designed for cutting roofing, tile, carpet, fabric, and sheet materials
- Fits most STANLEY® utility knives



SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-961	5	2-1/16 in	53 mm	.024	10	200	076174119619
11-961A	100	2-1/16 in	53 mm	.024	6	24	076174119961



**1996® Large Hook Blades**

- Large hook for cutting thick materials
- Designed for cutting roofing, tile, carpet, fabric and sheet materials
- Fits most standard utility knives



SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-983	5	1-7/8 in	48 mm	.024	10	200	076174119831
11-983L	50	1-7/8 in	48 mm	.024	4	24	076174783506
11-983A	100	1-7/8 in	48 mm	.024	4	24	076174005349
11-984	100	1-7/8 in	48 mm	.024	4	24	076174119848

**STANLEY® FATMAX® SNAP-OFF BLADES**



**Snap-Off Blades**



- Induction hardened edges for 50% longer\* lasting blade life
- Designed for cutting drywall, styrofoam, insulation, foam backed and reinforced carpet, linoleum, cork, tar paper and house wrap

\*based on average values compared with Stanley snap-off blades

SKU #	SIZE	# OF BLADES	POINTS ON BLADE	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-718	18 mm	5	8	4-1/4 in	108 mm	.020	10	50	076174117189
11-718L	18 mm	50	8	4-1/4 in	108 mm	.020	4	24	076174760606
11-718T	18 mm	10	8	4-1/4 in	108 mm	.020	10	50	076174760545
11-725	25 mm	5	7	5-1/2 in	140 mm	.027	6	36	076174117257
11-725L	25 mm	50	7	5-1/2 in	140 mm	.027	2	24	076174760613
11-725T	25 mm	10	7	5-1/2 in	140 mm	.027	4	48	076174760552

**STANLEY® SNAP-OFF BLADES**



**QUICK POINT® Snap-Off Blade**

- Replacement blade with 13 cutting points
- Fits most 9mm snap-off blade knives

SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-300	3	3-1/2 in	89 mm	.017	10	50	076174113006

Tyvek® is a registered trademark of E. I. du Pont de Nemours and Company or its affiliates.



**Super Heavy-Duty Quick-Point™ Blades**

- Replacement blade with 7 cutting points
- Fits most 25mm snap-off knives

SKU #	SIZE	# OF BLADES	POINTS ON BLADE	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-325	25 mm	5	7	5-1/2 in	140 mm	.027	6	36	076174760385
11-325T	25 mm	10	7	5-1/2 in	140 mm	.027	4	48	076174113259



**Quick Point™ Blades**

- Replacement blade with 8 cutting points
- Fits most 18mm snap-off knives

SKU #	SIZE	# OF BLADES	POINTS ON BLADE	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-301	18 mm	3	8	4-1/4 in	108 mm	.020	10	50	076174113013
11-301L	18 mm	50	8	4-1/4 in	108 mm	.020	4	24	076174799231
11-301T	18 mm	10	8	4-1/4 in	108 mm	.020	10	100	076174799248



**Snap-Off Hook Blades**

- Replacement blade with 4 cutting points
- Designed for cutting asphalt shingles, roofing felt, and tar paper

SKU #	SIZE	# OF BLADES	POINTS ON BLADE	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-618	18 mm	5	4	4-1/8 in	105 mm	.065	10	50	076174116182
11-618L	18 mm	20	4	4-1/8 in	105 mm	.065	5	25	076174760620
11-625	25 mm	5	4	5-1/4 in	132 mm	.065	6	36	076174116250
11-625L	25 mm	20	4	5-1/4 in	132 mm	.065	2	24	076174760637
11-625T	25 mm	10	4	5-1/4 in	132 mm	.065	4	48	076174760538



**Carpet Knife Blades**

- High carbon steel blade with double cutting edge
- Fits most carpet knives



SKU #	DESCRIPTION	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-525	Standard Carpet Blade	5	2-1/4 in	55 mm	.015	10	100	076174115253
11-530	Heavy-Duty Carpet Blade	100	2-1/4 in	55 mm	.017	100	1000	076174115307



**Single-Edge Razor Blades**

- Steel backed, high-carbon steel blade for strength
- Includes blade dispenser for safe storage of blades
- Fits most standard razor blade tools

SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
28-510	10	1-1/2 in	38 mm	.009	10	100	076174285109



**Single-Edge Razor Blades**

- Steel backed, high-carbon steel blade for strength
- Fits most standard razor blade tools

SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-515	100	1-1/2 in	38mm	.009 in	10	100	076174285109



**Replacement Cutter**

- For use with FMHT10242 and STHT10244 knives

SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
STHT10245	1	1/3 in	8.5 mm	1/64 in	6	36	076174102451



**Sheepfoot Replacement Blade**

- Sheepfoot-style blade made of cutlery stainless steel



SKU #	FITS	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-040	10-049 Utility Knife	1	2-9/16 in	65 mm	.040 in	10	60	076174110401



**Utility Replacement Blade**

- Utility blade made of cutlery stainless steel



SKU #	FITS	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-041	10-049 Utility Knife	1	2-9/16 in	65 mm	.040	10	100	076174110418

Oflr® is a registered trademark.



**Hobby Knife Blades**

- Designed for free angle cutting



SKU #	FITS	# OF BLADES	LENGTH	THICKNESS	BOX QTY	CTN QTY	UPC
11-411	10-401 Hobby Knife	3	1-9/16 in	40 mm	10	60	076174114119

**Glass and Tile Blade**

- Includes blade case for safe storage of blades



SKU #	# OF BLADES	LENGTH	BOX QTY	CTN QTY	UPC
28-223	5	7-2/10 in	5	30	76174282238

**Rotary Blade**

- Designed for free angle cutting



SKU #	FITS	# OF BLADES	LENGTH	THICKNESS	BOX QTY	CTN QTY	UPC
STHT11942	STHT10194	10	1-3/4 in	44 mm	10	200	076174119428



**KNIFE AND BLADE SELECTION GUIDE**

KNIVES		FEATURES			BLADES														
		Quick Change	Blade Storage	Clamping	FatMax® 11-700	No. 1992 Drywall 11-937	No. 1991 Paper 11-938	No. 1996 Roofing 11-939	Carlton, Rnd Pnt 11-987	Carpet 11-525	Carpet Hvy Dty 11-530	1991®, Reg Dty 11-911	1992®, Hvy Dty 11-921	Extra Hvy Dty 11-931	Safety 11-917	Safety 11-914	5m Hook 11-961	1996® Lg Hook 11-983	
RETRACTABLE	FATMAX® 10-789	x	x		x	x	x	x	x			x	x	x				x	x
	FATMAX® Retractable 10-778	x	x	x	x	x	x	x	x			x	x	x				x	x
	InstantChange® 10-788	x	x		x	x	x	x	x			x	x	x				x	x
	Dynagrip® 10-779		x			x	x		x			x	x					x	x
	Quick Change 10-499	x	x			x	x		x			x	x					x	x
	Swivel-Lock® 10-989	x	x			x	x		x			x	x					x	x
	Ergonomic All-Metal Retractable Utility Knife 10-707	x	x			x	x		x			x	x					x	x
	Retractable Utility 10-079		x			x	x		x			x	x					x	x
	High Visibility 10-179		x			x	x		x			x	x					x	x
	Classic 99® 10-099		x			x	x		x			x	x					x	x
	Homeowner's 10-175		x			x	x		x			x	x					x	x
Junior Classic Utility Knife 10-016		x			x	x		x			x	x					x	x	
FIXED BLADE	FATMAX® Fixed Blade Utility Knife 10-780	x	x	x	x	x	x	x	x			x	x	x				x	x
	Swivel-Lock® 10-399	x	x			x	x	x	x			x	x	x				x	x
	Ergonomic All-Metal Fixed Blade Utility Knife 10-705	x	x			x	x	x	x			x	x	x				x	x
	Classic 199® 10-209		x			x	x	x	x			x	x	x				x	x
	299® Fixed Blade Interlock 10-299		x			x	x	x	x			x	x	x				x	x
SPECIALTY	Retractable Carpet Knife 10-525	x	x	x							x	x							
	FATMAX® Hook 10-510																		
	Linoleum Flooring Knife 10-509																		
	Sport Utility™ Outdoorsman™ 10-804	x				x	x		x			x	x					x	x
SAFETY	Self-Retracting Safety 10-189C		x			x	x		x			x	x	x				x	x
	Self-Retracting Safety FMHT10242																		
POCKET/HOBBY/CRAFT	Folding Fixed Blade Utility Knife 10-855	x				x	x		x			x	x					x	x
	QuickSlide® 10-810	x				x	x		x			x	x					x	x
	QuickSlide® Knife 10-812	x										x	x						
	QuickSlide® Sport Utility Knife 10-813	x				x	x					x	x					x	x
	Folding Pocket Knife 10-049																		
	Metal Mitey-Knife® 10-239		x																
	No. 1 Hobby Knife Light Duty 10-401																		
SNAP-OFF	FATMAX® Snap-Off Knife 10-817		x	x															
	FATMAX® Snap-Off Knife 9mm 10-475		x	x															
	FATMAX® Snap-Off Knife 18mm 10-481		x	x															
	FATMAX® Snap-Off Knife 25mm 10-486		x	x															
	FATMAX® 18mm Snap-Off Knife 10-421																		
	25mm Dynagrip® 10-425																		
	18mm Quick Point® 10-151																		
	9mm Quick Point® 10-150																		
	18mm Standard Snap-Off 10-280																		
	18mm Quick Point® Cutter 10-143P																		

# STANLEY®

# SAWS



PANEL SAWS	62-64
SPECIALTY SAWS	65-66
COPING SAWS	66
JAB SAWS	67
HIGH TENSION SAWS	68-70
SAW BLADES	70-71
SAW SETS	72
BACK SAWS	73
MITER BOXES	73

# STANLEY FATMAX

## PREMIUM SAWS

STANLEY® continues to innovate and develop new and long-lasting saws. The STANLEY® FATMAX® saws have BladeArmor® coating for 2X rust protection, 6X abrasion resistance and 50% less friction\* making these saws great for cutting a variety of materials.

\*compared to STANLEY® lacquered blades



BladeArmor® coating helps reduce friction while cutting

Tri-material handle for reduced slipping and added comfort



Induction hardened teeth for long life



## STANLEY® FATMAX® SAWS



### Aggressive Cut Saw

- Triple ground tooth technology is 4X sharper\* for fast cuts
- Induction hardened teeth for long life
- BladeArmor® coating helps reduce friction while cutting

\*compared to traditional toothed saws



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-046	15 in	381 mm	12	11	—	4	076174200461
20-047	20 in	508 mm	12	11	—	4	076174200478
FMHT20218	26 in	660 mm	12	11	—	2	076174202182

### Aggressive Cut Saw

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Induction hardened teeth for long life
- Thick ergonomically designed grip resists slipping and adds comfort

\*compared to traditional toothed saws



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-045	15 in	381mm	9	8	—	4	076174200454

## STANLEY® SAWS

### SHARPTOOTH® Saws

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Induction hardened teeth for long life
- Ergonomic, one-piece handle for comfort

\*compared to traditional toothed saws



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-526	15 in	381 mm	12	11	—	4	076174205268
20-527	20 in	508 mm	12	11	—	4	076174205275

### General Purpose Saw

- Resharpenable, machine set teeth
- Contoured sturdy handle designed for comfort and control
- Blade cuts on both forward and reverse strokes for fast cuts



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-726	26 in	660 mm	8	8	—	6	076174157260

### SHARPTOOTH® Saw

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Induction hardened teeth stay sharp up to 5X longer\*
- Hardwood handle for durability

\*compared to traditional toothed saws



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-085	15 in	381 mm	9	8	—	4	076174150858
15-087	20 in	508 mm	9	8	—	2	076174150872
20-065	26 in	660 mm	12	11	—	2	076174200652





### Aggressive Cut Saw

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Back of saw can be used to mark 45° and 90° angles
- Hardwood handle for traditional performance

\*compared to traditional toothed saws



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-334	15 in	381 mm	9	8	—	4	076174153347
15-335	20 in	508 mm	9	8	—	4	076174153354



### SHARPTOOTH® Tool Box Saw

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Back of saw can be used to mark 45° and 90° angles
- Contoured, sturdy handle design for comfort and control

\*compared to traditional toothed saws



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-579	15 in	381 mm	9	8	—	4	076174155792



### General Purpose SHARPTOOTH® Saws

- Fast cuts on push and pull strokes
- Precision-ground, razor-sharp teeth
- Molded plastic handle provides comfortable grip
- Back of saw can be used to mark 45° and 90° angles
- Induction hardened teeth for long life



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-028L	15 in	381 mm	9	8	—	4	076174200287
20-029L	20 in	508 mm	9	8	—	4	076174200294



### SHARPTOOTH® Smooth Cut Saw

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Induction hardened teeth for long life
- Designed for use in tight spaces

\*compared to traditional toothed saws



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-221	10 in	254 mm	12	11	—	6	076174202212

## STANLEY® FATMAX® SPECIALTY SAWS



### Compass Saw

- Heat treated, triple ground teeth for fast cuts
- Solid, one-piece bi-material handle for durability and comfort
- Designed for cutting curves in wood, plywood or plasterboard



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
17-205	12 in	305 mm	12	11	4	24	076174172058



### Pull Saws

- Flexible blade for easy flush cuts
- Designed for cutting dowels, drywall, limbs, branches, shims, trim and molding
- Quick change blade to handle assembly



SKU #	DESCRIPTION	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-500	Single Edge Pull Saw	9 in	229 mm	15	14	4	24	076174205008
20-501	Double Edge Pull Saw	9-1/2 in	241 mm	8 & 15	7 & 14	4	24	076174205015



### Mini Flush Cut Pull Saw

- Flexible blade for easy flush cuts
- Extra fine teeth for fast cuts on the pulls stroke
- Designed for cutting dowels and fine woodworking



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-331	4-3/4 in	121 mm	23	22	6	36	076174203318



### 10" Reversible Flush Cut Saw

- Reversible blade with push button for left or right handed cuts
- Offset handle for easy flush cuts and to help protect knuckles
- Induction hardened teeth for long life



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-252K	10 in	254 mm	15	14	—	8	076174152524

**STANLEY**  
**FATMAX****Finish Cut Flooring Saw**

- Induction hardened teeth for long life
- Solid, one-piece bi-material handle for durability and comfort
- Designed for cutting laminated flooring, floorboards, and tongue and groove product



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
17-204T	12 in	305 mm	14	13	4	24	076174172041

**STANLEY**  
**FATMAX****12" PVC Saw**

- Unique tooth form helps reduce burring for smooth cuts
- Solid, one-piece bi-material handle for durability and comfort
- Designed for cutting PVC and plastic



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
17-206	12 in	305 mm	14	13	4	24	076174172065

**FATMAX® COPING SAWS****STANLEY**  
**FATMAX****Coping Saws**

- Hardened, tempered blade for controlled cutting action
- Ergonomic handle with cushion grip for comfort
- Designed for cutting intricate patterns



SKU #	BLADE LENGTH		FRAME DEPTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-104	6-3/8 in	162 mm	4-3/4 in	16	15	6	6	076174151046
15-106	6-3/8 in	162 mm	6-3/4 in	16	15	6	6	076174151060
15-106A	6-3/8 in	162 mm	6-3/4 in	16	15	6	6	076174151061

**Coping Saw Blades**

- Strong, flexible and long lasting
- 6-1/2" blade with 10 teeth per inch



SKU #	# OF BLADES	LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-058	4	6-1/2 in	165 mm	11	10	10	50	076174150582
15-059	4	6-1/2 in	165 mm	21	20	10	50	076174150599
15-061	4	6-1/2 in	165 mm	16	15	10	50	076174150612

**STANLEY® FATMAX® JAB SAWS****STANLEY**  
**FATMAX****Folding Jab Saw**

- Triple ground teeth for fast cuts
- Folds for safe and easy storage
- Bi-material handle for comfort



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
FMHT20559	6 in	152 mm	9	8	6	36	076174205596

**STANLEY**  
**FATMAX****Jab Saw**

- Pointed blade for starting plunge cuts
- Curved handle with ribbed cushion grip for comfort
- Triple ground teeth cut 50% faster than traditional tooth saws



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-556	6 in	152 mm	9	8	6	36	076174205565

**STANLEY® JAB SAWS****Jab Saw**

- Pointed blade for starting plunge cuts
- Hardened blade for a long cutting life
- Curved handle with ribbed cushion grip for comfort



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-556	6 in	152 mm	9	8	6	36	076174155563

**Wood Handle Jab Saw**

- Pointed blade for starting plunge cuts
- Reinforced blade to handle connection for durability
- Hardwood handle for durability



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-206	6 in	152 mm	9	8	—	6	076174152067

## STANLEY® FATMAX® HIGH TENSION SAW



**STANLEY**  
**FATMAX**

### High-Tension Hacksaw

- One-piece body designed for tension up to 330 lbs
- Blade can be positioned at 45° or 90° cutting angles
- Removable file for finishing surfaces after cutting

SKU #	DEPTH OF THROAT		BLADE LENGTH		BOX QTY	CTN QTY	UPC
20-531	4-3/4 in	121 mm	12 in	305 mm	2	4	076174205312

## STANLEY® HACKSAWS



### Solid Frame Hacksaw

- All-metal frame designed for tension up to 225 lbs
- 90° and 180° adjustable blade angles allow for flush cuts
- Full grip handle helps protect knuckles

SKU #	DEPTH OF THROAT		BLADE LENGTH		BOX QTY	CARTON QTY	UPC
STHT20138	4-3/8 in	110 mm	12 in	305 mm	—	6	076174201383



### Solid Frame Hacksaw

- All-metal frame designed for tension up to 225 lbs
- 90° and 180° adjustable blade angles allow for flush cuts
- Bi-material handle for comfort and control

SKU #	DEPTH OF THROAT		BLADE LENGTH		BOX QTY	CARTON QTY	UPC
STHT20139L	4-3/8 in	110 mm	12 in	305 mm	—	4	076174201390



### High-Tension Hacksaw

- Fully adjustable tension holds up to 32,000 psi delivering fast, accurate cuts and long blade life
- Integrated blade storage in frame for added convenience
- Designed for cutting metal and plastic pipes and bars

SKU #	DEPTH OF THROAT		BLADE LENGTH		BOX QTY	CTN QTY	UPC
15-113	3-7/8 in	98 mm	12 in	305 mm	2	12	076174151138



### High-Tension Hacksaw

- Stores up to 8 blades in frame
- 45° for flush cuts
- Large comfortable tensioning knob

SKU #	DESCRIPTION	DEPTH OF THROAT		BLADE LENGTH		BOX QTY	CTN QTY	UPC
STHT20140	High-Tension Hacksaw	4 in	102 mm	12 in	305 mm	4	8	076174200362



### High-Tension Hacksaw and Metal Mini-Hack®

- Rugged design for heavy-duty use
- Designed for cutting metal and plastic
- Quick-release, blade-changing mechanism in handle maintains tension setting

SKU #	DESCRIPTION	DEPTH OF THROAT		BLADE LENGTH		BOX QTY	CTN QTY	UPC
20-036M	High-Tension Hacksaw	4 in	102 mm	12 in	305 mm	4	8	076174200362



### High-Tension Low-Profile Hacksaw

- Heavy-duty, lightweight aluminum I-beam frame for strength and durability
- Unique arc shaped frame shape for accessing tight areas
- Tension knob for easy blade adjustments

SKU #	DEPTH OF THROAT		BLADE LENGTH		BOX QTY	CTN QTY	UPC
20-001K	4 in	102 mm	12 in	305 mm	—	4	076174200010



### 12" Composite Hacksaw

- Steel I-beam frame construction for durability
- High tension blade for straight, accurate cuts
- Easy open lever for fast and easy blade changes

SKU #	DEPTH OF THROAT		BLADE LENGTH		BOX QTY	CTN QTY	UPC
15-892K	4 in	102 mm	12 in	305 mm	—	6	076174158922



### Mini-Hack® Utility Saw

- Aluminum construction for lightweight and durability
- Handle covers blade to help protect hand
- Designed to be used in hard to reach places

SKU #	BLADE LENGTH		BOX QTY	CTN QTY	UPC
15-809	10 in	254 mm	6	36	076174158090



### Mini-Hack® Utility Saw

- Handle covers blade to help protect hand
- Designed to cut metal and plastic in hard to reach places
- Structurally designed for maximum strength and durability

SKU #	BLADE LENGTH		BOX QTY	CTN QTY	UPC
20-807	10 in	254 mm	6	36	076174208078



### Multi-Saw

- Tension knob for quick and easy blade changes
- Ergonomic, bi-material handle for comfort
- Designed for cutting wood or metal in confined spaces



SKU #	NUMBER OF BLADES	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC	
20-220	2	1 Reciprocal	5 in	127 mm	11	10	6	36	076174202205
		1 Hack	10 in	254 mm	25	24			

## STANLEY® SAW BLADES



### High Speed Steel Hacksaw Blades

- Designed for cutting most metals including unhardened tool steel and stainless steel
- Ground tooth design for improved cutting performance versus traditional hacksaw blades

SKU #	# OF BLADES	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-802A	1	10 in	254 mm	33	32	10	100	076174000078
15-804A	1	10 in	254 mm	25	24	10	100	076174000085
15-808A	1	10 in	254 mm	19	18	10	100	076174000092
15-822A	1	12 in	305 mm	33	32	10	100	076174000108
15-824A	1	12 in	305 mm	25	24	10	100	076174000115
15-828A	1	12 in	305 mm	19	18	10	100	076174000122



### Carbide Grit Hacksaw Blades

- Tungsten carbide particles enable blade to cut on both forward and reverse strokes
- Designed for thin straight cuts in ceramic, hardened steel and masonry
- Fits standard hacksaw frames

SKU #	DESCRIPTION	BLADE LENGTH		BOX QTY	CTN QTY	UPC
15-410	Rod Saw Blade	10 in	254 mm	10	100	076174154108
15-412	Hacksaw Blade	12 in	305 mm	10	100	076174154122



### Carbon Steel Hacksaw Blade

- High-carbon steel cutting edge for performance
- Designed for cutting mild steel, cast iron, aluminum and copper

SKU #	# OF BLADES	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-902A	2	10 in	254 mm	33	32	10	100	076174159905
15-904A	2	10 in	254 mm	25	24	10	100	076174159912
15-908A	2	10 in	254 mm	19	18	10	100	076174159929
15-922A	2	12 in	305 mm	33	32	10	100	076174159936
15-924A	2	12 in	305 mm	25	24	10	100	076174159943
15-924W	2	12 in	305 mm	25	24	6	48	076174159943
15-928A	2	12 in	305 mm	19	18	10	100	076174159950



### Bi-Metal Hacksaw Blades

- Carbon steel backs for flexibility
- High speed steel cutting edge for performance
- Designed for cutting most metals including unhardened tool steel and stainless steel

SKU #	# OF BLADES	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC	
15-612	10	12 in	305 mm	19	18	5	50	076174156126	
15-613	10	12 in	305 mm	25	24	5	50	076174156133	
15-614	10	12 in	305 mm	33	32	5	50	076174156140	
15-628	1	10 in	254 mm	25	24	10	100	076174156287	
15-630	1	12 in	305 mm	33	32	10	100	076174156300	
15-631	1	12 in	305 mm	25	24	10	100	076174156317	
15-632	1	12 in	305 mm	19	18	10	100	076174156324	
20-067	Assorted 4 pack	1	10 in	254 mm	19	18	5	30	076174200676
		2	10 in	254 mm	25	24			
		1	10 in	254 mm	33	32			
20-069	Assorted 4 pack	1	12 in	305 mm	19	18	4	24	076174200690
		2	12 in	305 mm	25	24			
		1	12 in	305 mm	33	32			

## STANLEY® SAWS



## 3-in-1 Saw

- Ergonomic nylon handle for strength to support different blade positions
- Integrated blade storage in the handle for convenient storage
- Designed for cutting wood, particle board, wall board, metal and plastic
- Universal blade cuts on the pull stroke and is less likely to jam or bend

SKU #	# OF BLADES	USE	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-092	1	Universal - tree limbs, 2x4's, plastic pipes	10 in	254 mm	12	11	2	8	076174200928
	1	Compass - wood patterns & shapes	8 in	203 mm	10	9			
	1	Metal pipes & rods	6 in	152 mm	25	24			



## Nest-of-Saws

- Ergonomic nylon handle for strength
- Integrated blade storage in the handle for convenient storage
- Perfect for curves, circles and trimwork

SKU #	# OF BLADES	USE	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-090	1	Multipurpose for tight spaces	10 in	254 mm	12	11	—	6	076174150902
	1	Non-hardened Keyhole for wood	10 in	254 mm	10	9			
	1	Metal	6 in	152 mm	25	24			



## Folding Pocket Saw

- Folds for safe, easy storage
- Accepts standard sabre and reciprocating saw blades
- Blade storage in handle for fast and easy blade changes

SKU #	BLADE LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-333	8 in 203 mm	10	9	—	6	076174153330



## 4-Way Keyhole Saw

- Pistol grip handle for cutting in hard to reach places
- Cuts wood, nails, composition board, BX cable and conduit
- Designed for cutting curves, circles and irregular shapes

SKU #	# OF BLADES	USE	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-275	1	WOOD	7 in	178 mm	10	9	—	6	076174152753
	1	METAL	7 in	178 mm	25	24			



## FATMAX® SAW

STANLEY  
FATMAX

## Fine Finish Back Saw

- Solid, one-piece bi-material handle for durability and comfort
- Designed for precise cutting including dovetails, miters and tenons
- Premium steel blade provides great strength for longer life

SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
17-202	14 in	356 mm	14	13	4	24	076174172027



## Clamping Miter Box

- Cuts miters on 45° and 90° angles, face angle 45° and 22-1/2° angles
- Cam pins lock into honeycomb base to hold material securely for accurate cuts
- Holes in base for fastening to work bench



SKU #	DESCRIPTION	BLADE LENGTH		BOX QTY	CTN QTY	UPC
20-112	Miter Box	—	—	—	6	076174201123
20-600	Miter Box with Saw	14 in	356 mm	—	6	076174206005

## Miter Box with Saw

- 90°, 45° and 22-1/2° miter slots
- Holes in base for fastening to a workbench
- Designed for use with back or panel saws



SKU #	DESCRIPTION	BLADE LENGTH		BOX QTY	CTN QTY	UPC
19-800	Miter Box with Saw	14 in	356 mm	—	6	076174198003



## Clamping Miter Box with Saw

- Ergonomic, slip-resistant grip for comfort
- Induction hardened teeth stay sharp up to 5X larger than standard teeth
- Precision design for smooth, accurate cuts in wood

SKU #	DESCRIPTION	BLADE LENGTH		BOX QTY	CTN QTY	UPC
20-800	Miter Box with Saw	22 in	560 mm	—	2	076174208009

# STANLEY®



# MEASURING TOOLS

FATMAX®	4-5
POWERLOCK®	6-7
LEVERLOCK®	7
STANLEY®	7-8
LONG TAPES	8-9

# STANLEY FATMAX

## ANTI-VIBE® HAMMERS

STANLEY® Anti-Vibe® Technology isolates vibrations to the hammers head, minimizing the strain on your arm. Pounds nails, not arms. The steel core adds durability, shock resistance, and over-strike protection, while the FATMAX® composite handle with head to handle assembly further reduces vibration in the handle.



STANLEY® FATMAX® TWO-PIECE STEEL ANTI-VIBE® HAMMERS



STANLEY  
FATMAX

### Two-Piece Steel Anti-Vibe® Hammers

- Two-piece steel hammer design helps reduce vibrations
- Anti-Vibe® handle grip for comfort and control
- Shock absorbing collar helps isolate vibrations to the hammer head
- Steel over-strike protection helps prevent damage to hammer body
- Magnetic nail starter for one-handed nail placement

SKU#	CLAW	FACE	OVERALL LENGTH	HEAD WEIGHT	BOX QTY	CTN QTY	UPC
FMHT51244	Rip	Checkered	16 1/4 in 412 mm	17 oz 481.94 g	2	1	076174512441
FMHT51249	Rip	Smooth	14 1/4 in 361 mm	14 oz 396.89 g	2	1	076174512496

## HAMMER SELECTION GUIDE



HAMMERS	Handle	Unique Feature	TYPE			FACE		WEIGHT OUNCES									
			Framing	Rip	Curve	Checkered	Smooth	7	13	14	16	17	20	22	24	28	
FatMax Anti-Vibe® Hammer	Two-Piece Steel	Absorbs Vibration	X	X		X	X			X		X					
FatMax® Graphite	Jacketed Graphite	Increased Durability versus Previous Model	X	X		X									X		
FatMax® Over-strike	Hickory	Protection	X	X		X									X		
FatMax® Hickory	Hickory	Magnetic Nail Starter	X	X		X									X		
FatMax® Anti-Vibe® Hammer	One-Piece Steel	Larger Strike Face	X	X	X	X	X				X		X	X	X		X
One-Piece Steel	One-Piece Steel	—		X	X		X				X		X				
Jacketed Graphite	Jacketed Graphite	—		X	X		X				X		X	X			
Jacketed Fiberglass	Jacketed Fiberglass	Absorbs Vibration		X	X		X	X			X		X				
Wood	Wood	—		X	X		X	X	X	X	X		X				

TYPE	DESCRIPTION
Framing Hammers	Used for Framing and Heavy-Duty Construction
Rip Claw Hammers	Used for Heavy-Duty Carpentry
Curve Claw Hammers	Used for Light-Duty Carpentry

SPECIALTY HAMMERS	DESCRIPTION	HANDLE				
		Anti-Vibe® Hammers	Jacketed Graphite	Jacketed Fiberglass	Hickory	CompoCast™
Ball Pein	Striking chisels and punches, riveting and shaping or bending metal		X		X	
Engineer	Striking wood, metal or stone	X		X		
Blacksmith	Striking unhardened metals	X		X		
Drilling	Striking chisels and punches, star drills and unhardened nails in confined spaces	X		X		
Drywall	Installing drywall or gypsum board	X				
Brick	Cutting/setting brick, stone and masonry	X				
Carpenter's	Cutting/splitting wood, driving stakes and unhardened nails	X				
Shingler's	Installing shingles and other roofing material	X				
Tack	Holding and driving tacks and brads				X	
Soft-Face	Soft face helps minimize marring and surface damage				X	X
Rubber Mallet	Rubber head face helps minimize marring and surface damage				X	
Compo-Cast™	Dead blow function eliminates bounce back when striking hardened surface and helps prevent marring					X

**STANLEY®**



# HAMMERS

ANTI-VIBE®	76
HAMMER SELECTION GUIDE	77
FRAMING	78-79
NAILING	79-81
SPECIALTY	81-86
COMPO-CAST®	87



**STANLEY® FATMAX® STEEL ANTI-VIBE® HAMMERS**



**Steel Anti-Vibe® Hammers Oversized Strike Face**

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- 20% larger\* strike face for improved striking accuracy
- Anti-Vibe® designed to help reduce vibrations and arm fatigue

\* vs. Stanley's previous Anti-Vibe hammers

SKU #	CLAW	FACE	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
<b>NAILING HAMMERS</b>									
51-162	Curve	Smooth	13-1/2 in	343 mm	16 oz	454 g	—	4	076174511628
51-163	Rip	Smooth	13-1/2 in	343 mm	16 oz	454 g	—	4	076174511635
51-165	Rip	Smooth	13-1/2 in	343 mm	20 oz	567 g	—	4	076174511659
<b>FRAMING HAMMERS</b>									
51-177	Rip	Smooth	16 in	406 mm	22 oz	624 g	—	2	076174511772
51-167	Rip	Checkered	16 in	406 mm	22 oz	624 g	—	2	076174511673
51-169	Rip	Checkered	16 in	406 mm	28 oz	794 g	—	2	076174511697

**STANLEY® FATMAX® FRAMING HAMMERS**



**Graphite Checkered Face Framing Hammers**

- Forged, heat-treated head for durability
- Jacketed graphic handle helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- Magnetic nail starter for one-handed nailing

SKU#	CLAW	HANDLE	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-021	Rip	Axe	18 in	457 mm	22 oz	624 g	2	12	076174510218
51-000	Rip	Straight	18 in	457 mm	22 oz	624 g	2	12	076174510003



**Checkered Face Over-strike Framing Hammers**

- Traditional, high-quality hickory long handle for extended reach
- Forged and heat-treated head for durability
- Rim temper helps reduce incidences of chipping or spalling
- Magnetic nail starter for one-handed nailing
- Over-strike steel protection plate helps prevent handle damage

SKU #	CLAW	HANDLE	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-403	Rip	Axe	18 in	457 mm	22 oz	624 g	2	12	076174514032



**Hickory Checkered Face Framing Hammers**

- Traditional, high-quality hickory long handle for extended reach
- Forged and heat-treated head for durability
- Rim temper helps reduce incidences of chipping or spalling
- Magnetic nail starter for one-handed nailing

SKU #	CLAW	HANDLE	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-402	Rip	Axe	18 in	457 mm	22 oz	624 g	2	12	076174514025

**STANLEY® NAILING HAMMERS**



**One-Piece Nailing Hammer**

- One-piece, forged high-carbon steel for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Ergonomically balanced for efficient nail driving
- Comfort grip helps reduce vibrations and reduce slipping

SKU #	CLAW	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
STHT51238	Rip	12 3/4 in	323 mm	16 oz	453.6 g	1	2	076174512380
STHT51246	Rip	13 1/2 in	342 mm	20 oz	566.9 g	1	2	076174512460



**One-Piece Steel Nailing Hammers**

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Slip-resistant handle for secure grip and comfort

SKU #	CLAW	FACE	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-126	Curve	Smooth	13 in	330 mm	16 oz	454 g	—	4	076174511260
51-127	Rip	Smooth	13 in	330 mm	16 oz	454 g	—	2	076174511277
51-129	Rip	Smooth	14 in	356 mm	20 oz	567 g	—	4	076174511291

\*Than traditional hammers



**Gray Fiberglass Nailing Claw Hammers**

- Fiberglass core adds strength and helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- Ergonomic comfort grip for secure grip

SKU #	CLAW	FACE	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-625	Curve	Smooth	13 in	330 mm	16 oz	454 g	4	24	076174516258
51-627	Rip	Smooth	13 in	330 mm	20 oz	567 g	4	24	076174516272



**Yellow Fiberglass Nailing Hammers**

- Head designed for high efficiency nail driving
- Rubber grip for comfort and control
- High-visibility yellow color for easy identification in toolbox

SKU #	CLAW	FACE	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-112	Curve	Smooth	12 in	305 mm	7 oz	198 g	—	4	076174511123
51-621	Curve	Smooth	13 in	330 mm	16 oz	454 g	—	4	076174516210
51-622	Rip	Smooth	13 in	330 mm	16 oz	454 g	—	4	076174516227
51-624	Rip	Smooth	13 in	330 mm	20 oz	567 g	4	24	076174516241



**Wood Nailing Hammers**

- Wood handle
- Forged, high carbon steel head for durability
- Rim temper helps reduce incidences of chipping or spalling

SKU #	CLAW	FACE	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-613	Curve	Smooth	11-1/2 in	292 mm	7 oz	198 g	—	6	076174516135
51-106	Curve	Smooth	13-1/4 in	337 mm	13 oz	369 g	—	4	076174511062
51-616	Curve	Smooth	13-1/4 in	337 mm	16 oz	454 g	—	6	076174516166
51-716	Rip	Smooth	13-1/4 in	337 mm	16oz	454 g	—	6	076174517163

**STANLEY® FATMAX® NAILING HAMMERS**



**Graphite Nailing Hammers**

- Enlarged strike face for striking accuracy
- Graphite core for strength and durability in the handle
- Overstrike protection helps prevent damage to the handle
- Rim temper helps reduce incidences of chipping or spalling

\* vs. Stanley's previous nailing hammers

SKU #	CLAW	FACE	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-505	Curve	Smooth	13 in	330 mm	16 oz	454 g	2	8	076174515053
51-508	Rip	Smooth	13 in	330 mm	20 oz	567 g	—	4	076174515084

**STANLEY® FATMAX® SPECIALTY HAMMERS**



**Anti-Vibe® Engineer Hammer – 4 lbs**

- Vibration dampening particulate in handle dampens vibrations better than solid core handles
- Anti-Vibe® handle grip helps reduce vibration occurrence
- Bullet nose strikeface provides 50% more power versus traditional heads
- Shatterproof fiberglass handle provides better durability versus wood handles

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
FMHT56009	14-1/2 in	279 mm	4 lbs	1814 g	1	2	076174560084



**Anti-Vibe® Drilling Hammer – 3 lbs**

- Vibration dampening particulate in handle dampens vibrations better than solid core handles
- Anti-Vibe® handle grip helps reduce vibration occurrence
- Bullet nose strikeface provides 50% more power versus traditional heads
- Shatterproof fiberglass handle provides better durability versus wood handles

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
FMHT56006	11 in	279 mm	3 lbs	1360 g	1	2	076174560060



**STANLEY**  
**FATMAX**

**Anti-Vibe® Blacksmith Hammer – 4 lbs**

- Vibration dampening particulate in handle dampens vibration better than solid core handles
- Anti-Vibe® handle grip helps reduce vibrations
- Bullet nose strikeface provides 50% more power versus traditional heads
- Shatterproof fiberglass handle provides better durability versus wood handles

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
FMHT56008	11 in	279 mm	4 lbs	1 kg	1	2	076174560091



**STANLEY**  
**FATMAX**

**Anti-Vibe® Sledge Hammer**

- Vibration dampening particulate in handle dampens vibration better than solid core handles
- Anti-Vibe® handle grip helps reduce vibrations
- Bullet nose strikeface provides 50% more power versus traditional heads
- Shatterproof fiberglass handle provides better durability versus wood handles

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
FMHT56010	35 in	889 mm	6 lbs	2 kg	1	2	076174560107
FMHT56011	35 in	889 mm	8 lbs	3 kg	1	2	076174560114
FMHT56019	35 in	889 mm	10 lbs	4 kg	1	2	076174560190



**STANLEY**  
**FATMAX**

**Anti-Vibe® Engineer Hammer – 3 lbs**

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Anti-Vibe® designed to help reduce vibrations and arm fatigue
- Ideal for striking wood, metal, or stone

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
56-004	15 in	381mm	3 lbs	1.36kg	—	4	076174560046



**STANLEY**  
**FATMAX**

**Anti-Vibe® Drilling Hammer – 3 lbs**

- Ideal for striking chisels, punches, star drills and unhardened metals
- Anti-Vibe® technology designed to reduce vibrations and arm fatigue
- Rim temper helps reduce incidences of chipping or spalling
- Forged, one-piece steel construction for strength and durability

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
56-001	11 in	280 mm	3 lbs	1.36 kg	—	4	076174560015



**STANLEY**  
**FATMAX**

**Anti-Vibe® Blacksmith Hammer – 2 lbs**

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Anti-Vibe® designed to help reduce vibrations and arm fatigue
- Ideal for striking unhardened metals

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
56-003	14 in	356 mm	2 lbs	.90 kg	—	4	076174560039

**STANLEY® SPECIALTY HAMMERS**



**Engineer Hammers – Jacketed Fiberglass**

- Jacketed fiberglass handle helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- High-visibility yellow color for easy identification in toolbox
- Ideal for striking wood, metal, or stone

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
56-202	13-3/4 in	349 mm	2.5 lbs	1.13 kg	—	4	076174562026
56-204	14 in	356 mm	4.0 lbs	1.81 kg	—	4	076174562040



**Drilling Hammers – Jacketed Fiberglass**

- Jacketed fiberglass handle helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- High-visibility yellow color for easy identification in toolbox
- Ideal for striking chisels, punches, star drills, and unhardened metals

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
56-705	10-3/4 in	273 mm	3 lbs	1.36 kg	—	4	076174567052



**Blacksmith Hammers – Jacketed Fiberglass**

- Jacketed fiberglass handle helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- High-visibility yellow color for easy identification in toolbox
- Ideal for striking unhardened metals

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
56-218	13-3/4 in	349 mm	2.5 lbs	1.13 kg	4	4	076174562187
56-220	14 in	356 mm	4 lbs	1.81 kg	—	4	076174562200



**STANLEY FATMAX Anti-Vibe® Drywall Hammer**

- Ideal for installing drywall or gypsum board
- Anti-Vibe® technology helps minimize vibration and shock at impact
- Exclusive rim temper helps reduce incidences of chipping or spalling
- Forged, one-piece steel construction for strength and durability
- Precision balanced

SKU #	OVERALL LENGTH		HEAD WEIGHT	BOX QTY	CTN QTY	UPC
54-015	14-1/2 in	368 mm	14 oz	1	2	076174560084



**STANLEY FATMAX Anti-Vibe® Brick Hammer – 20 oz**

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Anti-Vibe® technology designed to reduce vibrations and arm fatigue
- Ideal for cutting and setting brick, stone or masonry

SKU #	OVERALL LENGTH		HEAD WEIGHT	BOX QTY	CTN QTY	UPC
54-022	11 in	280 mm	20 oz	4	24	076174540222



**STANLEY FATMAX Anti-Vibe® Shingler's Hammer with Blade – 15 oz**

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Anti-Vibe® designed to help reduce vibrations and arm fatigue
- Ideal for installing shingles and other roofing materials

SKU #	OVERALL LENGTH		HEAD WEIGHT	BOX QTY	CTN QTY	UPC
54-028	12-3/4 in	324 mm	15 oz	2	12	076174540284



**Jacketed Graphite Ball Pein Hammers**

- Jacketed graphite handle helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- Ideal for striking chisels and punches or riveting, shaping and bending metal

SKU #	OVERALL LENGTH		HEAD WEIGHT	BOX QTY	CTN QTY	UPC
54-716	12-3/4 in	324 mm	16 oz	—	4	076174547160



**Wood Ball Pein Hammers**

- Hickory handle for durability
- Rim temper helps reduce incidences of chipping or spalling
- Ideal for striking chisels and punches or riveting, shaping and bending metal

SKU #	OVERALL LENGTH		HEAD WEIGHT	BOX QTY	CTN QTY	UPC
54-012	13 in	330 mm	12 oz	—	6	076174540123
54-016	14 in	356 mm	16 oz	—	6	076174540161
54-024	15-1/4 in	387 mm	24 oz	—	6	076174540246
54-032	15-7/8 in	403 mm	32 oz	—	4	076174540321
54-040	16-3/8 in	416 mm	40 oz	—	4	076174540406



**Magnetic Tack Hammer – 5 oz**

- Hickory handle for durability
- Magnetic tip for holding and driving tacks and brads
- Polished face

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
54-304	10-1/4 in	260 mm	5 oz	142 g	6	24	076174543049



**Soft-Face Hammers**

- Hickory handle for durability
- Replaceable, soft plastic faces helps minimize marring and surface damage
- Ideal for fine finished surfaces

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
57-594	12 in	305 mm	8 oz	227 g	6	24	076174575941



**Rubber Mallets**

- Wood Handle
- Rubber head helps minimize marring and surface damage

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-104	13-1/2 in	343 mm	16 oz	454 g	2	4	076174511048
57-522	13-1/2 in	343 mm	18 oz	510 g	—	5	076174575224

**STANLEY® COMPO-CAST® HAMMERS**



**Compo-Cast™ Standard Head Soft-Face Hammers**

- Uni-Cast™ construction of non-ferrous materials eliminates sparking
- Dead blow function helps eliminate bounce back when striking hardened surfaces
- Steel reinforced handle for strength and overstrike protection



SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
57-530	10-1/8 in	257 mm	10 oz	284 g	—	4	076174575309
57-531	11-1/4 in	286 mm	18 oz	510 g	—	4	076174575316
57-532	12-7/8 in	327 mm	21 oz	595 g	—	4	076174575323
57-533	14-1/4 in	362 mm	42 oz	1191 g	—	4	076174575330
57-534	15-1/4 in	387 mm	52 oz	1474 g	—	2	076174575347



**Compo-Cast™ Slimline Head Soft-Face Hammers**

- Uni-Cast™ construction of non-ferrous materials eliminates sparking
- Dead blow function helps eliminate bounce back when striking hardened surfaces
- Steel reinforced handle for strength and overstrike protection
- Slim body for assembly and repair applications



SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
57-541	10-9/16 in	268 mm	14 oz	397 g	—	4	076174575415
57-542	12-1/8 in	308 mm	18 oz	510 g	—	2	076174575422



**Compo-Cast™ Soft-Face Sledgehammers**

- Uni-Cast™ construction of non-ferrous materials eliminates sparking
- Dead blow function helps eliminate bounce back when striking hardened surfaces
- Steel reinforced handle for strength and overstrike protection
- Flat area on head allows upright storage



SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
57-550	19-5/8 in	498 mm	5.0 lbs	2.26 g	2	2	076174575507
57-551	29-7/8 in	759 mm	8.0 lbs	3.62 g	—	2	076174575514
57-552	29-7/8 in	759 mm	10.5 lbs	4.76 g	—	2	076174575521
57-554	36-1/8 in	918 mm	11.5 lbs	5.21 g	2	2	076174575545

The Compo-Cast™ hammer shape is a registered trademark of Stanley tools.

**STANLEY®**



# DEMOLITION

WONDER BARS®	90-91
ENTRY TOOLS	92-94
DEMOLITION BARS	94
MOLDING BARS	95
CLAW BARS	96-97
SPECIALTY TOOLS	97
COLD CHISELS	98-100
PUNCHES	100-101

# STANLEY

## WONDER BAR® PRY BARS

STANLEY® has elevated demolition tools from crude implements to precision-engineered tools that are essential and indispensable. The world-famous Wonder Bar® is useful for almost any prying, nail pulling.



### STANLEY® WONDER BAR® PRY BAR

#### 5-1/2" Mini Wonder Bar® Pry Bar

- Forged, high-carbon steel for strength and durability
- Contoured bar for pulling nails, prying and lifting
- Tear drop nail puller for easy nail removal



SKU #	OVERALL LENGTH		WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
STHT55046	5-1/2 in	140 mm	2-2/5 in	61 mm	.15 lbs	.07 kg	6	36	076174550467

#### Wonder Bar® Pry Bar

- High-visibility, powder-coated finish
- Contoured for pulling nails, prying and lifting



SKU #	OVERALL LENGTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-515	12-3/4 in	324 mm	1.3 lbs	.59 kg	2	24	076174555158



#### Wonder Bar® Pry Bar

- Forged, high-carbon steel for strength and durability
- Beveled nail slot at both ends for versatility
- Contoured for pulling nails, prying and lifting
- Beveled nail slot at both ends

SKU #	OVERALL LENGTH		WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-045	7-1/2 in	191 mm	7/8 in	22 mm	.24 lbs	.11 kg	6	36	076174550450



#### Super Wonder Bar® Pry Bar

- Forged, high-carbon steel for strength and durability
- Arched center for swing during nail pulling - no need for wood block
- Polished and beveled cutting edges
- Extended tongue for grip and access in hard to reach areas

SKU #	OVERALL LENGTH		WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-525	15-1/2 in	394 mm	1-3/4 in	44 mm	1.75 lbs	.80 kg	—	4	076174555257



#### Wonder Bar® X21 Pry Bar

- Spring steel construction for strength and durability
- Precision ground edges for prying and pulling
- Wide prying edge for better leverage
- Ideal for pulling nails, lifting or prying

SKU #	OVERALL LENGTH		WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-526	21 in	533 mm	3-1/3 in	81 mm	.35 lbs	.16 kg	4	—	076174555264



#### Spring Steel Wonder Bar® Pry Bar

- Spring steel construction for strength and durability
- Precision ground edges for prying and pulling
- Wide prying edge for better leverage



SKU #	OVERALL LENGTH		WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-516	12-4/5 in	325.12 mm	2-1/2 in	63.5 mm	1.31 lbs	.59 kg	4	16	076174555165

**STANLEY® PRY BARS**



**3 Piece Pry Bar Set**

- Stamped, one-piece steel construction for strength and durability
- Three bar sizes for versatility and multiple light-duty applications
- Tear drop nail pullers for easy nail removal

SKU #	OVERALL LENGTH		WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
STHT55135	12-2/5 in	315 mm	4-9/16 in	124 mm	.80 lbs	.36 kg	4	24	07617455138



**9" Scraper Bar**

- One-piece steel construction for strength and durability
- Multi-level design for easy nail pulling
- Precision sharpened ends for scraping away materials
- Tear drop nail puller for easy nail removal

SKU #	OVERALL LENGTH		WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
STHT55530	10-1/2 in	266.7 mm	3-1/5 in	81.3 mm	.35 lbs	.16 kg	4	24	076174555301



**FUBAR® Forcible Entry Tool**

- Forged, one-piece steel construction for durability
- Heat treated and tempered striking face helps prevent chipping
- 8-in-1 tool designed by responders for vehicle extraction and extreme demolition
  - Demolition Head
  - Gas Shut-Off Feature
  - Spanner Wrench
  - Pry Bar
  - Hydrant Wrench
  - Board Jaw (Lumber)
  - Board Jaw (Square Hydrant Nuts)
  - Nail Slot

SKU #	OVERALL LENGTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-121	18 in	457 mm	6 lbs	2.7 kg	—	4	076174551211
55-122	30 in	762 mm	11 lbs	5 kg	—	2	076174551228

**STANLEY® FATMAX® PRY BARS**



**STANLEY FATMAX FUBAR® 30" Functional Utility Bar**

- Utility bar for heavy demolition work
- 4-in-1 tool for prying, splitting, board bending and striking jobs
- One-piece forged steel bar for durability
- Board-grabbing jaw sized for 2X lumber

SKU #	OVERALL LENGTH		WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-120	30 in	762 mm	2 in	.51 mm	9 lbs	4 kg	—	1	076174551204



**STANLEY FATMAX FUBAR® Functional Utility Bar**

- Utility bar for heavy demolition work
- 4-in-1 tool for prying, splitting, board bending and striking jobs
- One-piece forged steel bar for durability
- Board-grabbing jaw sized for 2X lumber

SKU #	OVERALL LENGTH		BLADE WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-119	15 in	381 mm	1 in	25 mm	2.5 lbs	1.1 kg	—	2	076174551198
55-099	18 in	457 mm	1-1/2 in	.38 mm	4 lbs	1.8 kg	—	2	076174550993



**STANLEY FATMAX Spring Steel Wrecking Bars**

- Heat treated spring steel construction for strength and durability
- Slotted claw and beveled ends for functionality and performance
- 25%\* wider prying edge for better leverage
- Ideal for heavy demolition work

\*compared to 55-102 STANLEY® FATMAX® Wrecking Bar

SKU #	LENGTH		BLADE WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-503	24 in	610 mm	2-1/4 in	57 mm	4 lbs	1.8 kg	—	2	076174555035
55-504	36 in	914 mm	2-1/4 in	57 mm	6 lbs	2.7 kg	—	2	076174555042
FMHT55521	42 in	1067 mm	2-1/4 in	57 mm	7 lbs	3.2 kg	—	2	076174555219



**STANLEY FATMAX Wrecking Bars**

- High-carbon steel construction for strength
- Tri-lobe design for secure grip and ease of use
- Slotted claw and beveled ends for functionality and performance
- Ideal for heavy demolition work

SKU #	LENGTH		BLADE WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-101	14 in	343 mm	1 in	25 mm	1.7 lbs	.77 kg	—	4	076174551013
55-102	24 in	597 mm	1-3/4 in	44 mm	5.7 lbs	2.5 kg	—	4	076174551020
55-104	36 in	889 mm	1-3/4 in	44 mm	8.4 lbs	3.8 kg	—	4	076174551044





**STANLEY**  
**FATMAX**

**Utility Bar**

- Slotted claw for functionality
- Ground, beveled ends for performance
- Flat striking face for heavy-duty demolition work

SKU #	LENGTH	BLADE WIDTH	WEIGHT	BOX QTY	CTN QTY	UPC	
55-004	17-7/8 in	477 mm	1-1/8 in 29 mm	1.93 lbs .875 kg	2	16	076174550047

**STANLEY® DEMOLITION BARS**



**FUBAR® Demolition Bar**

- Three striking surfaces for ripping, cutting and prying
- Bi-material grip for comfort and to help reduce slipping
- Wide, beveled end for prying and nail pulling

SKU #	OVERALL LENGTH	WEIGHT	BOX QTY	CTN QTY	UPC
STHT55134	11-1/2 in 292 mm	2.21 lbs 1 kg	2	6	076174555103



**Forged Hexagonal Steel Ripping Bars**

- High-carbon steel construction for strength
- Slotted claw and beveled ends for functionality and performance
- Ideal for basic demolition work

SKU #	LENGTH	BLADE WIDTH	WEIGHT	BOX QTY	CTN QTY	UPC
55-124	24 in 597 mm	1-1/4 in 32 mm	3.7 lbs 1.68 kg	6	6	076174551242
55-130	30 in 762 mm	1-1/4 in 32 mm	4.5 lbs 2.04 kg	6	6	076174551303
55-136	36 in 914 mm	1-1/4 in 32 mm	5.3 lbs 2.4 kg	6	6	076174551365



**Combination Nail Claw and Chisel – 15"**

- High-carbon steel construction for strength
- 90° offset claw for prying leverage
- Bevel sharpened ripping chisel for basic demolition work

SKU #	LENGTH	BLADE WIDTH	WEIGHT	BOX QTY	CTN QTY	UPC
55-040	15 in 381mm	1 in 25mm	1.5 lbs .68 kg	5	25	076174550405

**STANLEY® MOLDING BAR**



**Precision Molding Bar**

- Forged, high-carbon alloy steel for strength and durability
- Flat striking face allows claw to be driven under deeply embedded nails
- Polished flat surface and beveled claws for precision
- Tempered to help reduce chipping
- Ideal for reducing material damage when prying molding and trim

SKU #	LENGTH	WEIGHT	BOX QTY	CTN QTY	UPC
55-116	8 in 203 mm	.5 lbs .23 kg	2	6	076174551167
55-117	10 in 254 mm	.7 lbs .32 kg	2	6	076174551174

**STANLEY® FATMAX® MOLDING BAR**



**STANLEY**  
**FATMAX**

**10" Molding bar**

- Forged, high-carbon spring steel for strength and durability
- Flat striking face allows claw to be driven under deeply embedded nails
- Polished flat surface and beveled claws for precise penetration
- Ergonomic grip for comfort

SKU #	LENGTH	WEIGHT	BOX QTY	CTN QTY	UPC
55-510	10 in 363 mm	0.86 lbs .396 kg	2	2	076174551341



**STANLEY**  
**FATMAX**

**Precision Molding Bars**

- Forged, high-carbon steel for strength and durability
- Flat striking face allows claw to be driven under deeply embedded nails
- Polished, beveled claws for precise pulling and prying
- Tempered to help reduce chipping

SKU #	LENGTH	BLADE WIDTH	WEIGHT	BOX QTY	CTN QTY	UPC
STHT55144	8 in 203 mm	2-1/2 in 63.5 mm	.5 lbs .23 kg	2	6	076174551440

**STANLEY® FATMAX® CLAW BARS**



**Precision Claw Bars**

- Forged, high-carbon alloy steel for long life
- Flat striking face allows claw to be driven under deeply embedded nails
- Polished, beveled claws for precise penetration
- Tempered to help reduce chipping
- Ideal for precision nail pulling and prying

SKU #	LENGTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-126	10 in	254 mm	.67 lbs	.3 kg	2	6	076174551266
55-123	14 in	356 mm	1.3 lbs	.59 kg	2	6	076174551235

**STANLEY® CLAW BARS**



**Precision Claw Bars**

- Ideal for precision nail pulling and prying
- Polished, beveled claws for precise penetration
- Flat striking face allows claw to be driven under deeply embedded nails
- Forged, high-carbon alloy steel for long life
- Tempered to help reduce chipping

SKU #	LENGTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-113	8 in	203 mm	.5 lbs	.23 kg	2	6	076174551136
55-114	10 in	254 mm	.7 lbs	.32 kg	2	6	076174551143
55-115	12 in	305 mm	1 lbs	.45 kg	2	6	076174551150



**Offset Pattern Ripping Chisel – 17"**

- High-carbon steel construction for strength and durability
- Slotted claw and beveled ends for functionality and performance
- Offset ripping bar allows for side pulling and ripping

SKU #	LENGTH		BLADE WIDTH	WEIGHT		BOX QTY	CTN QTY	UPC	
55-818	17 in	432 mm	1 in	25 mm	1.9 lbs	.86 kg	5	5	076174558180



**Nail Claw**

- Heat treated for durability
- Extracting claw with beveled nail slot for prying and nail pulling
- Ergonomic comfort grip helps reduce slipping

SKU #	LENGTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-033	10-1/4 in	260 mm	1.1 lbs	.23 kg	6	36	076174550337



**Nail Puller**

- Heat treated for durability
- Double end puller with 90° and 30° offset claws
- Full sharpened claw tips for prying and nail pulling

SKU #	LENGTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-035	11 in	279 mm	1.2 lbs	.54 kg	5	25	076174550351

**STANLEY® SPECIALTY TOOLS**



**Board Bender Deck Tool**

- High-carbon steel construction for strength and durability
- Cushioned handle designed for kneeling to free both hands for nailing
- Ideal for straightening decking and joists

SKU #	LENGTH		WEIGHT		BOX QTY	CTN QTY	UPC
93-310	26 in	660 mm	5 lbs	2.27 kg	—	2	076174933109



**Panel Carry**

- Provides balance for easy carrying of plywood and drywall

SKU #	COLOR	LENGTH		PANEL WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
93-300	Orange	14-1/2 in	368 mm	6-1/2 in	165 mm	.6 lbs	.27 kg	6	6	076174993000
93-301	Yellow	14-1/2 in	368 mm	6-1/2 in	165 mm	.6 lbs	.27 kg	6	6	076174933017

**STANLEY® FATMAX® COLD CHISELS**



**Cold Chisel**



- Forged, one-piece steel construction for strength
- Hardened, quenched and tempered for long life and durability
- Ergonomic, bi-material handle helps reduce vibrations and protect from overstrike
- Ideal for cutting and shaping wrought iron, cast iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-332	Wrought Iron, Cast-Iron, Steel, Brass, Bronze, Copper, Aluminum, Bolts, Nuts and Rivets	12 in	305 mm	1 in	25 mm	3	18	076174163322



**Brick Set**



- Forged, one-piece steel construction for strength
- 1" heat-treated tip allows for sharpening
- Hardened, quenched and tempered for long life and durability
- Ergonomic, bi-material handle/guard helps reduce vibrations and protect from overstrike
- Ideal for cutting brick and masonry

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-327	Brick and Masonry	8-1/2 in	216 mm	3 in	76 mm	3	18	076174163278
16-328		8-1/2 in	216 mm	4 in	102 mm	3	18	076174163285



**Concrete Chisel**



- Forged, one-piece steel construction for strength
- Bull point cuts fast and lasts long
- Hardened, quenched and tempered for long life and durability
- Ergonomic, bi-material handle/guard helps reduce vibrations and protect from overstrike
- Ideal for cutting through and breaking up concrete

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-329	Concrete	12 in	305 mm	3/4 in	19 mm	3	18	076174163292



**Floor Chisel**



- Forged, one-piece steel construction for strength
- Designed with offset blade and short bite for leverage
- Hardened, quenched and tempered for long life and durability
- Ergonomic, bi-material handle/guard helps reduce vibrations and protect from overstrike
- Ideal for cutting, prying, or ripping of hardwood flooring and nails

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-331	Hardwood Flooring and Nails	11 in	279 mm	3 in	76 mm	3	18	076174163315



**Mason Chisel**



- Forged, one-piece steel construction for strength
- Hardened, quenched and tempered for long life and durability
- Ergonomic, bi-material handle/guard helps reduce vibrations and protect from overstrike
- Ideal for cutting and splitting hard stone, brick and concrete

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-334	Hard Stone, Brick and Concrete	8-1/2 in	216 mm	2-3/4 in	70 mm	3	18	076174163346

**STANLEY® COLD CHISELS**

**Cold Chisel**



- Forged, one-piece steel construction for strength
- Hardened, quenched and tempered for long life and durability
- Ideal for cutting and shaping wrought iron, cast iron, steel, brass, bronze, copper, aluminum, bolts, nuts, and rivets

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-286	Wrought Iron, Cast-Iron, Steel, Brass, Bronze, Copper, Aluminum, Bolts, Nuts and Rivets	5-9/16 in	141 mm	3/8 in	10 mm	3	24	076174162868
16-287		6 in	152 mm	1/2 in	13 mm	3	24	076174162875
16-288		6-3/4 in	171 mm	5/8 in	16 mm	3	24	076174162882
16-289		6-7/8 in	175 mm	3/4 in	19 mm	3	24	076174162899
16-290		8 in	203 mm	7/8 in	22 mm	3	24	076174162905
16-291		12 in	305 mm	1 in	25 mm	3	24	076174162912
16-292 (Fat)		12 in	305 mm	1-1/4 in	32 mm	3	24	076174162929

**STANLEY® BRICK SETS AND CHISELS**



**Brick Set**

- Forged, one-piece steel construction for strength
- Hardened, quenched and tempered for long life and durability
- Ideal for cutting and splitting brick and concrete

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-296	Brick and Concrete	8-1/2 in	216 mm	3 in	76 mm	3	24	076174162967
16-297		8-1/2 in	216 mm	4 in	102 mm	3	24	076174162974



**Mason Chisel**

- Forged, one-piece steel construction for strength
- Hardened, quenched and tempered for long life and durability
- Ideal for cutting and splitting hard stone, brick and concrete

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-294	Hard Stone, Brick and Concrete	8-1/2 in	216 mm	1-3/4 in	44 mm	3	24	076174162943
16-295		8-1/2 in	216 mm	2-3/4 in	70 mm	3	24	076174162950



**Floor Chisel**

- Forged, one-piece steel construction for strength
- Hardened, quenched and tempered for long life and durability
- Designed with offset blade and short bite for leverage
- Ideal for cutting, prying or ripping hardwood flooring and nails

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-293	Hardwood Flooring and Nails	11 in	280 mm	3 in	76 mm	3	24	076174162936

**STANLEY® PUNCHES**



**Center Punch**

- Forged, one-piece steel construction for strength and durability
- Hardened, quenched and tempered for long life
- Ideal for marking metal or making indentations for starting drill holes

SKU #	APPLICATION	LENGTH		POINT DIAM.		BOX QTY	CTN QTY	UPC
16-227	Marking Metal	4 in	102 mm	1/4 in	6 mm	3	24	076174162271



**Starter Punch**

- Forged, one-piece steel construction for strength and durability
- Hardened, quenched and tempered for long life
- Ideal for starting drill holes

SKU #	APPLICATION	LENGTH		POINT DIAMETER		BOX QTY	CTN QTY	UPC
16-229	Starting Drill Holes	5-1/2 in	140 mm	3/32 in	2 mm	3	24	076174162295



**Pin Punches**

- Forged, one-piece steel construction for strength and durability
- Hardened, quenched and tempered for long life
- Ideal for starting drill holes

SKU #	APPLICATION	LENGTH		POINT DIAMETER		BOX QTY	CTN QTY	UPC
16-230	Starting Drill Holes	6 in	152 mm	1/16 in	2 mm	3	24	076174162301
16-231		6 in	152 mm	1/8 in	3 mm	3	24	076174162318
16-233		6 in	152 mm	3/16 in	5 mm	3	24	076174162332
16-234		6 in	152 mm	1/4 in	6 mm	3	24	076174162349
16-235		6 in	152 mm	5/16 in	8 mm	3	24	076174162356



**Prick Punch**

- Forged, one-piece steel construction for strength and durability
- Hardened, quenched and tempered for long life
- Ideal for marking metal

SKU #	APPLICATION	LENGTH		POINT DIAMETER		BOX QTY	CTN QTY	UPC
16-236	Marking Metal	5-1/2 in	140 mm	3/8 in	10 mm	3	24	076174162363



**Cold Chisel and Punch Kits**

- Forged, one-piece steel construction for strength
- Hardened, quenched and tempered for long life and durability
- Ideal for starting drill holes, marking metal, and cutting and splitting hard stone, brick, and concrete

SKU #	CONTAINS	BOX QTY	CTN QTY	UPC
16-298	3-Piece Cold Chisel Kit	3	24	076174162981
16-226	6-Piece Punch Kit	3	24	076174162264
16-299	12-Piece Punch & Chisel Kit	3	12	076174162998

# STANLEY®

# CHISELS & NAIL SETS



STANLEY® FATMAX® WOOD CHISELS & SETS	104-105
STANLEY® FATMAX® POCKET CHISEL	105
STANLEY® WOOD CHISELS	106
SWEETHEART® CHISELS	107
BAILEY® CHISELS	108
NAIL SETS	109
SCREW HOLE PUNCH	109

# STANLEY FATMAX

## THRU-TANG™ WOOD CHISELS

STANLEY® is proud of its long history of producing some of the world's best wood chisels, a tradition that continues to this very day. STANLEY® chisels are engineered to meet the no-excuse demands of both fine woodworkers and professional carpenters. The FATMAX® chisels are, arguably one of the toughest, most durable chisels on the market today.



### STANLEY® FATMAX® WOOD CHISELS



#### STANLEY Thru-Tang™ Wood Chisels

- 50%\* stronger with steel Thru-Tang™ shaft and steel striking cap for use with steel hammer
- Blade guard protects working edges of blade when not in use and can be mounted to wall for storage

\*compared to 16-300 STANLEY® Wood Chisel Set

SKU #	BLADE WIDTH		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
16-973	1/4 in	6 mm	9 in	228 mm	2	24	076174169737
16-974	3/8 in	10 mm	9 in	228 mm	2	24	076174169744
16-975	1/2 in	12 mm	9 in	228 mm	2	24	076174169751
16-976	5/8 in	16 mm	9 in	228 mm	2	24	076174169768
16-977	3/4 in	18 mm	9 in	228 mm	2	24	076174169775
16-978	1 in	25 mm	9 in	228 mm	2	24	076174169782
16-979	1-1/4 in	32 mm	9 in	228 mm	2	24	076174169799
16-980	1-1/2 in	38 mm	9 in	228 mm	2	24	076174169805
16-981	2 in	50 mm	9 in	228 mm	2	24	076174169812



#### STANLEY Thru-Tang™ Wood Chisel Sets

- Hardened, tempered high-chrome carbon alloy steel blade for edge retention
- Ergonomically designed, bi-material grip for comfort and shatter resistance
- 50%\* stronger with steel Thru-Tang™ shaft and steel striking cap for use with steel hammer
- Blade guard protects working edges of blade when not in use and can be mounted to wall for storage

\* Compared to 16-300 STANLEY® Wood Chisel Set

SKU #	BLADE WIDTH	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
FATMAX® CHISEL SETS		CONTAINS	BOX QTY	CTN QTY	UPC
FMHT16983	4 Pieces	16-973 – Chisel 1/4 in 16-975 – Chisel 1/2 in 16-977 – Chisel 3/4 in 16-978 – Chisel 1 in	1	4	076174169836
16-970	3 Pieces	16-975 – Chisel 1/2 in 16-977 – Chisel 3/4 in 16-978 – Chisel 1 in	1	6	076174169706
16-971	6 Pieces	16-973 – Chisel 1/4 in 16-975 – Chisel 1/2 in 16-977 – Chisel 3/4 in 16-978 – Chisel 1 in 16-979 – Chisel 1-1/4 in 16-980 – Chisel 1-1/2 in	1	6	076174169713

#### STANLEY 1" Folding Pocket Chisel

- High impact composite handle and steel strike cap for durability
- Hardened, tempered high carbon steel blade for edge retention
- Lacquered blade resists corrosion
- Blade folds back into handle for storage



SKU #	BLADE WIDTH	OVERALL LENGTH	BOX QTY	CTN QTY	UPC		
FMHT16145	1 in	25 mm	9 in	228 mm	1	4	076174161458

**STANLEY® WOOD CHISELS**



**Wood Chisels**

- Hardened, tempered chrome carbon steel construction for edge retention
- Ergonomically designed, bi-material handle for comfort and impact resistance
- Short series blade for strength and control
- Blade guard protects working edges of blade when not in use and can be mounted to wall for storage

SKU #	BLADE WIDTH		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
16-304	1/4 in	6 mm	9 in	228 mm	2	24	076174163049
16-308	1/2 in	12 mm	9 in	228 mm	2	24	076174163087
16-312	3/4 in	18 mm	9 in	228 mm	2	24	076174163124
16-316	1 in	25 mm	9 in	228 mm	2	24	076174163162
16-320	1-1/4 in	32 mm	9 in	228 mm	2	24	076174163209
16-324	1-1/2 in	38 mm	9 in	228 mm	2	24	076174163247
CHISEL SETS		CONTAINS			BOX QTY	CTN QTY	UPC
16-300	3 Pieces	16-308 – Chisel 1/2 in 16-312 – Chisel 3/4 in 16-316 – Chisel 1 in			2	12	076174163001



**3-Piece Wood Chisel Set**

- Forged, lacquered steel blades for rust resistance and long life
- Polypropylene handles for durability and comfort
- Fully precision ground short series blades for strength and control

SKU #	CONTAINS	BLADE WIDTH		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
16-150	3 Pieces 16-153 – Chisel 1/2 in 16-155 – Chisel 3/4 in 16-157 – Chisel 1 in	1/2 in	12 mm	7-3/4 in	199 mm	5	30	076174161502
		3/4 in	18 mm	7-3/4 in	199 mm			
		1 in	25 mm	7-3/4 in	199 mm			



**STANLEY® SWEETHEART™ SOCKET CHISELS**



**Sweetheart™ 750 Series Socket Chisels**

- Classic 750 series design
- High-carbon chrome steel construction with tapered beveled sides
- Hornbeam wood handle for durability
- Long, thin blade design ideal for woodworkers

SKU #	BLADE WIDTH		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
16-781	1/8 in	4 mm	8.43 in	214 mm	3	18	076174167818
16-782	1/4 in	6 mm	8.66 in	220 mm	3	18	076174167825
16-784	3/8 in	10 mm	8.86 in	225 mm	3	18	076174167849
16-785	1/2 in	12 mm	9.09 in	231 mm	3	18	076174167856
16-786	5/8 in	16 mm	9.33 in	237 mm	3	18	076174167863
16-787	3/4 in	18 mm	9.53 in	242 mm	3	18	076174167870
16-788	1 in	25 mm	9.96 in	253 mm	3	18	076174167887
16-789	1-1/4 in	32 mm	10.35 in	263 mm	3	18	076174167894

SWEETHEART™ CHISEL SETS							
16-791	4 Pieces	16-782 – Sweetheart™ Chisel – 1/4 in 16-785 – Sweetheart™ Chisel – 1/2 in 16-787 – Sweetheart™ Chisel – 3/4 in 16-788 – Sweetheart™ Chisel – 1 in			1	5	076174167913
16-793	8 Pieces	16-781 – Sweetheart™ Chisel – 1/8 in 16-782 – Sweetheart™ Chisel – 1/4 in 16-784 – Sweetheart™ Chisel – 3/8 in 16-785 – Sweetheart™ Chisel – 1/2 in 16-786 – Sweetheart™ Chisel – 5/8 in 16-787 – Sweetheart™ Chisel – 3/4 in 16-788 – Sweetheart™ Chisel – 1 in 16-789 – Sweetheart™ Chisel – 1-1/4 in			1	3	076174169731

# STANLEY®



# FASTENING & CLAMPING

STAPLERS & BRAD NAILERS	112-115
HAMMER TACKERS	115
STAPLES & BRAD NAILS	116-120
BRAD NAILS	120
GLUE GUNS	120-121
GLUE STICKS	121-122
RIVETERS	123
RIVETS & PLATES	124-125
FASTENING SELECTION GUIDES	126-127
CLAMPS & VISES	128-129





STANLEY® BAILEY® CHISEL SETS



**5-Piece Chisel Set**

- High quality, carbon chrome steel construction for edge retention
- Hardwood handle for comfort and impact resistance
- Micro-precision ground for excellent sharpness
- Leather pouch included for convenient storage

SKU #	CONTAINS	BOX QTY	CTN QTY	UPC
16-401	5 Pieces 16-975 – Bailey® Chisel 1/2 in 16-977 – Bailey® Chisel 3/4 in 16-978 – Bailey® Chisel 1 in 16-979 – Bailey® Chisel 1-1/4 in 16-980 – Bailey® Chisel 1-1/2 in	2	2	076174164015

**STANLEY® NAIL SETS**



**Cushion Grip Nail Sets**

- Fully hardened, precision milled steel for long life
- Square head helps prevent rolling when set down
- Ideal for setting unhardened nails below surface of wood

SKU #	OVERALL LENGTH	TIP SIZE	BOX QTY	CTN QTY	UPC
58-911	5 in   127 mm	1/32 in   0.80 mm	6	36	076174589115
58-912	5 in   127 mm	2/32 in   1.52 mm	6	36	076174589122
58-913	5 in   127 mm	3/32 in   2.29 mm	6	36	076174589139
NAIL SET	CONTAINS		BOX QTY	CTN QTY	UPC
58-930	3 Pieces	58-911 – Nail Setter 1/32 in 58-912 – Nail Setter 2/32 in 58-913 – Nail Setter 3/32 in	6	36	076174589306



**Square Head Nail Set**

- Long length for setting nails in hard-to-reach areas
- Fully hardened, precision-milled steel for long life
- Square head prevents rolling when set down

SKU #	OVERALL LENGTH	TIP SIZE	BOX QTY	CTN QTY	UPC
58-111	4 in   101 mm	1/32 in   0.80 mm	6	72	076174581119
58-112	4 in   101 mm	2/32 in   1.52 mm	6	72	076174581126
58-113	4 in   101 mm	3/32 in   2.29 mm	6	72	076174581133
58-114	4 in   101 mm	4/32 in   3.17 mm	6	72	076174581140
NAIL SET	CONTAINS		BOX QTY	CTN QTY	UPC
58-230	3 Pieces	58-111 – Nail Setter 1/32 in 58-112 – Nail Setter 2/32 in 58-113 – Nail Setter 3/32 in	6	72	076174582307



**Self-Centering Nail Set**

- Nickel plated for durability
- Sets 4D and 6D finishing nails
- Designed to reduce marring of wood surfaces

SKU #	OVERALL LENGTH	FACE DIAMETER	BOX QTY	CTN QTY	UPC
58-011	3-5/32 in   80 mm	9/16 in   14 mm	6	36	076174580112



**Self-Centering Screw Hole Punch**

- Nickel plated for durability
- Ideal for self-centering of hinges and catches

SKU #	OVERALL LENGTH	FACE DIAM.	BOX QTY	CTN QTY	UPC
58-013	3-1/16 in   78 mm	3/8 in   9.5 mm	6	36	076174580136

# STANLEY

## HEAVY-DUTY STAPLERS

Professional contractors have relied on STANLEY® manual staplers since the 1970s and it's easy to understand why. These ruggedly built tools and staples are tough enough to survive dusty, dirty job sites and still provide enough power to drive staples into thick, dense wood – day in and day out, all day long.



### STANLEY® HEAVY-DUTY STAPLERS & BRAD NAILERS



#### All-Steel Heavy-Duty Staple Gun

- Chrome plated all-steel construction for durability
- Bottom loading allows for quick and easy reloading
- Drop-in bottom staple loading for quick and easy reloading
- Used for everyday stapling needs around the jobsite, home or office
- Convenient handle lock for safe storage

SKU #	BODY COLOR	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
TR110	Chrome	7 in 181 mm	—	6	076174060553



#### Heavy-Duty Staple Gun

- Anti-jam mechanism helps save time on the job
- Easy squeeze handle helps reduce hand fatigue
- Heavy-duty aircraft aluminum construction for lightweight and durability

SKU #	BODY COLOR	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
TR150	Yellow/Black	7 in 178 mm	—	6	076174058574



#### Heavy-Duty Staple Gun with High/Low Setting

- High/Low setting for stapling hard or soft materials
- Anti-jam mechanism helps save time on the job
- Easy squeeze handle helps reduce hand fatigue
- Heavy-duty aircraft aluminum construction for lightweight and durability

SKU #	BODY COLOR	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
TR150HL	Gray/Black	7 in 178 mm	—	6	076174058420



#### 2-in-1 Heavy-Duty Staple Gun/Brad Nailer

- High/Low setting for stapling or nailing hard or soft materials
- Heavy-duty aircraft aluminum construction for lightweight and durability
- Easy squeeze handle helps reduce hand fatigue
- Retractable wire guide for accurate staple placement

SKU #	BODY COLOR	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
TR250	Gray/Black	7 in 178 mm	—	6	076174050073

### STANLEY® LIGHT-DUTY STAPLE GUNS



#### All-Steel Light-Duty Staple Gun

- Chrome-plated steel construction for durability
- Lightweight with convenient handle lock for safe storage
- Perfect for everyday stapling needs around the home or office

SKU #	BODY COLOR	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
TR45	Chrome	6 in 152 mm	—	8	045731131470
TR45K	Chrome	6 in 152 mm	—	4	045731132545
TR45C4	Chrome	6 in 152 mm	—	4	045731131470



**Light-Duty Staple Gun**

- Soft grip handle for comfort
- Easy squeeze mechanism
- Built-in staple remover for added convenience
- Large window on bottom of stapler for indicating when staples need to be reloaded

SKU #	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
TR40	Gray	5-1/2 in	140 mm	—	6	076174060621



**All-Plastic Light-Duty Staple Gun**

- Large window on stapler for indicating when staples need to be reloaded
- Used for screen repairs, light upholstery, craft projects, office, home, and school tacking

SKU #	BODY COLOR	OVERALL LENGTH		BOX QTY	CRTN QTY	UPC
TR35	Yellow/Black	5-1/2 in	140 mm	—	6	076174060614

**STANLEY® HEAVY-DUTY CABLE TACKER**



**2-in-1 Heavy-Duty Cable Tacker**

- Accepts both round crown and flat narrow crown staples
- Integrated wire guide for accurate staple placement
- High/Low setting for hard and soft materials
- Heavy-duty aircraft aluminum construction for lightweight and durability

SKU #	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
CT10X	Gray/Black	7-1/8 in	181 mm	3	12	076174051001

**STANLEY® ELECTRIC STAPLERS & BRAD NAILERS**



**Electric Brad Nailer**

- Soft grip handle and cap for comfort
- Power adjustment dial provides variable settings
- Jam-clear mechanism helps save time on the job
- Low-brad indicator window for ability to see when to reload

SKU #	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
TRE650	Gray/Black	10-1/2 in	267 mm	—	2	076174050059



**Electric Stapler/Brad Nailer**

- Heavy-duty design for powerful driving
- Power adjustment dial provides variable settings
- Flat nose for flush stapling and nailing
- Anti-jam mechanism saves time on the job

SKU #	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
TRESS0	Gray/Black	7-1/4 in	184 mm	—	4	076174058581

**STANLEY® HAMMER TACKERS**



**Heavy-Duty Hammer Tacker**

- Heavy-duty steel construction for durability
- Rubber grip absorbs shock and helps protect hand
- Loads two full sticks of heavy-duty staples

SKU #	WEIGHT LBS.	CAPACITY	FASTENER TYPE	FASTENER LENGTH	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
PHT150C	2.13	84	Heavy Duty Staples	1/4 in - 3/8 in (6 mm-10 mm)	12 in	305 mm	—	6	045731046439



**STANLEY FATMAX Heavy-Duty Hammer Tacker**

- Driver mechanism delivers more than 500,000 cycles for long life
- Ergonomic grip helps minimize fatigue and helps maximize comfort
- Chrome-plated steel construction for corrosion resistance and durability
- Loads two full sticks of heavy-duty staples

SKU #	WEIGHT LBS.	CAPACITY	FASTENER TYPE	FASTENER LENGTH	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
PHT250C	2.64	2 Sticks	Heavy Duty Staples	5/16 in - 1/2 in (8 mm-12 mm)	13-1/2 in	342 mm	—	6	076174058369

Tyvek® is a registered trademark of E. I. du Pont de Nemours and Company or its affiliates.

**STANLEY® HEAVY-DUTY STAPLES**



**TRA700 Series Heavy-Duty Staples**

- Ideal for insulation, carpet underlayment, and roofing felt



SKU #	LEG LENGTH		CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
TRA704T	1/4 in	6 mm	27/64 in	11 mm	1000	7	56	076174054194
STHT71833	1/4 in	6 mm	27/64 in	11 mm	1250	—	15	076174718331
TRA704-SC	5/16 in	8 mm	27/64 in	11 mm	5000	—	9	045731059675
TRA705T	5/16 in	8 mm	27/64 in	11 mm	1000	6	48	076174054279
TRA705-SC	5/16 in	8 mm	27/64 in	11 mm	5000	—	8	076174058260
STHT71834	5/16 in	8 mm	27/64 in	11 mm	1250	—	15	076174718348
TRA706T	3/8 in	10 mm	27/64 in	11 mm	1000	5	40	076174054286
TRA706-SC	3/8 in	10 mm	27/64 in	11 mm	5000	—	7	045731043636
STHT71836	3/8 in	10 mm	27/64 in	11 mm	1250	—	15	076174718362
TRA708T	1/2 in	12 mm	27/64 in	11 mm	1000	4	32	076174054293
STHT71837	1/2 in	12 mm	27/64 in	11 mm	1250	—	15	076174718379
TRA708-SC	1/2 in	12 mm	27/64 in	11 mm	5000	—	5	045731059699
TRA709T	9/16 in	14 mm	27/64 in	11 mm	1000	4	32	076174054309
STHT71838	9/16 in	14 mm	27/64 in	11 mm	1250	—	15	076174718386



**Heavy-Duty Staple & Brad Assortments**

- 5/8" 18 GA brad nails (SWKBN625)
- 1/4" Heavy-Duty Staples (TRA704)
- 5/16" Heavy-Duty Staples (TRA705)
- 3/8" Heavy-Duty Staples (TRA706)
- 1/2" Heavy-Duty Staples (TRA708)
- 9/16" Heavy-Duty Staples (TRA709)



SKU #	PIECE COUNT	CROWN WIDTH		BOX QTY	CTN QTY	UPC
TRA700BN	2,500	27/64 in	11 mm	5	20	076174057270
TRA700BN35	3,000	27/64 in	11 mm	5	20	076174057287
STHT74749	2,000	27/64 in	11 mm	4	12	07617474749

Arrow, T50 and JT-21 are trademarks of Arrow Fastener Co., Inc.



**TRA700SST Series Heavy-Duty Stainless Steel Staples**

- Stainless steel construction for corrosion resistance
- Ideal for high moisture environments



SKU #	LEG LENGTH		CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
TRA704SST	1/4 in	6 mm	27/64 in	11 mm	1000	7	56	076174058505
TRA706SST	3/8 in	10 mm	27/64 in	11 mm	1000	5	40	076174058529
TRA708SST	1/2 in	12 mm	27/64 in	11 mm	1000	4	32	076174058536

**STANLEY® LIGHT-DUTY STAPLES**



**Light-Duty Staples**

- Ideal for light-duty household and crafting stapling jobs



SKU #	LEG LENGTH		CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
TRA204T	1/4 in	6 mm	29/64 in	12 mm	1000	7	56	076174053883
TRA205TC	5/16 in	8 mm	29/64 in	12 mm	1000	6	48	076174053890
TRA206T	3/8 in	10 mm	29/64 in	12 mm	1000	5	40	076174054101
TRA206TCS	3/8 in	10 mm	29/64 in	12 mm	1500	5	20	076174054927
STHT72404	1/4 in	6 mm	29/64 in	12 mm	1000	6	24	076174724042
STHT72405	5/16 in	8 mm	29/64 in	12 mm	1000	6	24	076174724059
STHT72406	3/8 in	10 mm	29/64 in	12 mm	1000	6	24	076174724066



**TRA200 Light-Duty Staple Assortments**

- 500 pieces 1/4" light-duty staples
- 500 pieces 5/16" light-duty staples
- 500 pieces 3/8" light-duty staples



SKU #	LEG LENGTH		CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
TRA200BN	—	—	29/64 in	11 mm	1500	5	20	076174057263
STHT74912	1/4 in 5/16 in 3/8 in	6 mm 8 mm 10 mm	29/64 in	11 mm	1500	5	20	07617474912

**STANLEY® SPECIALTY FASTENERS**



**Heavy-Duty Round Crown Cable Staples**

- Fits wires up to 1/4" in diameter
- Galvanized for corrosion resistance
- For use on low voltage wiring only

SKU #	LEG LENGTH		CROWN WIDTH		GAUGE	PACK SIZE	BOX QTY	CTN QTY	UPC
CT106T	3/8 in	10 mm	5/16 in	8 mm	23	1000	6	48	076174058475
CT107T	7/16 in	11 mm	5/16 in	8 mm	23	1000	6	48	076174058482
CT108T	1/2 in	13 mm	5/16 in	8 mm	23	1000	4	32	076174058499
CT109T	9/16 in	14 mm	5/16 in	8 mm	23	1000	4	32	076174051698



**Heavy-Duty Flat Narrow Crown Staples**

- Fits wires up to 1/4" in diameter
- Galvanized for corrosion resistance
- For use on low voltage wiring only

SKU #	LEG LENGTH		CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
CT306T	3/8 in	10 mm	5/16 in	8 mm	1000	5	40	076174051612
CT308T	1/2 in	13 mm	5/16 in	8 mm	1000	4	32	076174058468



**Office Staples**

- Standard staples for everyday fastening

SKU#	LEG LENGTH		CROWN WIDTH		GAUGE	PACK SIZE	BOX QTY	CTN QTY	UPC
TRO400T	1/2 in	13mm	5/16 in	8mm	23	5000	4	32	076174051728



**Heavy-Duty Wide Crown Staples**

- Reclosable packaging for easy storage
- Ideal for carpet underlayment

SKU#	LEG LENGTH		CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
TRC604T	1/4 in	6 mm	1/2 in	13 mm	1000	7	56	076174054361
TRC606T	3/8 in	10 mm	1/2 in	13 mm	1000	5	40	076174054385
TRC606-5C	3/8 in	10 mm	1/2 in	13 mm	5000	—	12	076174058338

**STANLEY® STAPLER KITS**



**Holiday Light Hanging Kit**

- Flexible hinge for mounting on houses, doorways, decks, molding and fences
- Hanger hook allows for easy wire installation and removal
- Weather resistant for year round hanging outside the house
- Neutral color for discrete organization of wires inside

SKU #	TYPE	LEG LENGTH		CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
STHT72589	Kit	3/8 in	10 mm	29/64 in	12 mm	100	—	—	076174725896
STHT72590	Clips	—	—	—	—	50	—	—	076174725902



**STANLEY® 18 GAUGE BRAD NAILS**



**18-Gauge Brad Nails**

- Reclosable packaging for easy storage
- Ideal for craft, hobby and finish carpentry projects

SKU#	BRAD LENGTH		GAUGE	PACK SIZE	BOX QTY	CTN QTY	UPC
SWKBN050	1/2 in	13 mm	18	1000	5	20	076174038719
SWKBN075	3/4 in	19 mm	18	1000	—	10	077914035077
SWKBN625S	5/8 in	15.875 mm	18	1000	5	20	077914038283
SWKWB100 (White)	1 in	25 mm	18	1000	—	10	077914058390
SWKB100 (Brown)	1 in	25 mm	18	1000	—	10	077914058406
SWKBN1187	1-3/16 in	30 mm	18	1000	—	10	077914038733
SWKBN1250	1-1/4 in	32 mm	18	1000	—	10	076174058413

**STANLEY® GLUE GUNS**



**Mini Hot-Melt Glue Gun**

- Small, portable size ideal for crafting projects
- Trigger feed mechanism for glue flow control
- Uses standard .28" mini hot melt sticks

SKU#	OPERATING TEMP. (F)	OVERALL LENGTH	WATTS	VOLTS	BOX QTY	CTN QTY	UPC
GR10	385° HI	4-1/4 in	15	120	3	18	045731132293



**Trigger-Feed Standard Hot-Melt Glue Gun**

- Heats up fast and bonds within 60 seconds
- Trigger feed mechanism for glue flow control
- Uses hot-melt .45" glue sticks

SKU#	OPERATING TEMP. (F)	OVERALL LENGTH	WATTS	VOLTS	BOX QTY	CTN QTY	UPC
GR20	410° HI	6-1/2 in	30	120	3	18	045731132309
GR20K	410° HI	6-1/2 in	30	120	2	8	045731132392



**Trigger-Feed Standard DualMelt™ Glue Gun**

- Heats up fast and bonds within 60 seconds
- Dual temperature high/low switch
- Trigger feed mechanism for glue flow control
- Uses dual temperature or hot melt .45" glue sticks

SKU#	OPERATING TEMP. (F)	OVERALL LENGTH	WATTS	VOLTS	BOX QTY	CTN QTY	UPC
GR25-2	410° HI 275° LO	6-1/2 in	80	120	2	8	045731132316

**STANLEY® ALL-PURPOSE GLUE GUN KITS**



**DualMelt™ Glue Gun Kit**

- High and low temperature gluing in one glue gun for versatility
- Heats up fast and bonds within 60 seconds
- Uses dual temperature or hot melt .45" glue sticks

SKU#	CONTAINS	OPERATING TEMP. (F)		OVERALL LENGTH		WATTS	VOLTS	BOX QTY	CTN QTY	UPC
STHT72317	1 GR25-2 Dual Melt Glue Gun, 10 All-Purpose Glue Sticks, 10 Super Strength Glue Sticks, 10 Wood Glue Sticks	410° HI	275° LO	6 1/2 in	165 mm	80	120	—	6	076174723175



**DualMelt Pro™ Glue Gun Kit**

- Auto shut off after 15 minutes of non-use for safety and long life
- Temperature switch for high and low temperature applications
- Uses standard .45" glue sticks

SKU#	CONTAINS	OPERATING TEMP. (F)		OVERALL LENGTH		WATTS	VOLTS	BOX QTY	CTN QTY	UPC
GR100	1, DualMelt Pro™ Glue Gun 1, Spreader Tip 1, Extender Tip 6, Dual Temp Glue Sticks – 4" x 0.45" 6, Glue Sticks – 4" x 0.45" 5, Super Strength Glue Sticks – 4" x 0.45"	410° HI	275° LO	8-1/2 in	216 mm	80	120	—	5	045731132385

**STANLEY® GLUE STICKS**



**DualMelt™ Standard Glue Sticks**

- Dual temperature glue sticks for all-purpose bonding
- For use in hot melt, low temperature and dual temperature glue guns
- 4" x .45" standard glue stick

SKU#	LENGTH		DIAMETER		SET TIME (SECS.)	PACK SIZE	BOX QTY	CTN QTY	UPC
GS15DT	4 in	101 mm	0.45 in	11 mm	30-60	6	5	60	045731131494
GS20DT	4 in	101 mm	0.45 in	11 mm	30-60	24	5	60	045731131418
GS25DT	10 in	254 mm	0.45 in	11 mm	30-60	12	—	5	045731132125



**Dual-Melt Mini Glue Sticks**

- Dual temperature glue sticks for all-purpose bonding
- For use in hot melt, low temperature and dual temperature mini glue guns
- 4" x .28" mini glue stick

SKU #	LENGTH		DIAMETER		SET TIME (SECS.)	PACK SIZE	BOX QTY	CTN QTY	UPC
GS10DT	4 in	101mm	0.28 in	7mm	30-60	24	5	60	045731131401



**All-Purpose Standard Clear Glue Sticks**

- Dual temperature glue sticks for all-purpose bonding
- 4" x .45" standard glue stick

SKU#	LENGTH		DIAMETER		SET TIME (SECS.)	PACK SIZE	BOX QTY	CTN QTY	UPC
GS230S	4 in	101 mm	0.45 in	11 mm	25-30	6	—	30	045731028121



**Formula II Super Strength Standard Glue Sticks**

- Hot melt glue sticks for bonding ceramic, rubber, leather, metal, acrylic, and fiberglass
- For use in hot melt glue guns
- 4" x .45" standard glue stick

SKU#	LENGTH		DIAMETER		SET TIME (SECS.)	PACK SIZE	BOX QTY	CTN QTY	UPC
GS500	4 in	101 mm	0.45 in	11 mm	25-30	6	5	60	045731060022

**STANLEY® RIVETERS**



**Contractor Grade Riveter**

- Rugged, professional-grade die-cast metal construction for long life
- Designed for use with stainless steel rivets for more applications
- Interchangeable nose pieces for the ability to secure multiple rivet sizes
- Extended handles for easy squeezing

SKU#	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
MR100CG	Yellow/Silver	11-1/8 in	283 mm	—	4	045731124533



**Swivel Head Riveter**

- 360° swivel head adjusts for use at any angle, including overhead
- Die-cast metal construction for long life
- Interchangeable nose pieces for use with steel and aluminum rivets from 3/32" to 3/16"

SKU#	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
MR77C	Yellow/Black	11-1/8 in	283 mm	—	5	045731132422



**Chrome Right Angle Riveter**

- All-steel construction for long-lasting durability
- Interchangeable nose pieces and wrench are conveniently stored in handle
- Long handle makes riveter easy to squeeze

SKU #	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
MR55CS	Silver/Black	10 in	254 mm	—	5	045731089177



**Medium-Duty Riveter**

- Spring-loaded handle ejects rivet stem automatically
- Extended handles for easy squeezing
- Slim-nose design fits in hard to reach areas

SKU #	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
MR33C	Black /Yellow	10 in	254 mm	—	5	045731132415

**STANLEY® RIVETS AND PLATES**



**Aluminum Rivets**

- Aluminum construction for rust resistance
- Reclosable packaging for convenient storage

SKU#	HOLE DIAMETER		GRIPPING RANGE		PACK SIZE	BOX QTY	CTN QTY	UPC
PAA42-1B	1/8 in	3 mm	1/8 in	3.2 mm	100	5	100	045731028480
PAA42W-1B	1/8 in	3 mm	1/8 in	3.2 mm	100	5	100	045731028244
PAA44-1B	1/8 in	3 mm	1/4 in	6.4 mm	100	5	100	045731028442
PAA46-1B	1/8 in	3 mm	3/8 in	10 mm	100	5	100	045731028404
PAA48-1B	1/8 in	3 mm	1/2 in	12.7 mm	100	5	100	045731124106
PAAS2-5B	5/32 in	4 mm	1/8 in	3.2 mm	50	5	100	076174054781
PAAS4-5B	5/32 in	4 mm	1/4 in	6.4 mm	50	5	100	076174054798
PAAS8-5B	5/32 in	4 mm	1/2 in	12.7 mm	50	5	100	076174054903
PAA610-5B	3/16 in	5 mm	5/8 in	15.87 mm	10	5	100	045731124144
PAA62-5B	3/16 in	5 mm	1/8 in	3.2 mm	50	5	100	045731124038
PAA64-5B	3/16 in	5 mm	1/4 in	6.4 mm	50	5	100	045731124045
PAA66-5B	3/16 in	5 mm	3/8 in	10 mm	50	5	100	045731124229
PAA68-5B	3/16 in	5 mm	1/2 in	12.7 mm	50	5	100	045731124137



**Steel Rivets**

- Steel construction for strength and durability
- Reclosable packaging for convenient storage

SKU#	HOLE DIAMETER		GRIPPING RANGE		PACK SIZE	BOX QTY	CTN QTY	UPC
PSS42-1B	1/8 in	3mm	1/8 in	3.2 mm	100	5	100	045731028602
PSS44-1B	1/8 in	3mm	1/4 in	6.4 mm	100	5	100	045731028565
PSS48-1B	1/8 in	3mm	1/2 in	12.7 mm	100	5	100	045731124113



**Steel Back-Up Plates**

- 1/8" diameter
- Steel construction for strength and durability
- Reclosable packaging for convenient storage

SKU #	INNER DIAMETER		PACK SIZE	BOX QTY	CTN QTY	UPC
PBS4	1/8 in	3.2 mm	40	10	100	045731028725



**Aluminum Back-Up Plates**

- 3/16" diameter
- Aluminum construction for rust resistance
- Reclosable packaging for convenient storage

SKU#	INNER DIAMETER		PACK SIZE	BOX QTY	CTN QTY	UPC
PBA6	3/16 in	4.8 mm	30	10	100	045731028640



**Blind Rivet Kit**

- General purpose riveter with blow molded storage case for added convenience
- Spring-loaded handle ejects rivet stem automatically
- Extended handles for easy squeezing
- Slim-nose design fits in hard to reach areas

SKU#	CONTAINS	BOX QTY	CTN QTY	UPC
STHT72179	20 rivets of PSS42, PSS44, PSS46	—	4	076174721799



**Rivet Pack Assortment**

- 120 assorted steel and aluminum rivets
- For use with all blind riveters
- Reclosable packaging for convenient storage

SKU#	CONTAINS	QUANTITY	BOX QTY	CTN QTY	UPC
R120	PSS42 – Steel Rivets 1/8" x 1/8"	25	—	5	045731053759
	PSS44 – Steel Rivets 1/8" x 1/4"	20			
	PSS46 – Steel Rivets 1/8" x 3/8"	15			
	PAA42W – Aluminum Rivets 1/8" x 1/8"	25			
	PAA44 – Aluminum Rivets 1/8" x 1/4"	20			
	PAA46 – Aluminum Rivets 1/8" x 3/8"	15			



**CONSUMER FASTENING SELECTION GUIDES**

**STAPLERS**

	DURABILITY	EASY SQUEEZE	HI/LO POWER SETTING	FASTENER TYPE		
				STAPLES	BRADS	DESK STAPLES
<b>Electric Staplers</b>						
Electric Stapler / Brad Nailer TRE550	XXXXX	N/A	X	X	X	
<b>Manual Staplers</b>						
Heavy-Duty Staple Gun / Brad Nailer TR250	XXXXX	XXXXX	X	X	X	
Heavy-Duty Staple Gun with High/Low Setting TR150HL	XXXX	XXXXX	X	X		
Heavy-Duty Staple Gun TR150	XXX	XXXXX	X	X		
Heavy-Duty Staple Gun/ Cable Tacker CT10X	XXX	XXX	X	X		
All Steel Light-Duty Chrome-Plated Staple Gun TR45	XX	XXX		X		
All Plastic Light-Duty Staple Gun Kit TR45K	XX	XXX		X		
<b>Brad Nailers</b>						
Electric Brad Nailer TRE650	XXXX	N/A	X		X	
<b>Hammer Tackers</b>						
Heavy-Duty Hammer Tacker PHT250C	XXXXX	N/A		X		
Hammer Tacker PHT150C	XXX	N/A		X		
<b>Other Staplers</b>						
Plier Stapler TR65	XXX	XXX				X

**GLUE**

	GR100	GR90C	GR25	GR20	GR15	GR10
<b>DUAL-MELT STANDARD GLUE STICKS</b>						
GS100T					X	
GS150T	X		X	X	X	X
GS200T	X		X	X	X	X
GS250T	X		X	X	X	X
<b>ALL-PURPOSE STANDARD CLEAR GLUE STICKS</b>						
GS040					X	X
GS230	X	X	X	X	X	
<b>FORMULA II SUPER STRENGTH STANDARD GLUE STICKS</b>						
GS500	X	X	X	X	X	X

**RIVET**

	SIZE	MR100CG	MR77C	MR55CS	MR33C
<b>STEEL RIVETS</b>					
PSS42	1/8" X 1/8"	X	X	X	X
PSS44	1/8" X 1/4"	X	X	X	X
PSS46	1/8" X 3/8"	X	X	X	X
PSS48	1/8" X 1/2"	X	X	X	X
<b>STAINLESS STEEL RIVET</b>					
PTT52	5/32" X 1/8"	X			
PTT54	5/32" X 1/4"	X		X	
PTT64	3/16" X 1/4"				
<b>ALUMINUM RIVETS</b>					
PAA42	1/8" X 1/8"	X	X	X	X
PAA42W	1/8" X 1/8" white	X	X	X	X
PAA44	1/8" X 1/4"	X	X	X	X
PAA46	1/8" X 3/8"	X	X	X	X
PAA48	1/8" X 1/2"	X	X	X	X
PAAS2	5/32" X 1/8"	X	X	X	X
PAAS4	5/32" X 1/4"	X	X	X	X
PAAS8	5/32" X 1/2"	X	X	X	X
PAA610	3/16" X 5/8"	X	X	X	X
PAA62	3/16" X 1/8"	X	X	X	X
PAA64	3/16" X 1/4"	X	X	X	X
PAA66	3/16" X 3/8"	X	X	X	X
PAA68	3/16" X 1/2"	X	X	X	X
<b>RIVET PACK</b>					
R120	Assortment	X	X	X	X

**RIVETERS / GLUE GUNS**

	DURABILITY	FEATURE
<b>RIVETERS</b>		
Contractor Grade Riveter MR100CG	XXXXX	Heavy-Duty
Swivel Head Riveter MR77C	XXXX	Swivel Head
Right-Angle Riveter MR55CS	XXX	Right Angled
Medium-Duty Riveter MR33C	XXX	Right Angled
<b>GLUE GUNS</b>		
DualMelt Pro™ Glue Gun Kit GR100	XXXXX	High & Low Settings
Trigger-Feed Dual-Melt Glue Gun GR25	XXX	High & Low Settings
Mini Dual-Temp Glue Gun GR15	XXX	High & Low Settings
Trigger Feed Hot-Melt Glue Gun GR20	XX	High Setting
Mini Hot-Melt Glue Gun GR10	XX	High Setting

**STAPLES**

	SIZE	TR250	TR150HL	TR150	CT10X	TR45	TR45K	TRE650	PHT250C	PHT150C	TR65
<b>HEAVY-DUTY STAPLES</b>											
HEAVY-DUTY STAPLES	MR77C										
TRA704T	1/4"	X	X	X	X					X	X
TRA705T	5/16"	X	X	X	X				X	X	X
TRA706T	3/8"	X	X	X	X				X	X	X
TRA708T	1/2"	X	X	X	X				X		
TRA709T	9/16"	X	X	X	X						
<b>HEAVY-DUTY STAINLESS-STEEL NARROW CROWN STAPLES</b>											
TRA704SST	1/4"	X	X	X	X					X	X
TRA705SST	5/16"	X	X	X	X				X	X	X
TRA706SST	3/8"	X	X	X	X				X	X	X
TRA708SST	1/2"	X	X	X	X				X		
TRA709SST	9/16"	X	X	X	X						
<b>HEAVY-DUTY MONEL NARROW CROWN STAPLES</b>											
TRA704MT	1/4"	X	X	X	X					X	X
TRA705MT	5/16"	X	X	X	X				X	X	X
TRA706MT	3/8"	X	X	X	X				X	X	X
TRA708MT	1/2"	X	X	X	X				X		
TRA709MT	9/16"	X	X	X	X						
<b>LIGHT-DUTY STAPLES</b>											
TRA204T	1/4"					X	X				
TRA205T	5/16"					X	X				
TRA206T	3/8"					X	X				
<b>CABLE STAPLES</b>											
CT106T	3/8"				X						
CT107T	7/16"				X						
CT108T	1/2"				X						
CT109T	9/16"				X						
<b>18 GA BRAD NAILS</b>											
SWKBN050	1/2"	X	X								
SWKBN562	9/16"	X	X								
SWKBN625	5/8"	X	X					X	X		
SWKBN075	3/4"							X	X		
SWKBBN075	3/4"							X	X		
SWKBBN100	1"							X	X		
SWKWBN100	1"							X	X		
SWKBN1187	1-3/16"							X	X		
SWKBN1250	1-1/4"							X	X		
<b>BOND CROWN CABLE STAPLES</b>											
SWKBN562	9/16"	X	X								
SWKBN625	5/8"	X	X						X		
SWKBN050	1/2"	X	X								
SWKBN562	9/16"	X	X								
SWKBN625	5/8"	X	X						X		
SWKBN050	1/2"	X	X								
SWKBN562	9/16"	X	X								
SWKBN625	5/8"	X	X						X		
<b>HEAVY-DUTY FLAT NARROW CROWN STAPLES</b>											
CT305T	5/16"										
CT306T	3/8"										
CT308T	1/2"										
<b>OFFICE STAPLES</b>											
TRO400	Std. Office Staple										X
<b>HEAVY-DUTY POWERCROWN® STAPLES</b>											
TRB505T	5/16"										
TRB508T	1/2"										
TRB509T	9/16"										
<b>HEAVY-DUTY WIDE CROWN STAPLES</b>											
TRC604T	1/4"										
TRC605T	5/16"										
TRC606T	3/8"										
TRC608T	1/2"										
TRC609T	9/16"										

Stanley® CT10X and Arrow® T-25®

Bostitch® PowerCrown® Tools

Ace®, Black & Decker®, Craftsman® and Duo Fast Wide Crown® products

**STANLEY®**

# SCREWDRIVERS



FATMAX® SCREWDRIVERS	132-134
VINYL GRIP	134-136
SCREWDRIVER SETS	135-140
MULTI-BIT & RATCHETING	137-138
HIGH VISIBILITY	141
RUBBER GRIP	141-142
FIBERGLASS MULTI-BIT	142
SCRATCH AWL	142
POCKET SETS	143

# STANLEY

## 2" x 4" CLAMP

STANLEY® is world-renowned for manufacturing high-quality tools, a reputation that extends to its 2" x 4" clamps. They can be modified to almost any length, and they have non-mar pads to protect work surfaces. It has up to a 400-lb. clamping force and up to an 850-lb. clamping force when bolted to a 2" x 4".



### STANLEY® CLAMP



### 2" x 4" Clamp

- Provides versatility: 2" x 4"s are easily accessible and can be modified to any length
- Both clamp heads insert & reposition anywhere easily along 2" x 4"
- 400 lb. clamping force with up to 850 lbs when bolted to 2" x 4"
- Clamps stand upright on two feet allowing projects to be lifted off the work surface
- Eliminates the need to carry around pipe clamps or bar clamps

SKU #	THROAT DEPTH		BOX QTY	CTN QTY	UPC
STHT83166	2 in	1/16 mm	—	4	076174831665

## STANLEY® VISE



### Quick Vise

- One-handed operation to quickly open and close vise
- Removable, non-marring rubber pads help protect work surface
- Screw threads tighten to work surface for easy vise repositioning
- Steel jaw construction for durability and long life

SKU #	JAW CAPACITY	JAW WIDTH	BOX QTY	CTN QTY	UPC
STHT83179	4-1/2 in	3-1/4 in	2	4	076174831795

### MaxSteel® Multi-Angle Vise



- Swivel ball design for infinite lockable positioning
- Integral screw clamp for attaching to most work surfaces
- Removable jaw pads help protect surfaces from marring and damage

SKU #	JAW WIDTH		BOX QTY	CTN QTY	UPC
83-069M	2-7/8 in	73 mm	2	4	076174830699




**STANLEY**  
**FATMAX**



**SIMULATED DIAMOND TIP SCREWDRIVERS**

STANLEY® began manufacturing screwdrivers in 1870 and hasn't looked back. Through the years, STANLEY® has continued to improve and expand its screwdriver lines with new designs and materials, including corrosion resistant, chrome plated bars, simulated diamond tips and ergonomic, bi-material handles.



**FATMAX® DIAMOND™ SCREWDRIVER SETS**



**Simulated Diamond Tip Screwdriver Set**

- Color coded handles for easy screwdriver selection
- Ergonomic quad lobe design
- Simulated diamond tip for grip on fasteners

SKU #	INCLUDES	BOX QTY	CTN QTY	UPC
FMHT62059	Phillips®: 2" x 4", 1/4" x 4"	—	8	076174620597
FMHT62060	Phillips®: 1" x 3", 2" x 4" Slotted: 1/4" x 4", 5/16" x 6", Square 2" x 4", TORX® T2 5" x 4"	—	4	076174620603
FMHT62052	Phillips®: 1 x 3", Slotted Cabinet: 3/16" X 4", Phillips® 2 x 4", Slotted 1/4" x 4", Slotted 5/16" x 6", Phillips® 3" x 6"	—	4	076174620528

Phillips® is a registered trademark of Phillips Screw Co.



**Screwdriver Set**

- Chrome plated bars for corrosion resistance
- Magnetic black oxide tips for secure grip on fasteners
- Ergonomic quad lobe handle design for torque and comfortable hold
- Color coded handles for easy screwdriver selection

SKU #	INCLUDES	BOX QTY	CTN QTY	UPC
FMHT62516	6 Pieces Phillips®: 1 x 3", Slotted Cabinet: 3/16" X 3", Phillips® 2 x 4", Slotted 1/4" x 4", Phillips®: 3 x 6", Slotted 5/16" x 6"	—	4	076174625165
62-502	11 Pieces Standard: 1/4" Stubby, 1/4" x 4", 5/16" x 6" Cabinet: 1/8" x 3", 3/16" x 3" Phillips®: 0pt x 2-3/8", 2pt Stubby, 1pt x 3", 2pt x 4", 3pt x 6" Hybrid Offset: 1/4" Slotted, 2pt Phillips®	—	4	076174625028

**FATMAX® CHROME PLATED SCREWDRIVERS**



**Pocket**



SKU #	TIP SIZE	BLADE LENGTH	BLADE DIAMETER	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
62-551	1/8 in 3 mm	3 in 75 mm	1/8 in 3 mm	6-1/2 in 165 mm	6	36	076174625516
62-556	0 pt	2-3/8 in 60 mm	1/8 in 3 mm	5-1/2 in 146 mm	6	36	076174625561



**Stubby**

- Designed for close-quarter driving



SKU #	TIP WIDTH	BLADE LENGTH	BLADE DIAMETER	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
62-552	1/4 in 6.5 mm	1-3/4 in 44 mm	1/4 in 6.5 mm	4 in 100 mm	6	36	076174625523
62-560	2 in 6.5 mm	1-3/4 in 44 mm	1/4 in 6.5 mm	4 in 100 mm	6	36	076174625608



**Standard Tip**



SKU #	TIP WIDTH	BLADE LENGTH	BLADE DIAMETER	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
62-553	1/4 in 6.5 mm	4 in 100	1/4 in 6.5 mm	9 in 225 mm	6	36	076174625530
62-555	5/16 in 8 mm	6 in 150	9/32 in 7 mm	11 in 280 mm	6	36	076174625554

**STANLEY** **FATMAX** Phillips® Tip



SKU #	SIZE	BLADE LENGTH	BLADE DIAMETER	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
62-559	1	3 in 75 mm	3/16 in 5	7-1/2 in 190 mm	6	36	076174625592
62-561	2	4 in 100 mm	1/4 in 6.5	9 in 225 mm	6	36	076174625615
62-562	3	6 in 150 mm	5/16 in 8	11 in 280 mm	6	36	076174625622

**STANLEY** **FATMAX** Cabinet Tip



SKU #	TIP WIDTH	BLADE LENGTH	BLADE DIAMETER	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
62-554	3/16 in 4.76 mm	3 in 76 mm	3/16 in 4.76 mm	9 in 225 mm	6	36	076174625547

**STANLEY** **FATMAX** TORX® Tip



SKU #	SIZE	BLADE LENGTH	BLADE DIAMETER	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
62-564	T15	3 in 75 mm	3/16 in 5 mm	7-1/2 in 190 mm	6	36	076174625646
62-565	T20	4 in 100 mm	3/16 in 5 mm	9 in 225 mm	6	36	076174625653



**Cushion Grip Screwdriver Sets**

- Chrome plated bars for rust resistance
- Cushion grip bi-material handle for comfort and torque
- Smooth domed end for fast spinning action

SKU #	INCLUDES	BOX QTY	CTN QTY	UPC
62-000	2 Pieces Standard: 1/4" Stubby, Phillips®: 2pt Stubby	4	24	076174620009
65-243	2 Pieces Standard: 1/4" x 4" Standard Tip Phillips®: 2pt x 4" Phillips® Tip	4	16	076174652437
STHT66511	8 Pieces Standard: 1/4" x 1-1/2", 1/4" x 4", 5/16" x 6", 3/8" x 8", Phillips®: #2 x 1-1/2", #1 x 3", #2 x 4", #3 x 6"	—	2	076174665116
91-541	8 Pieces Standard: 1/8" x 6", 3/16" x 4", 1/4" x 4", 5/16" x 6" Phillips®: 0pt x 4", 1pt x 4", 2pt x 6", 3pt x 6"	—	6	076174915419
STHT66513	11 Pieces 3/16" x 3", 1/4" x 4", 5/16" x 6", 1/4" x 1-3/4" 1/8" x 3", 0pt x 2-3/8", 1pt x 3", 2pt x 1-3/4", 2pt x 4", 3pt x 6", 2-Offset	2	4	076174665130

Phillips® is a registered trademark of Phillips Screw Co.

**STANLEY® VINYL GRIP SCREWDRIVERS**



**Vinyl Grip Screwdriver Set**

- Plated bars for corrosion resistance
- Cold forged tips for durability
- Oversized cushion grip for torque



SKU #	INCLUDES	BOX QTY	CTN QTY	UPC
66-565	6 Pieces (Chrome-Plated Tips) Standard: 1/4" x 4", 5/16" x 6" Cabinet: 3/16" x 3", 3/16" x 6" Phillips®: 1pt x 3", 2pt x 4"	—	6	076174665659



**8-Piece Vinyl Grip Screwdriver Set**

- Alloy steel bar for durability
- Chrome plated bars for corrosion resistance
- Black oxide precision formed tips for secure fit into fasteners



SKU #	INCLUDES	BOX QTY	CTN QTY	UPC
66-568	8 Pieces 1/4" x 1-1/2", 1/4" x 4", 5/16" x 6", 3/8" x 8", Phillips®: #2 x 1-1/2", #1 x 3", #2 x 4", #3 x 6"	8	—	076174665684



**Vinyl Grip Stubby**



SKU #	TIP SIZE	BLADE LENGTH	BLADE DIAMETER	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
66-088	1/4 in 6.5 mm	1-1/2 in 38 mm	1/4 in 6.5 mm	3-5/8 in 86 mm	6	36	076174660883
65-905	2pt	1-1/2 in 38 mm	1/4 in 6.5 mm	3-5/8 in 86 mm	6	36	076174659054



**Vinyl Grip Standard Tip**



SKU #	TIP WIDTH	BLADE LENGTH	BLADE DIAMETER	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
66-089	3/16 in 5 mm	3 in 76 mm	3/16 in 5 mm	6-3/4 in 173 mm	6	36	076174660890
66-090	1/4 in 6.5 mm	4 in 102 mm	1/4 in 6.5 mm	8-1/4 in 213 mm	6	36	076174660906
66-091	5/16 in 8 mm	6 in 152 mm	5/16 in 8 mm	11 in 279 mm	6	24	076174660913
66-092	3/8 in 10 mm	8 in 203 mm	3/8 in 10 mm	13-5/8 in 340 mm	6	24	076174660920

Phillips® is a registered trademark of Phillips Screw Co.



Vinyl Grip Cabinet Tip



SKU #	TIP WIDTH		BLADE LENGTH		BLADE DIAMETER		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
66-096	3/16 in	5 mm	3 in	76 mm	3/16 in	5 mm	6-3/4 in	173 mm	6	36	076174660968
66-097	3/16 in	5 mm	6 in	152 mm	3/16 in	5 mm	9-3/4 in	249 mm	6	36	076174660975
66-098	3/16 in	5 mm	8 in	203 mm	3/16 in	5 mm	11-3/4 in	300 mm	6	24	076174660982



Vinyl Grip Phillips® Tip



SKU #	POINT SIZE	BLADE LENGTH		BLADE DIAMETER		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
65-901	1	3 in	76 mm	3/16 in	5 mm	6-3/4 in	173 mm	6	36	076174659016
65-902	2	4 in	102 mm	1/4 in	6.5 mm	8-5/8 in	213 mm	6	36	076174659023
65-903	3	6 in	152 mm	5/16 in	8 mm	11 in	279 mm	6	36	076174659030



Vinyl Grip Square Blade



SKU #	TIP WIDTH		BLADE LENGTH		BLADE DIAMETER		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
66-093	1/4 in	6.5 mm	4 in	102 mm	1/4 in	6.5 mm	8-3/8 in	213 mm	6	36	076174660937
66-094	5/16 in	8 mm	6 in	152 mm	5/16 in	8 mm	11 in	279 mm	6	24	076174660944
66-095	3/8 in	10 mm	8 in	203 mm	3/8 in	10 mm	13-3/8 in	340 mm	6	24	076174660951

**STANLEY® COLORCODED SCREWDRIVERS**



Cabinet Tip



SKU #	TIP WIDTH	BLADE LENGTH	BLADE DIAMETER	OVERALL LENGTH	BOX QTY	CTN QTY	UPC	
60-003	3/16 in	5 mm	3 in	76 mm	3/16 in	5 mm	6-7/8 in 175 mm	6 36 076174600032



Phillips® Tip



SKU #	POINT SIZE	BLADE LENGTH		BLADE DIAMETER		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
60-001	1	4 in	102 mm	3/16 in	5 mm	7-7/8 in	201 mm	6	36	076174600018
60-002	2	4 in	102 mm	1/4 in	6.5 mm	7-7/8 in	201 mm	6	36	076174600025



TORX® Tip



SKU #	TIP	BLADE LENGTH		BLADE DIAMETER		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
60-010	T10	3-1/4 in	83 mm	3/16 in	5 mm	7-1/8 in	180 mm	6	36	076174600100
60-011	T15	3-1/4 in	83 mm	3/16 in	5 mm	7-1/8 in	180 mm	6	36	076174600117
60-012	T20	3-1/4 in	83 mm	3/16 in	5 mm	7-1/8 in	180 mm	6	36	076174600124
60-013	T25	3-1/4 in	83 mm	3/16 in	5mm	7-1/8 in	180 mm	6	36	076174600131



Square Tip



SKU #	POINT SIZE	BLADE LENGTH		BLADE DIAMETER		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
60-015	1	4 in	102 mm	3/16 in	5 mm	7-7/8 in	201 mm	6	36	076174600155
60-016	2	5 in	127 mm	3/16 in	5 mm	8-7/8 in	225 mm	6	36	076174600162



**Basic Screwdrivers**

- Heat treated alloy steel bars hold up to repeated use
- Nickel plated bar for corrosion resistance
- Ergonomically designed handle with slip resistant texture for comfortable hold



SKU #	INCLUDES	BOX QTY	CTN QTY	UPC
60-020	2-Piece Set Standard: 1/4" x 4" Phillips®: 2pt x 4"	4	24	076174600209
60-060	6-Piece Set Standard: 1/4" x 4", 1/4" x 6", Cabinet: 3/16" x 3", 3/16" x 6" Phillips®: 1pt x 4", 2pt x 4"	—	6	076174600605
60-081	8-Piece Set Standard: 1/4" x 4", 1/4" Stubby Cabinet: 3/16" x 3" Phillips®: 1pt x 4", 2pt x 4", 2pt Stubby Hybrid Offset (2 pc)	—	6	076174600810
60-100	10-Piece Set Standard: 1/8" x 2", 1/4" x 4", 1/4" x 6", 1/4" Stubby Cabinet: 3/16" x 3", 3/16" x 6" Phillips®: 0pt x 2", 1pt x 4", 2pt x 4", 2pt Stubby	—	6	076174601008
60-220	20-Piece Set (Storage rack not included) Standard: (2) 1/4" x 4", 1/4" x 6", 1/4" Stubby Cabinet: (2) 3/16" x 3", 3/16" x 6" Phillips®: (2) 1pt x 4", (2) 2pt x 4", 2pt Stubby Hybrid Offset (2 pc) 6 Piece Precision Screwdriver Set	—	6	076174602203

Phillips® is a registered trademark of Phillips Screw Co.

Phillips® is a registered trademark of Phillips Screw Co.

**STANLEY® SCREWDRIVER SETS**



**Insulated Screwdriver Set**

- Tool roll included for easy storage and transportation
- Vinyl grip helps provide comfort and grip
- Precision handle enables low-torque, fine adjustment capability
- Interchangeable VDE rated blades with quick-release mechanism for easy blade change

SKU #	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
FMHT62286	PH0 x 2.4", PH2 x 4", 1/8" x 4" Standard	11.6 in	294.64 mm	4	24	76174622867



**100 PLUS Screwdriver Set**

- Acetate handle stands up to heavy-duty industrial use
- Chrome-plated to resist corrosion
- Black oxide Phillips® tips provide corrosion resistance and precise fit



SKU #	INCLUDES		BOX QTY	CTN QTY	UPC
66-150	5-Piece 100 PLUS	Standard: 1/4" x 1-1/2", 1/4" x 4", 5/16" x 6", 3/8" x 8", 1/2" x 12"	—	—	076174661507
66-520	18-Piece 100 PLUS	Standard: 1/4" x 1-1/2", 1/8" x 2", 1/4" x 4", 3/16" x 3", 5/16" x 6", 3/8" x 8", 3/8" x 10", 3/16" x 3", 3/16" x 6", 3/16, 8", Phillips® #2 x 1 1/2", #0 x 3", #1 x 3", #1 x 10", #2 x 10", #3 x 6", #4 x 8"	—	—	076174007682



**Nut Driver Sets**

- One-piece steel construction for long life
- Nickel plated bars for corrosion resistance
- Hex shank for torque when used with a wrench

SKU #	INCLUDES		BOX QTY	CTN QTY	UPC
62-541	6 Pieces	3/16", 1/4", 5/16" 3/8", 7/16", 1/2"	—	6	076174625417
62-546	7 Pieces	5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm	—	6	076174625462



**Push-N-Pick® Ratcheting Screwdriver**

- S2 steel bits help provide long tip life
- 45 tooth ratcheting mechanism helps provide smooth and consistent motion
- Quick-change push and pick process helps productivity and doubles as bit storage

SKU #	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
FMHT62287	1 Multi-bit Screwdriver, Bit 1: PH1, Bit 2: PH2, Bit 3: 3/16" Standard, Bit 4: 1/4" Standard, Bit 5: T20, Bit 6: T25, Bit 7: SQ1, Bit 8: SQ2	11.1in	187.96 mm	4	24	076174692365



**Hi-Speed™ Ratcheting Screwdriver**

- 4:1 gear ratio for 4X faster driving than traditional screwdriver
- Store 12 bits in handle for fast bit changes
- Ratcheting mechanism with forward and reverse driving

SKU #	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
FMHT69236	Slotted: 3/16", 1/4", 5/16", Phillips®: P1, P2, P3, Square: SQ1, SQ2, SQ3, Star: T10, T15, T25	11-3/4 in	298.45 mm	4	24	076174692365



**6-Piece Multi-Bit Ratcheting Screwdriver Set**

- Ratcheting mechanism with forward, reverse and locked positions
- Quick release magnetic bit holder for fast bit changes

SKU #	INCLUDES	OVERALL LENGTH	BOX QTY	CTN QTY	UPC	
69-189	Phillips®: P1, P2, 1/8", 1/4", Square: SQ1, SQ2	8 in	203.2 mm	4	24	076174691894



**29-Piece Multi-bit Ratcheting Screwdriver Set**

- Nickel plated bar for corrosion resistance
- Bi-material handle for comfort and control
- Ratcheting mechanism with forward, reverse and locked positions

SKU #	INCLUDES		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
54-925	15 Bits	Standard: (2) 1/4", (1) 9/32" Phillips®: (2) 1pt, (2) 2pt, (1) 3pt TORX®: (1) T10, (1) T15, (1) T20, (1) T25, (1) T27 Hex: (1) 1/8", (1) 5/32"	8-3/4 in	222 mm	2	12	076174549256
	12 Drive Sockets	5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"					
(1) Handle, (1) Adapter							



**25-Piece Pistol Grip Ratcheting Screwdriver Set**

- Ratcheting mechanism with forward and reverse driving
- Handle locks into 3 different positions - straight, pistol grip and T-handle
- Includes storage case

SKU #	INCLUDES	BOX QTY	CTN QTY	UPC
STHT63025	Standard 1/4", 3/16", 5/16" Phillips® PH 1, PH2, PH3, STAR T10, T15, T20, Hex: 1/8", 3/16", 1/4", Square: SQ1, SQ2, SQ3, Nut Driver: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", Adapter Bar, Pistol Grip screwdriver	4	2	076174630251

Phillips® is a registered trademark of Phillips Screw Co.

Phillips® is a registered trademark of Phillips Screw Co.



**20-Piece Multi-bit Ratcheting Screwdriver Set**

- Bit storage in handle for quick and easy access
- Ergonomically designed handle for comfort and control
- Ratcheting mechanism with forward, reverse and locked positions

SKU #	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
62-574	6 Nutdrivers 14 Screwdriver Bits Storage Rack	10.5 in	266.7 mm	2	12	076174625745



**10-Piece Multi-bit Ratcheting Screwdriver**

- Ratcheting mechanism with forward, reverse and locked positions
- Bit storage in two locations in the handle for quick access
- Includes storage rack



SKU #	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
68-010	Standard: 3/16", 1/4" Phillips®: 1pt, 2pt, Star: T15, T20 Pozi: 1p, 2pt, Square: 1pt, 2pt Storage Rack	10.5 in	266.7 mm	2	8	076174680102

**Stubby Multi-bit**

- Small size for tight spaces and easy storage
- Ratcheting mechanism with forward, reverse and locked positions
- Rubber grip for comfort



SKU #	TYPE	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
66-358	Ratcheting	Standard: 1/8", 3/16", 1/4" Phillips®: 1pt, (2) 2pt	4.5 in	114.3 mm	3	12	076174663587

Phillips® is a registered trademark of Phillips Screw Co.

**STANLEY® HI-VISIBILITY SCREWDRIVERS**



**22-in-1 Screwdriver**

- Changes from stubby into full length screwdriver for versatility
- Five double sided interchangeable bits and integrated nut driver in the bar
- Plated bar for corrosion resistance

SKU #	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
66-355	Phillips®: 1pt, 2pt, 3pt, 3/16" x 5mm, 1/4" x 6 mm, Square: 1pt, 2pt, 3pt, Star: 1/4" x 6 mm	9 in	228.6 mm	4	8	076174663556



**6-Piece Hi-Visibility Screwdriver Set**

- Bi-Material handle for comfort and control
- Nickel plated bars for corrosion resistance
- Hi-Visibility green easy to spot on the jobsite



SKU #	INCLUDES	BOX QTY	CTN QTY	UPC
66-356	Phillips®: 1pt x 4", 2pt x 4", 3/16" x 3" Cabinet: 1/4" x 4" Std., #2 Phillips® Stubby, 1/4" Stubby	—	6	076174663563

**STANLEY® RUBBER GRIP SCREWDRIVERS**



**9-Way Screwdriver**

- Interchangeable bars for versatility
- Includes storage case

SKU #	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
62-511	3 Phillips® Bars: Opt, 1pt, 2pt 3 Standard Bars: 1/8", 3/16", 1/4" 1 Tack Puller, 1 Brad Awl 1 Hook Driver	7-3/4 in	200 mm	6	24	076174625110

Phillips® is a registered trademark of Phillips Screw Co.





**6-Way Screwdriver**

- Chrome plated bar for corrosion resistance
- Rubber grip for slip resistance and comfort

SKU #	INCLUDES	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
68-012	6 Bits Standard: 1/4", 3/16" Phillips®: 1pt, 2pt Nut Driver: 1/4", 5/16"	7-3/4 in 197 mm	6	24	076174680126



**6 Way Screwdriver**

- Alloy steel, nickel plated bar for long life
- Cushion grip handle for comfort
- Hardened tips for precise fit into screws

SKU #	INCLUDES	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
62-524	6-Piece Standard: 1/4", 3/16" Phillips®, 1pt, 2pt, Nut Driver 1/4" 5/16"	10.7 in 271.78 mm	4	24	076174625240

**STANLEY® FIBERGLASS MULTI-BIT SCREWDRIVERS**



**Fiberglass Multi-bit Screwdriver**

- Fiberglass composite shaft
- Bit storage in handle
- Magnetic tips for secure grip on fasteners

SKU #	INCLUDES	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
68-107	4 Bits Standard: 1/4", 3/16" Phillips®: 1pt, 2pt	6-1/2 in 152 mm	4	24	076174681079

**STANLEY® SCRATCH AWL**



**Scratch Awl**

- For starting holes for screws and nails
- Scribes lines on wood and metal

SKU #	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
69-122	6-1/16 in 154 mm	6	72	076174691221

Phillips® is a registered trademark of Phillips Screw Co.

**STANLEY® POCKET SETS**



**4-in-1 Pocket Driver**

- Magnetic bits attract and hold small screws
- Soft, bi-material handle for comfort and control
- Ideal for toy assembly, battery compartments, eyeglasses, electronics and cell phones

SKU #	INCLUDES	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
66-344	Standard: 5/32", 1/8" Phillips®: 1pt, 2pt	5-1/4 in 133 mm	8	48	076174663440



**4 pc Precision Screwdriver Set**

- Easy spin for quick use
- Color coded for easy selection
- Storage case with built in screw tray
- Wobble free design for precision and control
- Helps prevent loss of tiny screws while doing your work

SKU #	INCLUDES	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
FMHT62285	1xPH0, 1xPH1 1x3/32" Standard 1x1/8" Standard	4.81 in 122 mm	2	24	076174663440



**6-Piece Jeweler's Precision Screwdriver Set**

- Hardened, tempered steel blades help resist corrosion
- Plated, fluted shafts for secure grip
- Swivel head handles for precision
- Includes storage case for convenient storage

SKU #	INCLUDES	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
66-039	6 Pieces Standard: 1.4mm, 1.8mm, 2.4mm, 3.0mm Phillips®: Opt, 1pt	6 in 152 mm	1	36	076174660395



**6-Piece Precision Screwdriver Set**

- Soft cushion grip handles for comfort
- Hardened bars with black oxide finish for corrosion resistance
- Includes plastic storage case for convenient storage

SKU #	INCLUDES	OVERALL LENGTH	BOX QTY	CTN QTY	UPC
66-052	6 Pieces Standard: 1.4mm, 2.0mm, 2.4mm, 3.0mm Phillips®: Opt, 1pt	4 in 102 mm	5	24	076174660524

# STANLEY®



# FINISHING TOOLS

SWEETHEART® PLANES	146-147
BAILEY® PLANES	148
PLANES	149-150
PLANE ACCESSORIES	150
REPLACEMENT BLADE GUIDE	151
SURFORM® TOOLS & BLADES	152-154
SURFORM® BLADE CHART	155
FILES	156-158
FILE SETS & ACCESSORIES	159

# STANLEY

## SWEETHEART® PLANES

STANLEY® is proud of its long-standing commitment to manufacturing some of the world's best manufacturing tools, including its highly regarded and world-renowned hand planes. STANLEY® has a rich tradition and long history in this category, having produced high-quality hand planes since 1870. STANLEY® is paying tribute to its rich history with its traditional Sweetheart® planes. With solid cherry wood handles and knobs, the frog cast, and one-piece base for stability, each plane is designed and built to deliver clean, precise cuts.



### STANLEY® SWEETHEART® PLANES



#### No. 4 Sweetheart® Smoothing Bench Plane

- Lateral adjustment lock for cutting accuracy
- Precision ground casting for flatness
- A2 steel iron for edge retention

SKU #	TYPE	LENGTH	WIDTH	CUTTER WIDTH	BOX QTY	CTN QTY	UPC			
12-136	Bench	10-45/64 in	272 mm	2-1/2 in	64 mm	2 in	51 mm	1	6	076174121360



#### No. 62 Sweetheart® Low Angle Jack Plane

- One-piece base and frog cast for stability
- Precision ground casting for flatness
- A2 steel iron for edge retention
- Solid cherry wood handle and knob

SKU #	TYPE	LENGTH	WIDTH	CUTTER WIDTH	BOX QTY	CTN QTY	UPC			
12-137	Jack	14 in	356 mm	2-13/32 in	61 mm	1-63/64 in	50 mm	1	6	076174121377



#### No. 9-1/2 Sweetheart® Block Plane

- Precision ground casting for flatness
- A2 steel iron for edge retention
- Solid brass hardware

SKU #	TYPE	LENGTH	WIDTH	CUTTER WIDTH	BOX QTY	CTN QTY	UPC			
12-138	Block	6-1/2 in	165 mm	2-1/8 in	54 mm	1-5/8 in	41 mm	1	15	076174121384



#### No. 60-1/2 Sweetheart® Low-Angle Block Plane

- Precision ground casting for flatness
- A2 steel iron for edge retention
- 12° low angle bed for cutting end grain
- Solid brass hardware

SKU #	TYPE	LENGTH	WIDTH	CUTTER WIDTH	BOX QTY	CTN QTY	UPC			
12-139	Block	6-1/2 in	165 mm	2-1/8 in	54 mm	1-5/8 in	41 mm	1	18	076174121391



#### No. 92 Sweetheart® Shoulder/Chisel Plane

- Precision ground casting for flatness
- A2 steel iron for edge retention
- Finger grips for added control
- Converts from shoulder plane to chisel plane for added versatility

SKU #	TYPE	LENGTH	WIDTH	CUTTER WIDTH	BOX QTY	CTN QTY	UPC			
12-140	Shoulder/Chisel	6-7/64 in	155 mm	3/4 in	19 mm	3/4 in	19 mm	1	20	076174121407

**STANLEY® BAILEY® PLANES**



**Bailey® Bench Planes**

- Cast iron base with precision ground sides and bottom
- Machined frog seat for precise mouth adjustment
- Cutter adjusts for depth and alignment for precise control
- Hardened, tempered steel iron for edge retention

SKU #	TYPE	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
12-904	No. 4 Smoothing	9-3/4 in	248 mm	2-1/2 in	64 mm	2 in	51 mm	1	6	076174129045
12-905	No. 5 Jack	14 in	356 mm	2-1/2 in	64 mm	2 in	51 mm	1	6	076174129052



**Bailey® Block Planes**

- Cast iron base with precision ground sides and bottom
- Cutter adjusts for depth and alignment for precise control
- Tempered chrome carbon steel for edge retention

SKU #	TYPE	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
12-920	Block	6-3/8 in	162 mm	2 in	51 mm	1-5/8 in	41 mm	1	6	076174129205
12-960	Low Angle Block	6-1/4 in	159 mm	1-1/4 in	32 mm	1-3/8 in	35 mm	1	6	076174129601

**STANLEY® PLANES**



**No. 4 Smoothing Bench Planes**

- Cutter adjusts for depth and alignment for precise control
- Precision ground casting for flatness
- Hardened, tempered steel iron for edge retention
- High impact polymer handles and knobs are contoured and polished

SKU #	TYPE	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
12-204	Smoothing	9-3/4 in	248 mm	2-1/2 in	64 mm	2 in	51 mm	1	6	076174122046
12-404	Smoothing	9-3/4 in	248 mm	2-1/2 in	64 mm	2 in	51 mm	4	4	076174124040



**Adjustable Block Planes**

- Cutter adjusts for depth and alignment for precise control
- Cutter rests at a 21° angle, ideal for cross-grain planing
- Finger rest at front of plane for comfort and control
- Designed for small woodworking

SKU #	TYPE	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
12-220	Block	7 in	178 mm	2 in	51 mm	1-5/8 in	41 mm	1	6	076174122206
12-247	Block	6-5/8 in	168 mm	2 in	51 mm	1-5/8 in	41 mm	1	6	076174122473



**Small Trimming Plane**

- All steel construction for durability
- Fully adjustable cutter can be easily sharpened
- Designed for trimming and fine finishing of wood surfaces

SKU #	TYPE	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
12-101	Trimming	3-1/2 in	89 mm	1-1/8 in	29 mm	1 in	25 mm	4	12	076174121018



**Stanley® RB5™ Plane**

- Dual blade positioning for regular planing or bullnosing into corners
- Quick and easy blade changes, no honing required
- Blade storage in handle for added convenience
- Compact size perfect for narrow work areas

SKU #	TYPE	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
12-105	Block/Bullnose	6 in	152 mm	2 in	51 mm	2 in	51 mm	2	12	076174121056



**Bullnose Rabbet Plane**

- One-piece cast iron body and handle
- All working surfaces are machined for precision work
- Two cutter positions for both regular and bullnose work

SKU #	TYPE	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
12-978	Bullnose Rabbet	10 in	254 mm	1-1/2 in	38 mm	1-1/2 in	38 mm	1	1	076174129786



**SpokeShave – Flat Base**

- Flat base for flat and convex surfaces
- Cutter adjusts for depth of cut and thickness of shavings
- Designed for curved work

SKU #	TYPE	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
12-951	Flat and Concave	10 in	254 mm	1-5/8 in	41 mm	2-1/8 in	54 mm	2	24	076174129519

**ACCESSORIES**



**Sharpening System**

- Complete system with instructions for accurate and precise sharpening
- Compatible with standard chisel blades and plane irons from 1/4" to 2-3/4"

SKU #	CONTAINS	BOX QTY	CTN QTY	UPC
16-050	Honing guide, Oilstone (8" X 2" aluminum oxide grit sharpening stone, double-sided with fine and medium grade) and White Oil	4	24	076174160505

**STANLEY® REPLACEMENT BLADES CHART**

PLANE SKU	REPLACEMENT BLADES													
	12-141 A2 STEEL	12-142 A2 STEEL	12-143 A2 STEEL	12-144 A2 STEEL	12-134 HIGH-CARBON	12-313 HIGH-CARBON	12-508 HIGH-CARBON	12-504 HIGH-CARBON	12-330 HIGH-CARBON	12-378 HIGH-CARBON	12-337 HIGH-CARBON	12-332 HIGH-CARBON	12-333 HIGH-CARBON	12-350 HIGH-CARBON
12-136	X													
12-137		X												
12-138			X											
12-139			X											
12-140				X										
12-904						X								
12-905						X								
12-920							X							
12-960								X						
12-204						X								
12-404					X									
12-220							X							
12-247								X						
12-105									X					
12-975												X		
12-978													X	
12-951														X

**STANLEY® SURFORM® TOOLS**



**Surform® Plane Type – Regular Cut Blade**

- Die-cast alloy body holds up to heavy-duty use
- Designed for use on materials that would dull a traditional bench plane blade
- Blade is replaceable for added convenience
- High impact polymer handle holds up to heavy-duty use

SKU #	TYPE	CUT	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
21-296	Plane	Regular	12-1/2 in	318 mm	1-5/8 in	41 mm	1-5/8 in	41 mm	4	4	076174212969



**Surform® Flat File – Regular Cut Blade**

- Die-cast alloy body and high impact polymer handle holds up to heavy-duty use
- Designed for use as a rasp on wood plastic and soft metals
- Blade is replaceable for added convenience

SKU #	TYPE	CUT	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
21-295	Flat File	Regular	17-3/8 in	441 mm	1-5/8 in	41 mm	1-5/8 in	41 mm	6	6	076174212952



**Surform® Round File**

- High impact polymer handle holds up to heavy-duty use
- Designed for enlarging holes and smoothing curved surfaces
- Blade is replaceable for added convenience

SKU #	TYPE	CUT	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
21-297	Round	Round	15-3/4 in	400 mm	1-1/2 in	38 mm	5/8 in	16 mm	2	12	076174212976



**6" Surform® Pocket Plane**

- Die-cast alloy body holds up to heavy-duty use
- Designed for end grain work, drywall, and smoothing edges of laminate
- Blade is replaceable for added convenience

SKU #	TYPE	CUT	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
21-399	Pocket plane	Fine	5-5/8 in	143 mm	1-5/8 in	41 mm	1-5/8 in	41 mm	4	24	076174213997



**Surform® Shaver**

- Compact polypropylene handle for light weight
- Curved blade for efficient stock removal
- Side cut teeth for shaving in corners
- Works on pull stroke

SKU #	TYPE	CUT	LENGTH		WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
21-115	Shaver	Regular	7-1/4 in	184 mm	1-5/8 in	41 mm	1-5/8 in	41 mm	4	24	076174211153

**STANLEY® SURFORM® REPLACEMENT BLADES**



**10" Surform® Standard Cut Flat Replacement Blade**

- All purpose blade for use on wood, vinyl, plaster, thermalite fiberglass and linoleum
- Teeth flush to blade edge for working into edges

SKU #	BLADES PER PACK	FITS TOOLS	LENGTH		CUTTER WIDTH		BOX QTY	CRTN QTY	UPC
21-293	1	21-295, 21-296	10 in	254 mm	1-5/8 in	41 mm	4	24	076174212938



**5-1/2" Surform® Pocket Fine Cut Replacement Blade**

- Designed for fine finish on hardwoods, end grains and soft metals

SKU #	BLADES PER PACK	FITS TOOL	LENGTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
21-398	1	21-399	5-1/2 in	140 mm	1-5/8 in	41 mm	4	24	076174213980



**10" Surform® Half Round Regular Cut Replacement Blade**

- Half round convex blade for fast stock removal and shaping curved surfaces
- Designed for work on fiberglass and removing filler for cars and boats

SKU #	BLADES PER PACK	FITS TOOLS	LENGTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
21-299	1	21-295, 21-296	10 in	254 mm	1-1/2 in	38 mm	6	36	076174212990



**10" Surform® Round Replacement Blade**

- Designed for enlarging holes and smoothing curved surfaces

SKU #	BLADES PER PACK	FITS TOOL	LENGTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
21-291	1	21-297	10 in	254 mm	5/8 in	16 mm	6	36	076174212914









**2-1/2" Surform® Shaver Replacement Blade**

- Curved blade for efficient stock removal
- Works on the pull stroke

SKU #	BLADES PER PACK	FITS TOOL	LENGTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
21-515	1	21-115	2-1/2 in	64 mm	1-5/8 in	41 mm	6	36	076174215151

**STANLEY® SURFORM® TOOL AND BLADE CHART**

SURFORM® TOOL AND BLADE CHART						
	STANDARD CUT 21-293	FINE CUT 21-393	HALF ROUND 21-299	ROUND 21-291	FINE CUT 21-398	CURVED 21-515
Hardwood	X	X	X	X	X	X
Softwood	X	X	X	X	X	X
End Grain		X			X	
Chipboard	X		X	X		X
Plywood	X		X	X		X
Blockboard	X		X	X		X
Vinyl	X	X	X	X	X	X
Rubber	X		X	X		X
Plaster	X	X	X	X	X	X
Thermalite	X		X	X		X
Chalk	X		X	X		X
Fiberglass	X		X	X		X
Brass		X			X	
Aluminum		X			X	
Copper		X			X	
Mild Steel		X			X	
Plastic Laminates						X
Plastic Fillers	X	X	X	X	X	X
Nylon	X		X	X		X
Vinyl Flooring	X		X	X		X
Fits Tool(s)	21-296, 21-295	21-296, 21-295	21-296, 21-295	21-297	21-399	21-115



## STANLEY® FILES

## Single-Cut Mill Bastard Files



- Flat file tapered in width and thickness for general material removal
- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-170	Single	6 in	152 mm	6	36	076471221701
22-171	Single	8 in	203 mm	6	36	076174221718
22-172	Single	10 in	254 mm	6	36	076174221725
22-173	Single	12 in	305 mm	6	36	076174221732

## Double-Cut Flat Bastard Files



- Flat file tapered in width and thickness for general material removal
- Double-cut mill pattern for moderate removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-174	Double	6 in	152 mm	6	36	076174221749
22-175	Double	8 in	203 mm	6	36	076174221756
22-176	Double	10 in	254 mm	6	36	076174221763

## Single-Cut Round Bastard Files



- Round file tapered in width and thickness for enlarging round holes or cutting scalloped edges
- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-307	Single	6 in	152 mm	6	36	076174223071
22-098	Single	8 in	203 mm	6	36	076174220988
22-178	Single	10 in	254 mm	6	36	076174221787


## Single-Cut Slim Taper Files



- Triangle file gradually tapered in width and thickness for cutting angles less than 90°
- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing

SKU #	TYPE	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-306	Slim Taper	Single	6 in	152 mm	6	36	076174223064
22-312	Extra Slim Taper	Single	6 in	152 mm	6	36	076174223125
22-313	Extra Extra Slim Taper	Single	6 in	152 mm	6	36	076174223132

## Half-Round Bastard Files



- Half-round file tapered in width and thickness for filing inside of rings and round holes
- Double-cut mill pattern for moderate removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-308	Double	8 in	203 mm	6	36	076174223088
22-099	Double	10 in	254 mm	6	36	076174220995

## Half-Round Rasp File



- Half-round file tapered in width and thickness for filing round holes
- Rasp pattern for rapid removal of material
- Bastard teeth spacing for general purpose material removal

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-017	Rasp	8 in	203 mm	6	36	076174220179

## Half-Round Chainsaw File



- Round file for sharpening chainsaw
- Single-cut mill pattern for light removal of material

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-052	Single	13-4/5 in	351 mm	6	36	076174220520

## Chainsaw Files



- Round file for sharpening chain saws

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-118	Single	6 in	152 mm	6	36	076174221183





#### 4-in-1 Rasp & Double Cut File

- Half-round and flat files for filing both flat surfaces and round holes
- Double-cut and rasp mill patterns for moderate and rapid removal of material
- Bastard teeth spacing for general purpose material removal

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
21-113	Double & Rasp	8 in	203 mm	3	18	076174211139



#### Bi-Material File Handle

- Bi-material for slip resistance and to help reduce vibrations
- Hanger opening for easy storage
- Designed to fit most files

SKU #	HANDLE COLOR	LENGTH		BOX QTY	CTN QTY	UPC
22-311	Yellow/Black	4-1/2 in	114 mm	6	36	076174223118



#### Bastard Cut Mill Files with Handle

- Single-cut mill pattern for light removal of material
- Flat file tapered in width and thickness for general material removal
- Bastard teeth spacing for general purpose tool sharpening and material smoothing
- Ergonomic, bi-material handle for slip resistance and to help reduce vibrations

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-019	Single	8 in	203 mm	2	12	076174220193



#### Single-Cut Handy File with Handle

- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing
- Ergonomic slip-resistant handle

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
21-106	Single	8 in	203 mm	3	12	076174211061

## STANLEY® FILE SETS



#### File Sets

- Multi-tool sets for most sharpening and material removal needs
- Round, flat and triangle files for filing flat, round and angles less than 90°
- Bi-material handle for slip resistance and to help reduce vibrations

SKU #	CONTAINS	BOX QTY	CTN QTY	UPC
22-319	4pc File Set - 6" Slim Taper, 6" Round, 6" Mill Bastard Files & 1 Interchangeable Handle	2	8	076174223194
22-314	5pc File Set - 8" Mill Bastard, 6" Round, 6" Slim Taper, 8" 4-in-1 Files & Interchangeable Handle	2	8	076174223149



#### 6-Piece Hobby File Set

- Needle files for small precision filing projects
- Smooth pattern for light removal of material
- 6-piece set includes flat parallel, flat tapered, half round, round, square and triangle files, all 4" long
- Includes storage rack

SKU #	CONTAINS	BOX QTY	CTN QTY	UPC
22-316	6pc Set - Flat Parallel, Flat Tapered, Half-Round, Round, Square & Triangle Files, all 4" long	2	12	076174223163

## STANLEY® FILE ACCESSORIES



#### File Cleaner

- Ideal for cleaning file teeth
- Ergonomic wood handle for a secure grip

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
22-339	8 in	203 mm	2	16	076174223392



#### Wire Brush

- Ideal for removal of rust and paint
- Strong wire bristles
- Durable wood handle

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
21-112	8 in	203 mm	4	16	076174211122

**STANLEY®**



# **SNIPS, PLIERS & ADJUSTABLE WRENCHES**

AVIATION SNIPS	162-163
STRAIGHT PATTERN SNIPS	163-164
SNIPS & HVAC TOOLS	164-165
PLIERS	166-171
PLIERS & SETS	166-167
BI-MATERIAL PLIERS	172-173
LOCKING PLIERS	174-175
CUTTERS	175
ADJUSTABLE WRENCHES	176-177

**STANLEY  
FATMAX**

**AVIATION SNIPS**

This lineup of STANLEY® FATMAX® Aviation snips includes a complete assortment of tin, offset, right and left that are engineered to last. These snips offer solutions for HVAC work in addition to roofing, siding, sheet metal work and more.



1/4" Blade markings for quick and precise cuts

Induction hardened edges helps stay sharp longer\*

Flush hardware helps prevent catching on materials while cutting

Auto release mechanism provides for fast one-handed operation

\*Compared to non-induction hardened jaws

**AVIATION SNIPS**

**STANLEY  
FATMAX** Aviation Snips

- Flush hardware helps prevent catching on materials while cutting
- Auto release mechanism provides for fast one-handed operation
- 1/4" blade markings for quick precise cut



SKU#	CUTTING DIRECTION	COLOR	LENGTH	WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73755	Left	Red	10 in 254 mm	.87 lbs	4	8	076174737554
FMHT73756	Straight	Yellow	10 in 254 mm	.87 lbs	4	8	076174737561
FMHT73557	Right	Green	10 in 254 mm	.87 lbs	4	8	076174735642
SKU#	DESCRIPTION	INCLUDED			BOX QTY	CTN QTY	UPC
FMHT73758	3 Piece Set -Straight / Left / Right	FMHT73755, FMHT73756, FMHT3557			4	8	076174735574

**STANLEY  
FATMAX** Straight Cut Bulldog Aviation Snip

- Flush hardware helps prevent catching on materials while cutting
- Auto release mechanism provides for fast one-handed operation
- 1/4" blade markings for quick precise cut



SKU#	CUTTING DIRECTION	LENGTH	WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73562	Straight	9 in 229 mm	.84 lbs	4	8	076174735628



**STANLEY  
FATMAX** Aviation Offset Snips

- Offset angled blades provide clearance between the handles and the cutting material
- Flush hardware helps prevent catching on materials while cutting
- Auto release mechanism provides for fast one-handed operation

SKU#	CUTTING DIRECTION	COLOR	LENGTH	WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73559	Left	Red	10 in 254 mm	.94 lbs	4	8	076174735598
FMHT73560	Right	Green	10 in 254 mm	.94 lbs	4	8	076174735604
FMHT73564	Straight	Grey	10.5 in 267 mm	.96 lbs	—	2	076174735642

**FATMAX® STRAIGHT PATTERN SNIPS**

**STANLEY  
FATMAX** Tin Snips

- Laser etched blade marking scale helps to make quick precise cuts
- Large handle rings for comfort
- 1/4" blade markings for quick precise cut



SKU#	CUTTING DIRECTION	LENGTH	WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73571	Straight	10 in 254 mm	1.51 lbs	4	8	076174735710
FMHT73992	Straight	12 in 305 mm	1.8 lbs	4	8	076174739923

**STANLEY  
FATMAX** Duckbill Tin Snip

- Laser etched blade marking scale helps to make quick precise cuts
- Large handle rings for comfort
- Duckbill blade design makes tight left or right curves and straight curves easy



SKU#	CUTTING DIRECTION	LENGTH	WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73993	Straight	10 in 254 mm	1.51 lbs	4	8	076174739930



**STANLEY**  
**FATMAX**

**Multi-Purpose Snips**

- Laser etched blade marking scale helps to make quick and precise cuts
- Durable, fully-polished steel blades forged to stay sharp for long cutting life
- Dipped handles for a secure grip and comfort

SKU#	CUTTING DIRECTION	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73563	Straight	9 in	229 mm	.73 lbs	2	4	076174735635



**STANLEY**  
**FATMAX**

**14" Lightweight Snips**

- Slim head design makes cutting effort easy
- Large wide handles provides comfortable grip while cutting
- Easy and quick blade replacement
- 3-1/4" Cut length

SKU#	CUTTING DIRECTION	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73565	Straight	14 in	256 mm	1.43 lbs	—	2	076174735659

**SNIPS AND HVAC TOOLS**



**STANLEY**  
**FATMAX**

**Cable Tie Tension Tool**

- Dipped handles for a secure grip and comfort
- Designed to install heavy and light-duty nylon cable ties
- Easy to operate cut-off mechanism trims excess cable strap

SKU#	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73566	8 in	203 mm	.66 lbs	—	2	076174735666



**STANLEY**  
**FATMAX**

**Duct Notcher Hand Tool**

- Slip-resistant, bi-material grip for comfort and control
- Cuts 30° v-shape in sheet metal
- Easy to operate notching mechanism gives clean cut

SKU#	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73567	9 in	229 mm	.95 lbs	—	4	076174735673



**STANLEY**  
**FATMAX**

**Snip Crimper**

- Slip-resistant, bi-material grip for comfort and control
- Crimps heavier gauge pipe up to 22-gauge galvanized steel
- Used to crimp round metal pipe, gutters, and downspouts to create a male fitting end

SKU#	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73568	10 in	254 mm	.95 lbs	—	2	076174735680



**STANLEY**  
**FATMAX**

**Hand Seamer**

- Used to bend and flatten sheet metal
- Non-slip cushion grips for comfort and control

SKU#	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73569	9 in	229 mm	1.33 lbs	—	2	076174735697



**STANLEY**  
**FATMAX**

**Folding Tool**

- Used to bend and flatten sheet metal
- Sight holes to help assure proper depth alignment
- Fold 3/8" and 1" depths

SKU#	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73570	12 in	305 mm	1.24 lbs	—	4	076174735703

**STANLEY® FATMAX® PLIERS**



**Push-Lock™ Groove Joint Pliers**



- Multi-purpose jaws designed to grasp flat and round objects
- Push-Lock™ technology allows for quick and easy adjustment in 17 positions
- Induction hardened jaws last longer and grip better than non-induction hardened jaws

SKU	LENGTH		# OF POSITIONS	JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-647	8 in	200 mm	17	1-2/5 in	35.6 mm	4	24	076174846478
84-648	10 in	254 mm	17	2-3/8 in	60.2 mm	4	24	076174846485
84-649	12 in	300 mm	17	2-3/4 in	69.9 mm	4	24	076174846492
SKU	DESCRIPTION		INCLUDES		BOX QTY	CTN QTY	UPC	
84-554	3-Piece Set		8", 10", 12"		—	4	076174845549	



**Groove Joint Pliers**



- Slip-resistant tongue and groove pliers used for grasping and turning
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- One-piece rivet design improves strength and eliminates retightening
- Drop-forged chrome vanadium steel is strong and durable

SKU	LENGTH		# OF POSITIONS	JAW CAPACITY		JAW SHAPE	BOX QTY	CTN QTY	UPC
84-522	8 in	200 mm	6	1 in	13 mm	Curved	4	24	076174845528
84-507	12 in	300 mm	8	2-1/10 in	53.3 mm	Curved	2	8	076174845075
84-493	16 in	400 mm	9	3-7/10 in	94 mm	Curved	2	8	076174844931
SKU	DESCRIPTION		INCLUDES		BOX QTY	CTN QTY	UPC		
84-529	2-Piece Set		10", 12"		2	8	076174845297		



**Push-Lock™ Slip Joint Pliers**



- Multi-purpose jaws designed to grasp flat and round objects
- Push-Lock™ technology allows for quick and easy adjustment in 3 positions
- Induction hardened jaws last longer and grip better than non-induction hardened jaws

SKU	LENGTH		# OF POSITIONS	JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-646	8 in	200 mm	3	5/8	15.9	4	24	076174846461



**Slip Joint Pliers**



- Two-position, adjustable joint design used for grasping and turning
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- One-piece rivet design improves strength and eliminates retightening
- Forged chrome vanadium steel is strong and durable

SKU	LENGTH		# OF POSITIONS	JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-801	6-1/2 in	165 mm	2	5/9	14.2	4	24	076174848014
84-524	8 in	200 mm	2	2/3	16.9	4	6	076174845242



**Diagonal Cutting Pliers**



- Slim head design allows access into tight spaces
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Forged, high-quality carbon steel provides a durable cutting edge

SKU	LENGTH		BOX QTY	CTN QTY	UPC
89-858	6 in	150 mm	4	24	076174898583
89-859	7-1/2 in	190 mm	4	24	076174898590



**STANLEY**  
**FATMAX** High-Leverage Angled Cutting Pliers

- High-leverage pivot design uses less energy to cut than traditional cutting pliers
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Angled head design cuts flush against any surface
- Forged, high-quality carbon steel provides a durable cutting edge



SKU	LENGTH	BOX QTY	CTN QTY	UPC	
89-861	8 in	200 mm	4	24	076174898613
89-862	10 in	250 mm	4	24	076174898620

**STANLEY**  
**FATMAX** High-Leverage Linesman Plier

- High-Leverage pivot design uses less energy to cut than traditional cutting pliers
- Precision machined jaws ideal for gripping, twisting, and cutting
- Forged, high-quality carbon steel provides a durable gripping and cutting edge



SKU	LENGTH	BOX QTY	CTN QTY	UPC	
89-865	9-1/2 in	240 mm	4	24	076174898651

**STANLEY**  
**FATMAX** Long Nose Pliers with Cutter

- Precision machined jaws ideal for gripping, twisting and cutting
- Slim Head design allows access into tight spaces
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws



SKU	LENGTH	BOX QTY	CTN QTY	UPC	
89-869	6-1/2 in	165 mm	4	24	076174898699
89-870	8 in	200 mm	4	24	076174898705

**STANLEY**  
**FATMAX**

End Cutting Pliers

- Round head design is ideal for cutting wires and pulling nails
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Drop-forged, high-quality carbon steel provides a durable cutting edge



SKU	LENGTH	BOX QTY	CTN QTY	UPC	
89-875	6-1/2 in	165 mm	4	24	076174898750

**STANLEY**  
**FATMAX**

Curved Jaw Cable Cutter

- Curved jaw design cuts coaxial and other soft cables up to 1/2" in diameter
- Induction hardened cutting jaws engineered to cut clean and stay sharp longer than non-induction hardened jaws
- Drop-forged, high-quality carbon steel provides a durable cutting edge



SKU	LENGTH	BOX QTY	CTN QTY	UPC	
89-874	8 in	200 mm	4	24	076174898743

**STANLEY® PLIERS**



**Groove Joint Pliers**

- Slip-resistant tongue and groove design used for grasping and turning
- Drop-forged steel is strong and durable

SKU	LENGTH		# OF POSITIONS	JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-019	6 in	150 mm	5	7/10 in	17.8 mm	4	24	076174840193
84-109	8 in	200 mm	6	1 in	25.4 mm	4	24	076174841091
84-110	10 in	250 mm	7	1-7/10 in	43.2 mm	4	24	076174841107
84-111	12 in	300 mm	8	2-1/10 in	53.3 mm	4	24	076174841114
84-020	16 in	400 mm	9	3-7/10 in	94 mm	4	24	076174840209



**Slip Joint Pliers**

- Adjustable joint design used for grasping and turning
- Oil-resistant dipped handle allows for a comfortable grip

SKU	LENGTH		# OF POSITIONS	JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-097	6 in	150 mm	2	1/2 in	12.7 mm	4	24	076174840971
84-098	8 in	200 mm	2	2/3 in	16.3 mm	4	24	076174840988



**Diagonal Pliers**

- Fixed joint design used for cutting
- Individually sharpened blades cut soft and hard wire

SKU	LENGTH		JAW CAPACITY	BOX QTY	CTN QTY	UPC
84-104	5 in	125 mm	1/3 in 7.9 mm	4	24	076174841046
84-105	6 in	150 mm	4/9 in 11.2 mm	4	24	076174841053
84-108	7 in	175 mm	1/2 in 12.7 mm	4	24	076174841084



**Linesman Pliers**

- Fixed joint design used for grasping, bending, and cutting
- Individually sharpened blades cut soft and hard wire

SKU	LENGTH		JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-112	7 in	175 mm	2/3 in	16.3 mm	4	24	076174841121
84-113	8 in	200 mm	7/8 in	22.2 mm	4	24	076174841138



**Long Nose Pliers**

- Fixed joint design used for bending, turning and cutting
- Long nose design for use in hard-to-reach areas

SKU	LENGTH		JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-101	6 in	150 mm	1 in	25.4 mm	4	24	076174841015
84-102	8 in	200 mm	1-1/8 in	28.7 mm	4	24	076174841022



**Pliers Sets**

- Pliers set designed for grasping, bending, and cutting

SKU	DESCRIPTION	INCLUDES	LENGTH		BOX QTY	CTN QTY	UPC
84-212	2-Piece Set	Slip Joint Pliers	6 in	150 mm	4	12	076174842128
		Long Nose Pliers	6 in	150 mm			
84-114	3-Piece Set	Slip Joint Pliers	6 in	150 mm	4	12	076174841145
		Diagonal Pliers	6 in	150 mm			
		Long Nose Pliers	6 in	150 mm			
84-079	6-Piece Set	Diagonal Pliers	4 in	100 mm	2	8	076174840797
		End Cutting Pliers	4 in	100 mm			
		Bent Nose Pliers	4 in	100 mm			
		Long Nose Pliers	5 in	125 mm			
		Flat Nose Pliers	5 in	125 mm			
		Groove Joint Pliers	5 in	125 mm			

**STANLEY® BI-MATERIAL PLIERS**



**Bi-Material Groove Joint Pliers**

- Slip-resistant tongue and groove design used for grasping and turning
- Oil-resistant dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable

SKU	LENGTH		# OF POSITIONS	BOX QTY	CTN QTY	UPC
84-034	8 in	200 mm	6	4	24	076174840346
84-024	10 in	250 mm	7	4	24	076174840247
SKU	DESCRIPTION	INCLUDES		BOX QTY	CTN QTY	UPC
84-503	2-Piece Set	10", 12"		2	8	076174845037



**Bi-Material Slip Joint Pliers**

- Two-position adjustable joint design used for grasping and turning

SKU	LENGTH		# OF POSITIONS	BOX QTY	CTN QTY	UPC
84-055	6 in	150 mm	2	4	24	076174840551
84-026	8 in	200 mm	2	4	24	076174840261



**Bi-Material Diagonal Pliers**

- Fixed joint design used for cutting
- Individually sharpened blades cut soft and hard wire

SKU	LENGTH		BOX QTY	CTN QTY	UPC
84-027	6 in	150 mm	4	24	076174840278
84-028	7 in	175 mm	4	24	076174840285



**Bi-Material Linesman Pliers**

- Fixed joint design used for grasping, bending and cutting
- Individually sharpened blades cut soft and hard wire

SKU	LENGTH		BOX QTY	CTN QTY	UPC
84-029	8 in	200 mm	4	24	076174840292



**Bi-Material Long Nose Pliers**

- Fixed joint design used for bending, turning and cutting
- Long nose design for use in hard-to-reach areas

SKU	LENGTH		BOX QTY	CTN QTY	UPC
84-031W	6 in	150 mm	3	18	076174840315
84-032	8 in	200 mm	4	24	076174840322



**4-Piece Bi-Material Pliers Set**

- Pliers set designed for grasping, bending and cutting
- Slip-resistant bi-material handle for a comfortable grip
- Drop-forged steel is strong and durable

SKU	DESCRIPTION	INCLUDES	LENGTH		BOX QTY	CTN QTY	UPC
84-558	4-Piece Set	Slip Joint Pliers	6 in	150 mm	2	8	076174845587
		Long Nose Pliers	6 in	150 mm			
		Adjustable Wrench	6 in	150 mm			
		Groove Joint Pliers	8 in	200 mm			



**Bi-Material Pliers Set**

- Pliers set designed for grasping, bending, and cutting
- Slip-resistant bi-material handle for a comfortable grip

SKU	DESCRIPTION	INCLUDES	LENGTH		BOX QTY	CTN QTY	UPC
84-056	3-Piece Set	Slip Joint Pliers	6 in	150 mm	4	12	076174840568
		Diagonal Pliers	6 in	150 mm			
		Long Nose Pliers	6 in	150 mm			



**LOCKING PLIERS**



**Curved Jaw Locking Pliers**

- Curved jaws designed for tightening, clamping and turning round objects such as piping or nuts
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- Adjustment screw provides the ideal holding pressure
- Built-in wire cutter

SKU	LENGTH		JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-807	5-3/4 in	145 mm	1-1/8 in	28.7 mm	4	24	076174848076
84-808	7 in	180 mm	1-1/2 in	38.1 mm	4	24	076471848083
84-809	9 in	225 mm	1-3/4 in	44.5 mm	4	24	076174848090



**Straight Jaw Locking Pliers**

- Straight jaws ideal for tightening, clamping, twisting and turning flat objects such as sheet metal
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- Adjustment screw provides the ideal holding pressure
- Built-in wire cutter

SKU	LENGTH		JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-810	7-1/2 in	190 mm	1-1/3 in	33.3 mm	4	24	076174848106
84-811	9 in	230 mm	1-3/4 in	44.5 mm	4	24	076471848113



**Long Nose Locking Pliers**

- Long nose jaws reach into tight spaces; ideal for tightening, clamping, twisting and turning flat objects such as sheet metal
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- Adjustment screw provides the ideal holding pressure
- Built-in wire cutter

SKU	LENGTH		JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-812	6-3/4 in	170 mm	2 in	50.8 mm	4	24	076174848120
84-813	8-1/2 in	215 mm	2-3/4 in	69.9 mm	4	24	076174848137



**C-Clamp Locking Pliers**

- Swivel pad jaws help distribute clamping pressure
- Turn screw adjustment
- Forged steel is strong and durable

SKU	LENGTH		JAW CAPACITY IN. / MM		BOX QTY	CTN QTY	UPC
84-816	7 in	180 mm	2 in	50.8 mm	4	16	076174848168
84-815	11-1/4 in	285 mm	3-3/8 in	85.7 mm	4	24	076174848151



**Locking Pliers Set**

- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- Adjustment screw provides the ideal holding pressure
- Built-in wire cutter

SKU	DESCRIPTION	INCLUDES	LENGTH		BOX QTY	CTN QTY	UPC
94-960	3-Piece Set	Straight Jaw Locking Pliers	9 in	225 mm	2	8	076174949605
		Curved Jaw Locking Pliers	7-3/8 in	185 mm			
		Long Nose Locking Pliers	6-3/4 in	170 mm			

**CUTTERS**



**Wire Stripper/Cutter/Crimper**

- Cuts up to five sizes of bolts
- Oil-resistant dipped handle allows for a comfortable grip
- Meets ANSI specifications

SKU	CUTTING CAPACITY	CRIMPING CAPACITY	LENGTH		BOX QTY	CTN QTY	UPC
84-199	10 to 26 gauge stranded 8 to 22 gauge solid wire	10 to 26 gauge insulated terminals 10 to 22 gauge non-insulated terminals	8 in	200mm	—	6	076174841992



**Wire Stripper/Cutter**

- Adjustable slide stop and hole designed for bending and looping wire
- Oil-resistant dipped handle allows for a comfortable grip
- Meets ANSI specifications

SKU	CUTTING CAPACITY	LENGTH		BOX QTY	CTN QTY	UPC
84-213	10 to 26 gauge solid wire	5 in	125 mm	5	50	076174842135

**ADJUSTABLE WRENCHES**



**Straight Pipe Wrenches**

- Durable heavy-duty cast-iron housing
- Strong I-beam handle design withstands high torque
- Floating hook jaw design allows ratcheting function
- Durable drop-forged hook jaw for long life

SKU	JAW CAPACITY		LENGTH		BOX QTY	CTN QTY	UPC
87-622	1-2/5 in	45.7 mm	10 in	250 mm	2	12	076174876222
87-624	2-2/5 in	71.1 mm	14 in	355 mm	2	8	076174876246



**Ratcheting Adjustable Wrenches**



- Ratcheting jaw function for quick/easy operation
- Knurled adjusting mechanism for quick and precise adjustment
- Wide-capacity jaw accommodates wide range of fasteners
- Laser-etched SAE and mm jaw scale for easy fastener size adjustment

SKU	LENGTH		MAX JAW CAPACITY		HEAD WIDTH		BOX QTY	CTN QTY	UPC
95-794	6 in	152	3/4 in	19.1 mm	9/20 in	11.4 mm	2	12	076174957945
95-795	8 in	200	13/14 in	23.6 mm	1/2 in	12.7 mm	2	12	076174957952



**Adjustable Wrenches**



- Wide I-beam handle design allows for a strong and sturdy grip
- Wide-capacity jaw accepts a wide range of fastener sizes
- Specially designed profile allows tool to be used in confined spaces
- Built-in tension spring stabilizes movable jaw and reduces rattling

SKU	LENGTH		MAX JAW CAPACITY		HEAD WIDTH		BOX QTY	CTN QTY	UPC
95-872	6 in	152 mm	15/16 in	23.8 mm	9/20 in	11.4 mm	4	24	076174958720
95-873	8 in	200 mm	1-1/8 in	28.6 mm	29/50 in	13.5 mm	4	24	076174958737
95-874	10 in	254 mm	1-3/8 in	34.8 mm	3/5 in	15.2 mm	4	24	076174958744
84-540	12 in	305 mm	1-7/10 in	43.2 mm	3/4 in	19.1 mm	2	8	076174845402
SKU	DESCRIPTION		INCLUDES			BOX QTY	CTN QTY	UPC	
96-021	3-Piece Set		8", 10", 12"			—	4	076174960211	



**Bi-Material Adjustable Wrenches**

- Tapered jaw design allows for work in limited space applications
- Slip-resistant, bi-material handle for a comfortable grip
- Wide-capacity jaw accepts a wide range of fastener sizes
- Knurled adjusting mechanism for quick and precise adjustment
- Laser-etched SAE and mm jaw scale for easy size adjustment
- Built-in tension spring stabilizes movable jaw

SKU	LENGTH		MAX JAW CAPACITY		HEAD WIDTH		BOX QTY	CTN QTY	UPC
90-947	6 in	152 mm	13/14 in	26.3 mm	11/25 in	11.2 mm	2	12	076174909470
90-948	8 in	200 mm	1-1/4 in	32.3 mm	11/20 in	14 mm	2	12	076174909487
90-949	10 in	254 mm	1-21/50 in	36.1 mm	11/18 in	15.5 mm	2	12	076174909494
90-950	12 in	205 mm	1-13/20 in	41.9 mm	3/4 in	19.1 mm	2	12	076174909500

**Adjustable Wrenches**



- Adjustable jaw design allows tool to grip many fastener sizes
- Knurled adjusting mechanism for quick and precise adjustment
- Laser-etched SAE and mm jaw scale for easy size adjustment
- Built-in tension spring stabilizes movable jaw

SKU	LENGTH		MAX JAW CAPACITY		HEAD WIDTH		BOX QTY	CTN QTY	UPC
87-367	6 in	152 mm	1-1/20 in	26.7 mm	9/20 in	11.4 mm	4	24	076174873672
87-369	8 in	200 mm	1-1/20 in	26.7 mm	1/2 in	12.7 mm	4	24	076174873696
87-471	10 in	254 mm	1-2/11 in	30 mm	13/20 in	16.5 mm	4	24	076174874716
87-473	12 in	305 mm	1-3/8 in	34.9 mm	3/4 in	19.1 mm	4	24	076174874730

**Locking Adjustable Wrench**



- Anti-slip mechanism locks the movable jaw and tightly grips onto fastener
- Wide locking handle allows for a sturdy and comfortable grip
- Built-in tension spring stabilizes movable jaw
- Polished chrome head and chrome-plated body for anti-corrosion protection

SKU	LENGTH		MAX JAW CAPACITY		HEAD WIDTH		BOX QTY	CTN QTY	UPC
85-610	10 in	254 mm	1-1/4 in	31.8	11/19 in	14.7 mm	2	12	076174856101

# STANLEY®

# MECHANICS TOOLS



RATCHETS	180-181
SOCKET SETS	182-191
ACCESSORIES	191
WRENCHES	192
HEX KEYS & SETS	193

# STANLEY

## PEAR HEAD RATCHETS

STANLEY® ratchets and accessories are designed to meet or exceed ANSI specifications. Forged from high-quality steel and finished in high-polish chrome, Pear Head ratchets feature ergonomically designed handles, and have an easy-to-use, thumb operated reverse-switch mechanism.



Quick-release mechanism help lock sockets onto the drive



Reversible mechanism for easy one-hand operation

Chrome vanadium steel for durability and high-torque performance



### STANLEY® RATCHETS



#### Pear Head Quick Release™ Ratchets

- Pear head design for strength, durability and performance
- Quick-release mechanism to lock sockets onto the drive during operation and allow easy changeover
- Reversible mechanism for easy one-hand direction change
- Chrome vanadium steel forging for durability and high-torque performance

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
91-928	1/4" Drive Pear Head Quick Release™ Ratchet	2	8	076174919288
91-929	3/8" Drive Pear Head Quick Release™ Ratchet	3	12	076174919295
91-930	1/2" Drive Pear Head Quick Release™ Ratchet	1	6	076174919301



#### Round Head Quick Release™ Ratchet

- Forged from high-quality steel and finished in high-polish chrome
- Ratchet handles are ergonomically designed and have an easy-to-use, thumb-operated reverse-switch mechanism

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
85-892	1/2" Drive Round Head Quick Release™ Ratchet	4	8	076174858921



#### Flex Ratchet and Round Head Quick Release™ Ratchets

- Quick release mechanism to lock sockets onto the drive during operation and allow for easy change over
- Reversible mechanism for one-hand direction change

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
85-710	1/2" Drive Flex Handle	4	8	076174857108
85-890	1/4" Drive Round Head Quick Release™ Ratchet	4	8	076174858907
85-891	3/8" Drive Round Head Quick Release™ Ratchet	4	8	076174858914



#### Rotator Ratchet

- Unique twist handle technology with 0 degree twist arc swing allows accessibility in tight spaces
- 60-tooth gear system for low ratcheting arc swing and high-torque ratcheting
- Reversible mechanism for forward and reverse transition

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
89-962	3/8" Drive Rotator Ratchet	2	6	076174899627



#### Extendable Flex Ratchet

- Extendable handle technology allows for handle extension from 10" to 15" and 5 locking positions
- 60-tooth gear system for low ratcheting arc swing and high-torque ratcheting
- Flexible locking head for operation in limited access areas

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
STMT72418	3/8" Drive Extendable Ratchet	2	8	076174724189



**STANLEY® SOCKET SETS**



**16-Piece Socket and Ratchet Set**

- Ratchet design for high torque ratcheting and better accessibility
- Prevents fastener damage and allows high torque application
- Ratcheting hand driver with quick release magnetic bit holder

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
89-199	(1) 1/4" Pear Head Ratchet, (1) 1/4" Drive Extension Bar – 6", and (14) 1/4" Drive Deep Sockets	2	12	076174891997



**3-Piece Spark Plug Socket Set**

- Helps reduce fastener wear without contact on outer 5% of fastener, so fasteners last longer
- Helps reduce slippage on frozen or rusted fasteners

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
85-721	3/8" Drive Spark Plug Sockets: 5/8", 3/4", 13/16"	—	1	076174857214



**10-Piece 3/8" Drive Deep Socket Set (6pt) - SAE**

- Ratchet design for high torque ratcheting and better accessibility
- Helps prevent fastener damage and allows high torque application
- Ratcheting hand driver with quick release magnetic bit holder

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
85-919	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	2	12	076174896374
89-637	5/16", 7/8", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"	2	12	076174896374



**15-Piece 1/2" Drive Standard Socket Set (12 pt) - METRIC**

- Ratchet design for high torque ratcheting and better accessibility
- Helps prevent fastener damage and allows high torque application
- Ratcheting hand driver with quick release magnetic bit holder

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
89-339	9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm	2	8	076174893397



**15-Piece 1/2" Drive Standard Socket Set (12pt) - SAE**

- Laser-etched markings for size visibility
- Chrome vanadium forged body for torque, strength and durability
- Quick release switch and reversible mechanism for easy operation

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
94-547	1/2" Drive Sockets SAE 5/16", 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 21/32", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1"	2	8	076174945478



**Socket Sets (6pt) - SAE and METRIC**

- Laser-etched markings for size visibility
- Chrome vanadium forged body for torque, strength and durability
- Quick release switch and reversible mechanism for easy operation

SKU #	DESCRIPTION / CONTENTS	BOX QTY	CTN QTY	UPC
95-441	10-Piece 3/8" Drive Standard Socket Set (6 pt) - SAE 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	—	4	076174954418
95-442	10-Piece 3/8" Drive Standard Socket Set (6 pt) - Metric 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm	—	4	076174954425
95-444	10-Piece 1/2" Drive Standard Socket Set (6 pt) - SAE 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	—	4	076174954449
95-445	11-Piece 1/2" Drive Deep Socket Set (6 pt) - SAE 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	—	4	076174954456
95-446	11-Piece 1/2" Drive Deep Socket Set (6 pt) - Metric 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm	—	4	076174954463

**STANLEY® IMPACT SOCKET SET**



97-126

SKU #	DESCRIPTION / CONTENTS	BOX QTY	CTN QTY	UPC
97-125	11-Piece 3/8" Drive Deep Impact Socket Set (6 pt) - SAE 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	—	3	076174971255
97-126	11-Piece 3/8" Drive Deep Impact Socket Set (6 pt) - Metric 10mm, 11mm, 12mm, 13mm, 14mm, 16mm, 17mm, 19mm, 21mm, 22mm, 24mm	—	3	076174971262



**Socket Holders**

- Securely holds 16 sockets

SKU #	DRIVE SIZE	BOX QTY	CTN QTY	UPC
94-963	1/4 in	3	12	076174949636
94-964	3/8 in	3	12	076174949643
94-965	1/2 in	3	12	076174949650

**STANLEY® DRIVE BIT SOCKET SETS**



**11-Piece Star Bit Socket Set**

- Laser-etched markings for size visibility
- Chrome vanadium forged body for torque

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
89-420	1/4" Drive : T8, T10, T15, T20, T25, T27; 3/8" Drive: T30, T40, T45, T50, T55	2	12	076174894202



**Hex Bit Socket Sets**

- Unique radius corner design that helps to provide 15% more torque than standard sockets
- Helps reduce fastener wear without contact with the outer 5% of the fastener

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
85-707	7-Piece 3/8" Hex Bit Socket Set (6 pt) - SAE 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	2	12	076174857078
85-708	7-Piece 3/8" Hex Bit Socket Set (6 pt) - Metric 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 10mm	2	12	076174857085

## STANLEY® SOCKET SETS



## Socket Sets

- Laser-etched markings for size visibility
- Chrome vanadium forged body for torque

## 20-Piece Socket Set

- Full Lifetime Warranty

CONTENTS			
(18), 1/4" Drive Sockets	(1), 1/4" Ratchet		
(1), 1/4" Drive Extension Bar – 3"	Blow Molded Carry Case		
SKU #	BOX QTY	CTN QTY	UPC
92-802	—	3	076174928020



## 30-Piece Socket Set

- Full Lifetime Warranty

CONTENTS			
(27), 1/4" Drive Sockets	(1), 1/4" Pear Head Ratchet		
(1), 1/4" Drive Universal Joint	Blow Molded Carry Case		
(1), 1/4" Drive Extension Bar – 3"			
SKU #	BOX QTY	CTN QTY	UPC
92-804	—	3	076174928044



## 60-Piece Socket Set

- Full Lifetime Warranty

CONTENTS			
(1), 3/8" Drive Pear Head Ratchet	(1), 3/8" Drive Extension Bar – 6"		
(23), 1/4" Drive Sockets	(1), 3/8" Drive F to 1/4" Drive M Adapter		
(19), 3/8" Drive Sockets	(1), 1/4" Drive Socket Driver Handle		
(1), 3/8" Drive Spark Plug Socket – 5/8"	(1), 1/4" Drive Bit Adapter		
(1), 1/4" Drive Extension Bar – 2"	(10), 1/4" Drive Specialty Bits		
(1), 3/8" Drive Extension Bar – 3"	Blow Molded Carry Case		
SKU #	BOX QTY	CTN QTY	UPC
STMT71650	—	2	076174716504



## Black Chrome Socket Sets

- Black chrome finish for anti-corrosion protection and attractive appearance
- Laser-etched markings for size visibility
- Chrome vanadium forged body for torque, strength and durability
- Quick release switch and reversible mechanism for easy operation

## 69-Piece Black Chrome Socket Set

- Full Lifetime Warranty

CONTENTS			
(1), 1/4" Drive Pear Head Ratchet	(1), 3/8" Drive Spark Plug Socket – 13/16"		
(1), 3/8" Drive Pear Head Ratchet	(1), 1/4" Drive Extension Bar – 3"		
(30), 1/4" Drive Sockets	(1), 3/8" Drive Extension Bar – 6"		
(33), 3/8" Drive Sockets	Blow Molded Carry Case		
(1), 3/8" Drive Spark Plug Socket – 5/8"			
SKU #	BOX QTY	CTN QTY	UPC
92-824	—	2	076174928242



## 99-Piece Black Chrome Socket Set

- Full Lifetime Warranty

CONTENTS			
(19), 1/4" Drive 6 pt Standard Sockets	(1), 3/8" Drive Pear Head Ratchet		
(14), 1/4" Drive 6 pt Deep Sockets	(1), 1/4" Drive Extension Bar – 3"		
(19), 3/8" Drive 6 pt Standard Sockets	(1), 3/8" Drive Extension Bar – 6"		
(17), 3/8" Drive 6 pt Deep Sockets	(1), 1/4" Drive Spinner Handle		
(3), 3/8" Drive 8 pt Deep Sockets	(10), Specialty Bits		
(1), 3/8" Drive 6 pt Spark Plug Sockets – 5/8"	(1) Bit Adapter		
(10), Combination Wrenches – SAE & Metric	Blow Molded Carry Case		
(1), 1/4" Drive Pear Head Ratchet			
SKU #	BOX QTY	CTN QTY	UPC
92-839	—	2	076174928396



## 123-Piece Black Chrome Socket Set

- Full Lifetime Warranty

CONTENTS			
(1), 3/8" Drive Pear Head Ratchet	(20), 1/4" Drive Deep Sockets		
(1), 3/8" Drive Extension Bar – 3"	(10), Combination Wrenches		
(3), 3/8" Drive Spark Plug Sockets – 6 pt	(1), 1/4" Drive Spinner Handle		
(20), 3/8" Drive Sockets – 6 pt	(20) Specialty Bits		
(7), 3/8" Drive Deep Sockets – 6 pt	(1), 1/4" Bit Holder		
(1), 1/4" Drive Pear Head Ratchet	(16), Hex Keys – SAE & Metric		
(2), 1/4" Drive Extensions Bar – 3", 6"	Blow Molded Carry Case		
(20), 1/4" Drive Sockets – 6 pt			
SKU #	BOX QTY	CTN QTY	UPC
STMT72254	—	2	076174722543



### Socket Tool Sets

- Durable stamped size markings for easy socket size identification
- Chrome vanadium steel construction for strength and durability
- Ratchet handle with rubber grip for comfort

#### 40-Piece Socket Set

- Full Lifetime Warranty

CONTENTS			
(1), 3/8" Drive Pear Head Ratchet	(1), 1/4" Drive Socket Driver Handle		
(15), 1/4" Drive Sockets	(1), 1/4" Drive Specialty Bit Holder		
(14), 3/8" Drive Sockets	(6), Specialty Bits		
(1), 3/8" Drive Extension Bar – 3"	Blow Molded Carry Case		
(1), 3/8" Drive F to 1/4" Drive M Adapter			
SKU #	BOX QTY	CTN QTY	UPC
STMT71648	—	2	076174716481

#### 70-Piece Socket Set

- Full Lifetime Warranty

CONTENTS			
(1), 1/4" Drive Pear Head Ratchet	(1), 3/8" Drive Spark Plug Socket – 5/8"		
(1), 3/8" Drive Pear Head Ratchet	(1), Slip Joint Pliers		
(20), 1/4" Drive Sockets – 6 pt	(1), Flat Head Screwdriver – 5mm		
(20), 1/4" Drive Deep Sockets – 6 pt	(1), Phillips® Screwdriver – 1 pt		
(15), 3/8" Drive Sockets – 6 pt	(1), Phillips® Screwdriver – 2 pt		
(7), 3/8" Drive Deep Sockets – 12 pt	Blow Molded Carry Case		
(1), 3/8" Drive Extension Bar – 3"			
SKU #	BOX QTY	CTN QTY	UPC
97-542	—	2	076174975420

#### 75-Piece Socket Set

- Full Lifetime Warranty

CONTENTS			
(1), 1/4" Drive Pear Head Ratchet	(7), 3/8" Drive Deep Sockets – 6 pt		
(1), 3/8" Drive Pear Head Ratchet	(1), 3/8" Drive Spark Plug Socket – 5/8"		
(20), 1/4" Drive Sockets – 6 pt	(2), 1/4" Drive Extension Bars – 3", 6"		
(20), 1/4" Drive Deep Sockets – 6 pt	(1), 3/8" Drive Extension Bar – 3"		
(22), 3/8" Drive Sockets – 6 pt	Blow Molded Carry Case		
SKU #	BOX QTY	CTN QTY	UPC
96-010	—	2	076174960105



#### 85-Piece Socket Set

- Full Lifetime Warranty

CONTENTS			
(1), 3/8" Drive Pear Head Ratchet	(20), 1/4" Drive Sockets – 6 pt		
(1), 3/8" Drive Extension Bar – 3"	(1), 1/4" Spinner Handle		
(7), 3/8" Drive Deep Sockets – 6 pt	(10), 1/4" Drive Specialty Bits		
(20), 3/8" Drive Sockets – 6 pt	(1), 3/8" Spark Plug Socket		
(1), 1/4" Drive Pear Head Ratchet	(1), 1/4" Bit Holder		
(2), 1/4" Drive Extensions – 3", 6"	Blow Molded Carry Case		
(20), 1/4" Drive Deep Sockets – 6 pt			
SKU #	BOX QTY	CTN QTY	UPC
STMT71651	—	2	076174716511



#### 123-Piece Chrome Socket Set

- Full Lifetime Warranty

CONTENTS			
(1), 3/8" Drive Pear Head Ratchet	(20), 1/4" Drive Deep Sockets		
(1), 3/8" Drive Extension Bar – 3"	(10), Combination Wrenches		
(3), 3/8" Drive Spark Plug Sockets – 6 pt	(1), 1/4" Drive Spinner Handle		
(20), 3/8" Drive Sockets – 6 pt	(20), Specialty Bits		
(7), 3/8" Drive Deep Sockets – 6 pt	(1), 1/4" Bit Holder		
(1), 1/4" Drive Pear Head Ratchet	(16), Hex Keys – SAE & Metric		
(2), 1/4" Drive Extensions Bar – 3", 6"	Blow Molded Carry Case		
(20), 1/4" Drive Sockets – 6 pt			
SKU #	BOX QTY	CTN QTY	UPC
STMT71652	—	2	076174716528

#### 145-Piece Socket Set

- Full Lifetime Warranty

CONTENTS			
(1), 3/8" Drive Pear Head Ratchet	(16), 1/4" Drive Deep Sockets – 6 pt		
(1), 3/8" Drive Extension Bar – 3"	(19), 1/4" Drive Sockets – 6 pt		
(1), 3/8" Drive Universal Joint	(1), 1/4" Bit Holder		
(3), 3/8" Spark Plug Sockets – 6 pt	(1), 1/4" Spinner Handle		
(7), 3/8" Drive Deep Sockets – 6 pt	(12), Combination Wrenches		
(20), 3/8" Drive Sockets – 6 pt	(16), Hex Keys – SAE & Metric		
(5), 3/8" Drive Sockets – 12 pt	(30), 1/4" Drive Specialty Bits		
(1), 1/4" Drive Pear Head Ratchet	(10), Nut Bits		
(1), 1/4" Drive Extension Bar – 6"	Blow Molded Carry Case		
SKU #	BOX QTY	CTN QTY	UPC
STMT71653	—	2	076174716535

Phillips is a registered trademark of Phillips Screw Co.





**170-Piece Socket Set**

• Full Lifetime Warranty

CONTENTS	
(1), 1/4" Drive Pear Head Ratchet	(1), 1/4" Drive Bit Holder
(1), 3/8" Drive Pear Head Ratchet	(1), 1/4" Drive Extension Bar - 3"
(1), 1/2" Drive Pear Head Ratchet	(1), 3/8" Drive Extension Bar - 3"
(16), 1/4" Sockets - 6 pt	(8), Combination Wrenches
(12), 1/4" Deep Sockets - 6 pt	(55), Specialty Bits
(18), 3/8" Drive Sockets - 6 pt	(26), Hex Keys
(6), 3/8" Drive Deep Sockets - 6 pt	(12), Nut Bits
(10), 1/2" Drive Sockets - 6 pt	Blow Molded Carry Case
(1), 3/8" Drive Spark Plug Sockets - 5/8"	

SKU #	BOX QTY	CTN QTY	UPC
96-011	—	2	076174960112



**150-Piece Socket Set**

• Full Lifetime Warranty

CONTENTS	
(1), 1/4" Drive Pear Head Ratchet	(1), Long Nose Pliers
(1), 3/8" Drive Pear Head Ratchet	(1), Slip Joint Pliers
(21), 1/4" Sockets - 6 pt	(1), Flat Head Screw Driver - 6.5mm
(16), 3/8" Drive Sockets - 12 pt	(1), Flat Head Screw Driver - 5mm
(10), 3/8" Drive Deep Sockets - 6 pt	(1), Phillips Screw Driver - 1 pt
(1), 1/4" Drive Extension Bar - 3"	(1), Phillips Screw Driver - 2 pt
(2), 3/8" Drive Extension Bars - 3", 6"	(14), Combination Wrenches
(2), 3/8" Drive Spark Plug Sockets - 5/8, 13/16	(55), Specialty Bits
(1), 3/8" Drive M to 1/4" Drive F Adapter	(18), Hex Keys
	Blow Molded Carry Case

SKU #	BOX QTY	CTN QTY	UPC
97-543	—	2	076174975437



**201-Piece Socket Set**

• Full Lifetime Warranty

CONTENTS	
(10), 1/4" Drive Sockets - 6 pt SAE/13, 1/4" Drive Sockets - 6 pt mm	(1), 3/8" Drive Pear Head Ratchet-Quick Release
(10), 1/4" Drive Deep Sockets - 6 pt SAE	(1), 1/2" Drive Pear Head Ratchet-Quick Release
(11), 1/4" Drive Deep Sockets - 6pt mm	(1), 1/4" Drive F X 3/8" M Adapter
(9), 3/8" Drive Sockets - 6 pt SAE	(1), 3/8" Drive F X 1/4" M Adapter
(14), 3/8" Drive Sockets - 6 pt mm	(1), 3/8" Drive F X 1/4" M Adapter
(5), 3/8" Drive Deep Sockets - 6 pt SAE	(4), Combination SAE Wrenches
(3), 3/8" Drive Deep Sockets - 6 pt mm	(4), Combination mm Wrenches
(6), 1/2" Drive Sockets - 6 pt SAE	(28), Hex Keys
(8), 1/2" Drive Sockets - 6 pt mm	(12), Nut Bits
(1), 3/8" Drive Spark Plug Socket - 6 pt SAE	(55) Bits
(1), 1/4" Drive Pear Head Ratchet-Quick Release	Blow Molded Carry Case

SKU #	BOX QTY	CTN QTY	UPC
STMT71654	—	2	076174716542

**ACCESSORIES**



SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
85-704	1/4" Extension Bar Set	2	12	076174857047
85-705	1/2" Extension Bar Set	4	24	076174857054
85-706	1/2" Extension Bar Set	2	12	076174857061
85-711	2-Piece Universal Joint Kit	2	12	076174857115
85-727	3-Piece Universal Joint Kit	2	12	076174857276

**STANLEY® COMBINATION WRENCH SETS**



**20-Piece Combination Wrench Set**

- 20-Piece wrench set METRIC and SAE
- Chrome vanadium steel forging for durability and high torque
- Max-Drive™ design of the box end allows for 15% more torque\* and helps reduce fastener rounding
- Full Lifetime Warranty

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
85-783	SAE: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8" Metric: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm	—	2	076174857832



**Long Combination Wrench Set**

- Chrome vanadium steel forging for durability and high torque
- Full polish chrome plating for anti-corrosion protection and easy cleaning
- Wrenches are designed to meet or exceed ANSI specifications
- Full Lifetime Warranty

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
87-244	1/4", 5/16", 3/8", 1/2", 9/16", 5/8", 11/16", 11/32"	2	6	076174872446
87-245	8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm	2	6	076174872453



**7-Piece Ratcheting Wrench Set**

- Full polish chrome plating for anti-corrosion protection and easy cleaning
- Chrome vanadium steel forging for durability and high torque
- Wrenches are designed to meet or exceed ANSI specifications
- Full Lifetime Warranty

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
94-542W	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	2	12	076174945423
94-543W	9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm	2	12	076174945430



**6-Piece Combination Wrench Sets**

- Full polish chrome plating for anti-corrosion protection and easy cleaning
- Chrome vanadium steel forging for durability and high torque
- Max-Drive™ design of the box end allows for 15% more torque\* and helps reduce fastener rounding
- 15 degree box end offset for knuckle clearance
- Full Lifetime Warranty

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
85-927	1/2", 3/8", 7/16", 1/2", 9/16", 5/8"	2	4	076174859270
85-928	10mm, 11mm, 12mm, 13mm, 14mm, 15mm	2	4	076174859287

\* Than standard wrenches

**STANLEY® HEX KEYS**



**22-Piece Long Arm SAE and METRIC Hex Key Set**

- Strong steel hex keys with black oxide coating
- Durable plastic molded holders with garage storage hand holes
- Labeled holders for easy organization

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
85-753	22-Piece Hex Key Set	4	24	076174857535



**Folding Hex Key Set**

- Durable composite construction
- Comfortable over-molded grips
- Compact self-storing tool
- Chrome vanadium steel hex keys fold out and lock into place

SKU #	SIZES	BOX QTY	CTN QTY	UPC
95-935	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm	4	8	076174959352
95-937	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	4	8	076174959376
95-961	T9, T10, T15, T20, T25, T27, T30, T40	4	8	076174959611



**Folding Hex Key Set**

- Durable composite construction
- Rubber side inserts allow for a secure grip
- Chamfered edge helps guide the wrench for a smooth, easy entry into the hex key

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
STHT71800	8-Piece Metric Folding Hex Key Set	2	6	076174718003
STHT71801	9-Piece SAE Folding Hex Key Set	2	6	076174718010
STHT71802	8-Piece Folding Star Key Set	2	6	076174718027
STHT71839	2-Pack Folding Metric and SAE Hex Keys	4	8	076174718393



**STANLEY®**



# TOOL STORAGE

TOOL BOXES	196-201
TOOL VEST	202
TOOL BAGS	202-203
MOBILE WORK CENTERS	204
TOOL CHESTS	205
ORGANIZERS	206-208
STORAGE BINS	209

# STANLEY FATMAX

## STRUCTURAL FOAM STORAGE

This 28" Structural Foam Box is an addition to the STANLEY® FATMAX® Heavy-Duty Professional toolbox line that is ideal for carrying both power tools and hand tools. Whether you're on the jobsite or at home we have you covered. With features like a tote tray and an integrated V-groove with ruler on lid to give the user the ability to hold and cut lumber and pipes, you are sure to get the job done.



Coated grip handle for easy transport to and from the jobsite

IP 53 (Water Seal) to help protect your tools from water damage



Removable tray allows room for storage of larger items

Made of strong structural foam material

Tough latches for secure storing of tools and other small items



### STANLEY® FATMAX® TOOL BOXES



#### STANLEY FATMAX

### Structural Foam Tool Boxes

- Extra-large capacity - designed for maximum volume utility
- All round water seal for ultimate protection of equipment inside
- Portable tote tray - 3/4 length design to allow easy access to stored tools
- Large metal rust proof latches with padlock eye for optimal security

SKU #	STORAGE CAPACITY	WEIGHT	LENGTH	WIDTH	HEIGHT	BOX QTY	CTN QTY	UPC
028001L	9.2 GAL	10.34 lbs / 4.69 kg	27.3 in / 693 mm	12.48 in / 317 mm	11.31 in / 287 mm	1	3	076174939446
023001W	5.8 GAL	7.04 lbs / 3.19 kg	22.62 in / 574 mm	12.09 in / 307 mm	10.53 in / 267 mm	1	2	076174947496



#### STANLEY FATMAX

### 18" Tool Box

- Structural foam construction with integrated seal for water resistance and durability
- Two cantilever drawers for multi-layer tool organization
- Removable dividers for customizable storage of tools

SKU #	WEIGHT	LENGTH	WIDTH	HEIGHT	BOX QTY	CTN QTY	UPC
FMST18001	8.43 lbs / 3.82 kg	18 in / 457.2 mm	12.2 in / 309.88 mm	9.4 in / 238.76 mm	1	3	076174712193



#### STANLEY FATMAX

### Grey Metal Plastic Tool Boxes

- Resin and metal construction for durability
- Portable tray for storage of hand tools and small parts
- V-groove with rule on top of lid for holding materials in place while cutting

SKU #	STORAGE CAPACITY	WEIGHT	LENGTH	WIDTH	HEIGHT	BOX QTY	CTN QTY	UPC
023180R	9 GAL	7.7 lbs / 3.49 kg	23 in / 584 mm	11.5 in / 292 mm	11.6 in / 294 mm	1	3	076174956160
026180R	10.3 GAL	8.2 lbs / 3.71 kg	26 in / 660 mm	11.5 in / 292 mm	11.6 in / 294 mm	1	3	076174956177



#### STANLEY FATMAX

### 19" Tool Box

- Resin and metal construction for durability
- Deep drawer for small parts organization or power tool storage
- V-groove with rule on top of lid for holding materials in place while cutting

SKU #	WEIGHT	LENGTH	WIDTH	HEIGHT	BOX QTY	CTN QTY	UPC
FMST20061	5.28 lbs / 2.39 kg	19.6 in / 497.84 mm	11.5 in / 292.1 mm	8.7 in / 220.98 mm	1	4	076174703580



#### STANLEY FATMAX

### 20" Tool Box

- Resin and metal construction for durability
- Deep drawer for small parts organization or power tool storage
- V-groove with rule on top of lid for holding materials in place while cutting

SKU #	WEIGHT	LENGTH	WIDTH	HEIGHT	BOX QTY	CTN QTY	UPC
FMST20261	7.89 lbs / 3.57 kg	21.6 in / 548.64 mm	11 in / 279.40 mm	13 in / 330.20 mm	1	2	076174703597

**STANLEY® CLICK 'N CONNECT TOOL BOXES**



**CLICK 'N CONNECT Tool Box**

- Simple shape and proportions for easy access to both hand and power tools
- Two lid organizers accessible without opening the tool box for small parts storage
- Removable lid with side latches for easy connecting and detaching



SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST19950	4.02 lbs	1.82 kg	19.9 in	505.46 mm	12.3 in	312.42 mm	6.6 in	167.64 mm	3	076174719642



**CLICK 'N CONNECT 2-in-1 Tool Box**

- Simple shape and proportions for easy access to both hand and power tools
- Removable dividers for customizable storage for small parts and hand tools
- Removable lid with side latches for easy connecting and detaching



SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT IN./MM		CTN QTY	UPC
STST19900	7.23 lbs	3.27 kg	19.9 in	505.46 mm	12.3 in	312.42 mm	9.6 in	243.84 mm	8	076174719628



**CLICK 'N CONNECT Organizer**

- Lid structure helps prevent movement of small parts from one compartment to another
- Removable dividers for customizable storage for small parts and hand tools
- Removable lid with side latches for easy connecting and detaching



SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT IN./MM		CTN QTY	UPC
STST14440	3.16 lbs	1.43 kg	19.8 in	502.92 mm	11.5 in	292.10 mm	3.6 in	91.44 mm	4	076174719833

**STANLEY® TOOL BOXES**



**Tool Boxes**

- Two lid organizers accessible without opening the tool box for small parts storage
- Portable tray for storage of hand tools and small parts
- One hand latch operation allows for opening when other hand is occupied

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST16410	2.79 lbs	1.26 kg	15.5 in	393.70 mm	8.8 in	223.52 mm	6.4 in	162.56 mm	4	076174703283
STST19410	5.1 lbs	2.31 kg	19 in	482.60 mm	10.5 in	266.70 mm	9.3 in	236.22 mm	4	076174703290
STST24410	6.05 lbs	2.74 kg	23.5 in	596.90 mm	11 in	279.40 mm	10.14 in	257.56mm	3	076174703603



**20" Tool Box**

- Rubber shock-absorbing corners helps prevent damage to surroundings
- Full length handle for stability when carrying heavy loads
- Extra-large, heavy-duty metal latches with padlock eyes for secure storage of tools

SKU #	CAPACITY	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
020300R	8.1 GAL	5.95 lbs	2.69 kg	19.8 in	502.92 mm	10.8 in	274.32 mm	9.5 in	241.30 mm	6	076174922516



**Professional Tool Box**

- Rubber shock-absorbing corners helps prevent damage to surroundings
- Long aluminum handle for stability when carrying heavy loads
- Large, heavy-duty, nickel plated, metal latches with padlock eyes for secure storage of tools



SKU #	CAPACITY	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
026301R	7.1 GAL	7.4 lbs	3.35 kg	24 in	609.60 mm	9.6 in	243.84 mm	9.8 in	248.92 mm	1	076174942347



**Tool Boxes**

- Built in padlock eye for small locks for secure storage of tools
- Nickel plated metal latches for durability
- Tote tray

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
016013R	2.75 lbs	1.24 kg	16 in	406.4 mm	7.2 in	182.88 mm	7.8 in	198.12 mm	6	076174920512
019151M	4.7 lbs	2.13 kg	18.25 in	463.55 mm	9.25 in	234.05 mm	9.75 in	247.65 mm	4	076174928983
024013S	12.2 lbs	5.53 kg	24 in	609.6 mm	11.4 in	289.56 mm	11 in	279.40 mm	3	076174920673



**Tool Boxes**

- Two lid organizers accessible without opening the tool box for small parts storage
- Built in padlock eye for small locks for secure storage of tools
- Tote tray

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
016011R	2.79 lbs	1.26 kg	13.9 in	353.06 in	8.3 in	210.82 mm	5.2 in	132.08 mm	4	076174939767
STST13011	1.23 lbs	.55 kg	12.5 in	317.5 mm	7 in	177.8 mm	1.1 in	279.34 mm	4	076174933338



**19" Metal Tool Box**

- Auto-latch for one handed operation
- Long handle for easy carrying

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST19500	9.32 lbs	4.22 kg	21.95 in	557.7 mm	11.62 in	295.14 mm	12.16 in	308.86 mm	1	076174755084



**19" Metal Tool Box with 1 Drawer**

- Auto-latch for one handed operation
- Long handle for easy carrying
- Top drawer slides backwards for easy access

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST19501	11.73 lbs	5.32 kg	21.95 in	557.7 mm	11.622 in	295.14 mm	12.16 in	308.86 mm	1	076174755091



**19" Metal Tool Box with 2 Drawers**

- Auto-latch for one handed operation
- Long handle for easy carrying
- Two drawers for easy access and tool organization
- Central locking mechanism for secure storage

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST19502	14.63 lbs	6.63 kg	21.957 in	557.7 mm	11.622 in	295.14 mm	12.16 in	308.86 mm	1	076174755107

**STANLEY® FATMAX® TOOL VEST**



**STANLEY FATMAX Tool Vest**

- Tool compartments for easy storage and convenient access to tools
- Storage compartments for personal belongings such as mobile phone
- Mesh material allows air movement for comfort throughout the day
- Adjustable shoulder straps for secure fit
- Light reflective strip for visibility

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
FMST530201	2.1 lbs	.95 kg	17 in	431.80 mm	12 in	304.80 mm	3.5 in	88.90 mm	2	076174711813



**FATMAX® TOOL BAGS**



**STANLEY FATMAX Open Mouth Tool Bag**

- Central zipper for quick access and visibility to tools when open
- Injected polypropylene hard base helps protect from dirt and damp surfaces
- Multiple external pockets for additional storage

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
518150M	3.85 lbs	1.74 kg	20 in	508 mm	10.5 in	266.7 mm	5 in	127 mm	4	076174939507



**STANLEY FATMAX Open Tote**

- Open structure for quick access to tools
- Rubber gripped steel handle for comfort
- Multiple external compartments, saw pockets and level holder for additional storage

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
518160M	5.7 lbs	2.58 kg	19 in	482.60 mm	10 in	254 mm	12 in	304.80 mm	3	076174939514

**STANLEY® TOOL BAG**



**12" Tool Bag**

- Central zipper for quick access and visibility to tools when open
- Multiple external pockets for additional storage
- Ideal for carrying hand tools and other small items

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST70574	1.46 lbs	.66 kg	11.9 in	302.26 mm	5.1 in	129.54 mm	9.9 in	251.46 mm	4	076174705744

**STANLEY® MOBILE WORK CENTERS**



**STANLEY**  
**FATMAX**

**4-in-1 Mobile Work Center**

- Tiered cantilever allows easy access to four storage areas
- Structural foam construction for durability
- 4 storage solutions in 1 - tool box, small bins, portable tray, large bin
- Telescopic handle for easy maneuvering



SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
020800R	23.63 lbs	10.71kg	21.6 in	548.64 mm	16.2 in	411.48 mm	24.8 in	629.92 mm	2	076174942101



**2-in-1 Mobile Work Center**

- Robust Structure for volume
- Telescopic handle for convenient maneuverability and folds down for storage
- Removable tray allows enough space for larger tools to be stored underneath



SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST18612	9.61 lbs	4.35 kg	18.5 in	469.9 mm	11 in	279.4 mm	22.7 in	576.58 mm	2	076174703566



**3-in-1 Mobile Work Center**

- Detachable 18" tool box for flexible storage
- Large bottom bin for larger power and hand tools
- Metal front and side latches for heavy duty use



SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST18613	10.71 lbs	4.85 kg	18.5 in	469.9 mm	11 in	279.4 mm	24.8 in	629.92 mm	2	076174703573



**Mobile Work Center**

- Large bin for power tools, levels or other large tools
- Large wheels for easy mobility
- Portable tray in top compartment for storage of hand tools



SKU #	CAPACITY	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
018800R	13 GAL	8.68 lbs	3.93 kg	24.3 in	617.22 mm	17.7 in	449.58 mm	11.4 in	289.56 mm	2	076174944730

**STANLEY® TOOL CHESTS**



**50 Gallon Mobile Tool Chest**

- Large, heavy-duty, nickel plated latches for durability
- Integrated lock for secure tool storage (keys included)
- 50 gallon capacity for storing large tools and accessories



SKU #	CAPACITY	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
037025H	50 GAL	31.75 lbs	14.4 kg	37 in	939.8 mm	23 in	584.2 mm	23 in	584.2 mm	2	076174932782



**24 Gallon Mobile Tool Chest**

- Large, heavy-duty metal latches with padlock eyes for secure tool storage
- Unique tote tray sits on pull out handle for additional work space
- 24 gallon capacity for storing large tools and accessories

SKU #	CAPACITY	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
029025R	24 GAL	20.25 lbs	9.18 kg	29.88 in	758.95 mm	18.62 in	472.94 mm	19.13 in	485.9 mm	2	076174929782



**Contractor Chest**

- Remove portable tray for easy access to tools in bottom bin
- Removable organizer for storage of small parts
- V-groove on top of lid for holding materials in place while cutting



SKU #	CAPACITY	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
033026R	24 GAL	20.68 lbs	9.38 kg	37.05 in	941 mm	29.64 in	752 mm	19.30 in	490 mm	2	076174929782



**STANLEY® ORGANIZERS**



**Organizers**

- Clear, impact resistant lid keeps cups locked in place
- Removable cups for customizable storage of small parts
- Rust resistant, metal latches for secure storage



SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
FMST14820	4.85 lbs	2.19 kg	17.5 in	444.5 mm	14 in	355.6 mm	4.5 in	114.30 mm	3	076174975185
FMST14920	3.89 lbs	1.76 kg	17.5 in	444.5 mm	14 in	355.6 mm	2.9 in	73.66 mm	5	076174975178

**Professional Organizers**

- Lid structure keeps cups locked in place
- Large, deep cups for storage of small parts
- High-impact, break resistant lid for durability



SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
014710R	3.96 lbs	1.79 kg	16.5 in	419.10 mm	13.3 in	337.82 mm	4.2 in	106.68 mm	4	076174942033
014725R	2.96 lbs	1.34 kg	16.7 in	424.18 mm	13.3 in	337.82 mm	2.15 in	54.61 mm	4	076174942026

**3-in-1 Tool Organizer**

- Innovative design allows access to all three storage bins for use as work station
- Versatile design allows for organization of hand tools, power tools and accessories
- Built in carrying handle



SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST17700	5.89 lbs	2.67 kg	16.8 in	426.72 mm	9 in	228.60 mm	12.4 in	314.96 mm	4	076174719635



**SortMaster Light™**

- Locking latches and carriage of up to 3 at once
- Removable dividers provide high customization for small parts and larger hand tools
- Lid structure prevents movement of small parts
- Convenient ergonomic carriage of tools with an additional latch for double sided stacking

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST14021	0.84 lbs	0.38 kg	11.5 in	292.1 mm	8.5 in	215.9 mm	2.9 in	73.66 mm	6	076174707205



**SortMaster™ Junior**

- Innovative locking latches and carriage of 3 at once saves time
- Stacking option allows secured stacking of several organizers to save space and maintain organization
- Removable dividers provide high customization for small parts and larger hand tools
- 90 degree angle in the main compartment design allows storage of hammers and angled tools or tape measurers comfortably together with the small parts in the other nearby compartments

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST14022	1.82 lbs	0.82 kg	14.8 in	375.92 mm	11.5 in	292.10 mm	2.7 in	68.58 mm	4	076174974836



**SortMaster™ Organizer**

- Lid structure with interlocking ribs helps prevent movement of small parts from one compartment to another
- Removable dividers for customizable storage for small parts and hand tools
- Interior with open ended corners for accommodating angled tools

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
014027	2.57 lbs	1.16 kg	17 in	431.80 mm	13.1 in	332.74 mm	3.4 in	86.36 mm	4	076174947458