

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS #: 37159

QUARTZ 9000 ENERGY 5W40

Date of the previous version: not applicable

Revision Date: 2011-03-01

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Number Pure substance/mixture QUARTZ 9000 ENERGY 5W40 NCT Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Motor oil.

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

QUARTZ 9000 ENERGY 5W40

Revision Date: 2011-03-01

Version 1

Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 1999/45/EC Symbol(s) Not Classified

2.2. Label elements

Labelled according to:

Not classified/No labelling required

R-phrase(s) none

S-phrase(s) none

2.3. Other hazards

Physical-Chemical Properties

Environmental properties

Contaminated surfaces will be extremely slippery.

Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Chemical Name	EC-No	REACH registration No:	CAS-No	Weight %	Classification (Dir. 67/548)	Classification (Reg. 1272/2008)
Calcium long chain alkylsalicylate	-	no data available	^	<2.5	R52-53	
Zinc alkyl dithiophosphate	272-028-3	no data available	68649-42-3	<2.5	Xi;R38 Xi;R41 N;R51-53	

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

For the full text of the R-phrases mentioned in this Section, see Section 16 For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1. Description of first-aid measures

General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

QUARTZ 9000 ENERGY 5W40

Revision Date: 2011-03-01

Rinse thoroughly with plenty of water, also under the eyelids.		
Remove contaminated clothing and shoes, Wash off with soap and water, Wash contaminated clothing before reuse		
Move to fresh air		
Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.		
ns and effects, both acute and delayed		
Not classified.		
Not classified.		
Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.		
Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.		
medical attention and special treatment needed, if necessary		
Treat symptomatically		
ES		
Carbon dioxide (CO ₂). ABC powder. Foam. Water spray or fog.		
dia Do not use a solid water stream as it may scatter and spread fire		
from the substance or mixture		
Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.		
Wear self-contained breathing apparatus and protective suit		
Cool containers / tanks with water spray, Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations		

6. ACCIDENTAL RELEASE MEASURES

QUARTZ 9000 ENERGY 5W40

Revision Date: 2011-03-01

Version 1

6.1. Personal precautions, protective equipment and emergency procedures

General InformationDo not touch or walk through spilled material. Contaminated surfaces will be extremely
slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all
sources of ignition.

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Personal Protective Equipment	See Section 8 for more detail
-------------------------------	-------------------------------

Waste treatment See section 13

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep
conditions	container tightly closed. Keep preferably in the original container. Otherwise reproduce all
	indication of the regulation label on the new container. Do not remove the hazard labels of
	the containers (even if they are empty). Design the installations in order to avoid accidental
	emissions of product (due to seal breakage, for example) onto hot casings or electrical
	contacts. Protect from frost, heat and sunlight. Protect from moisture.

Version 1

SDS #: 37159

QUARTZ 9000 ENERGY 5W40

Revision Date: 2011-03-01

Materials to Avoid	Strong oxidizing agents.		
7.3. Specific end uses			
8. EXPOSURE CONTROLS/	PERSONAL PROTECTION		
8.1. Control parameters			
Exposure limits	oil mist : 10mg/m ³ , for 15 minutes oil mist : 5mg/m ³ , for 8 hours		
Legend	See section 16		
8.2. Exposure controls			
Occupational Exposure Controls			
Engineering Measures Apply technical measures to comply with the occupational exposure limits, Wh confined spaces (tanks, containers, etc.), ensure that there is a supply of air su breathing and wear the recommended equipment			
Personal Protective Equipment			
General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers, These recommendations apply to the product as supplied		
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 141). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.		
Eye Protection	If splashes are likely to occur, wear:, Safety glasses with side-shields		
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.		
Hand Protection Hydrocarbon-proof gloves. Please observe the instructions regarding permeability breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such a danger of cuts, abrasion. If used in solution, or mixed with other substances, and conditions which differ from EN 374, contact the supplier of the EC approved glove			

General Information The product should not be allowed to enter drains, water courses or the soil

9. PHYSICAL AND CHEMICAL PROPERTIES

QUARTZ 9000 ENERGY 5W40

Revision Date: 2011-03-01

Version 1

9.1. Information on basic physical and chemical properties

Color Physical State @20°C Odor		yellow liquid Characteristic	
<u>Property</u> pH Boiling point/boiling range	<u>Values</u>	Remarks Not applicable Not applicable	<u>Method</u>
Flash point	220 °C 428 °F		
Evaporation rate		No information available	
Flammability Limits in Air Vapor Pressure @20°C (kPa) Vapor density Density Water solubility Solubility in other solvents	850 kg/m ³	No information available No information available No information available @ 15 °C Insoluble Soluble in many common organic solvents	
logPow No information available Autoignition temperature Viscosity, kinematic	14.3 - 15.3 mm2/s	Not applicable @ 100 °C	ISO 3104
Explosive properties Oxidizing Properties Possibility of hazardous reactions	Not explosive Not applicable Not applicable		

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stability

Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

Hazardous Reactions None under normal processing

10.4. Conditions to Avoid

Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

QUARTZ 9000 ENERGY 5W40

Revision Date: 2011-03-01

Version 1

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot, Hydrogen sulphide, Mercaptans.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects, Product Information

Skin contact	Not classified.
Eye contact	Not classified.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Acute toxicity Component Information

Sensitization	
Sensitization	Not classified as a sensitizer.
Specific effects	
Carcinogenicity	This product is not classified carcinogenic. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.
Mutagenicity	This product is not classified as mutagenic.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Repeated Dose Toxicity	
Subchronic toxicity	No information available.

QUARTZ 9000 ENERGY 5W40

Revision Date: 2011-03-01

Version 1

Target Organ Effects (STOT)	
Target Organ Effects (STOT)	No information available.
Other information	
Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute aquatic toxicity Product Information No experimental data available .

Acute aquatic toxicity Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and	Toxicity to fish	Toxicity to
		other aquatic invertebrates	-	microorganisms
Zinc alkyl dithiophosphate		EC50 (48h) 1 - 1.5 mg/L	LC50 (96h) 1.0-5.0 mg/L	
68649-42-3		Daphnia magna	Pimephales promelas	
			(static) LC50 (96h) 10.0-	
			35.0 mg/L Pimephales	
			promelas (semi-static)	

Chronic aquatic toxicity Product Information

No information available.

Chronic aquatic toxicity Component Information

No information available.

Effects on terrestrial organisms

No information available.

12.2. Persistence and degradability

General Information

No information available

12.3. Bioaccumulative potential

Product Information

No information available

logPow Component Information No information available

QUARTZ 9000 ENERGY 5W40

Revision Date: 2011-03-01

Version 1

12.4. Mobility in soil

Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.			
Air	Loss by evaporation is limited.			
Water	Insoluble. The product spreads on the surface of the water.			
12.5. Results of PBT and vPvB assessment				
PBT and vPvB assessment	No information available.			
12.6. Other adverse effects				

Conoral	Information	
General	Information	

No information available.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products	Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a used oil collection location. Incorrect disposal of used oil endangers the environment. Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal
EWC Waste Disposal No.	The following Waste Codes are only suggestions:. 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

14. TRANSPORT INFORMATION

ADR/RID	Not regulated
IMDG/IMO	Not regulated
ICAO/IATA	Not regulated
ADN	Not regulated

QUARTZ 9000 ENERGY 5W40

Revision Date: 2011-03-01

Version 1

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

International Inventories

EINECS/ELINCS TSCA DSL ENCS IECSC KECL PICCS AICS _ NZIoC Legend EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals

Further information

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R38 - Irritating to skin

R41 - Risk of serious damage to eyes

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Abbreviations, acronyms

Legend Section 8			
+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen

QUARTZ 9000 ENERGY 5W40

Revision Date: 2011-03-01

Version 1

M: Mutagen R: Toxic to reproduction

 Revision Date:
 2011-03-01

 Revision Note
 *** Indicates updated section

 This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet

Version EU