

TOYO TIRES®

WINTER PASSENGER - LIGHT TRUCK - SUV-CUV

*Are you Toyo
winter ready?*



TOYO TIRES®
driven to perform



What makes it work so well?

It's a combination of advanced technology and rigorous testing. TOYO Observe winter tires are actually tested and designed for use in even the worst of Canadian winters.




Crushed black walnut shells embedded into the tread compound increases traction and braking on ice and compacted snow. It's like having thousands of tiny spikes digging into the ice or compacted snow. Why walnut shells? Because it is one of the hardest natural substances in the world so it works great plus it's easy on the environment.

Increased levels of silica and improved dispersion in the compound allows better block flexibility at lower temperatures enhancing wet grip and braking, while maintaining traction in low temperatures.



An absorbent carbonic powder made from bamboo charcoal removes the thin water layer on the ice surface allowing for better contact. Better contact means better traction.

Advancements in design technology like "saw toothed" block edges and "multi-wave" sipes increase grip during a variety of winter conditions. At TOYO TIRES, we design our winter tires to be "all-around" winter tires ready for all winter conditions.



All-Around Winter Tires!

What's the secret to Toyo's winter traction?

WE'VE GOT NUTS!



Winter Tire "Features" Comparison Chart



Features	Passenger - SUV - Crossover	Observe GSi5	Observe G3-ICE	Observe Garit KX	Light Truck - Van	Observe GSi5	Open Country WLT1	Open Country C/T
Improved ice traction	❄️	❄️	❄️	❄️	❄️	❄️	❄️	❄️
Improved snow traction	❄️	❄️	❄️	❄️	❄️	❄️	❄️	❄️
Microbot technology	❄️	❄️	❄️	❄️				
Increased levels of silica	❄️	❄️	❄️	❄️				
Absorbent carbonic powder	❄️							
Advanced dispersion technology	❄️	❄️	❄️	❄️				
Multi-wave sipe technology	❄️	❄️	❄️	❄️				
Spider sipe technology	❄️							
First edge sipe technology	❄️			❄️				
Saw toothed edges	❄️	❄️	❄️	❄️				
Wide evacuation grooves	❄️	❄️	❄️	❄️				
Larger tread footprint	❄️	❄️	❄️	❄️				
Directional tread pattern	❄️	❄️	❄️	❄️				
Arrow lift technology	❄️					❄️		
Studdable		❄️						❄️
Optimized stud hole placement			❄️					❄️
Advanced heavy-duty construction						❄️	❄️	

LEGEND


- Winter Traction
- Tread Compound
- Advanced Siping
- Tread Design
- Construction

A summarized comparison of features offered on Toyo winter passenger and light truck tires.

Transport Canada Approved for Severe Winter Conditions

Transport Canada in conjunction with the Rubber Association of Canada and the Rubber Manufacturers Association in the U.S.A. have introduced a new performance standard requirement for snow tires. This new standard was developed to help consumers distinguish between an "all season" tire (represented by the symbol "M+S") and tires specifically designed for use in severe winter conditions. Tires now meeting this new standard for true winter tires will display a mountain/snowflake pictograph on the sidewall in addition to the M+S symbol.

TOYO Tire Canada, a market leader in winter tires, advises that its complete line-up of Observe winter tires will display the mountain/snowflake symbol.



PASSENGER, LIGHT TRUCK, VAN, CUV OR SUV

OBSERVE GSi-5

For drivers who demand the best out of their winter tires.

Not only GREAT ON ICE ...


but also on snow, slush or any cold weather condition!

Whether it's snow, slush, ice or just slippery roads, the Observe GSi-5 has the technology to handle all our winter conditions.

Superior ICE traction



Walnut shells



Carbonic powder

Microbit walnut shell technology and carbonic powder work together to grip on slippery surfaces.

Advanced sipes for dependable grip

Industry leading sipe technology ensures maximum grip and ride comfort.



Multi-wave




Spider



Swing

Advanced tread design for added traction



Effective blocks



Deep grooves



Arrow lift

Advanced tread design gets you through snow, slush or whatever!



The best for the worst conditions.

TOYO TIRES



OBSERVE G3-ICE

Directional winter tire for passenger vehicles.

A winter tire with a twist ...

Great traction ... but with a more comfortable ride than expected from a winter tire!

Toyo's Microbit studless tire technology and advanced directional tread pattern improve handling in snow, ice or slush, while offering superior ride comfort.

Studless ICE traction



Walnut shells

Microbit walnut shell technology bites into slippery surfaces.

Pinned for studs



Studdable

The option to add studs for severe winter driving conditions.

Computer aided tread design



Sipes



Tread design



Technology

Aggressive yet comfortable



Effective blocks



Wide grooves




Alternating blocks

① Designed to grip in snow and slush yet maintain a more comfortable ride.

stud - TSMI #11

Added traction - added comfort



TOYO TIRES





All-Around Performance Winter Tire

For drivers who demand ...

Added winter traction with optimal performance in a cold weather tire!

Designed to help maintain the handling characteristics of today's performance tuned vehicles while providing added winter driving security.

Great studless ICE traction



Walnut shells

Microbit walnut shell technology bites into slippery surfaces.

Performance feel



H-speed rated

A speed rated tire to ensure stability at higher highway speeds.

Designed to handle slippery surfaces

Advanced sipe technology improves traction on ice while cornering, braking or accelerating.



Wave sipes

Vertical sipes

First edge

Great in snow or wet conditions



Sawtoothed



Wide grooves

Advanced tread design and tread compounding add grip on ice, slush or snow.



Winter traction - stable ride!

TOYO TIRES



PASSENGER, LIGHT TRUCK, VAN, CUV OR SUV

OBSERVE GSi-5

One great tire for a variety of applications

The Observe GSi-5 ...

**Comes in "P" metric and millimetric sizes
designed for your Light Truck, SUV, CUV or Van!**

Toyo has applied the Observe GSi-5 technology in a variety of sizes that fit a variety of vehicle applications.

Superior ICE traction



Walnut shells

Carbonic powder

Toyo Studless tire technology helps heavier vehicles maintain a positive grip in slippery situations.

Advanced sipes for dependable grip



Multi-wave



Spider



Swing

Advanced tread design for added traction



Effective blocks



Deep grooves



Arrow lift

Designed to handle Canada's worst winter conditions!

Advanced traction through technology

TOYO TIRES



LIGHT TRUCK OR VAN

OPEN COUNTRY

WLT1

Built to handle a tough load in tough winter conditions!

Engineered to deliver optimal performance for a variety of commercial vehicle applications in demanding winter road conditions.

Improved ice and snow traction along with longer wear life.

Tough construction




Toyo Tire addressed the load carrying requirements for commercial vehicles by developing a tire that can carry the loads and aggressively get through our tough winter conditions.

Incorporating Toyo winter technology improves traction on ice and snow.



Aggressive winter grip



Maintaining stability while increasing winter traction is the key to the success of the Open Country WLT1.

Heavy loads or winter traction ready!

TOYO TIRES



LIGHT TRUCK OR VAN

OPEN COUNTRY[®]

C/T

Commercial duty, all weather, all terrain tire!

On or off-road performance ...

for all seasons.

Delivers optimum traction in all off-road conditions including dirt, gravel, mud and snow while providing a quiet, comfortable highway ride

Durable and long lasting



Tough construction

A new tread compound offers cut or chip resistance with improved winter traction. A tough 3-ply casing provides durability and performance no matter what the load.

Increased winter traction

An aggressive tread design offers increased traction in mud, dirt or even snow!



Deep grooves

Deep sipes

Large blocks

Rugged but with great looks!



Stone ejectors



Aggressive tread



Sidewall block

A light truck tire designed for tough commercial applications without compromising great looks.

stud - TSMI #15

**Tough traction
for all seasons**

TOYO TIRES



OBSERVE GSI-5

SIZE	SD	SW	1/32"	OD	OW	SLR	RPK		
13	155/80R13	79T	BW	11	22.7	6.3	10.3	569	
	175/70R13	82T	BW	12	22.7	7.2	10.3	569	
14	P205/75R14	95T	BW	12	26.1	8.0	11.7	495	
	175/70R14	84T	BW	12	23.7	7.0	10.8	545	
	185/70R14	88T	BW	12	24.2	7.6	11.0	533	
	195/70R14	91T	BW	12	24.8	7.9	11.2	522	
	175/65R14	82T	BW	12	23.1	7.1	10.5	559	
	185/65R14	86T	BW	12	23.6	7.6	10.7	548	
	185/60R14	82T	BW	12	22.8	7.5	10.4	567	
	195/60R14	86T	BW	12	23.3	7.9	10.6	554	
15	P205/75R15	97T	BW	12	27.1	7.9	12.2	476	
	P215/75R15	100T	BW	12	27.6	8.3	12.4	467	
	P225/75R15	102T	BW	13	28.2	8.8	12.7	457	
	235/75R15	105T	BW	13	28.8	9.3	12.9	448	
	265/75R15	112T	BW	14	30.6	10.6	13.6	421	
	P205/70R15	95T	BW	12	26.3	8.2	11.9	491	
	215/70R15	98T	BW	12	26.8	8.7	12.1	482	
	225/70R15	100T	BW	13	27.4	9.0	12.3	471	
	145/65R15	74T	BW	11	22.5	5.9	10.4	573	
	175/65R15	84T	BW	12	24.0	7.1	11.0	538	
	185/65R15	88T	BW	12	24.5	7.6	11.2	527	
	195/65R15	91T	BW	12	25.0	8.0	11.4	517	
	205/65R15	94T	BW	12	25.5	8.0	11.6	507	
	215/65R15	96T	BW	12	26.0	8.7	11.8	496	
	185/60R15	84T	BW	12	23.8	7.4	10.9	543	
	195/60R15	88T	BW	12	24.3	7.9	11.1	531	
	205/60R15	91T	BW	12	24.7	8.1	11.3	523	
	215/60R15	94T	BW	12	25.2	8.7	11.5	512	
16	175/55R15	77T	BW	11	22.6	7.1	10.4	572	
	185/55R15	82T	BW	12	23.0	7.6	10.6	560	
	215/75R16	103S	BW	13	28.7	8.2	13.0	450	
	225/75R16	104S	BW	13	29.2	8.8	13.1	442	
	235/75R16	108S	BW	13	29.8	9.3	13.4	433	
	245/75R16	111S	BW	13	30.5	9.8	13.6	424	
	265/75R16	116S	BW	14	31.6	10.7	14.1	408	
	P205/70R16	96S	BW	12	27.3	8.1	12.4	473	
	215/70R16	100S	BW	12	27.8	8.6	12.6	464	
	225/70R16	103S	BW	13	28.4	8.9	12.8	454	
	235/70R16	106S	BW	13	29.0	9.5	13.1	445	
	245/70R16	107S	BW	13	29.5	9.8	13.3	438	
	255/70R16	111S	BW	13	30.1	10.3	13.5	429	
	265/70R16	112S	BW	14	30.6	10.8	13.7	422	
	205/65R16	95T	BW	12	26.5	8.2	12.1	488	
	215/65R16	98T	BW	12	27.0	8.7	12.3	478	
17	225/65R16	100T	BW	12	27.5	9.0	12.5	470	
	235/65R16	103T	BW	13	28.0	9.5	12.7	461	
	P185/60R16	86T	BW	12	24.7	7.4	11.4	522	
	205/60R16	92T	BW	12	25.7	8.1	11.8	502	
	215/60R16	95T	BW	12	26.2	8.7	12.0	493	
	225/60R16	98T	BW	13	26.6	8.9	12.1	485	
	235/60R16	100S	BW	13	27.1	9.5	12.3	477	
	185/55R16	83H	BW	12	24.1	7.6	11.2	536	
	195/55R16	87T	BW	12	24.5	7.8	11.3	527	
	205/55R16	XL	94T	BW	12	24.9	8.4	11.5	519
	215/55R16	XL	97T	BW	12	25.3	8.9	11.6	511
	195/50R16	XL	84T	BW	12	23.8	7.8	11.0	543
	245/70R17	110S	BW	13	30.5	9.8	13.8	423	
	P255/70R17	110S	BW	13	31.1	10.2	14.0	415	
	265/70R17	115S	BW	14	31.6	10.8	14.2	408	
18	P285/70R17	117S	BW	14	32.7	11.5	14.6	395	
	P215/65R17	98T	BW	13	28.1	8.6	12.8	460	
	225/65R17	102S	BW	13	28.5	8.8	13.0	452	
	235/65R17	104S	BW	13	29.1	9.3	13.2	444	
	245/65R17	107S	BW	13	29.5	9.7	13.4	437	
	265/65R17	112S	BW	14	30.5	10.7	13.8	423	
	215/60R17	96T	BW	12	27.3	8.6	12.5	473	
	225/60R17	99T	BW	13	27.8	8.9	12.7	464	
	235/60R17	102T	BW	13	28.1	9.4	12.8	459	
	255/60R17	106T	BW	13	29.1	10.3	13.2	444	
	235/55R17	99H	BW	12	27.2	9.5	12.5	475	
	205/50R17	XL	93T	BW	12	25.1	8.3	11.7	514

Tire data subject to change. Visit toyotires.ca for current data.

OBSERVE GS-i-S

SIZE	SD	SW	1/32"	OD	OW	SLR	RPK	
P255/70R18	112T	BW	13	32.0	10.4	14.5	403	
P265/70R18	114S	BW	14	32.6	10.7	14.7	395	
235/65R18	106S	BW	13	30.0	9.4	13.7	430	
P255/65R18	109T	BW	13	31.0	10.2	14.1	416	
265/65R18	114T	BW	14	31.5	10.8	14.3	410	
P275/65R18	114T	BW	14	32.0	11.1	14.5	403	
225/60R18	100T	BW	13	28.7	8.9	13.2	450	
235/60R18	XL	107S	BW	13	29.2	9.4	13.4	442
245/60R18		105T	BW	13	29.6	9.7	13.5	437
255/60R18	XL	112T	BW	13	30.0	10.2	13.7	430
265/60R18		110S	BW	14	30.5	10.6	13.9	423
P215/55R18	94T	BW	12	27.3	8.8	12.6	473	
225/55R18		98T	BW	12	27.8	9.1	12.8	465
235/55R18		100H	BW	12	28.2	9.5	13.0	457
255/55R18	XL	109H	BW	12	29.0	10.2	13.3	445
215/50R18		92T	BW	12	26.5	8.9	12.3	487
235/50R18		97H	BW	12	27.4	9.5	12.6	472
P255/60R19		108T	BW	13	31.0	10.3	14.2	416
P225/55R19		99H	BW	12	28.8	9.1	13.3	448
235/55R19		101T	BW	12	29.2	9.5	13.5	442
P245/55R19		103T	BW	12	29.7	9.8	13.7	435
255/55R19	XL	111H	BW	12	30.1	10.3	13.8	430
275/55R19		111T	BW	12	30.9	11.1	14.2	417
235/50R19		99H	BW	12	28.3	9.4	13.1	455
255/50R19	XL	107H	BW	12	29.1	10.3	13.4	443
285/45R19	XL	111H	BW	12	29.0	11.2	13.4	445
P275/60R20		114T	BW	14	33.0	10.9	15.1	391
P235/55R20		102T	BW	12	30.3	9.6	14.0	426
255/55R20	XL	111H	BW	12	31.1	10.3	14.3	416
275/55R20		113T	BW	12	31.9	11.1	14.6	404
P245/50R20		102T	BW	12	29.8	9.7	13.8	433
255/50R20		109H	BW	12	30.1	10.4	13.9	429
P265/50R20		106H	BW	12	30.6	10.7	14.1	422
275/40R20	XL	106H	BW	12	28.8	10.7	13.4	448
315/35R20	XL	110H	BW	12	28.8	12.2	13.4	449

Drilled for studs - optional

OBSERVE G3-ICE

SIZE	SD	SW	1/32"	OD	OW	SLR	RPK	
175/70R14	84T	BW	11	23.7	7.0	10.8	545	
175/65R14	82T	BW	11	23.0	7.0	10.5	561	
185/65R14	86T	BW	11	23.5	7.4	10.7	550	
175/65R15	84T	BW	11	24.0	7.0	11.0	538	
185/65R15	88T	BW	11	24.4	7.4	11.2	528	
195/65R15	91T	BW	11	25.0	7.9	11.4	516	
185/60R15	84T	BW	11	23.7	7.4	13.5	450	
215/70R16		100T	BW	12	27.9	8.7	12.6	463
225/70R16	XL	107T	BW	13	28.4	9.0	12.8	454
235/70R16		106T	BW	13	29.0	9.4	13.1	445
265/70R16		112T	BW	14	30.6	10.7	13.7	421
215/65R16		98T	BW	13	27.0	8.7	12.3	478
205/60R16		92T	BW	11	25.7	8.2	11.8	503
215/60R16		95T	BW	11	26.1	8.7	12.0	494
205/55R16		91T	BW	11	24.9	8.4	11.5	519
215/55R16		93T	BW	11	25.3	8.9	11.6	511
195/45R16	XL	84T	BW	11	22.9	7.7	10.7	563
245/70R17		110T	BW	13	30.6	9.8	13.8	423
225/65R17	XL	106T	BW	11	28.5	9.0	13.0	453
235/65R17	XL	108T	BW	13	29.1	9.4	13.2	444
245/65R17		107T	BW	13	29.5	9.8	13.4	437
215/60R17	XL	100T	BW	13	27.2	8.7	12.5	475
225/60R17	XL	103T	BW	13	27.6	9.0	12.6	467
235/60R17	XL	106T	BW	13	28.1	9.4	12.8	459
215/55R17	XL	98T	BW	11	26.3	8.9	12.1	491
225/55R17	XL	101T	BW	11	26.8	9.2	12.3	482
235/55R17	XL	103T	BW	12	27.2	9.6	12.5	475
205/50R17		89T	BW	11	25.1	8.4	11.7	514
215/50R17		91T	BW	11	25.5	8.9	11.8	506
225/50R17		94T	BW	11	25.9	9.2	12.0	498
215/45R17		87T	BW	11	24.6	8.4	11.5	524
225/45R17		91T	BW	11	25.0	8.9	11.6	517

Continued - Drilled for studs - optional

OBSERVE G3-ICE

	SIZE	SD	SW	1/32"	OD	OW	SLR	RPK
17	235/45R17	94T	BW	11	25.4	9.3	11.8	509
	245/40R17	XL	95T	BW	11	24.7	9.8	11.5
	235/65R18	XL	110T	BW	13	30.0	9.4	13.7
	225/60R18	XL	104T	BW	11	28.6	9.0	13.1
	235/60R18	XL	107T	BW	13	29.1	9.4	13.3
	245/60R18		105T	BW	13	29.6	9.8	13.5
	265/60R18	XL	114T	BW	14	30.5	10.7	13.9
	225/55R18	XL	102T	BW	12	27.8	9.2	12.8
18	235/55R18	XL	104T	BW	12	28.1	9.6	13.0
	235/50R18	XL	101T	BW	12	27.3	9.6	12.6
	245/50R18		100T	BW	11	27.7	10.0	12.8
	225/45R18	XL	95T	BW	11	25.9	8.9	12.1
	235/45R18	XL	98T	BW	11	26.3	9.3	12.3
	245/45R18		100T	BW	11	26.7	9.6	12.4
	225/40R18	XL	92T	BW	11	25.1	9.1	11.8
	235/40R18	XL	95T	BW	11	25.4	9.5	11.9
19	245/40R18	XL	97T	BW	11	25.7	9.8	12.0
	235/55R19	XL	105H	BW	12	29.2	9.6	13.5
	245/55R19		103T	BW	12	29.6	10.0	13.7
	245/45R19	XL	102T	BW	11	27.7	9.6	12.9
	255/45R19	XL	104T	BW	11	28.1	10.0	13.0
	255/40R19	XL	100T	BW	11	27.0	10.2	12.6
	275/60R20		115T	BW	14	33.0	11.0	15.1
	235/55R20	XL	105T	BW	11	30.2	9.6	14.0
20	275/55R20	XL	117T	BW	12	31.9	11.2	14.6
	245/45R20		99T	BW	12	28.7	9.6	13.4
	255/45R20	XL	105T	BW	12	29.1	10.0	13.5
	245/40R20	XL	99T	BW	12	27.7	9.8	13.0
	295/35R21	XL	107T	BW	12	29.1	11.9	13.7
21	275/50R22		111T	BW	12	32.9	11.2	15.2
	285/45R22	XL	114T	BW	12	32.1	11.2	14.9
22								402

FACTORY PRE-STUDDED SIZES

OBSERVE G3-ICE

	SIZE	SD	SW	1/32"	OD	OW	SLR	RPK
14	175/70R14	84T	BW	11	23.7	7.0	10.8	545
	175/65R14	82T	BW	11	23.0	7.0	10.5	561
	185/65R14	86T	BW	11	23.5	7.4	10.7	550
15	175/65R15	84T	BW	11	24.0	7.0	11.0	538
	185/65R15	88T	BW	11	24.4	7.4	11.2	528
	195/65R15	91T	BW	11	25.0	7.9	11.4	516
	185/60R15	84T	BW	11	23.7	7.4	10.9	544
16	215/70R16	100T	BW	12	27.9	8.7	12.6	463
	215/65R16	98T	BW	12	27.0	8.7	12.3	478
	205/60R16	92T	BW	11	25.7	8.2	11.8	503
	215/60R16	95T	BW	11	26.1	8.7	12.0	494
	205/55R16	91T	BW	11	24.9	8.4	11.5	519
17	215/55R16	93T	BW	11	25.3	8.9	11.6	511
	225/65R17	XL	106T	BW	11	28.5	9.0	13.0
	235/65R17	XL	108T	BW	13	29.1	9.4	13.2
	225/60R17	XL	103T	BW	12	27.6	9.0	12.6
	235/60R17	XL	106T	BW	13	28.1	9.4	12.8
18	215/55R17	XL	98T	BW	11	26.3	8.9	12.1
	225/55R17	XL	101T	BW	11	26.8	9.2	12.3
	235/55R17	XL	103T	BW	12	27.2	9.6	12.5
	225/45R17		91T	BW	11	25.0	8.9	11.6
19	225/60R18	XL	104T	BW	11	28.6	9.0	13.1
	235/60R18	XL	107T	BW	13	29.1	9.4	13.3
	245/60R18		105T	BW	13	29.6	9.8	13.5
20	275/60R20		115T	BW	14	33.0	11.0	15.1
	275/55R20	XL	117T	BW	12	31.9	11.2	14.6

"Millennium" warranty:

XL - Extra Load

- 5 year workmanship and materials warranty.

LEGEND

SIZE - Tire Size

SD - Service Description

OW - Overall Width

RPK - Revolutions

SW - Side Wall

OD - Overall Diameter

SLR - Standard Load Radius

Per Kilometer

OBSEERVE GARIT Kx

	SIZE	SD	SW	1/32"	OD	OW	SLR	RPK
15	195/55R15	85H	BW	12	23.3	7.9	10.8	553
	195/55R16	87H	BW	12	24.4	8.0	11.3	530
	205/55R16	XL	94H	BW	12	24.9	8.5	11.5
	215/55R16	XL	97H	BW	12	25.3	8.9	11.6
	225/55R16	XL	99H	BW	12	25.8	9.3	11.8
	195/50R16		84H	BW	12	23.7	7.9	11.0
16	205/50R16		87H	BW	12	24.1	8.4	11.1
	225/50R16		92H	BW	12	25.0	9.1	11.5
	215/55R17		94H	BW	12	26.5	9.0	12.2
	225/55R17		97H	BW	12	26.8	9.2	12.3
	205/50R17	XL	93H	BW	12	25.2	8.3	11.7
	215/50R17	XL	95H	BW	12	25.5	8.6	11.8
17	225/50R17		94H	BW	12	25.9	8.9	12.0
	235/50R17		96H	BW	12	26.3	9.5	12.1
	215/45R17	XL	91H	BW	12	24.7	8.5	11.5
	225/45R17	XL	94H	BW	12	25.0	9.1	11.6
	235/45R17	XL	97H	BW	12	25.4	9.5	11.8
	245/45R17	XL	99H	BW	12	25.7	9.7	11.9
18	225/50R18		95H	BW	12	26.9	9.0	12.5
	225/45R18		91H	BW	12	26.1	8.9	12.1
	235/45R18	XL	98H	BW	12	26.5	9.4	12.3
	245/45R18		96H	BW	12	26.8	9.6	12.4
19	245/40R19		94H	BW	12	26.7	9.7	12.5
								484

OPEN COUNTRY WLT1

	SIZE	SD	SW	1/32"	OD	OW	SLR	RPK
16	LT215/85R16	115Q	BW	10-E	16	30.4	8.9	13.6
	LT235/85R16	120Q	BW	10-E	16	31.9	9.3	14.2
	LT225/75R16	115Q	BW	10-E	16	29.4	8.9	13.2
	LT245/75R16	120Q	BW	10-E	16	30.6	9.9	13.7
	LT265/75R16	123Q	BW	10-E	17	31.7	10.7	14.1
	LT285/75R16	122Q	BW	10-E	17	32.8	11.4	14.6
17	LT235/80R17	120Q	BW	10-E	16	31.9	9.4	14.3
	LT225/75R17	116Q	BW	10-E	16	30.4	8.9	13.7
	LT245/75R17	121Q	BW	10-E	16	31.6	9.8	14.2
	LT245/70R17	119Q	BW	10-E	16	30.6	9.7	13.8
	LT265/70R17	121Q	BW	10-E	17	31.8	10.7	14.3
	LT285/70R17	121Q	BW	10-E	17	32.8	11.5	14.7
18	LT265/70R18	124Q	BW	10-E	17	32.6	10.7	12.7
	LT275/70R18	125Q	BW	10-E	17	33.3	10.9	15.0
	LT275/65R18	123Q	BW	10-E	17	32.3	10.9	14.6
20	LT275/65R20	126Q	BW	10-E	17	34.3	10.5	15.6
	LT265/60R20	121Q	BW	10-E	17	32.5	10.7	14.9
								397

OPEN COUNTRY C/T

	SIZE	SD	SW	1/32"	OD	OW	SLR	RPK
16	LT245/75R16	120Q	BW	10-E	18	30.7	9.8	13.7
	LT235/80R17	120Q	BW	10-E	18	32.0	9.3	14.4
	LT245/75R17	121Q	BW	10-E	18	31.7	9.8	14.2
	LT245/70R17	119Q	BW	10-E	18	30.8	9.8	13.9
	LT265/70R17	121Q	BW	10-E	18	31.9	10.7	14.3
	LT285/70R17	121Q	BW	10-E	18	33.0	11.5	14.7
17	35x12.50R17LT	121Q	BW	10-E	19	34.8	12.5	15.4
	LT265/70R18	124Q	BW	10-E	18	32.9	10.7	14.8
	LT275/70R18	125Q	BW	10-E	18	33.4	11.0	15.0
	LT275/65R18	123Q	BW	10-E	18	32.3	11.0	14.6
18	35x12.50R18LT	123Q	BW	10-E	19	34.8	12.5	15.5
	LT265/70R18	124Q	BW	10-E	18	32.9	10.7	14.8
	LT275/70R18	125Q	BW	10-E	18	33.4	11.0	15.0
	LT275/65R18	123Q	BW	10-E	18	32.3	11.0	14.6
20	35x12.50R18LT	123Q	BW	10-E	19	34.8	12.5	15.5
	LT275/65R20	126Q	BW	10-E	18	34.3	11.0	15.6
	LT265/60R20	121Q	BW	10-E	18	32.8	10.7	15.0
	LT275/55R20	115Q	BW	8-D	18	32.1	11.2	14.7
	LT285/55R20	122Q	BW	10-E	18	32.6	11.7	14.9
	35x12.50R20LT	121Q	BW	10-E	19	34.8	12.5	15.8
								371

"Millennium" warranty: - 5 year workmanship and materials warranty.

XL-Extra Load


Tire data subject to change. Visit toytires.ca for current data.

Performance Comparison Chart

PASSENGER




OBSERVE GSi-5




OBSERVE G3-ICE


WITHOUT STUDS



WITH STUDS



OBSERVE GARIT Kx




* Performance ratings are compared to other Toyo products in the same category.
Scale is 1 to 5, with 5 being the best.


LIGHT TRUCK




OBSERVE GSi-5



OPEN COUNTRY WLT1



OPEN COUNTRY C/T



OBSERVE G3-ICE



OPTIMIZED SCRATCH EFFECT FOR BETTER TRACTION AND QUIETER RIDE

When studs are installed the Observe G3-ICE offers enhanced ice performance due to a newly optimized stud distribution pattern which increases road contact across the tread face.



Lines in ice left by Competitor's Tire

On its own the Observe G3-ICE with advanced tread design and Toyo's Microbit studless technology performs great in all winter conditions. For added traction the Observe G3-ICE is designed to accept studs.





Lines in ice left by Observe G3-ICE

IMPROVED STUD DESIGN FOR BETTER WINTER PERFORMANCE

An improved stud design ensures better fit and better grip in all directions!



Toyo multi-directional Stud technology



A new advanced X-shape design ensures multi directional grip improving traction on ice and compacted snow when turning, accelerating and braking!



Standard Stud

In areas with severe winter conditions every inch counts and Toyo's advanced stud technology can help!