HOOD PROTECTOR

Assembly, Installation, Operation, and Maintenance Instructions

DOCUMENT NUMBER	5961H
INSTALL TIME	30-60 MINUTES


DEALER / INSTALLER	Provide a copy of these instructions to the end user of this product. These instructions provide important operating and safety information. Demonstrate the proper use of the product with the end user. Have the end user demonstrate that they understand the proper use of the product.
END USER	Read and follow all instructions included in this manual. Ask your Dealer / Installer for assistance if you do not understand the proper use of the product. Never remove any informational or warning labels from the product. Failure to follow these instructions can result in injury or death.

TOOLS REQUIRED (NOT INCLUDED)

PHILLIPS SCREWDRIVER
GREASE PENCIL
DRY CLEAN CLOTH

PACKAGE CONTENTS

ITEM	PART DESCRIPTION	QTY
1	HOOD PROTECTOR	1
2	ALCOHOL PAD	1
3	K520 ADHESIVE PRIMER	1
4	PROTECTIVE TAPE STRIPS	2
5	PLASTIC INSERT NUTS	2
6	STEEL NUT CLIPS	2
7	SCREWS	2
8	WASHERS	2
9	RUBBER BUMPERS	2



See Website for Warranty Information / Tech Support / Product Updates. ©2025 Keystone Automotive Operations Inc. All Rights Reserved. 2025. REV1

INSTALLATION

FIGURE 1




FIGURE 2





FIGURE 3



See Website for Warranty Information / Tech Support / Product Updates. ©2025 Keystone Automotive Operations Inc. All Rights Reserved. 2025. REV1

INSTALLATION (CONTINUED)

Mark the Protective film Position with pencil. **(Figure 4)**

FIGURE 4






FIGURE 5



Expose 5 cm of tape liner from each end of the center flanges on the hood shield. Ensure that free ends of tape liner are accessible. **(Figure 6)**

FIGURE 6



See Website for Warranty Information / Tech Support / Product Updates. ©2025 Keystone Automotive Operations Inc. All Rights Reserved. 2025. REV1

INSTALLATION (CONTINUED)

FIGURE 7




FIGURE 8






FIGURE 9



See Website for Warranty Information / Tech Support / Product Updates. ©2025 Keystone Automotive Operations Inc. All Rights Reserved. 2025. REV1


INSTALLATION (CONTINUED)

FIGURE 10




Check position of hood shield. **NOTE:** Ensure that center flanges where tape will adhere are not in contact with top of grille. **(Figure 11)**

FIGURE 11



Press and hold hood shield against the upper surface of hood. **(Figure 12)**

FIGURE 12




See Website for Warranty Information / Tech Support / Product Updates. ©2025 Keystone Automotive Operations Inc. All Rights Reserved. 2025. REV1

INSTALLATION (CONTINUED)


Remove remaining tape liner by pulling on the free ends. Apply pressure to flange to ensure proper adhesion of tape. **(Figure 13)**

FIGURE 13



Remove adhesive backing and apply (2) bump on the hood surface. **(Figure 14)**

FIGURE 14



See Website for Warranty Information / Tech Support / Product Updates. ©2025 Keystone Automotive Operations Inc. All Rights Reserved. 2025. REV1

WARRANTY INFORMATION

Limited Lifetime Warranty:

Keystone Automotive Operations (KAO) warrants this product to be free of defects in material and workmanship at the time of purchase by the original retail consumer. KAO disclaims any other warranties, express or implied, including the warranty of fitness for a particular purpose or an intended use. If the product is found to be defective, KAO may replace or repair the product at our option, when the product is returned prepaid, with proof of purchase. Alteration to, improper installation, or misuse of this product voids the warranty. KAO's liability is limited to repair or replacement of products found to be defective, and specifically excludes liability for any incidental or consequential loss or damage.

CONTACT US

WEBSITE: TrailFX.com
PHONE: 1-866-638-4870
EMAIL: support@trailfx.com

See Website for Warranty Information / Tech Support / Product Updates. ©2025 Keystone Automotive Operations Inc. All Rights Reserved. 2025. REV1