Tredit Tire & Wheel Co.



ORIGINAL EQUIPMENT USER GUIDE



The Tredit Advantage Program powered by Urgent.ly is your nationwide, 24/7, on-demand, roadside assistance app. No membership dues, no hidden fees, no waiting on the phone. Just up-front, flat-rate pricing due only when service is complete. It's just like Uber, only for roadside assistance – AND with many of Tredit's Original Equipment partners – we may cover the cost of any event (see terms and conditions).

- · With a simple tap, request assistance for a flat tire, lock out, dead battery (jump start), empty fuel tank or mechanical issue.
- · We'll automatically detect your precise location and dispatch the closest tow truck.
- · You'll receive confirmation that help is on the way, who is coming and a precise time of arrival.
- · You'll be able to watch in real time on your phone as assistance comes to your location.
- Should you choose, you'll be able to contact the driver directly at any time during the rescue.
- You'll pay for service via credit card only after service is complete and you are completely satisfied.

DOWNLOAD THE APP TODAY!





- · Global & Domestic Product Sourcing
- · Product Design
- Product Testing & Validation
- Market Feedback to Manufacturer
- Multinational Procurement Experts

Sourcing

Distribution

- Depth of Product and Value Assortment
- Availability
- · Format (mounted, loose)
- Accessories
- · Warehouse & Storage
- Logistics




Support

- Warranty & Roadside Care (Tredit Care+)
- Financing & Credit
- Customer Service
- · Legal & Regulatory Advocacy
- · Aftermarket Availability
- · Customized Packaging & Labeling
- · Technical Support

Tredit MTS Testing Standards

Tredit Tire and Wheel adheres all of our brands across a suite of tests that are benchmarked and driven based on real-world data and feedback from 50 years of experience in the trailer industry. We have selected test criteria that reinforce the most stringent applications seen across all towable categories.

As you can see below, the proprietary Tredit Minimum Testing Standards (MTS) provide superior performance and supports our commitment to customer satisfaction. Ask a Tredit representative for more details!



ALL-INCLUSIVE FIVE YEAR LIMITED RADIAL WARRANTY





Tredit



TWO YEAR LIMITED BIAS WARRANTY

SIX YEAR LIMITED WARRANTY








FROM CONCEPT TO PRODUCTION

Tredit Tire and Wheel Company, Inc. delivers the most modern steel and alloy technology available to the trailer market today. Using only the most experienced Original Equipment Manufacturers (OEM) to support our supply chain, Tredit shares wheel production facilities and manufacturing technique with many of the most recognizable names in the passenger, light truck, and commercial vehicle industries. In addition to using world class raw materials and manufacturing facilities, Tredit Tire and Wheel independently tests far in excess of SAE1204, SAEJ2530 (where applicable), advanced corrosion testing, and torque-tension in order to most accurately benchmark the real world applications of our customer(s).

We are proud and committed to supply the safest and most reliable trailer wheels in the industry.



to the wheel manufacturer's written policy which can vary in both scope and duration.

For further information regarding your specific policy, please contact Tredit Tire & Wheel.

When contacting our warranty department, please help us in expediting your claim by having the following information available:

- Wheel Size and Description
- Type of Finish (Steel, Galvanized, Aluminum)
- All Rim Marking (Typically located on the back of the wheel)
- Number of Lug Nuts
- Date of Purchase

- Vehicle Manufacturer Model
- Vehicle Identification Number

Tire & Wheel Maintenance Guide

General Maintenance

The simplest way to ensure the longest life and mileage from your tires is to perform a frequent inspection for proper wheel torque, tire inflation (as stated on the tire sidewall or by the manufacturer's placard), even tread wear, and to visually confirm that there is no damage to your tire/wheel.

Proper inflation Pressure

The proper tire inflation is critical for safety, performance, and longevity. Trailer tires derive their load carrying capacity in large part from their inflated pressure; failure to maintain the proper levels can drastically increase the likelihood of a tire failure. Always use a properly calibrated pressure gauge to frequently test the air pressure of your tires.



Load Limits

Always check your owner's manual to ensure that your tire/wheel is operating within its limits of carrying capacity. Overloading a tire/wheel assembly can cause poor handling, premature wear, and is the leading cause of tire failure. Never install new tires/wheels that are rated with a lower load capacity than those shown on the vehicle placard.



heel Torque

Using a properly calibrated torque wrench, all the lug nuts installed with any new tire/wheel assembly must have their torque values checked after the first 25, 50, and 75 miles (and periodically checked during normal use). This process should be repeated any time that the lug nuts are removed from the wheel.

Wheel Corrosion

Due to the chemical properties of the material used in the manufacture of wheels, it is recommended that consumers periodically use warm soap and water solution to rinse any solvents that may build up on the wheels which can lead to premature corrosion. Failure to do so may cause certain salt agents as well as other road treating chemicals to create an electrochemical reaction which may result in aesthetic defects to your new wheel. Avoid the use of harsh cleaning agents which may damage the protective coating on your wheels.

Service Life

Although it is not practical to accurately predict the service life of any specific ST or LT tire assembly, taking the proper time and care to maintain your tires will maximize the use of your tires/wheels. The service life of a tire is a function of its application, towing habits, frequency of use, and storage conditions. It is essential that consumers have their tires regularly inspected and serviced by an authorized tire dealer. Never attempt to mount or dismount your own tires, only specially trained persons should mount tires.

TRAILER TIRE SIDEWALL MARKINGS ILLUSTRATED BY GOOD YEAR. ENDURANCE MAX LOAD SINGLE AND DUAL APPLICATION **LOAD RANGE** SPECIAL TRAILER TIRE MAX PSI RADIAL WIDTH OF TIRE IN MILLIMETERS CONSTRUCTION **RATIO OF HEIGHT TO WIDTH** WHEEL DIAMETER IN INCHES **U.S. DOT TIRE** DATE OF **IDENTIFICATION MANUFACTURE** NUMBER