



Tongue Jacks






12V operation **UF# 38-944037**

20 Amp circuit breaker

Durable powder coated finish

Internal grounding



Proof Positive
That Ultra-Fab
Tongue Jacks
Deliver Superior
Reliability!









AND ODYSSEY MODELS!

Zerk fitting allows for easy lubrication of threaded rod to extend cycle life.*

*Patent Pending

ZERK FITTING

4,000 Lb LIFT CAPACITY

Ultra 4000

Fits 2.25" mounting holes 2.25" outer tube 18" of travel

Travels 10" in 40 seconds

Water resistant motor and gear housing

Hardened steel gears

LED lamp projects light in 4 directions

Emergency crank socket included

6" diameter quick-drop footpad adds 5.5" extension

Durable powder coated finish

12 volt operation

Acme thread is durable and long lasting

20 Amp circuit breaker

External grounding

7 foot, 10 gauge power supply line Positive and negative wires for direct

grounding

UF# 38-944014

4,000 Lb LIFT CAPACITY

ZERK FITTING

Ultra 4002

Fits 2" and 2.25" mounting holes

2" outer tube

18" of travel

Travels 10" in 40 seconds

Water resistant motor and gear housing

Hardened steel gears

LED lamp projects light in 4 directions

Emergency crank socket included

6" diameter quick-drop footpad adds 5.5" extension

Durable powder coated finish

12 volt operation

Acme thread is durable and long lasting


20 Amp circuit breaker

External grounding

7 foot, 10 gauge power supply line

Positive and negative wires for direct grounding

UF# 38-944016







ZERK FITTING

4000 Odyssey

4,000 Lb LIFT <u>CAP</u>ACITY

6" diameter quick-drop footpad features 5.5" of extension 2.25" outer tube

Large light

Durable powder coated finish 18" stroke

Travels 10" in 46 seconds
Durable Acme threaded rod

12 volt operation

Hardened steel gears

Water resistant motor and gear housing

25 Amp circuit breaker

7 foot, 10 gauge power supply line Positive and negative wires for direct grounding

UF# 38-944024

ZERK FITTING

3000 Odyssey

6" diameter footpad prevents sinking

2" outer tube Large light

3,000 Lb LIFT C<u>APA</u>CITY

Durable powder coated finish 18" stroke

Travels 10" in 46 seconds
Durable Acme threaded rod

12 volt operation

Hardened steel gears
Water resistant motor and
gear housing

20 Amp circuit breaker

7 foot, 10 gauge power supply line

Positive and negative wires for direct grounding

UF# 38-944022

Odyssey 4000 CLOSEST COMPETITION ALL COMPETITION (Average) ALL COMPETITION (Average) Average Full Cycles Under 2,000 Lb Of Load

TESTED TOUGH

Proof Positive That Ultra-Fab Tongue Jacks Deliver Superior Reliability!

Tongue Jack Protective Covers

Sturdy cover with handy drawstring Protects jack from the elements



INTRODUCING

The Phoenix



New electronic control panel
No external switches to break off
Intelligent memory settings
remember hitch position
New strong threaded steel rod with
ball bearings

Strong 12V motor

Travels 10" in 18 seconds

18" of travel

Durable powder coated finish Emergency crank socket

included 5.5" extension with 6" diameter

quick-drop footpad Strong 2.25" outer tube

Built-in LED light for night operation

UF# 38-944040





Manual Jacks





All metal gears
E-Z grip rotating handle
Durable powder coated finish
Heavy duty steel construction
Universal mounting flange
Uses 3/8" bolts



UF# 49-954032 - 2" - 1,000 Lb Model UF# 49-954033 - 2.25" - 2,000 Lb Model

Ultra Sidewind Tongue Jack

All metal gears
E-Z grip rotating handle
Durable powder coated finish
Heavy duty steel construction
Universal mounting flange
Uses 3%" bolts



UF# 49-954030 - 2" - 1,000 Lb Model UF# 49-954031 - 2.25" - 2,000 Lb Model

Tongue Jack Caster Wheel

Smooth, effortless movement Nylon bearings Durable powder coated finish Tough plastic wheel Attaches to jack via cross and pinclip (included) Easy installation

UF# 49-954035 - Fits 2" Jack UF# 49-954036 - Fits 2.25" Jack





Tongue Jack Footpad

Prevents jack from sinking
Heavy duty steel construction
Durable powder coated finish
Attaches to jack via cross
and pinclip (included)
Easy installation

UF# 49-954037 - Fits 2" Jack UF# 49-954038 - Fits 2.25" Jack

Mini Solar Plumbing Vent

Automatically removes RV plumbing odors and moisture Silent and reliable ventilation

Aerodynamic for less drag co-efficiency

Universal design replaces most RV plumbing caps

Installs easily on roof top

No wiring required

Solar powered start and stop

UF# 53-945001

OPERATES ON SOLAR POWER



Ultra Sidewind Swivel Marine Tongue Jack

All metal gears
E-Z grip rotating handle

Heavy duty steel construction Universal mounting flange

Worm gear jacking mechanism won't slip

Wheel attached

Mounting hardware included

UF# 49-954034



Universal Access Door

Built-in lock secures important cargo areas (not keyed alike)

For use on all RVs, trucks, cargo haulers, trailers and specialty vehicles of all types Easy installation

5" x 5" opening, 8" x 7" frame

UF# 48-979009 - White Model **UF# 48-979010** - Chrome Model



EASY TO INSTALL







Carriers





Tie-down straps not included



Universal design fits 14" to 16" tires Quickly fits and adjusts to tire One piece design – no pre-assembly required

Tough, non-abrasive nylon

Heavy duty metal hooks attaches on driver or passenger side
Heavy-duty 5,000 Lb capacity
Compatible with most tow dollies
One per package


UF# 46-700034







owing



Weight Distribution Hitch

Balances weight between trailer and tow vehicle

Creates smoother ride Keeps tow vehicle level Minimizes fishtailing Durable powder coated finish Rugged steel construction Tapered round bar design Adjustable high low shank provided











Ball Mounts

Fits most hitch receivers Solid, safe and secure towing Durable powder coated finish

Various hole sizes, lengths, rises and drops



HEAVY DUTY STEEL CONSTRUCTION

	Class	Hole	Length	Rise	Drop	Towing Cap.
UF# 35-946250	III / IV	1"	10.5"	.75"	2"	6,000 Lb
UF# 35-946251	III / IV	1"	9.5"	4.75"	6"	6,000 Lb
UF# 35-946252	III / IV	1"	9"	2.75"	4"	6,000 Lb
UF# 35-946253	II / IV	1"	11"	2.75"	4"	6,000 Lb
UF# 35-946254	II / IV	1"	8.5"	.75"	2"	6,000 Lb
UF# 35-946255	III / IV	1"	11"	75"	2"	6,000 Lb
UF# 35-946256	V	1.25"	9.75"	3"	4"	12,000 Lb
UF# 35-946257	V	1.25"	9.75"	1"	2"	12,000 Lb
UF# 35-946258	III / IV	1"	10"	75"	2"	6,000 Lb
UF# 35-946259	III / IV	1"	10.5"	2"	3.25"	6,000 Lb

Triple Combo Ultra Weight/Sway Kits







750 Lb combo kit UF# 35-946235 1.000 Lb combo kit UF# 35-946236 1,400 Lb combo kit UF# 35-946237







Ultra Hitch Balls

Available in zinc or chrome Heavy duty solid steel construction

	Class	Ball Size	Diameter	Length	Plating	Towing Cap.
UF# 35-946300	V	2.3125"	1.25"	.75"	chrome	20,000 Lb
UF# 35-946301	V	2.3125"	1.25"	2.75"	zinc	20,000 Lb
UF# 35-946302	III / IV	2.3125"	1"	2"	chrome	6,000 Lb
UF# 35-946303	III / IV	2.3125"	1"	2"	zinc	6,000 Lb
UF# 35-946304	III / IV	2.3125"	1"	2.125"	chrome	6,000 Lb
UF# 35-946305	III / IV	2.3125"	1"	2.125"	zinc	6,000 Lb
UF# 35-946306	III / IV	2"	1"	2.125"	chrome	6,000 Lb
UF# 35-946307	III / IV	2"	1"	2.125"	zinc	6,000 Lb
UF# 35-946308	IV	2.3125"	1.25"	2"	chrome	10,000 Lb
UF# 35-946309	IV	2.3125"	1.25"	2"	zinc	10,000 Lb



Ultra Sway Control

Resists sway caused by wind or other vehicles Minimizes fishtailing

Rugged steel construction

Durable powder coated finish

Easy attachment to trailer frame and ball mount Includes hitch ball and clip

UF# 35-946204



RV Bumper Receiver Adapter

Fits 4" square RV bumpers Durable powder coated finish 200 Lb tongue weight capacity Accepts 2" carrier tubes Zinc plated hardware included Not recommended for towing

UF# 35-946401









Universal Hitch

3,500 Lb towing capacity
350 Lb tongue weight capacity
2" square receiver opening

U-Bolts mount to 4" square bumpers Includes mounting hardware and U-bolts

Easy bolt-on installation
Durable powder coated finish

UF# 35-946402





Total Weight May Not Exceed Existing Bumper Rating

Accessory Adapter

Used for bike and cargo carriers

Engineered to fit most recreational vehicle frames including I-beam, C-channel and rectangular sections

Heavy duty steel construction Durable powder coated finish Adjusts from 47.125" to 77" 350 Lb tongue weight capacity

UF# 35-946403



STANDARD 2" RECEIVER







3,500 Lb TRAILER WEIGHT LOAD CAPACITY





Hitch Adapter

Converts 1.25" receiver to a standard 2" receiver
Heavy duty steel construction
Durable powder coated finish
Perfect for bike and cargo carriers
Maximum 300 Lb load capacity
Not recommended for towing

UF# 35-946404







Dual Hitch Adapter

For use with standard 2" receiver tubes Tow and carry on the same receiver

Heavy duty steel construction Durable powder coated finish Easy to mount and use

UF# 35-946409



Air Ride By Trailair King Pin Box

Air ride pin box

Smooth, stable towing

Scissor action, transfers shock to the air bag

Improves handling and enhances towing performance

Available for most 5th wheel frames

UF# 35-946203 Trailair Kingpin Box L05 UF# 35-946205 Trailair Kingpin Box L07 UF# 35-946206 Trailair Kingpin Box M15 UF# 35-946207 Trailair Kingpin Box M19 UF# 35-946208 Trailair Kingpin Box L08 UF# 35-946209 Trailair Kingpin Box M17 **UF# 35-946210** Trailair Kingpin Box LO2 **UF# 35-946211** Trailair Kingpin Box LO3 UF# 35-946212 Trailair Kingpin Box LO4 **UF# 35-946213** Trailair Kingpin Box L06 **UF# 35-946214** Trailair Kingpin Box L09 UF# 35-946215 Trailair Kingpin Box M14 UF# 35-946216 Trailair Kingpin Box M16 **UF# 35-946219** Trailair Kingpin Box M23 **UF# 35-946221** Trailair Kingpin Box T36 UF# 35-946222 Trailair Kingpin Box 10027 UF# 35-946223 Trailair Kingpin Box 10034 UF# 35-946224 Trailair Kingpin Box 10037





Rota-Flex Pin Box

Fits Lippert 1621 frame only

Rubber ride shock absorption

Pivoting head pin box

Allows 5th wheel head and king pin plate to remain

in a horizontal position while in tow

Vehicle and trailer pivot independently

"Chucking" is dramatically reduced, providing a smoother ride Reduces stress on the trailer

UF# 35-946202

King Pin Shroud

Stylish cosmetic upgrade Quick and easy installation Tough durable plastic won't rust

UF# 35-946201

FOR LIPPERT 1621 FRAMES ONLY









Standard or Heavy Duty 3-2 Solid-State Converter With Harness

Solid state system Converts auto 3 filament system to a 2 filament system Fits 3 amp or heavy duty 6 amp Fits all foreign and domestic vehicles Assembled with 4-way flat connect 48" lead wires

UF# 36-947002 - Standard 3 Amp UF# 36-947005 - Heavy Duty 6 Amp





Standard or Heavy Duty 3-2 Solid-State Tail Light Converter

Solid state system Converts auto 3 filament system to a 2 filament system Fits 3 amp or heavy duty 6 amp Fits all foreign and domestic vehicles Assembled with 4-way flat connect

UF# 36-947004 - Standard 3 Amp UF# 36-947003 - Heavy Duty 6 Amp





Heavy Duty 6 Amp 3-2 Relay-Style Converter

Constant voltage control for turn and brake lamps provide maximum brightness Fail-safe circuit design

Trailer brake lamps function even if tow vehicle turn lamps fail 3 loads, 5 amp capability on each function

Diode isolation to tow vehicle minimizes risk of computer damage Unit generates no heat, and is protected even if trailer lamps short out







Steel King Pin Tripod

Rock solid, stabilizes even the heaviest trailer Stabilizes front-to-back and side-to-side Unique design brings the stabilizer to the king pin

5" x 5.5" footpads to combat sinking and tilting

Adjustable hitch cup for fine tune adjustment Heavy duty steel construction

Weighs just 23 Lb

Adjustable from 42" to 50" Padlock included

UF# 19-950001



SUPPORTS UP TO 5,000 Lb





8" Tripod Leg Extensions

UF# 19-950002 - Steel King Pin Leg Extensions (set of 3) **UF# 19-950202** - Aluminum King Pin Leg Extensions (set of 3)

Alumilite King Pin Tripod

Rock solid, stabilizes even the heaviest trailer Stabilizes front-to-back and side-to-side Unique design brings the stabilizer to the king pin 5" x 5.5" footpads to combat

sinking and tilting
Padlock included

Weighs just 18 Lb Adjustable from 42" to 56"

UF# 19-950200

SUPPORTS UP TO 1,200 Lb







SUPPORTS UP TO 1,200 Lb

Alumilite Gooseneck Tripod

Gooseneck connector for horse and cargo trailers

Ultra lightweight aluminum construction Features a collapsible adjustment handle for easy set-up and breakdown

5" x 5.5" footpads to combat sinking and tilting

Weighs just 18 Lb Adjustable from 34" to 44"

UF# 19-950400





5th Wheel Locking Cup

Fits over king pin to prevent illegal hook-up Padlock included
Easy to install and use

UF# 48-979008



Economy King Pin Tripod

Minimizes front-to-back and side-to-side motion

5" by 5.5" footpads to combat sinking and tilting

Adjustable hitch cup for fine tuning

Heavy duty steel construction

Padlock included

Adjustable from 35" to 55"

Weighs just 23 Lb

UF# 19-950500

SUPPORTS UP TO 5,000 Lb





Stabilizers





DUAL MOTOR OPERATION

LIFTS, LEVELS & STABILIZES


Power Twin I

Unique design stops front-to-back and side-to-side motion Powerful, dual electric motors utilize 12 volt operation Fits most towable RV frame types
Extra large footpads provide firm foundation
Universal connecting bracket included
Independent lifting and leveling at the flip of a switch
Lifts up to 6,000 Lb per leg (see chart)
Durable powder coated finish

UF# 39-941705 - PT II-30 UF# 39-941707 - PT II-22

PT II-30: Fits travel trailers and fifth wheels with frames from 48" to 80" and features up to 30" of leg extension.

PT II-22: Fits low profile travel trailers, 5th Wheels and Class C motorhomes with frames from 42" to 77" and features 22" of leg extension.



SINGLE MOTOR OPERATION



SUPPORTS UP TO 3,200 Lb

Economy Rear Electric Stabilizer

Patented design uses only one motor to adjust legs to almost any surface Stabilizes RV with equal pressure on each leg on most types of terrain

Kit includes external control panel and switch

Maximum support 3,200 Lb at full 32" extension

Fits frame widths from 66.625" to 69.625"

Constructed of heavy gauge steel and precision fabricated parts

Durable powder coated finish



UF# 39-941602



Super Grip Chock

Anchors opposing wheels of tandem axles
Eliminates front-to-back rocking motion
Superior handle design reduces slippage
while mounting between tires
Collapses to 1" and expands to 10.5"
Heavy duty steel construction

UF# 21-001090 - Single Pack **UF# 21-001091** - Twin Pack



HANDY PADLOCK DETERS THEFT



Ultra Chock & Lock Ultra Deluxe Chock & Lock XL

Easy to use, one piece stabilizer chock collapses to just 1.5" and expands to 5.25"

XL collapses to 4.5" and expands to 10"

Works by anchoring the opposing wheels of tandem axle trailers and fifth wheels

Lockable to prevent theft (padlock not included)

E-Z grip handle creates better leverage

Heavy duty steel construction

Super grip tire louvers reduce slip

UF# 21-001060 - Chock & Lock Single Pack

UF# 21-001070 - Chock & Lock Twin Pack

UF# 21-001080 - Ultra Deluxe Chock & Lock XL



Stabilizers









Ultra Leveling Blocks

Interlocking blocks are stackable in a number of configurations
Blocks measure 8.3125" x 8.3125" 30,000 Lb weight capacity
Comes in 4, 8 or 10 pack with handy carrying/storage bag

UF# 48-979050 - Four Pack **UF# 48-979051** - Ten Pack **UF# 48-979052** - Eight Pack







Simply stack Ultra Levelers to desired height and pull forward...it's that easy.

Ultra Slide Out Supports

Saves wear and tear on slide outs

Reduces sag

Helps prevent costly slide out and frame repairs

Heavy duty steel construction

Quick release button makes adjustments easy and effortless

Two per carton

UF# 19-960001 - Extends 16" to 28"

UF# 19-960002 - Extends 21" to 37"

UF# 19-960003 - Extends 26" to 47"

E-Z QUICK RELEASE BUTTON





Eliminator Strut Stabilizers

Bolt on permanent installation

Fits most types of manual and select electric jacks

Easy to set up - telescopes into place

Universal design fits travel trailers and 5th wheels

Struts lock into place when extended

Attaches to both RV frame and jack for ultra stability



SIX ADJUSTABLE STRUTS PER BOX



Stabilizers

Ultra Scissor Jacks

Heavy duty steel construction Durable powder coated finish 3.5" x 7" multi-hole mounting plates 4.5" x 9" footpads to combat sinking and tilting Strong worm gear jacking mechanism won't slip

Bolts or welds to frame (bolts not included) **UF# 48-979006** - 24" Single Pack (no handle) **UF# 48-979002** - 24" Twin Pack (with handle) **UF# 48-979032** - 30" Single Pack (no handle)

UF# 48-879100 - Replacement Handle









5th Wheel Accessories



Deluxe 5th Wheel Landing Gear

Two powerful 12 volt motors eliminate hand-cranking

Lifts and levels 5th wheel at the flip of a switch

36.5" overall retracted length

Built-in clutch ratchets to prevent damage
Allows for independent positioning of
foot pads, especially on uneven surfaces
Features 21" down-stroke plus adjustable
extensions, creating up to 38" of total lift

UF# 17-943010

12,000 Lb COMBINED LIFTING CAPACITY



5th Wheel Landing Gear Motor & Switch Kit

Replaces hand cranking
Easily converts existing jacks from
manual to electric

13 yet DC meter

EASY TO

12 volt DC motor

Easy to install

Control switch for easy operation

UF# 17-943016



Ultra 5th Wheel Quick Pin

 $^{7}/_{16}$ " and $^{3}/_{8}$ " pin size available Bolts on

Quickly adjusts landing gear legs Heavy duty zinc plated steel construction Installs in minutes

UF# 17-943032 - 7/16" 2 Pack **UF# 17-943031 -** 3/8" 2 Pack



SPRING LOADED PIN



Ultra Fixed Footpad

Fits standard RV landing gear Heavy duty steel construction

Extra large 8" x 5" footprint spreads the trailer's weight proportionally

Eliminates trailer sinking on soft surfaces

No need to carry cumbersome wood blocks

UF# 17-940006

HEAVY DUTY



INSTALL

Ultra Adjustable Footpad

Fits standard RV landing gear Heavy duty steel construction

Extra large 8" x 5" footprint spreads the trailer's weight proportionally

Eliminates trailer sinking on soft surfaces

No need to carry cumbersome wood blocks Includes vertical fine-tune adjustment for final leveling

UF# 17-940007

ADJUSTABLE SPINDLE MAKES SETUP EASIER





Skid Wheels



6" Ultra Swivel UF# 48-979013



5" Ultra Swivel UF# 48-979012



4" Ultra Swivel UF# 48-979011





4" Ultra Rigid UF# 48-979015

4" Ultra Swivel Hitch Mount UF# 48-979014

Ultra Skid Wheels

Easy bolt-on installation

Drop forged caster is superior in strength to other casters Extra strong metal wheels with roller bearings and .25" urethane on outer edge Prevents tail dragging and digging while backing up Helps protect undercarriage from damage

Ultra Hitch Mount Steel Roller

2.25" wheel width, 2.9375" diameter Heavy duty steel construction For use on all motorhomes, travel trailers and 5th wheels Helps prevent costly damage Two per carton

UF# 48-979017 - Fits 2.25" hitch bars UF# 48-979018 - Fits 3" hitch bars



WARRANTY

Receiver Mount Protector

2.25" wheel width, 2" diameter Heavy duty steel construction Installs in seconds For use on all motorhomes, travel

trailers and 5th wheels Helps prevent costly damage One per carton

UF# 48-979020



Ultra Micro Steel Roller

2" wheel width, 2" diameter Extra-tough all-steel construction For all motorhomes, trailers and 5th wheels Quarter inch steel mounting bracket One per carton Zerk fitting

UF# 48-979021

Ultra Mini Steel Roller

1.5" wheel width, 2.5" diameter Extra-tough solid steel construction For all motorhomes, trailers and 5th wheels Welds on Quarter inch steel mounting bracket One per carton

UF# 48-979022

Ultra Jumbo Steel Roller

2.5" wheel width, 3" diameter Extra-tough all-steel construction For all motorhomes, trailers and 5th wheels Welds on Quarter inch steel mounting bracket One per carton Zerk fitting

UF# 48-979023

Product Index



Access Door, Universal	4
Accessory Adapter	8
Ball Mounts	7
Bike Rack Accessory	5
Bumper Receiver Adapter	8
Cargo Carriers	5
Chock & Locks	13
Converters, Electric	10
Cup, 5th Wheel King Pin Locking	11
Eliminator Stabilizer	14
Footpads, 5th Wheel Jack	16
Hitch Adapter	8
Hitch Adapter, Dual	8
Hitch Balls	7
Hitch Universal	Q

Jacks, Stacker	15
Landing Gear, 5th Wheel	16
Leveling Blocks	14
Motor & Switch, 5th Wheel Jack	16
MX Hauler	6
Pin Box, Trailair Rota-Flex	9
Pin Box, Air Ride by Trailair	9
Quick Pins, 5th Wheel Jack	16
Receiver Tubes	8
Roller, Receiver Mount Protector	17
Rollers, Steel	17
Scissor Jack Accessories	15
Scissor Jacks	15
Shroud, King Pin	9
Skid Wheels	17

Stabilizers/Levelers, Electric	12
Supports, Slide Out	14
Sway Control	7
Tie-Down Strap	6
Tire Carrier	6
Tongue Jack Accessories, Manual	4
Tongue Jack Covers	3
Tongue Jacks, Electric	.1-3
Tongue Jacks, Manual	4
Tripods and Leg Extensions	11
Vent, Mini Solar Plumbing	4
Weight Distribution Hitch	7



Look for these special logos on Ultra-Fab products for quality assurance!





Quality Products For The Outdoor Lifestyle

