



Built for Adventure

TRANSAMERICA TIRE CO.,LTD.
5118 Park Ave., Suite 601, Memphis, TN 38117
www.venompowertires.com
f i g t @Venompowertires



Built for Adventure

VENOM POWER TIRE

BUILT FOR ADVENTURE

Venom Power Tires is dedicated to serving consumers and the automotive aftermarket by introducing products that prioritize unique sizes, quality, safety, and value. Our tires are meticulously crafted for durability, extended tread life, superior performance, and aesthetic appeal. In essence, we manufacture tires tailored to meet the demands and desires of consumers and enthusiasts, rather than imposing our assumptions of what they require. Whether it's for your daily commute or weekend adventures, our tires ensure a safe journey to and from your destination.

Our high-performance passenger car tires promise a refined, comfortable, and quiet highway ride while delivering the performance necessary for spirited driving conditions. Conversely, our off-road tires empower you to venture farther on any terrain, be it dirt, sand, gravel, rocks, rain, mud, or snow.

Venom Power Tires are produced at our esteemed manufacturing plant renowned for crafting some of the world's finest tires. With decades of expertise, our designers and engineers at Venom Power tirelessly strive to develop premium, high-performing tires. This commitment has propelled us to become one of the fastest-growing and most popular tire brands in North America.

VENOM POWER

SWAMPTHING

Xtreme Dirt
SWAMPTHING MIT
 01

Xtreme Dirt
SWAMPTHING AIT
 05

TERRA HUNTER

TERRA HUNTER XIT
 09

TERRA HUNTER XIT²
 15

TERRA HUNTER RIT+
 21

TERRA HUNTER MIT
 27

TRAIL HUNTER

TRAIL HUNTER RIT
 33

TRAIL HUNTER ATX
 39

TRAIL HUNTER ATS
 41

ICE HUNTER WT_S

ICE HUNTER WT_S
 43

RAGNAROK GT_S

RAGNAROK GT_S
 47

COVERT GRIP

COVERT GRIP ASP
 53

COVERT GRIP CV
 55

COVERT GRIP HIT
 57

GRAND AM

GRAND AM
 59

Co ALLSeason

Van-Co ALLSeason
 61

AT-Co ALLSeason
 63

MAXIMUM TRACTION MUD-TERRAIN TIRE

THE SWAMPTHING M/T IS A HIGH-PERFORMANCE MUD-TERRAIN TIRE CRAFTED FOR MAXIMUM TRACTION AND DURABILITY. DESPITE ITS RUGGED APPEARANCE, EVERY ELEMENT OF ITS DESIGN SERVES A FUNCTIONAL PURPOSE. ITS ROBUST EXTERIOR IS SUPPORTED BY CUTTING-EDGE ENGINEERING, ENSURING PEAK PERFORMANCE ON ANY SURFACE. FEATURING AN AGGRESSIVE TREAD PATTERN AND ADVANCED RUBBER COMPOUND, THE SWAMPTHING M/T DELIVERS UNPARALLELED GRIP AND CONTROL, EVEN IN THE TOUGHEST WEATHER CONDITIONS AND MOST CHALLENGING TERRAINS.

SWAMPTHING M/T



Xtreme Dirt SWAMPTHING MIT

MAXIMUM TRACTION MUD-TERRAIN TIRE

- Facebook venompowertires
- Instagram venompowertires
- TikTok venompowertires



- A modern, high-traction mud-terrain tire with striking aesthetics complements its ability to conquer rugged terrain.
- Features a robust and durable 3-ply sidewall ideal for lower tire pressures during rock crawling, enhancing traction.
- An aggressive deep dual-sidewall lug design offers an improved biting edge, ensuring continuous forward momentum.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
14"	27X8.50R14LT	6PR 95Q	CVPSWMT25	7J	26.52	8.58	16.0	BLK
	LT265/75R16	10PR 123/120Q	CVPSWMT21	7 1/2J	31.65	10.51	19.0	BLK
16"	LT285/75R16	126/123Q	CVPSWMT23	8J	32.83	11.26	19.0	BLK
	LT265/70R17	10PR 123/120Q	CVPSWMT19	8J	31.65	10.71	19.0	RWL
17"	LT285/70R17	10PR 126/123Q	CVPSWMT20	8 1/2J	32.76	11.50	19.0	RWL
	LT315/70R17	10PR 126/123Q	CVPSWMT18	9 1/2J	34.41	12.72	21.0	BLK
	35X12.50R17LT	12PR 128R	CVPSWMT01	10J	34.52	12.50	21.0	BLK
	37X13.50R17LT	10PR 128Q	CVPSWMT17	11J	36.52	13.58	21.0	BLK
18"	35X12.50R18LT	12PR 128R	CVPSWMT02	10 J	34.52	12.50	21.0	BLK
	33X12.50R20LT	10PR 114Q	CVPSWMT03	10J	32.52	12.50	21.0	BLK
20"	33X12.50R20LT	12PR 119Q	CVPSWMT04	10J	32.52	12.50	21.0	BLK
	35X12.50R20LT	10PR 121Q	CVPSWMT05	10J	34.52	12.50	21.0	BLK
	35X12.50R20LT	12PR 125Q	CVPSWMT06	10J	34.52	12.50	21.0	BLK
	38X13.50R20LT	10PR 128Q	CVPSWMT24	11J	37.52	13.58	21.0	BLK
22"	33X12.50R22LT	10PR 109Q	CVPSWMT09	10J	32.52	12.45	21.0	BLK
	33X12.50R22LT	12PR 114Q	CVPSWMT10	10J	32.52	12.45	21.0	BLK
	35X12.50R22LT	10PR 117Q	CVPSWMT11	10J	34.52	12.50	21.0	BLK
	35X12.50R22LT	12PR 121Q	CVPSWMT12	10J	34.52	12.50	21.0	BLK
26"	37X12.50R26LT	12PR 117Q	CVPSWMT16	10J	36.52	12.50	21.0	BLK
30"	42X16.50R30LT	10PR 126Q	CVPSWMT14	15J	41.54	16.57	21.0	BLK
	44X16.50R30LT	10PR 128Q	CVPSWMT15	15J	43.50	16.57	21.0	BLK

† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.



MAXIMUM TRACTION ALL-TERRAIN TIRE

DRAWING ON OUR EXPERTISE IN ALL-TERRAIN TIRE DESIGN, HONED THROUGH THE DEVELOPMENT OF THE TRAIL HUNTER ATX AND TERRA HUNTER X/T, WE'VE CRAFTED OUR TOP-PERFORMING SWAMPTHING A/T TIRE. DESIGNED AS A MAXIMUM TRACTION ALL-TERRAIN TIRE WITH A UNIQUE TREAD PATTERN THAT REDUCES ROAD NOISE ON PAVED SURFACES WHILE ENSURING STABILITY OFF-ROAD.



SWAMPTHING A/T



- Facebook venompowertires
- Instagram venompowertires
- TikTok venompowertires



VENOM POWER

- Designed as a max traction all-terrain tire with a unique tread pattern that tames road noise on paved surfaces while delivering surefootedness off-road.
- Aggressive dual-sidewall lug design provides enhanced biting edge performance.
- Available in 12-ply design for vehicles requiring higher load ratings.
- 55,000 miles Limited Treadwear Warranty (22-inch sizes and smaller)

07

WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
15"	205/70R15	100H XL	TVPSWAT61	6J	26.34	8.23	13.6	BLK
	LT305/70R16	12PR 128/125R	TVPSWAT51	9J	32.83	12.24	16.0	RWL
16"	LT315/75R16	10PR 127/124R	TVPSWAT52	8 1/2J	34.57	12.32	16.0	RWL
	LT265/70R17	10PR 121/118Q	TVPSWAT55	8J	31.65	10.71	16.0	RWL
17"	LT285/70R17	10PR 126/123Q	TVPSWAT56	8 1/2J	32.76	11.50	16.0	RWL
	LT295/70R17	10PR 128/125R	TVPSWAT50	8 1/2J	33.31	11.77	16.0	BLK
	LT305/70R17	10PR 125/122R	TVPSWAT53	9J	33.86	12.24	16.0	RWL
	LT315/70R17	10PR 126/123R	TVPSWAT47	9 1/2J	34.41	12.72	16.0	BLK
	35X11.50R17LT	10PR 128Q	TVPSWAT60	9J	34.52	11.42	16.0	RWL
	35X12.50R17LT	10PR 125Q	TVPSWAT58	10J	34.52	12.50	17.0	BLK
	37X12.50R17LT	12PR 128Q	TVPSWAT34	10J	36.52	12.50	17.0	BLK
18"	37X13.50R17LT	10PR 128Q	TVPSWAT35	11J	36.52	13.58	17.0	BLK
	37X12.50R18LT	12PR128Q	TVPSWAT38	10J	36.52	12.50	17.0	BLK
	37X13.50R18LT	12PR128Q	TVPSWAT39	11J	36.52	13.58	17.0	BLK
20"	265/50R20	111H XL	TVPSWAT48	8 1/2J	30.47	10.91	13.6	BLK
	LT275/55R20	10PR 120/117Q	TVPSWAT57	8 1/2J	31.89	11.18	16.0	BLK
	LT285/55R20	10PR 122/119Q	CVPSWAT19	9J	32.36	11.69	16.0	BLK
	LT285/65R20	10PR 127/124Q	TVPSWAT62R	8 1/2J	34.57	11.50	16.0	RWL
	LT295/65R20	10PR129/126R	TVPSWAT43	8 1/2J	35.12	11.77	16.0	BLK
	33X11.50R20LT	10PR 118Q	CVPSWAT20	9J	32.52	11.42	16.0	BLK
	33X12.50R20LT	10PR 114Q	CVPSWAT22	10J	32.52	12.50	17.0	BLK
	33X12.50R20LT	12PR 119Q	CVPSWAT23	10J	32.52	12.50	17.0	BLK
22"	35X11.50R20LT	10PR 124Q	TVPSWAT63R	9J	34.52	11.42	16.0	RWL
	35X12.50R20LT	10PR121Q	CVPSWAT25	10J	34.52	12.50	17.0	BLK
	35X12.50R20LT	12PR125Q	CVPSWAT26	10J	34.52	12.50	17.0	BLK
	HL275/50R22	116H XL	TVPSWAT68	8 1/2J	32.87	11.18	13.6	BLK
	LT285/55R22	10PR 124/121S	TVPSWAT59	9J	34.37	11.69	16.0	BLK
	33X12.50R22LT	10PR 109Q	CVPSWAT28	10J	32.52	12.45	17.0	BLK
	33X12.50R22LT	12PR 114Q	CVPSWAT29	10J	32.52	12.45	17.0	BLK
24"	35X12.50R22LT	10PR 117Q	CVPSWAT31	10J	34.52	12.50	17.0	BLK
	35X12.50R22LT	12PR 121Q	CVPSWAT32	10J	34.52	12.50	17.0	BLK
	35X12.50R24LT	12PR 116Q	TVPSWAT46	10 1/2J	34.52	12.45	17.0	BLK
	35X13.50R24LT	12PR 116Q	TVPSWAT54	12J	34.52	13.44	17.0	BLK

+ Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.



VENOM POWER

08



ON- AND OFF-ROAD ALL-TERRAIN TIRE

EXPERIENCE THE ULTIMATE BLEND OF HIGHWAY COMFORT AND OFF-ROAD PROWESS WITH THE TERRA HUNTER X/T, METICULOUSLY ENGINEERED TO PROVIDE UNRIVALED PERFORMANCE FOR YOUR DAILY COMMUTE AND WEEKEND ADVENTURES. WHETHER NAVIGATING CITY STREETS OR CONQUERING RUGGED TRAILS, THIS TIRE ENSURES YOU CONFIDENTLY TREAD ACROSS DIVERSE TERRAINS WITH EASE AND ASSURANCE. ELEVATE YOUR DRIVING EXPERIENCE WITH THE TERRA HUNTER X/T, DESIGNED TO DELIVER UNPARALLELED VERSATILITY AND PERFORMANCE WHEREVER THE ROAD MAY LEAD.

TERRA HUNTER X/T



- Facebook venompowertires
- Instagram venompowertires
- TikTok venompowertires



- Advanced all-terrain tread compound that delivers extended tread life and confident on/off-road traction.
- Deep, multi-functional grooves and sipes bite into any surface, for exceptional performance in all conditions.
- Stepped shoulder lugs enhance grip and conquer rocky paths with ease.
- Mud and stone ejectors maintain traction by efficiently shedding mud and preventing stone drilling.
- Wider contact patch optimizes handling stability for both on-road comfort and off-road control.
- Rugged 3D sidewall lugs combine aggressive aesthetics with superior off-road performance.
- Available in a wide range of sizes (15" - 28" wheel diameters, up to 40" overall diameter), Terra Hunter X/T is your perfect adventure companion.

WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
15"	LT235/75R15	6PR 104/101S	TVPXT61	6 1/2J	28.86	9.25	14.5	BLK
	31X10.50R15LT	6PR 109S	TVPXT60	8 1/2J	30.52	10.54	14.5	BLK
16"	245/70R16	11T XL	TVPXT64	7J	29.53	9.76	12.2	BLK
	265/70R16	112T	TVPXT65	8J	30.63	10.71	12.2	BLK
	265/75R16	116T	TVPXT66	7 1/2J	31.65	10.51	12.2	BLK
	LT225/75R16	10PR 115/112S	TVPXT62	6J	29.29	8.78	15.1	BLK
	LT235/85R16	10PR 120/116S	TVPXT63	6 1/2J	31.73	9.25	15.1	BLK
	LT245/75R16	10PR 120/116Q	TVPXT27	7J	30.47	9.76	15.4	BLK
	LT265/75R16	10PR 123/120Q	TVPXT28	7 1/2J	31.65	10.51	15.4	BLK
	LT285/75R16	10PR 126/123Q	TVPXT29	8J	32.83	11.26	15.4	BLK
17"	245/65R17	11T XL	TVPXT68	7J	29.53	9.76	12.2	BLK
	265/65R17	112T	TVPXT71	8J	30.55	10.71	12.2	BLK
	265/70R17	115S	TVPXT31	8J	31.65	10.71	12.6	BLK
	LT235/80R17	10PR 120/117S	TVPXT67	6 1/2J	31.81	9.25	15.1	BLK
	LT245/70R17	10PR 119/116S	TVPXT69	7J	30.55	9.76	15.1	BLK
	LT245/75R17	10PR 121/118S	TVPXT70	7J	31.50	9.76	15.1	BLK
	LT255/80R17	10PR 121/118R	SVPXT21	7J	33.07	10.04	15.1	BLK
	LT265/65R17	10PR 120/117S	TVPXT72	8J	30.55	10.71	15.1	BLK
	LT265/70R17	10PR 121/118Q	TVPXT30	8J	31.65	10.71	15.4	BLK
	LT285/70R17	6PR 116/113Q	TVPXT80	8 1/2J	32.76	11.50	15.4	BLK
	LT285/70R17	10PR 121/118Q	TVPXT32	8 1/2J	32.76	11.50	15.4	BLK
	33X12.50R17LT	10PR 120R	TVPXT01	10J	32.52	12.50	15.1	BLK
	35X10.50R17LT	10PR 121R	TVPXT73	8 1/2J	34.52	10.54	15.1	BLK
	35X12.50R17 LT	10PR 121R	TVPXT13	10J	34.52	12.50	15.1	BLK
35X12.50R17 LT	12PR 124R	TVPXT39	10J	34.52	12.50	15.1	BLK	
18"	235/60R18	107H XL	TVPXT74	7J	29.09	9.45	12.2	BLK
	245/60R18	109H XL	TVPXT75	7J	29.57	9.76	12.2	BLK
	265/60R18	114T XL	TVPXT76	8J	30.51	10.71	12.2	BLK
	265/65R18	116T XL	TVPXT77	8J	31.54	10.71	12.2	BLK
	275/65R18	116T	TVPXT79	8J	32.09	10.98	12.2	BLK

† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.





WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
18"	LT265/70R18	10PR 124/121S	TVPXT78	8J	32.64	10.71	15.1	BLK
	LT275/70R18	10PR 125/122S	TVPXT33	8J	33.19	10.98	15.4	BLK
	LT285/65R18	10PR 125/122R	TVPXT34	8 1/2J	32.56	11.50	15.1	BLK
	LT285/75R18	10PR 129/126R	SVPXT13	8J	34.84	11.26	15.1	BLK
	LT295/70R18	10PR 129/126R	SVPXT14	8 1/2J	34.29	11.77	15.1	BLK
	33X12.50R18LT	10PR 118R	TVPXT02	10J	32.52	12.50	15.1	BLK
	33X12.50R18LT	12PR 122R	TVPXT03	10J	32.52	12.50	15.1	BLK
	35X12.50R18 LT	10PR 123R	TVPXT14	10J	34.52	12.50	15.1	BLK
	35X12.50R18 LT	12PR 128R	TVPXT15	10J	34.52	12.50	15.1	BLK
20"	275/55R20	117T XL	TVPXT35	8 1/2J	31.89	11.18	12.6	BLK
	275/60R20	115T	TVPXT36	8J	32.99	10.98	12.6	BLK
	LT265/50R20	10PR 117/114S	TVPXT19	8 1/2J	30.47	10.91	15.1	BLK
	LT275/55R20	10PR 120/117S	TVPXT20	8 1/2J	31.89	11.18	15.1	BLK
	LT275/60R20	10PR 123/120R	TVPXT37	8J	32.99	10.98	15.4	BLK
	LT275/65R20	10PR 126/123S	TVPXT38	8J	34.09	10.98	15.4	BLK
	LT285/50R20	10PR 119/116S	TVPXT21	9J	31.26	11.69	15.1	BLK
	LT285/55R20	10PR 122/119S	TVPXT12	9J	32.36	11.69	15.1	BLK
	LT285/60R20	10PR 125/122R	SVPXT22	8 1/2J	33.46	11.50	15.1	BLK
	LT295/55R20	10PR 123/120R	SVPXT16	9 1/2J	32.76	12.17	15.1	BLK
	LT295/60R20	10PR 126/123R	SVPXT17	8 1/2J	33.94	11.77	15.1	BLK
	LT305/55R20	10PR 121/118Q	TVPXT41	9 1/2J	33.23	12.44	15.1	BLK
	LT305/55R20	12PR 125/122Q	TVPXT42	9 1/2J	33.23	12.44	15.1	BLK
	33X11.50R20LT	10PR 118Q	SVPXT19	9J	32.52	11.42	15.1	BLK
	33X12.50R20LT	10PR 114R	TVPXT04	10J	32.52	12.50	15.1	BLK
	33X12.50R20LT	10PR 114R	TVPXT04R	10J	32.52	12.50	15.1	RWL
	33X12.50R20LT	12PR 119R	TVPXT05	10J	32.52	12.50	15.1	BLK
	35X12.50R20LT	10PR 121R	TVPXT08	10J	34.52	12.50	15.1	BLK
	35X12.50R20LT	10PR 121R	TVPXT08R	10J	34.52	12.50	15.1	RWL
	35X12.50R20LT	12PR 125R	TVPXT09	10J	34.52	12.50	15.1	BLK
	37X13.50R20LT	10PR 127Q	TVPXT16	11J	36.52	13.58	15.1	BLK
37X13.50R20LT	12PR 128Q	TVPXT17	11J	36.52	13.58	15.1	BLK	

WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL	
22"	285/45R22	114T XL	TVPXT18	9 1/2J	32.09	11.22	12.2	BLK	
	305/40R22	114H XL	TVPXT22	11J	31.61	12.32	12.2	BLK	
	305/45R22	118S XL	TVPXT81	10J	32.80	11.93	12.5	BLK	
	LT285/50R22	10PR 121/118R	SVPXT20	9J	33.27	11.69	15.1	BLK	
	33X12.50R22LT	10PR 109R	TVPXT06	10J	32.52	12.45	15.1	BLK	
	33X12.50R22LT	10PR 109R	TVPXT06R	10J	32.52	12.45	15.1	RWL	
	33X12.50R22LT	12PR 114Q	TVPXT07	10J	32.52	12.45	15.1	BLK	
	33X14.50R22LT	10PR 111Q	CVPXT07	12J	32.52	14.46	15.1	BLK	
	35X12.50R22LT	10PR 117R	TVPXT10	10J	34.52	12.50	15.1	BLK	
	35X12.50R22LT	12PR 121Q	TVPXT11	10J	34.52	12.50	15.1	BLK	
	35X12.50R22LT	10PR 117R	TVPXT10R	10J	34.52	12.50	15.1	RWL	
	35X13.50R22LT	10PR 120Q	CVPXT01	11J	34.52	13.58	15.1	BLK	
	35X15.50R22LT	12PR 123Q	CVPXT10	13J	34.52	15.43	15.1	BLK	
	37X13.50R22LT	10PR 123Q	TVPXT26	11J	36.52	13.58	15.1	BLK	
	37X13.50R22LT	12PR 128Q	TVPXT23	11J	36.52	13.58	15.1	BLK	
24"	285/40R24	112H XL	CVPXT04	10J	32.99	11.42	12.2	BLK	
	35X13.50R24LT	12PR 116Q	CVPXT02	12J	34.52	13.44	15.1	BLK	
	35X15.50R24LT	10PR 118Q	CVPXT11N	13 1/2J	34.52	15.52	15.1	BLK	
	37X13.50R24LT	10PR 120Q	TVPXT50	11J	36.52	13.58	15.1	BLK	
	37X13.50R24LT	12PR 124Q	TVPXT24	11J	36.52	13.58	15.1	BLK	
	26"	305/30R26	109H XL	CVPXT23	11J	33.23	12.32	12.6	BLK
		33X13.50R26LT	10PR 107Q	CVPXT06	12 1/2J	32.52	13.58	15.1	BLK
33X14.50R26LT		10PR 108Q	CVPXT09	13J	32.52	14.53	15.1	BLK	
35X13.50R26LT		12PR 122Q	CVPXT03N	12J	34.52	13.58	15.1	BLK	
35X15.50R26LT		12PR 120Q	CVPXT12N	14J	34.52	15.51	15.1	BLK	
37X13.50R26LT		10PR 114Q	TVPXT51	11J	36.52	13.44	15.1	BLK	
37X13.50R26LT		12PR 117Q	TVPXT25	11J	36.52	13.44	15.1	BLK	
28"	40X15.50R28LT	10PR 126P	TVPXT40	13 1/2J	39.52	15.54	19.5	BLK	

* Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.



ADVANCED ON- AND OFF-ROAD ALL-TERRAIN TIRE

THE VENOM POWER TERRA HUNTER X/T 2 BUILDS ON THE SUCCESS OF ITS PREDECESSOR, OFFERING A NEXT-LEVEL ALL-TERRAIN TIRE EXPERIENCE. THIS TIRE COMBINES EXCEPTIONAL ON-ROAD COMFORT, SUPERIOR TRACTION, AND OFF-ROAD VERSATILITY FOR ALL YOUR DRIVING ADVENTURES.

THE TERRA HUNTER X/T 2 IS YOUR TRUSTED COMPANION, NO MATTER THE ROAD AHEAD. COMMUTE CONFIDENTLY, NAVIGATE HIGHWAYS EFFORTLESSLY, AND EXPLORE OFF-ROAD WITH PEACE OF MIND. THIS TIRE IS ENGINEERED TO PROVIDE THE PERFECT BLEND OF COMFORT, SAFETY, AND ALL-TERRAIN CAPABILITY, WHEREVER YOU ROAM.

TERRA HUNTER X/T 2



TERRA HUNTER X/T²

ADVANCED ON- AND OFF-ROAD ALL-TERRAIN TIRE

- Facebook
venompowertires
- Instagram
venompowertires
- TikTok
venompowertires



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
15"	205/65R15	99H XL	VPXT241R	6J	25.47	8.23	12.2	RWL
	LT235/75R15	6PR 104/101S	VPXT218R	6 1/2J	28.86	9.25	15.1	RWL
	31X10.50R15LT	6PR 109S	VPXT215R	8 1/2J	30.52	10.54	15.1	RWL
16"	215/65R16	102H XL	VPXT239R	6 1/2J	27.01	8.70	12.2	RWL
	245/70R16	111T XL	VPXT205R	7J	29.53	9.76	12.2	RWL
	255/70R16	111S	VPXT236R	7 1/2J	30.08	10.24	12.2	RWL
	265/70R16	112T	VPXT209R	8J	30.63	10.71	12.2	RWL
	265/75R16	116T	VPXT211R	7 1/2J	31.65	10.51	12.2	RWL
	LT225/75R16	10PR 115/112S	VPXT217R	6J	28.31	8.78	15.1	RWL
	LT235/85R16	10PR 120/116S	VPXT220R	6 1/2J	31.73	9.25	15.1	RWL
	LT245/75R16	10PR 120/116Q	VPXT223R	7J	30.47	9.76	15.1	RWL
	LT265/75R16	10PR 123/120Q	VPXT228R	7 1/2J	31.65	10.51	15.1	RWL
	LT285/75R16	10PR 126/123Q	VPXT235R	8J	32.83	11.26	15.1	RWL



- **Enhanced Comfort, Performance, and Lower Noise:** The Terra Hunter X/T 2 features a specially formulated compound and an optimized tread design, ensuring a quieter ride without compromising grip, handling, or durability. The result is a smoother drive whether you're on the highway or off the beaten path.
- **Superior Braking and Safety:** With advanced tread design and construction, the X/T 2 provides excellent traction in dry, wet, and winter conditions. This leads to shorter stopping distances and greater confidence behind the wheel, ensuring your safety across diverse terrains.
- **Sharper Handling with Stronger Shoulder Blocks:** The reinforced shoulder block design offers improved support during cornering and off-road maneuvers, enhancing overall vehicle control and responsiveness. Navigate sharp turns and rough trails with ease and precision.
- **Optimal Wet Performance with Reduced Void Ratio:** The lower void ratio maximizes rubber contact with the road, delivering superior grip and traction in wet conditions. This design ensures optimal performance during heavy rains and on slippery surfaces.
- **Exceptional Winter Capability with 3PMSF Certification:** The X/T 2 meets the Three-Peak Mountain Snowflake (3PMSF) certification for severe snow service, even in larger tire sizes. Experience exceptional winter performance and safety, no matter the size of your tire.
- **Unified Shoulder and Sidewall Design:** Inspired from feedback from enthusiasts who pushed their Terra Hunter X/Ts to the limit, the X/T 2 features a seamless shoulder and sidewall construction. This design improves handling and stress distribution, providing durability and stability during intense off-road adventures.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
17"	245/65R17	11T XL	VPXT204R	7J	29.53	9.76	12.2	RWL
	265/65R17	112T	VPXT207R	8J	30.55	10.71	12.2	RWL
	265/70R17	115S	VPXT210R	8J	31.65	10.71	12.2	RWL
	LT235/80R17	10PR 120/117S	VPXT219R	6 1/2J	31.81	9.25	15.1	RWL
	LT245/70R17	10PR 119/116S	VPXT221R	7J	30.55	9.76	15.1	RWL
	LT245/75R17	10PR 121/118S	VPXT224R	7J	31.50	9.76	15.1	RWL
	LT265/65R17	10PR 120/117S	VPXT225R	8J	30.55	10.71	15.1	RWL
	LT265/70R17	10PR 123/120Q	VPXT226R	8J	31.65	10.71	15.1	RWL
	LT285/70R17	6PR 116/113Q	VPXT234R	8 1/2J	32.76	11.50	15.1	RWL
	LT285/70R17	10PR 126/123Q	VPXT233R	8 1/2J	32.76	11.50	15.1	RWL
	35X10.50R17LT	10PR 121R	VPXT216R	8 1/2J	34.52	10.54	15.1	RWL
18"	235/60R18	107H XL	VPXT202	7J	29.09	9.45	12.2	BLK
	245/60R18	109H XL	VPXT203	7J	29.57	9.76	12.2	BLK
	265/60R18	114T XL	VPXT206R	8J	30.51	10.71	12.2	RWL
	265/65R18	116T XL	VPXT208R	8J	31.54	10.71	12.2	RWL
	275/65R18	116T	VPXT214R	8J	32.09	10.98	12.2	RWL
	LT265/70R18	10PR 124/121S	VPXT227R	8J	32.64	10.71	15.1	RWL
	LT275/70R18	10PR 125/122S	VPXT231R	8J	33.19	10.98	15.1	RWL
	LT285/65R18	10PR 125/122R	VPXT232R	8 1/2J	32.56	11.50	15.1	RWL
	LT285/70R18	10PR 127/124R	VPXT238R	8 1/2J	33.74	11.50	15.1	RWL
20"	275/55R20	117T XL	VPXT212	8 1/2J	31.89	11.18	12.2	BLK
	275/60R20	115T	VPXT213R	8J	32.99	10.98	12.2	RWL
	LT275/60R20	10PR 123/120R	VPXT229R	8J	32.99	10.98	15.1	RWL
	LT275/65R20	10PR 126/123S	VPXT230R	8J	34.09	10.98	15.1	RWL

† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.





ON- AND OFF-ROAD RUGGED-TERRAIN TIRE

THE TERRA HUNTER R/T+ IS A TIRE THAT DEFIES LIMITS BY BLENDING RUGGED OFF-ROAD PERFORMANCE WITH HIGHWAY COMFORT. ENGINEERED TO HANDLE THE TOUGHEST OFF-ROAD CHALLENGES WHILE MAINTAINING SMOOTH, UNCOMPROMISED PERFORMANCE ON THE ROAD, THIS TIRE EXEMPLIFIES RESILIENCE AND RELIABILITY IN EVERY MILE TRAVELED, EMPOWERING YOU TO PUSH BOUNDARIES WITHOUT HESITATION. EMBRACE ADVENTURE, DOMINATE CHALLENGES, AND MAKE A STATEMENT WITH THE TERRA HUNTER R/T+, THE ULTIMATE TIRE FOR THE ADVENTUROUS SPIRIT.

TERRA HUNTER R/T+

TERRA HUNTER R/T+

ON- AND OFF-ROAD RUGGED-TERRAIN TIRE

- Facebook
venompowertires
- Instagram
venompowertires
- TikTok
venompowertires



VENOM POWER

- The optimized tread design with a high void-to-lug ratio digs deep for superior traction in mud, snow, sand, and rocky terrain.
- Deep tread depth delivers extended tread life, all-season grip, and also enhances resistance to hydroplaning, for year-round performance.
- Staggered shoulder lugs provide exceptional bite on challenging terrain, while deep siping throughout the tread enhances grip and braking on wet and winter surfaces.
- Mud and stone ejectors strategically placed between shoulder lug blocks facilitate efficient mud shedding and prevent stone drilling for uninterrupted performance.
- Advanced tread pattern and pitch variation effectively reduce road noise, ensuring a smooth and comfortable highway experience for both drivers and passengers.
- The Terra Hunter R/T+ boasts an aggressive dual sidewall design that offers enhanced off-road traction, sidewall protection, and a customizable look to match your adventurous spirit.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
17"	LT235/80R17	10PR 120/117Q	TVPR130	6 1/2J	31.81	9.25	16.0	BLK
	LT245/75R17	10PR 121/118Q	TVPR131	7J	31.50	9.76	16.0	BLK
	LT265/70R17	10PR 121/118Q	TVPR101NL	8J	31.65	10.71	16.0	BLK
	LT285/70R17	10PR 121/118Q	TVPR102NL	8 1/2J	32.76	11.50	16.0	BLK
	33X12.50R17LT	10PR 120Q	TVPR105NL	10J	32.52	12.50	17.6	BLK
	35X12.50R17 LT	10PR 121Q	TVPR108NL	10J	34.52	12.50	17.6	BLK
18"	40X13.50R17LT	8PR 121Q	TVPR140	11J	39.52	13.58	17.6	BLK
	LT275/65R18	10PR 123/120Q	TVPR110NL	8J	32.09	10.98	16.0	BLK
	LT275/70R18	12PR 128/125Q	TVPR103N	8J	33.19	10.98	16.0	BLK
	33X12.50R18LT	10PR 118Q	TVPR106NL	10J	32.52	12.50	17.6	BLK
	35X12.50R18 LT	10PR 123Q	TVPR109NL	10J	34.52	12.50	17.6	BLK
	20"	275/55R20	117T XL	TVPR126	8 1/2J	31.89	11.18	13.2
285/55R20		116T XL	TVPR127	9J	32.36	11.69	13.2	BLK
305/55R20		116R XL	TVPR128	9 1/2J	33.23	12.44	13.2	BLK
LT265/60R20		10PR 121/118Q	TVPR132	8J	32.52	10.71	16.0	BLK
LT275/55R20		10PR 120/117Q	TVPR111NL	8 1/2J	31.89	11.18	16.0	BLK
LT275/65R20		12PR 128/125R	TVPR112N	8J	34.09	10.98	16.0	BLK
LT285/55R20		10PR 122/119S	TVPR133NL	9J	32.36	11.69	16.0	BLK
LT285/65R20		10PR 127/124Q	TVPR133	8 1/2J	34.57	11.50	16.0	BLK
LT305/55R20		10PR 121/118S	TVPR114NL	9 1/2J	33.23	12.44	16.0	BLK
31X12.50R20 LT		10PR 118Q	CVPR101	10J	30.51	12.52	16.0	BLK
31X13.50R20LT		10PR 121Q	CVPR104	11J	30.51	13.58	16.0	BLK
33X10.50R20LT		10PR 121Q	TVPR136	8 1/2J	32.52	10.54	17.6	BLK
33X11.50R20LT		10PR 118Q	TVPR137	9J	32.52	11.42	17.6	BLK
33X12.50R20LT		10PR 114Q	TVPR135N	10J	32.52	12.50	17.6	BLK

• Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.



VENOM POWER



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
20"	33X12.50R20LT	10PR 114Q	TVPRT35NR	10J	32.52	12.50	17.6	RWL
	33X12.50R20LT	12PR 119Q	TVPRT15N	10J	32.52	12.50	17.6	BLK
	33X14.50R20LT	12PR 120Q	CVPRT12	11 1/2J	32.52	14.46	18.6	BLK
	35X11.50R20LT	10PR 124Q	TVPRT38	9J	34.52	11.42	16.0	BLK
	35X12.50R20LT	10PR 121Q	TVPRT34N	10J	34.52	12.50	17.6	BLK
	35X12.50R20LT	10PR 121Q	TVPRT34NR	10J	34.52	12.50	17.6	RWL
	35X12.50R20LT	12PR 125Q	TVPRT18N	10J	34.52	12.50	17.6	BLK
	35X13.50R20LT	12PR 126Q	TVPRT39	11J	34.52	13.58	17.6	BLK
	35X14.50R20LT	12PR 127Q	CVPRT14	11 1/2J	34.52	14.46	18.6	BLK
	35X15.50R20LT	12PR 127Q	CVPRT16	12 1/2J	34.52	15.54	18.6	BLK
22"	305/45R22	118T XL	TVPRT29	10J	32.80	11.93	13.2	BLK
	31X12.50R22 LT	10PR 115Q	CVPRT02	11 1/2J	30.51	12.36	16.0	BLK
	31X13.50R22LT	10PR 118Q	CVPRT05	12J	30.51	13.35	16.0	BLK
	33X12.50R22LT	12PR 114Q	TVPRT16N	10J	32.52	12.45	17.6	BLK
	33X12.50R22LT	12PR 114Q	TVPRT16NR	10J	32.52	12.45	17.6	RWL
	33X13.50R22LT	12PR 114Q	CVPRT11	11J	32.52	13.58	18.6	BLK
	33X14.50R22LT	12PR 115Q	CVPRT13	12 1/2J	32.52	14.46	18.6	BLK
	35X12.50R22LT	12PR 121Q	TVPRT20N	10J	34.52	12.50	17.6	BLK
	35X12.50R22LT	12PR 121Q	TVPRT20NR	10J	34.52	12.50	17.6	RWL
	35X14.50R22LT	12PR 123Q	CVPRT15	11 1/2J	34.52	14.46	18.6	BLK
24"	35X15.50R22LT	12PR 123Q	CVPRT17	13J	34.52	15.43	18.6	BLK
	37X13.50R22LT	12PR 128Q	TVPRT22N	11J	36.52	13.58	17.6	BLK
	31X12.50R24 LT	10PR 109Q	CVPRT03	11 1/2J	30.51	12.36	16.0	BLK
	31X13.50R24LT	10PR 111Q	CVPRT06	12 1/2J	30.51	13.35	16.0	BLK
	33X12.50R24LT	12PR 106Q	TVPRT17	11 1/2J	32.52	12.60	17.6	BLK
	33X13.50R24LT	10PR 109Q	CVPRT18	12J	32.52	13.43	18.6	BLK
	33X14.50R24LT	10PR 110Q	CVPRT20	12 1/2J	32.52	14.46	18.6	BLK
	35X12.50R24LT	12PR 116Q	TVPRT21	10 1/2J	34.52	12.45	17.6	BLK
	35X14.50R24LT	10PR 118Q	CVPRT22	12 1/2J	34.52	14.46	18.6	BLK
	35X15.50R24LT	10PR 118Q	CVPRT24	13 1/2J	34.52	15.52	18.6	BLK

WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
24"	37X13.50R24LT	12PR 124Q	TVPRT23N	11J	36.52	13.58	17.6	BLK
	37X15.50R24LT	12PR 126Q	CVPRT27	12 1/2J	36.52	15.54	18.6	BLK
26"	33X12.50R26LT	12PR 110Q	CVPRT62N	11 1/2J	32.52	12.50	17.6	BLK
	33X13.50R26LT	10PR 107Q	CVPRT19	12 1/2J	32.52	13.58	18.6	BLK
	33X14.50R26LT	10PR 108Q	CVPRT21	13J	32.52	14.46	18.6	BLK
	35X12.50R26LT	12PR 119Q	CVPRT63N	11 1/2J	34.52	12.50	17.6	BLK
	35X14.50R26LT	10PR 117Q	CVPRT23	14J	34.52	14.46	18.6	BLK
	35X15.50R26LT	10PR 116Q	CVPRT25	14J	34.52	15.51	18.6	BLK
	37X13.50R26LT	12PR 117Q	TVPRT25N	11J	36.52	13.44	17.6	BLK
	37X14.50R26LT	12PR 118Q	CVPRT26	12 1/2J	36.52	14.46	18.6	BLK
28"	37X15.50R26LT	12PR 118Q	CVPRT28	13 1/2J	36.52	15.54	18.6	BLK
	40X15.50R28LT	10PR 126P	TVPRT42	13 1/2J	39.52	15.54	19.5	BLK





OFF-ROAD MAXIMUM TRACTION TIRE

THE TERRA HUNTER M/T IS A MAXIMUM TRACTION TIRE FEATURING A TIME-HONORED CLASSIC MUD TREAD DESIGN. ITS ROBUST, BLOCKY TREAD, AND DUAL SIDEWALL LUG DESIGN ALLOW YOU TO CONQUER THE TOUGHEST TERRAIN AND WEATHER CONDITIONS, EFFORTLESSLY NAVIGATING MUD, SNOW, SAND, AND ROCKS WITH EASE. SIMPLY POINT THE WAY, AND THE TERRA HUNTER M/T WILL TAKE YOU THERE.

TERRA HUNTER M/T

TERRA HUNTER M/T

OFF-ROAD MAXIMUM TRACTION TIRE

- Facebook
venompowertires
- Instagram
venompowertires
- TikTok
venompowertires



- Optimized void-to-lug ratio for extreme off-road conditions provides unparalleled traction in mud, snow, sand, and rocky terrain.
- Staggered shoulder lugs offer enhanced biting edge and traction on rocky terrain.
- Deep siping in the tread blocks provides enhanced grip and braking on winter and wet surfaces.
- Mud and stone ejectors positioned between shoulder lug blocks help shed mud and prevent stone drilling.
- The aggressive dual sidewall design of the Terra Hunter M/T not only delivers added off-road traction and sidewall armor but also provides enthusiasts with aesthetic options to indulge their wild side.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
17"	LT305/65R17	10PR 121/118Q	TVPMT11	9J	32.60	12.24	20.4	BLK
	33X12.50R17LT	10PR 120Q	TVPMT38	10J	32.52	12.50	20.4	BLK
18"	LT305/60R18	10PR 121/118Q	TVPMT12	9J	32.40	12.24	20.4	BLK
	33X12.50R18LT	10PR 118Q	TVPMT39	10J	32.52	12.50	20.4	BLK
20"	LT275/55R20	10PR 120/117Q	TVPMT13	8 1/2J	31.89	11.18	18.6	BLK
	LT285/55R20	10PR 122/119Q	TVPMT37	9J	32.36	11.69	18.6	BLK
	33X11.50R20LT	10PR 118Q	TVPMT17	9J	32.52	11.42	18.6	BLK
	33X12.50R20LT	10PR 114Q	TVPMT35	10J	32.52	12.50	20.4	BLK
	33X12.50R20LT	10PR 114Q	TVPMT35R	10J	32.52	12.50	20.4	RWL
	33X12.50R20LT	12PR 119Q	TVPMT15	10J	32.52	12.50	20.4	BLK
	33X13.50R20LT	12PR 120Q	TVPMT40	11J	32.52	13.58	20.4	BLK
	35X12.50R20LT	10PR 121Q	TVPMT34	10J	34.52	12.50	20.4	BLK
	35X12.50R20LT	10PR 121Q	TVPMT34R	10J	34.52	12.50	20.4	RWL
	35X12.50R20LT	12PR 125Q	TVPMT18	10J	34.52	12.50	20.4	BLK
22"	35X13.50R20LT	12PR 126Q	TVPMT19	11J	34.52	13.58	20.4	BLK
	38X15.50R20LT	10PR 128Q	TVPMT41	12 1/2J	37.52	15.54	20.4	BLK
	40X15.50R20LT	12PR 128Q	TVPMT21	12 1/2J	39.52	15.54	20.4	BLK
	33X12.50R22LT	10PR 109Q	TVPMT16L	10J	32.52	12.45	20.4	BLK
	33X12.50R22LT	10PR 109Q	TVPMT16LR	10J	32.52	12.45	20.4	RWL
	33X12.50R22LT	12PR 114Q	TVPMT16	10J	32.52	12.45	20.4	BLK
	33X13.50R22LT	12PR 116Q	CVPMT22	11J	32.52	13.58	20.4	BLK
	35X12.50R22LT	10PR 117Q	TVPMT20L	10J	34.52	12.50	20.4	BLK
	35X12.50R22LT	10PR 117Q	TVPMT20LR	10J	34.52	12.50	20.4	RWL
	35X12.50R22LT	12PR 121Q	TVPMT20	10J	34.52	12.50	20.4	BLK
22"	35X13.50R22LT	12PR 122Q	CVPMT23	11J	34.52	13.58	20.4	BLK
	40X15.50R22LT	12PR 128Q	TVPMT36	12 1/2J	39.52	15.54	20.4	BLK



VENOM POWER

VENOM POWER



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
24"	33X13.50R24LT	10PR 109Q	CVPMT25	12J	32.52	13.43	20.4	BLK
	35X13.50R24LT	12PR 116Q	TVPMT26	12J	34.52	13.44	20.4	BLK
	38X15.50R24LT	12PR 128P	CVPMT27	12 1/2J	37.52	15.43	20.4	BLK
	40X15.50R24LT	12PR 128P	TVPMT28	12 1/2J	39.52	15.54	20.4	BLK
26"	35X13.50R26LT	10PR 118Q	CVPMT29	12 1/2J	34.52	13.58	20.4	BLK
	38X15.50R26LT	12PR 126P	CVPMT30	13 1/2J	37.52	15.47	20.4	BLK
	40X15.50R26LT	10PR 126P	TVPMT31	12 1/2J	39.52	15.43	20.4	BLK
28"	40X15.50R28LT	10PR 126P	TVPMT32	13 1/2J	39.52	15.54	20.4	BLK
	42X15.50R28LT	10PR 128P	TVPMT33	13 1/2J	41.52	15.43	20.4	BLK

† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.



TRAIL HUNTER R/T

ON- AND OFF-ROAD MAX TRACTION RUGGED-TERRAIN TIRE

THE TRAIL HUNTER R/T IS VENOM POWER'S PREMIER HYBRID OFF-ROAD TIRE, ENGINEERED FOR MAXIMUM TRACTION ON DIVERSE TERRAINS. WITH ITS OPTIMIZED DESIGN, DEEP TREAD DEPTH, AND ADVANCED FEATURES, THE TRAIL HUNTER R/T ENSURES MAXIMUM GRIP IN EXTREME CONDITIONS WHILE PROVIDING A SMOOTH AND QUIET RIDE ON THE HIGHWAY, MAKING IT THE IDEAL CHOICE FOR ADVENTURERS SEEKING VERSATILITY AND RELIABILITY ON- AND OFF-ROAD.



TRAIL HUNTER R/T

ON- AND OFF-ROAD MAX TRACTION RUGGED-TERRAIN TIRE

- Facebook
venompowertires
- Instagram
venompowertires
- TikTok
venompowertires



- Optimized void-to-lug ratio ensures unparalleled traction in extreme off-road conditions such as mud, snow, sand, and rocky terrain.
- Deep tread depth provides superior off-road capability, resistance to hydroplaning, and extended tread life.
- Squared shoulder blocks ensure a larger contact patch for improved traction both on- and off-road.
- Dual shoulder block siping enhances handling stability, grip, and braking performance on wet and winter surfaces.
- Mud and stone ejectors between shoulder lug blocks prevent mud buildup and stone drilling.
- Advanced tread pattern and pitch variation reduce road noise for a quieter highway ride, enhancing driver and passenger comfort.
- Aggressive dual sidewall design not only enhances off-road traction and sidewall protection but also offers aesthetic options.
- Available in light truck (LT) sizes ranging from 17 to 22 inches.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
16"	LT235/85R16	10PR 120/116Q	CVP THRT39R	6 1/2J	31.73	9.25	15.7	RWL
	LT265/75R16	10PR 123/120R	CVP THRT23R	7 1/2J	31.65	10.51	15.7	RWL
	LT265/75R16	10PR 123/120Q	SVP THRT23	7 1/2J	31.65	10.51	15.7	BLK
	LT285/75R16	10PR 126/123R	CVP THRT28R	8J	32.83	11.26	15.7	RWL
	LT285/75R16	10PR 126/123Q	SVP THRT28	8J	32.83	11.26	15.7	BLK
17"	265/70R17	115S	CVP THRT29R	8J	31.65	10.71	12.2	RWL
	265/70R17	115S	SVP THRT29	8J	31.65	10.71	12.2	BLK
	LT265/65R17	10PR 120/117Q	CVP THRT38R	8J	30.55	10.71	15.7	RWL
	LT265/70R17	10PR 123/120Q	CVP THRT22R	8J	31.65	10.71	15.7	RWL
	LT265/70R17	10PR 123/120Q	SVP THRT22	8J	31.65	10.71	15.7	BLK
	LT285/70R17	10PR 126/123Q	SVP THRT27	8 1/2J	32.76	11.50	15.7	BLK
	LT285/70R17	10PR 126/123Q	CVP THRT27R	8 1/2J	32.76	11.50	15.7	RWL
	33X12.50R17LT	10PR 120Q	CVP THRT09R	10J	32.52	12.50	15.7	RWL
	33X12.50R17LT	10PR 120Q	SVP THRT09	10J	32.52	12.50	15.7	BLK
	35X12.50R17LT	10PR 125R	CVP THRT02R	10J	34.52	12.50	15.7	RWL
18"	LT265/65R18	10PR 122/119Q	CVP THRT40R	8J	31.54	10.31	15.7	RWL
	LT275/70R18	10PR125/122R	CVP THRT25R	8J	33.19	10.98	15.7	RWL
	LT275/70R18	10PR 125/122R	SVP THRT25	8J	33.19	10.98	15.7	BLK
	LT285/60R18	10PR 122/119Q	CVP THRT33R	8 1/2J	31.46	11.50	15.7	RWL
	LT285/65R18	10PR 125/122R	SVP THRT26	8 1/2J	32.56	11.50	15.7	BLK
	LT285/65R18	10PR 125/122R	CVP THRT26R	8 1/2J	32.56	11.50	15.7	RWL
	LT295/70R18	10PR 129/126Q	CVP THRT37R	8 1/2J	34.29	11.77	15.7	RWL
	33X12.50R18LT	10PR 118Q	CVP THRT03R	10J	32.52	12.50	15.7	RWL
	33X12.50R18LT	10PR 118Q	SVP THRT03	10J	32.52	12.50	15.7	BLK
	35X12.50R18LT	10PR 123R	CVP THRT04R	10J	34.52	12.50	15.7	RWL



VENOM POWER

VENOM POWER



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
20"	275/60R20	115T	CVP THRT30R	8J	32.99	10.98	12.2	RWL
	275/60R20	115T	SVP THRT30	8J	32.99	10.98	12.2	BLK
	LT275/55R20	10PR 120/117S	CVP THRT05	8 1/2J	31.89	11.18	15.7	BLK
	LT275/55R20	10PR 120/117S	SVP THRT05	8 1/2J	31.89	11.18	15.7	BLK
	LT275/60R20	10PR 123/120R	SVP THRT24	8J	32.99	10.98	15.7	BLK
	LT275/60R20	10PR 123/120R	CVP THRT24R	8J	32.99	10.98	15.7	RWL
	LT285/55R20	10PR 122/119Q	CVP THRT06R	9J	32.36	11.69	15.7	RWL
	LT285/55R20	10PR 122/119Q	SVP THRT06	9J	32.36	11.69	15.7	BLK
	LT285/60R20	10PR 125/122R	CVP THRT07R	8 1/2J	33.46	11.50	15.7	RWL
	33X11.50R20LT	10PR 118Q	CVP THRT08R	9J	32.52	11.42	15.7	RWL
	33X11.50R20LT	10PR 118Q	SVP THRT08	9J	32.52	11.42	15.7	BLK
	33X12.50R20LT	10PR 114Q	SVP THRT01	10J	32.52	12.50	17.0	BLK
	33X12.50R20LT	12PR 119Q	SVP THRT10	10J	32.52	12.50	17.0	BLK
	33X12.50R20LT	10PR 114Q	CVP THRT01R	10J	32.52	12.50	17.0	RWL
	33X12.50R20LT	12PR 119Q	CVP THRT10R	10J	32.52	12.50	17.0	RWL
	35X12.50R20LT	10PR 121Q	CVP THRT11R	10J	34.52	12.50	15.7	RWL
	35X12.50R20LT	12PR 125Q	CVP THRT12R	10J	34.52	12.50	15.7	RWL
	37X12.50R20LT	12PR 128Q	CVP THRT20R	10J	36.52	12.50	15.7	RWL
	37X13.50R20LT	10PR 127Q	CVP THRT31R	11J	36.52	13.58	15.7	RWL
	37X13.50R20LT	12PR 128Q	CVP THRT13R	11J	36.52	13.58	15.7	RWL
22"	33X12.50R22LT	10PR 109R	CVP THRT14	10J	32.52	12.45	17.0	BLK
	33X12.50R22LT	12PR 114Q	CVP THRT15	10J	32.52	12.45	17.0	BLK
	33X12.50R22LT	10PR 109R	SVP THRT14	10J	32.52	12.45	17.0	BLK
	33X12.50R22LT	12PR 114Q	SVP THRT15	10J	32.52	12.45	17.0	BLK
	35X12.50R22LT	10PR 117R	CVP THRT16R	10J	34.52	12.50	15.7	RWL
	35X12.50R22LT	12PR 121Q	CVP THRT17R	10J	34.52	12.50	15.7	RWL
	37X12.50R22LT	12PR 127Q	CVP THRT19R	10J	36.52	12.50	15.7	RWL
	37X13.50R22LT	10PR 123Q	CVP THRT21R	11J	36.52	13.58	15.7	RWL
	37X13.50R22LT	12PR 128Q	CVP THRT18R	11J	36.52	13.58	15.7	RWL

† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.



TRAIL HUNTER ATX

ON- AND OFF-ROAD MAX TRACTION ALL-TERRAIN TIRE

The Trail Hunter ATX packs serious traction without the noise, offering a perfect balance of performance and comfort for your daily commuter truck or SUV. Built for versatility, it's ready to tackle any terrain with confidence.



- Advanced all-terrain tread compound for extended treadlife and superior on- and off-road grip.
- Tread pattern and pitch variation minimize road noise, ensuring a smoother highway ride and increased comfort for all occupants.
- Deep, multi-functional tread grooves and siping deliver enhanced traction across diverse road conditions.
- Stepped shoulder lugs provide extra biting edges for improved traction on rocky terrain.
- Extensive block siping along the tire circumference enhances handling stability, grip, and braking in winter and wet conditions.
- Mud and stone ejectors between tread blocks prevent buildup and stone drilling.
- Dual sidewall design offers two stylish looks while delivering added off-road traction and sidewall armor.
- Available in 20-inch and 22-inch light truck sizes.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
20"	LT285/55R20	10PR122/119Q	VP THATX01	9J	32.36	11.69	15.1	BLK
	33X12.50R20LT	10PR114Q	VP THATX02	10J	32.52	12.50	14.7	BLK
	33X12.50R20LT	12PR119Q	VP THATX03	10J	32.52	12.50	14.7	BLK
22"	33X12.50R22LT	10PR109R	VP THATX06	10J	32.52	12.45	14.5	BLK



† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.



TRAIL HUNTER ATS

ALL-TERRAIN PERFORMANCE TIRE FOR CROSSOVERS AND LIGHT TRUCKS

Introducing the Trail Hunter ATS, a hybrid tire crafted for light trucks, SUVs, and crossover vehicles. Offering superior all-terrain traction without compromising street performance, it instills confidence in various weather conditions and off-road adventures while ensuring a smooth and quiet ride on pavement.



- Evenly spaced tread blocks and intermediate void-to-lug ratio for balanced on- and off-road performance for light trucks, SUVs, and crossovers.
- ATS siping in tread block grooves enhances wet and winter driving traction.
- Dual-stage shoulder lugs improve biting edges on rocky terrain.
- Computer-aided variable block pitch, spacing, and arrangement minimize road noise, ensuring a smoother and more comfortable ride for both drivers and passengers.
- A binary sidewall design with 3-dimensional wedge-shaped lugs on one side and swooping convex fang-shaped lugs on the opposite side, offers enthusiasts aesthetic options for their vehicles.
- Available in 20-inch and 22-inch light truck (LT) sizes, and 17-inch to 24-inch P-Metric sizes.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
17"	245/65R17	107H	VPHTATS06	7J	29.53	9.76	10.6	BLK
	245/60R18	105H	VPHTATS07	7J	29.57	9.76	11.0	BLK
18"	255/55R18	113V XL	VPHTATS08A	8J	29.02	10.43	11.0	BLK
	255/65R18	111H	VPHTATS09	7 1/2J	31.06	10.24	11.0	BLK
	235/55R19	105V XL	VPHTATS10	7 1/2J	29.17	9.65	11.0	BLK
19"	245/55R19	103V	VPHTATS11	7 1/2J	29.65	9.96	11.0	BLK
	255/55R19	111V XL	VPHTATS12	8J	30.04	10.43	11.0	BLK
	245/50R20	106H XL	VPHTATS13	7 1/2J	29.69	9.96	11.0	BLK
20"	255/50R20	109T XL	VPHTATS14	8J	30.08	10.43	11.0	BLK
	255/55R20	110H XL	VPHTATS15	8J	31.02	10.43	11.0	BLK
	265/50R20	111H XL	VPHTATS16	8 1/2J	30.47	10.91	11.0	BLK
	275/45R20	110H XL	VPHTATS17	9J	29.76	10.75	11.0	BLK
	275/55R20	117T XL	VPHTATS18	8 1/2J	31.89	11.18	11.0	BLK
	LT285/55R20	10PR 122/119Q	VPHTATS01	9J	32.36	11.69	13.9	BLK
	33X12.50R20LT	10PR 114R	VPHTATS02	10J	32.52	12.50	14.5	BLK
	33X12.50R20LT	12PR 119R	VPHTATS03	10J	32.52	12.50	14.5	BLK
22"	265/35R22	102V XL	LVPHATS22	9 1/2J	29.33	10.67	11.0	BLK
	275/45R22	112H XL	VPHTATS19	9J	31.77	10.75	11.0	BLK
	285/45R22	114H XL	VPHTATS20	9 1/2J	32.09	11.22	11.0	BLK
	305/40R22	114V XL	LVPHATS23	11J	31.61	12.32	11.0	BLK
24"	305/35R24	112H XL	VPHTATS21	11J	32.44	12.32	11.0	BLK

† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.



LIGHT TRUCK WINTER TIRE

UNLEASH THE APEX PREDATOR WITHIN YOUR DRIVE WITH THE ICE HUNTER WTS LIGHT TRUCK TIRE. INSPIRED BY THE SHARK, NATURE'S ULTIMATE PREDATOR, THIS TIRE CONQUERS WINTER DRIVING CONDITIONS WITH UNPARALLELED POWER AND CONTROL. FEATURING A STUDDABLE, ASYMMETRICAL TREAD BLOCK DESIGN, IT DELIVERS EXCEPTIONAL ON-HIGHWAY PERFORMANCE WITHOUT SACRIFICING OFF-ROAD CAPABILITIES. THE TIRE'S AGGRESSIVE PROFILE, COMPLETE WITH SHARK-INSPIRED FIN MARKINGS AND SHARK TEETH CIRCLING THE BEAD, REINFORCES ITS DOMINANCE. ENGINEERED FOR SUPREMACY IN WINTER CONDITIONS, THE ICE HUNTER WTS PROVIDES EXCEPTIONAL TRACTION, HANDLING, AND DURABILITY, MAKING IT THE TOP PREDATOR OF WINTER TIRES.

ICE HUNTER WT



ICE HUNTER WTS

LIGHT TRUCK WINTER TIRE

- Facebook
venompowertires
- Instagram
venompowertires
- TikTok
venompowertires



- The Ice Hunter WTS is M+S and 3PMSF certified for reliable performance in severe winter conditions.
- Advanced winter tread compound enhances traction and balance in winter driving conditions.
- Asymmetrical tread block geometry ensures high levels of highway performance without compromising off-road capabilities.
- Wide circumferential and lateral grooves are designed to efficiently evacuate water and slush, minimizing aquaplaning and slushplaning.
- Increased sipe density and ripple design enhance the biting edge for additional handling stability.
- Large shoulder blocks improve responsiveness during cornering.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
16"	235/65R16C	10PR 118/116R	VPWTS23	7J	28.03	9.45	14.20	BLK
	LT265/70R17	10PR 123/120R	VPWTS24	8J	31.65	10.71	14.20	BLK
17"	LT285/70R17	10PR 126/123R	VPWTS25	8 1/2J	32.76	11.50	14.20	BLK
	33X12.50R17LT	10PR 120R	VPWTS26	10J	32.52	12.50	15.50	BLK
	35X12.50R17LT	10PR 125R	VPWTS27	10J	34.52	12.50	15.50	BLK
18"	LT275/65R18	10PR 123/120R	VPWTS29	8J	32.09	10.98	14.20	BLK
	LT275/70R18	10PR 125/122R	VPWTS28	8J	33.19	10.98	14.20	BLK
	33X12.50R18LT	10PR 118Q	VPWTS30	10J	32.52	12.50	15.50	BLK
19"	35X12.50R18LT	10PR 123R	VPWTS31	10J	34.52	12.50	15.50	BLK
	235/50R19	103H XL	VPWTS38	7 1/2J	28.30	9.64	12.00	BLK
	235/55R19	105H XL	VPWTS39	7 1/2J	29.17	9.65	12.00	BLK
20"	245/50R20	102T	VPWTS18	7 1/2J	29.69	9.96	12.00	BLK
	255/50R20	109H XL	VPWTS40	8J	30.07	10.43	12.00	BLK
	255/55R20	110H XL	VPWTS41	8J	31.02	10.43	12.00	BLK
	265/50R20	107T	VPWTS19	8 1/2J	30.47	10.91	12.00	BLK
	275/55R20	117TXL	VPWTS20	8 1/2J	31.89	11.18	12.00	BLK
	275/60R20	115T	VPWTS21	8J	32.99	10.98	12.00	BLK
	LT275/65R20	10PR 126/123R	VPWTS37	8J	34.09	10.98	14.20	BLK
	33X12.50R20LT	10PR 114Q	VPWTS32	10J	32.52	12.50	16.70	BLK
	35X12.50R20LT	10PR 121Q	VPWTS33	10J	34.52	12.50	15.50	BLK
22"	37X13.50R20LT	10PR 127Q	VPWTS36	11J	36.52	13.58	16.70	BLK
	275/40R22	107HXL	VPWTS42	9 1/2J	30.67	10.94	12.00	BLK
	285/45R22	114TXL	VPWTS22	9 1/2J	32.09	11.22	12.00	BLK
	33X12.50R22LT	10PR 109R	VPWTS34	10 1/2J	32.52	12.45	16.70	BLK
	35X12.50R22LT	10PR 117R	VPWTS35	10J	34.52	12.50	15.50	BLK

* Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.



VENOM POWER

VENOM POWER

An aerial photograph of a two-lane asphalt road with a white car driving away. The road is flanked by dense green trees. On the right side of the road, a large, detailed image of a Venom Power Ragnarok GT tire is shown, highlighting its tread pattern.

ALL-SEASON HIGH PERFORMANCE TIRE

WIELD THE POWER AND PERFORMANCE OF VENOM POWER'S RAGNAROK GTS. THIS HIGH-PERFORMANCE, ALL-SEASON TIRE FEATURES A STRIKING SIDEWALL DESIGN AND NEXT-GEN TREAD PATTERN WHICH ELEVATES YOUR VEHICLE'S AESTHETICS WHILE DELIVERING EXCEPTIONAL PERFORMANCE YEAR-ROUND. ENGINEERED FOR THOSE WHO DEMAND EXCELLENCE, THE RAGNAROK GTS ENABLES YOU TO CONQUER CHALLENGING ROAD CONDITIONS WITH UNPARALLELED GRIP, CONTROL, AND DURABILITY, TRANSFORMING EVERY DRIVE INTO A THRILLING SAGA OF POWER AND PRECISION.

RAGNAROK GT

RAGNAROK GT S

ALL-SEASON HIGH PERFORMANCE TIRE

- Facebook
venompowertires
- Instagram
venompowertires
- TikTok
venompowertires



- Asymmetrical tread block geometry for even wear, durability, and high-level highway performance.
- Large directional shoulder blocks for enhanced braking and cornering responsiveness.
- Edge block siping along both shoulders for additional handling stability.
- Wide circumferential and lateral grooves that efficiently channel water away to minimize hydroplaning, providing confidence on wet roads.
- Available in a wide range of sizes (17" to 28") to fit sport coupes, luxury sedans, crossovers, light trucks, and SUVs.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
17"	215/55ZR17	98WXL	TVPGTS42	7J	26.30	8.90	10.3	BLK
	315/35ZR17	102W	TVPGTS78	11J	25.67	12.60	10.1	BLK
18"	245/45ZR18	100W XL	TVPGTS43	8J	26.65	9.57	10.3	BLK
	255/50R18	106V XL	TVPGTS76	8J	28.07	10.43	9.1	BLK
19"	225/35ZR19	88W XL	TVPGTS85	8J	26.22	9.06	10.1	BLK
	225/30ZR20	85W XL	CVPGTS22	8J	25.35	9.06	10.3	BLK
20"	235/30ZR20	88W XL	CVPGTS23	8 1/2J	25.59	9.49	10.1	BLK
	235/35ZR20	92W XL	CVPGTS24	8 1/2J	26.46	9.49	10.3	BLK
	245/30ZR20	90W XL	CVPGTS25	8 1/2J	25.83	9.76	10.3	BLK
	245/35ZR20	95W XL	CVPGTS02	8 1/2J	26.77	9.76	10.3	BLK
	245/40ZR20	99W XL	TVPGTS44	8 1/2J	27.72	9.76	10.3	BLK
	245/45ZR20	103W XL	TVPGTS45	8J	28.66	9.57	10.3	BLK
	255/30ZR20	92W XL	CVPGTS26	9J	26.06	10.24	10.1	BLK
	275/30ZR20	97W XL	TVPGTS46	9 1/2J	26.54	10.94	10.3	BLK
	275/35ZR20	102W XL	TVPGTS47	9 1/2J	27.56	10.94	10.3	BLK
	275/40ZR20	106W XL	TVPGTS48	9 1/2J	28.66	10.94	10.3	BLK
	275/55R20	117H XL	TVPGTS49	8 1/2J	31.89	11.18	10.3	BLK
	275/60R20	116H XL	TVPGTS50	8J	32.99	10.98	10.3	BLK
	285/25ZR20	93W XL	CVPGTS27	10 1/2J	25.59	11.61	10.1	BLK
	285/30ZR20	99W XL	TVPGTS51	10J	26.77	11.42	10.3	BLK
	285/35ZR20	104Y XL	TVPGTS52	10J	27.87	11.42	10.3	BLK
	295/25ZR20	95W XL	CVPGTS28	10 1/2J	25.83	11.85	10.1	BLK
	295/30ZR20	101Y XL	CVPGTS29	10 1/2J	27.01	11.85	10.1	BLK
	305/50R20	120H XL	CVPGTS30	9 1/2J	32.05	12.44	10.1	BLK
315/35ZR20	110W XL	TVPGTS53	11J	28.66	12.60	10.3	BLK	
33X12.50R20LT	12PR 119R	TVPGTS01	10J	32.52	12.50	13.9	BLK	



VENOM POWER

VENOM POWER



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
22"	225/30ZR22	87W XL	CVPGTS04	8J	27.36	9.06	10.3	BLK
	235/30ZR22	90W XL	CVPGTS05	8 1/2J	27.60	9.49	10.3	BLK
	245/30ZR22	92W XL	CVPGTS06	8 1/2J	27.83	9.76	10.3	BLK
	255/30ZR22	95W XL	CVPGTS07	9J	28.07	10.24	10.3	BLK
	265/30ZR22	97W XL	CVPGTS08	9 1/2J	28.31	10.67	10.3	BLK
	265/35R22	102V XL	TVPGTS54	9 1/2J	29.33	10.67	10.3	BLK
	275/25ZR22	93Y XL	CVPGTS31	10J	27.44	11.14	10.1	BLK
	275/40ZR22	107Y XL	CVPGTS11	9 1/2J	30.67	10.94	10.3	BLK
	285/25ZR22	95W XL	CVPGTS32	10 1/2J	27.60	11.61	10.1	BLK
	285/35R22	106V XL	CVPGTS10	10J	29.88	11.42	10.3	BLK
	285/40ZR22	110W XL	CVPGTS12	10J	30.98	11.42	10.3	BLK
	285/45R22	114V XL	TVPGTS55	9 1/2J	32.09	11.22	10.3	BLK
	295/25ZR22	97W XL	CVPGTS03	10 1/2J	27.83	11.85	10.3	BLK
	295/30ZR22	103W XL	CVPGTS09	10 1/2J	29.02	11.85	10.3	BLK
	305/30ZR22	105Y XL	CVPGTS33	11J	29.25	12.32	10.1	BLK
	305/35ZR22	110W XL	CVPGTS34	11J	30.43	12.32	10.1	BLK
	305/40R22	114V XL	TVPGTS56	11J	31.61	12.32	10.3	BLK
	305/45R22	118V XL	TVPGTS57	10J	32.80	11.93	10.3	BLK
	315/25ZR22	101Y XL	CVPGTS35	11 1/2J	28.23	12.80	10.1	BLK
	315/30ZR22	107Y XL	CVPGTS36	11J	29.49	12.60	10.1	BLK
24"	245/30ZR24	94W XL	CVPGTS13	8 1/2J	29.84	9.76	10.3	BLK
	255/25ZR24	91W XL	TVPGTS79	9J	28.82	10.79	10.1	BLK
	255/30ZR24	97W XL	TVPGTS58	9J	30.08	10.24	10.3	BLK
	275/23ZR24	93W XL	TVPGTS80	10J	28.90	11.73	10.1	BLK
	275/25ZR24	96W XL	TVPGTS59	10J	29.45	11.14	10.3	BLK
	275/30ZR24	101W XL	CVPGTS14	9 1/2J	30.55	10.94	10.3	BLK
	275/35ZR24	106W XL	CVPGTS37	9 1/2J	31.57	10.94	10.1	BLK
	285/35R24	108V XL	CVPGTS38	10J	31.89	11.42	10.1	BLK
	285/40R24	112V XL	CVPGTS17	10J	32.99	11.42	10.3	BLK
	295/30R24	105V XL	CVPGTS15	10 1/2J	31.02	11.85	10.3	BLK
	295/35R24	110V XL	CVPGTS16	10 1/2J	32.13	11.85	10.3	BLK
	305/35R24	112V XL	TVPGTS60	11J	32.44	12.32	10.3	BLK

WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
24"	405/25ZR24	116W XL	CVPGTS42	14 1/2J	31.97	16.34	11.1	BLK
	33X13.50R24LT	12PR 113S	CVPGTS21	12 1/2J	32.52	13.58	13.9	BLK
26"	255/30ZR26	99W XL	CVPGTS39	9J	32.09	10.24	10.1	BLK
	295/25ZR26	102W XL	CVPGTS40	10 1/2J	31.81	11.85	10.1	BLK
	295/30ZR26	107W XL	CVPGTS18	10 1/2J	32.99	11.85	10.3	BLK
28"	305/30ZR26	109W XL	CVPGTS19	11J	33.23	12.32	10.3	BLK
	255/30ZR28	101W XL	TVPGTS77	9J	34.09	10.24	10.1	BLK
	275/25ZR28	101W XL	CVPGTS41	10J	33.46	11.14	10.1	BLK
	295/25ZR28	103W XL	CVPGTS20	10 1/2J	33.82	11.85	10.3	BLK

† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.



COVERT GRIP ASP

ALL-SEASON ULTRA-HIGH-PERFORMANCE (UHP)

The Venom Power Covert Grip ASP is an all-season ultra-high-performance (UHP) tire engineered to provide exceptional handling and grip in all weather conditions for a variety of vehicles, including passenger cars, crossovers, and SUVs. This is achieved through its unique asymmetrical tread design, where the inner and outer tread patterns differ to optimize performance based on the specific contact patch area.



- Innovative tread compound delivers high grip and braking performance in both wet and dry conditions.
- Unique tread block design enhances comfort and reduces harmonic road noise for a quieter ride.
- Dual circumferential grooves effectively channels water and slush away from the tread surface, maintaining contact with the road for improved wet and light snow traction.
- Zigzag-shaped grooves (Inner Tread) efficiently evacuates slush and snow for enhanced winter performance.
- High-density sipes throughout the tread surface, these small slits provide additional biting edges for improved wet traction.
- Applications to fit wheels with diameters ranging from 16 inches to 24 inches.

WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
16"	205/55R16	91V	VPCGASP02	6 1/2J	24.88	8.43	10.0	BLK
	205/50R17	93V XL	VPCGASP01	6 1/2J	25.12	8.43	10.0	BLK
	215/45R17	91V XL	VPCGASP03	7J	24.65	8.39	10.0	BLK
17"	215/50R17	91V	VPCGASP04	7J	25.51	8.90	10.0	BLK
	215/55R17	94V	VPCGASP05	7J	26.30	8.90	10.0	BLK
	225/45ZR17	94W XL	VPCGASP08	7 1/2J	24.96	8.86	10.0	BLK
	225/50R17	94V	VPCGASP11	7J	25.90	9.17	10.0	BLK
	225/55R17	101V XL	VPCGASP12	7J	26.77	9.17	10.0	BLK
	235/45R17	97V XL	VPCGASP15	8J	25.35	9.29	10.0	BLK
	235/50R17	96V	VPCGASP18	7 1/2J	26.30	9.65	10.0	BLK
18"	225/40ZR18	92W XL	VPCGASP06	8J	25.08	9.06	10.0	BLK
	225/45ZR18	95W XL	VPCGASP09	7 1/2J	25.94	8.86	10.0	BLK
	235/40ZR18	95W XL	VPCGASP14	8 1/2J	25.39	9.49	10.0	BLK
	235/45ZR18	94W	VPCGASP16	8J	26.34	9.29	10.0	BLK
	235/50ZR18	101W XL	VPCGASP19	7 1/2J	27.28	9.65	10.0	BLK
	235/55R18	104V XL	VPCGASP20	7 1/2J	28.15	9.65	10.0	BLK
	245/40ZR18	97W XL	VPCGASP23	8 1/2J	25.71	9.76	10.0	BLK
	245/45R18	100V XL	VPCGASP26	8J	26.65	9.57	10.0	BLK
	225/40ZR19	93W XL	VPCGASP07	8J	26.10	9.06	10.0	BLK
19"	225/45ZR19	96W XL	VPCGASP10	7 1/2J	26.97	8.86	10.0	BLK
	235/40R19	96V XL	VPCGASP13	8 1/2J	26.42	9.49	10.0	BLK
	235/45ZR19	95W	VPCGASP17	8J	27.36	9.29	10.0	BLK
	245/35ZR19	93W XL	VPCGASP21	8 1/2J	25.79	9.76	10.0	BLK
	245/40ZR19	94W	VPCGASP24	8 1/2J	26.73	9.76	10.0	BLK
	245/45ZR19	98W	VPCGASP27	8J	27.68	9.57	10.0	BLK
	245/35ZR20	95W XL	VPCGASP22	8 1/2J	26.77	9.76	10.0	BLK
20"	245/40ZR20	99W XL	VPCGASP25	8 1/2J	27.72	9.76	10.0	BLK
	245/45ZR20	103W XL	VPCGASP28	8J	28.66	9.57	10.0	BLK
	275/40ZR20	106W XL	VPCGASP32	9 1/2J	28.66	10.94	10.0	BLK
	315/35ZR20	110W XL	VPCGASP37	11J	28.66	12.60	10.0	BLK
	265/35R22	102V XL	VPCGASP30	9 1/2J	29.33	10.67	10.0	BLK
22"	285/45R22	114V XL	VPCGASP33	9 1/2J	32.09	11.22	10.0	BLK
	305/40R22	114V XL	VPCGASP35	11J	31.61	12.32	10.0	BLK
	305/45R22	118V XL	VPCGASP36	10J	32.80	11.93	10.0	BLK
24"	305/35R24	112V XL	VPCGASP34	11J	32.44	12.32	10.0	BLK



COVERT GRIP CV

ALL-SEASON PERFORMANCE TIRE

The Covert Grip CV is an all-season tire designed to balance a quiet and comfortable ride with good wet and dry braking performance for passenger cars, crossovers, and SUVs. Its newly developed tread compound and optimized carcass construction promote exceptional tread wear and reduced rolling resistance.



- Solid and uniform center rib design ensures even contact pressure, enhancing braking, handling, and stability.
- Multi-directional sipes on center rib improves traction in wet and light snow conditions.
- Locking wave sipes on outer tread blocks optimize cornering grip and handling stability.
- Variable-pitch tread design helps cancel out harmonic road noise for a quieter ride.
- Advanced tread compound is formulated to deliver exceptional tread life.
- Applications fit wheels with diameters ranging from 16 inches to 20 inches.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
15"	P235/75R15	105S	VPCGCV15	6 1/2J	28.86	9.25	8.9	BLK
	215/70R16	100H	VPCGCV02	6 1/2J	27.87	8.70	11.1	BLK
16"	225/70R16	103H	VPCGCV06	6 1/2J	28.43	8.98	11.1	BLK
	235/70R16	106H	VPCGCV14	7J	28.98	9.45	11.1	BLK
	215/65R17	99V	VPCGCV01	6 1/2J	28.03	8.70	11.1	BLK
17"	225/60R17	99V	VPCGCV04	6 1/2J	27.64	8.98	11.1	BLK
	225/65R17	102H	VPCGCV05	6 1/2J	28.50	8.98	11.1	BLK
	235/65R17	108V XL	VPCGCV12	7J	29.06	9.45	11.1	BLK
	245/65R17	111H XL	VPCGCV20	7J	29.53	9.76	11.1	BLK
	235/50R18	97V	VPCGCV07	7 1/2J	27.28	9.65	11.1	BLK
18"	235/55R18	100V	VPCGCV08	7 1/2J	28.15	9.65	11.1	BLK
	235/60R18	107V XL	VPCGCV11	7J	29.09	9.45	11.1	BLK
	235/65R18	106V	VPCGCV13	7J	30.04	9.45	11.1	BLK
	245/60R18	105V	VPCGCV19	7J	29.57	9.76	11.1	BLK
	255/65R18	111H	VPCGCV22	7 1/2J	31.06	10.24	11.1	BLK
	265/60R18	110T	VPCGCV24	8J	30.51	10.71	11.1	BLK
	225/55R19	99V	VPCGCV03	7J	28.78	9.17	11.1	BLK
19"	235/55R19	105V XL	VPCGCV09	7 1/2J	29.17	9.65	11.1	BLK
	245/45R19	102V XL	VPCGCV16	8J	27.68	9.57	11.1	BLK
	245/55R19	103V	VPCGCV18	7 1/2J	29.65	9.96	11.1	BLK
20"	235/55R20	102V	VPCGCV10	7 1/2J	30.16	9.65	11.1	BLK
	245/50R20	102V	VPCGCV17	7 1/2J	29.69	9.96	11.1	BLK
	255/50R20	109V XL	VPCGCV21	8J	30.08	10.43	11.1	BLK
	265/50R20	111V XL	VPCGCV23	8 1/2J	30.47	10.91	11.1	BLK
22"	275/50R22	111H	VPCGCV25	8 1/2J	32.87	11.18	11.1	BLK

† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.



COVERT GRIP H/T

ALL-SEASON HIGHWAY-TERRAIN FOR MODERN TRUCKS AND SUVs

The Venom Power Covert Grip H/T is an all-season highway-terrain tire designed for year-round performance on modern light trucks and SUVs. It prioritizes a smooth, comfortable ride and long tread life, while maintaining excellent wet traction and handling, making it a great choice for drivers who demand all-weather capability without sacrificing comfort.




- Reinforced construction enhances handling and increases load capacity (refer to the tire's load rating for details).
- Low-rolling-resistance tread compound promotes even wear and extends the tire's lifespan.
- Waved shoulder sipes and wide grooves efficiently channel water away from the contact patch, improving wet braking and hydroplaning resistance.
- Variable-pitch tread design minimizes road noise on the three center ribs for a quieter, more comfortable ride.
- Offered in a wide range of 30 P-Metric/LT-Metric sizes, covering 16-inch to 20-inch wheel diameters. This ensures you can find the right fit for your vehicle. Additionally, it comes backed by a manufacturer's limited warranty of 50,000 miles.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
16"	235/65R16C	10PR 121/119R	VPCGHT11	7J	28.03	9.45	13.0	BLK
	255/70R16	111T	VPCGHT02	7 1/2J	30.08	10.24	12.2	RWL
	265/70R16	112T	VPCGHT03	8J	30.63	10.71	12.2	RWL
	LT215/85R16	10PR 115/112Q	VPCGHT12	6J	30.39	8.50	14.0	BLK
	LT225/75R16	10PR 115/112R	VPCGHT13	6J	29.29	8.78	14.0	BLK
	LT235/85R16	10PR 120/116Q	VPCGHT14	6 1/2J	31.73	9.25	14.0	BLK
17"	LT245/75R16	10PR 120/116R	VPCGHT15	7J	30.47	9.76	14.0	BLK
	245/70R17	110T	VPCGHT04	7J	30.55	9.76	12.2	RWL
	265/70R17	115T	VPCGHT05	8J	31.65	10.71	12.2	RWL
18"	LT245/70R17	10PR 119/116R	VPCGHT16	7J	30.55	9.76	14.0	BLK
	265/60R18	110T	VPCGHT06	8J	30.51	10.71	12.2	BLK
20"	275/65R18	116T	VPCGHT07	8J	32.09	10.98	12.2	BLK
	275/55R20	117T XL	VPCGHT08	8 1/2J	31.89	11.18	12.2	BLK
22"	275/60R20	115T	VPCGHT09	8J	32.99	10.98	12.2	BLK
	285/45R22	114H XL	VPCGHT10	9 1/2J	32.09	11.22	12.2	BLK

† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies and as such the information should be considered as approximate.



GRAND AM

Embrace the legacy of classic cars with the Venom Power Grand Am tire. This grand touring tire delivers exceptional durability for everyday driving while offering two distinct sidewall options to perfectly complement your classic car's look:

Raised White Lettering (RWL): Capture the iconic muscle car aesthetic with bold raised white lettering on the sidewall. This design harkens back to the golden age of muscle, adding a touch of timeless style to your ride.

White Wall (WW): Reimagine the vintage grandeur of wide whitewall tires. The Venom Power Grand Am's White Wall option creates a clean, two-toned aesthetic that evokes the era of chrome and fins.



- Grand touring performance: Enjoy a smooth, comfortable, and quiet ride with excellent handling for confident cruising.
- All-season capability: Maintain traction in various weather conditions with a timeless symmetrical tread pattern featuring modern high-performance compound and four grooves that direct water away to keep you on the road year-round.
- Durable radial construction: Experience long-lasting wear and uniformity for countless miles behind the wheel.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
13"	155/80R13	79S	VPGAM06	4.50B	22.76	6.18	10.1	WSW
14"	175/70R14	84S	VPGAM05	5J	23.70	6.97	10.1	WSW
15"	235/70R15	106T XL	VPGAM04	7J	27.99	9.45	10.1	RWL
	255/70R15	112T XL	VPGAM03	7 1/2J	29.09	10.24	10.1	RWL
	275/60R15	107T	VPGAM02	8J	27.99	10.98	10.1	RWL
	295/50R15	108S	VPGAM01	9 1/2J	26.65	12.17	10.1	RWL

† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.

Van-Co ALLSeason

ALL-SEASON COMMERCIAL VAN TIRE

Built to handle the demanding workloads of commercial vans, the all-position Van-Co ALLSeason tires deliver exceptional mileage and durability for applications like delivery hauling, passenger transportation, and other commercial uses. The commercial-grade construction enhances tread life and withstands the rigors of everyday use. In addition, the all-season tread design provides confident handling on dry and wet roads.



- Durable construction minimizes downtime with a robust construction designed for commercial applications.
- Long-wearing tread compound engineered to resist wear and tear on city and residential streets.
- Three deep circumferential grooves efficiently channel water and slush away from the tread, improving hydroplaning resistance.
- Wide tread blocks and a closed shoulder design ensure confident handling and stability, even when fully loaded.
- Sipes throughout the tread provide biting edges for all-weather grip, including wet and light snow conditions, for enhanced braking performance.
- Deep tread depth delivers extended service life, reducing tire replacement frequency.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
16"	195/75R16C	10PR 112/110R	TVPVANC02	5.5J	27.48	7.72	11.4	BLK
	235/65R16C	12PR 122/120R	TVPVANC01	7J	28.03	9.44	11.4	BLK

† Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.

AT-Co ALLSeason

HEAVY-DUTY ALL-TERRAIN COMMERCIAL TIRE

The Venom Power AT-Co ALLSeason is a drive-position heavy-duty all-terrain tire built for commercial vehicles' most challenging jobs in all-weather and off-road terrain conditions. Designed for long service life, on-road stability, durability, and enhanced off-road traction on rain, mud, and snow, the Venom Power AT-Co ALLSeason provides heavy-duty truck owners with dependable year-round performance.



- Unique drive-position tread pattern that can also be used as an all-position tire for versatility.
- Durable tread compound designed to resist irregular wear and tear from scrubbing.
- Siped tread blocks for increased wet and snow traction and shorter braking distances in all-season conditions.
- Three circumferential grooves for enhanced water and slush evacuation to reduce the risk of hydroplaning.
- Aggressive all-terrain lug design and deep tread blocks for improved handling on rough terrain.
- Deep tread depth to provide long tire life and reduce replacement frequency.
- Three-Peak Mountain Snowflake (3PMSF) rated for severe snow service conditions, providing year-round confidence.



WHEEL DIAMETER	SIZE	L.S	PARTS NUMBER	STANDARD RIM	OD INCH	SW INCH	TD 32ND	SIDEWALL
19.5"	225/70R19.5	14PR 128/126 M	TVPATC01	6.75	31.93	8.90	19.0	BLK
	245/70R19.5	16PR 135/133 M	TVPATC02	7.50	33.03	9.76	19.0	BLK

✦ Every effort has been made to verify the accuracy of the listed specifications. Transamerica Tire cannot be held responsible for any discrepancies, and as such the information should be considered as approximate.

LIGHT TRUCK & PASSENGER CAR TIRE

LIMITED WARRANTY

STANDARD COVERAGE

If your VENOM POWER tire becomes unserviceable as a result of an eligible adjustable condition during the first 10% of tread life, the owner will be compensated 100% of the value of the tire. After that amount, VENOM POWER will offer a prorated mileage credit, down to 25% remaining tread depth, towards purchasing a comparable VENOM POWER brand tire. The owner must pay for mounting, balancing, and any other additional charges, such as taxes and freight. VENOM POWER shall not be responsible for any other fees incurred as a part of any exchange, labor, or additional costs resulting from this guarantee. VENOM POWER shall not be responsible for any damage or other issues caused by the improper installation (including any of the exclusions below), balancing, or selection of tire—including the selection of size, specification, type, or use of such tire (including those obligations under the “Owner’s Obligations section below”) that the manufacturer of your vehicle does not recommend. All terms and conditions of this guarantee are limited to the terms and conditions contained in this guarantee.

VENOM POWER tires include the Standard Coverage and the additional coverages listed below.

MILEAGE WARRANTY

- 50,000 miles tread life warranty for Terra Hunter X/T, X/T2, R/T, and R/T+ 22-inch and smaller sizes, and 13.5-inch wide or less.
- 50,000 miles tread life warranty for Trail Hunter R/T 22-inch and smaller sizes, and 13.5-inch wide or less.
- 55,000 miles tread life warranty for Swampthing A/T 22-inch and smaller sizes, and 13.5-inch wide or less.
- 50,000 miles tread life warranty for Ragnarok GTS UHP 35-series and above aspect ratio and 22-inch and below sizes.
- **50,000 miles tread life warranty for COVERT GRIP ASP, COVERT GRIP CV, COVERT GRIP H/T**
- Vehicles with staggered fitments, where the front and rear tires have different tire sizes, cannot be rotated. VENOM POWER warrants tires mounted on the rear axle of vehicles with staggered fitments only up to 50% of the warranted miles under our standard mileage warranty for specific tire models, tread patterns, and tire sizes.

VENOM POWER tires are warrantied against treadwear prior to the applicable indicated mileage for each specific tire model and size, provided that you:

1. Rotate your tires following the prescribed rotation patterns at least every 3,500 miles or less (UHP passenger car tires) or 5,000 miles or less (standard light truck tires) and have documentation showing the rotation schedule.
2. The TIRE SERVICE RECORD form filled out by the tire shop, dealer, or service department during regular routine maintenance. The required TIRE SERVICE RECORD form can be downloaded here or at the bottom of this page.
3. Present the subject tire for adjustment during regular routine maintenance.
4. Present documentation showing the rotation schedule when requesting an adjustment and the date of purchase, vehicle type, model, odometer reading, and tire pressure.

When the tread becomes worn to 2/32 inch (shown by tread wear indicators molded into the tread grooves), the tire tread shall be considered worn. The Department of Transportation specifications determine such tread wear, and in accordance with applicable laws and regulations.

4-YEAR MANUFACTURER WARRANTY

The 4-Year Manufacturer Warranty is a non-prorated replacement for any manufacturing defects in material and workmanship under normal and intended use. Non-intended uses include racing, off-road use, or competition use. If a manufacturing defect in material or workmanship occurs, the tire will be replaced at no charge, on a non-prorated basis to the consumer.

CONDITIONS AND EXCLUSIONS

VENOM POWER tire warranties are limited to the original purchaser and the original vehicle on which they are installed, and such warranties and guarantees are not assignable to subsequent purchasers or vehicles. All warranties and guarantees by VENOM POWER tires are only applicable in the United States and Canada. This warranty does not cover any tires used or equipped on a vehicle registered or operated outside the United States and Canada.

The Limited Warranty does NOT cover the following:

- Tire branded or marked “blem,” “Non-Adjustable (N/A),” or previously adjusted.
- Failure, damage, or irregular wear due to:
 - Road hazards (i.e., punctures, cuts, snags, bruises, impact breaks, etc.), wreck or collision;
 - Fire, accident, or vandalism;
 - Mechanical condition of the vehicle, including misalignment, wheel imbalance, faulty shocks or brakes;
 - Misapplication of tire or use of improper inner tube;

- Alteration of the tire or addition of foreign material.
- Use of tire chains, tire spinning, racing, off-road use, or other competitive activities.
- Non-factory vehicle staggered tire fitments.
- Costs of mounting and balancing service.
- Costs related to tire pressure monitoring systems.
- Costs related to shipping and transportation of the tire.
- Loss of time or use, inconvenience, or any incidental or consequential damages.

- Improper use or operation including, but not limited to: improper tire and vehicle maintenance, running flat or run with severe underinflation, misuse, abuse, accident fire or chemical corrosion, underinflation, overinflation, overloading, over deflection, or failure to follow recommended rotation practices.
- Improper installation, improper mounting or dismounting, misapplication, improper repairs, wheel misalignment, or imbalance in the tire/wheel assembly.
- Tire size, load, and speed rating do not match the tire specifications outlined in your vehicle owner's manual.
- Tires with the Department of Transportation (DOT) number removed or rendered illegible; tires must bear the DOT prescribed tire identification numbers.
- Ride complaints after the first 1/32nd of tread wear or due to damaged wheels or any vehicle condition.

VENOM POWER Tires does not warrant any work performed by the dealer, including, but not limited to their selection, fitment, mounting and balancing, inspection, or repair of any tire.

INELIGIBLE TIRES

Tires are not eligible for warranty if:

- The mileage and tire rotation records are not available or verifiable.
- The subject tire or tires are not presented and available for inspection at an authorized dealer.
- The subject tire or tires are worn beyond the tread wear bar indicators (less than 2/32nd of remaining tread).
- Uniformity issues after the first 1/32nd of tread wear.

CONSUMER RIGHTS

This Limited Warranty gives you specific legal rights; you may also have other rights, which vary from state to state.

VENOM POWER Tires disclaims all other warranties, express or implied, including the implied warranty of merchantability, the implied warranty of fitness for a particular purpose and liability for incidental and consequential damages (i.e., loss of time, loss of use of vehicle, road services, towing charges, inconveniences, etc.).

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusions may not apply to you.

NO ONE (including a VENOM POWER Tires employee, representative, or dealer) has the authority to vary the terms of this Limited Warranty.*

OWNER'S OBLIGATION

When making a claim, you must return the tire to be replaced to your VENOM POWER tire dealer and sign the customer signature section of the VENOM POWER Tire Claim Form.

Proper vehicle and tire care are necessary to obtain the expected wear from a tire. Therefore, it is your obligation to properly maintain your tires and the vehicle upon which they are mounted, including:

1. Operating your tires at the inflation pressures recommended by the tire and vehicle manufacturer.
2. Keeping your tire and wheel assemblies in balance.
3. Proper wheel alignment.
4. Maintaining steering and suspension components to be within manufacturer specifications.
5. Rotating your tires at least every 3,500 miles or less (UHP passenger car tires) or 5,000 miles or less (standard light truck tires).

We recommend that you have your VENOM POWER tire dealer inspect your tires any time you notice irregular or uneven tread wear and rotate them, if necessary.

Failure to follow any of the above-mentioned Owner Obligations may be considered a breach of the warranty agreement and result in the termination of the warranty agreement. Furthermore, VENOM POWER reserves the right to review each warranty claim and deny the warranty application based on failing to follow any of the above-mentioned Owner Obligations.

* VENOM POWER reserves the right to change the terms and conditions of all warranties at any time.

CLAIMS PROCESS

To make a claim under this Limited Warranty, you must:

1. Present your vehicle with the subject tires, the original copy of this Limited Warranty and the original sales invoice to an authorized VENOM POWER dealer.
2. Present your completed Tire Service Record to the authorized VENOM POWER dealer along with the other two documents in #1. For treadwear mileage warranty consideration, the Tire Service Record must show the times and places that the tire rotations were performed. VENOM POWER recommends rotations at 3,500-mile intervals or less for high-performance passenger car tires and 5,000-mile intervals or less for standard light truck tires.
3. Complete and sign the VENOM POWER Limited Warranty Claim form provided by the dealer, keep a copy for your records, and leave the tire with the dealer.
4. If you purchased the tire from an Internet or mail-order merchant, you will need to submit your claim, together with the dismantled tire, to that merchant. You are responsible for all of the costs of dismantling and shipping. Your claim will be administered in accordance with the Limited Warranty that was in effect when you purchased the tires.

FORMS (available for download on www.venompowertires.com)

Limited Warranty
Tire Service Record
Limited Warranty Claim Form

CONTACT INFORMATION

VENOM POWER TIRE
5118 Park Avenue, Suite 601
Memphis, TN 38117





Built for Adventure



TRAIL HUNTER R/T
ON- AND OFF-ROAD MAX TRACTION
RUGGED-TERRAIN TIRE



TRAIL HUNTER ATX
ON- AND OFF-ROAD MAX TRACTION ALL-TERRAIN TIRE



TRAIL HUNTER ATS
ALL-TERRAIN PERFORMANCE TIRE
FOR CROSSOVERS AND LIGHT TRUCKS



COVERT GRIP CV
ALL-SEASON PERFORMANCE TIRE



COVERT GRIP HIT
ALL-SEASON HIGHWAY-TERRAIN
FOR MODERN TRUCKS AND SUVs



GRAND AM
RAISED WHITE LETTERING (RWL)



RAGNAROK GT S
ALL-SEASON HIGH PERFORMANCE TIRE



ICE HUNTER WT S
LIGHT TRUCK WINTER TIRE



COVERT GRIP ASP
ALL-SEASON ULTRA-HIGH-PERFORMANCE (UHP)



GRAND AM
WHITE WALL (WW)



Van-Co ALLSeason
ALL-SEASON COMMERCIAL VAN TIRE



AT-Co ALLSeason
HEAVY-DUTY ALL-TERRAIN COMMERCIAL TIRE