

B.A.S.H.[®]
UNBREAKABLE[®]
HANDLE TECHNOLOGY



2016

INTRODUCING **B.A.S.H**

At Wilton, we are on a never-ending journey to create the highest quality, most indestructible tools on the market. On this journey we've managed to design and file patents for the world's most durable hammer with Unbreakable® Handle Technology, revolutionary design, and engineered no-slip rubber grip.

WITH A PRODUCT THIS INNOVATIVE, WE COULD ONLY NAME IT ONE THING... B.A.S.H - BAD ASS SLEDGE HAMMER



TESTED AND APPROVED

Tested and approved by Popular Science in 2012, the newly launched Wilton B.A.S.H Unbreakable Sledge Hammers received widespread recognition from numerous major journals and publications.



CONTENTS

FEATURES / DURABILITY COMPARISON.....	4-5
2.5lb. / 4lb. B.A.S.H HAMMERS.....	6-7
6lb. / 8lb. / 10lb. B.A.S.H HAMMERS.....	8-9
12lb. / 14lb. / 20lb. B.A.S.H HAMMERS	10-11
B.A.S.H SOFT FACE HAMMERS	12-13
B.A.S.H BRASS HAMMERS	14-15
B.A.S.H BALL AND CROSS PEIN HAMMERS.....	16-17
B.A.S.H DEAD BLOW HAMMERS	18-19
B.A.S.H SPIKE MAUL	20-21
B.A.S.H SPLITTING MAUL.....	22-23
B.A.S.H HAMMER KITS.....	24-25
B.A.S.H GUARANTEE	26-27





THE WORLD'S MOST DURABLE STRIKING TOOLS

- A: UNBREAKABLE® HANDLE TECHNOLOGY**
STEEL CORE DESIGN PREVENTS BREAKING DURING OVERSTRIKES
- B: SAFETY PLATE**
LOCKS HEAD FIRMLY TO HANDLE ELIMINATING DISLODGING
- C: NO-SLIP GRIP**
TEXTURED HANDLE FOR SECURE GRIP WHILE STRIKING
- D: TRADEMARK GREEN HEAD**
HI-VIS, DROP FORGED 46 HRC HEAD ENDURES THE MOST DEMANDING APPLICATIONS AND ADDS INSTANT IDENTIFICATION



BAD ASS... & WE'LL PROVE IT

400% TOUGHER...

STRIKE AFTER STRIKE THE RESULTS SPEAK FOR THEMSELVES

OVERSTRIKE TEST*

Number of mechanical overstrikes before handle breaks



FLAT HEAD
CONVENIENTLY DESIGNED TO STAND UPRIGHT FOR EASY REACH



ANTI-VIBE NECK
ERGONOMICALLY DESIGNED TO PREVENT INJURY FROM REPEATED JOB SITE USE



LANYARD HOLE
SAFELY SECURE SLEDGE HAMMER TO YOUR WRIST



Wilton Unbreakable® Handled Sledgehammers meet ANSI Specifications: "Hand Tools - Heavy Striking Tools Safety Requirements"

* Results based on independent laboratory testing. Chart is for visual representation only.

2.5 lb. / 4 lb. B.A.S.H. SLEDGE HAMMERS

DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification

SAFETY:

- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ERGONOMIC HANDLE** - shaped and thickened for improved comfort and less vibration
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer to wrist or stationary object

**TESTED FOR
25,000
OVERSTRIKES**



KEY APPLICATIONS

- DRIVING STAKES
- DRIVING REBAR
- METALFORMING
- SETTING BOLTS
- MINOR DEMOLITION

AVAILABLE HANDLE SIZES



SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
20212	2.5 lbs.	12"
20412	4 lbs.	12"
20416	4 lbs.	16"
20424	4 lbs.	24"



6 lb. / 8 lb. / 10 lb. B.A.S.H. SLEDGE HAMMERS

**TESTED FOR
25,000
OVERSTRIKES**

DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification


SAFETY:

- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer to wrist or stationary object

KEY APPLICATIONS

- DEMOLITION WORK
- FRACTURING STONE AND CONCRETE
- DRIVING FENCE POSTS
- POLICE, FIRE AND RESCUE
- DRIVING STAKES
- REBAR WORK
- RAILROADS

AVAILABLE HANDLE SIZES



SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
20616	6 lbs.	16"
20624	6 lbs.	24"
20630	6 lbs.	30"
20636	6 lbs.	36"
20816	8 lbs.	16"
20824	8 lbs.	24"
20830	8 lbs.	30"
20836	8 lbs.	36"
21016	10 lbs.	16"
21024	10 lbs.	24"
21030	10 lbs.	30"
21036	10 lbs.	36"



12 lb. / 14 lb. / 20 lb. B.A.S.H. SLEDGE HAMMERS

DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification


SAFETY:

- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer to wrist or stationary object

KEY APPLICATIONS

- HEAVY DEMOLITION WORK
- FRACTURING STONE AND CONCRETE
- DRIVING FENCE POSTS
- POLICE, FIRE AND RESCUE
- DRIVING STAKES

AVAILABLE HANDLE SIZES



TESTED FOR
25,000
OVERSTRIKES



SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
21224	12 lbs.	24"
21230	12 lbs.	30"
21236	12 lbs.	36"
21424	14 lbs.	24"
21430	14 lbs.	30"
21436	14 lbs.	36"
22024	20 lbs.	24"
22030	20 lbs.	30"
22036	20 lbs.	36"



SOFT FACE B.A.S.H. SLEDGE HAMMERS

DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes

SAFETY:

- B. SOFT FACE HEAD** - drop forged, trademark green head is hardened to 30HRC. Specifically designed to mushroom when striking hard base materials
- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer

TESTED FOR
25,000
OVERSTRIKES

KEY APPLICATIONS

- MINING
- RAILROADS
- CUTTING TOOLS
- MAINTENANCE ON HARD METAL SURFACES

AVAILABLE HANDLE SIZES



36"
24"
16"
12"



SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
40212	2.5 lbs.	12"
40412	4 lbs.	12"
40416	4 lbs.	16"
40624	6 lbs.	24"
40636	6 lbs.	36"
40824	8 lbs.	24"
40836	8 lbs.	36"
41036	10 lbs.	36"
41236	12 lbs.	36"
41436	14 lbs.	36"



BRASS B.A.S.H. SLEDGE HAMMERS

DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes

SAFETY:

- B. BRASS HEAD** - Non-sparking for use near combustible materials and non-marring to reduce work damage
- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer to wrist or stationary object



KEY APPLICATIONS

- NEAR COMBUSTIBLE MATERIALS
- WHERE SURFACE PROTECTION IS REQUIRED

AVAILABLE HANDLE SIZES



SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
90212	2.5 lbs	12"
90412	4 lbs	12"
90416	4 lbs	16"
90616	6 lbs	16"
90816	8 lbs	16"
90830	8 lbs	30"



B.A.S.H BALL PEIN AND CROSS PEIN HAMMERS

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification
- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ERGONOMIC HANDLE** - shaped and thickened for increased comfort, less vibration, and improved grip
- E. LANYARD HOLE** - safely secure hammer to wrist or stationary object

KEY APPLICATIONS

BALL PEIN

- LIGHT FORGING
- BENDING
- FORMING
- ROUND PEINING

CROSS PEIN

- FORGING
- BENDING
- SHAPING
- CROSS PEINING

AVAILABLE HANDLE SIZES



SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
BALL PEIN		
32414	24 oz.	14"
33214	32 oz.	14"
34014	40 oz.	14"
CROSS PEIN		
30216	2 lbs.	16"
30316	3 lbs.	16"



B.A.S.H. DEAD BLOW HAMMERS

DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes

SAFETY:

- B. DEAD BLOW** - eliminates bounce back when striking hardened surfaces
- C. SPARK-RESISTANT** - safe for use near combustible materials - no exposed metal on face, head or shaft
- D. SOFT FACE** - helps prevent marring
- E. ERGONOMIC HANDLE** - shaped and thickened for improved comfort and less vibration
- F. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- G. LANYARD HOLE** - safely secure hammer to wrist or stationary object

KEY APPLICATIONS

- AUTOMOTIVE
- METAL FABRICATION
- OIL AND MINING
- WOOD AND METAL ASSEMBLY
- AEROSPACE

AVAILABLE HANDLE SIZES



30"

16"

14"



SPECIFICATIONS

STOCK NO.	HAMMER WEIGHT	HANDLE SIZE
55114	1-1/2 lbs	14"
55214	2 lbs	14"
55314	3 lbs	14"
55416	4 lbs	16"
55830	8 lbs	30"



B.A.S.H. SPIKE MAUL

TESTED FOR
25,000
OVERSTRIKES

DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification

SAFETY:

- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer to wrist or stationary object



KEY APPLICATIONS

- DRIVING RAILROAD SPIKES

AVAILABLE HANDLE SIZES



SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
31036	10 lbs	36"



6 lb. / 8 lb. B.A.S.H. SPLITTING MAULS

TESTED FOR
25,000
OVERSTRIKES

DURABILITY:

- A. UNBREAKABLE™ HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification

SAFETY:

- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking



KEY APPLICATIONS

- SPLITTING CHUNKS OF WOOD
- DRIVING SPLITTING WEDGES

AVAILABLE HANDLE SIZES



SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
50630	6 lbs.	30"
50636	6 lbs.	36"
50830	8 lbs.	30"
50836	8 lbs.	36"



B.A.S.H. HAMMER KITS



MECHANICS KIT CONTENTS - STOCK NO. 11111

QTY	STOCK NO.	DESCRIPTION
1	20412	4 Lb Head, 12" Handle B.A.S.H. [®] Sledge Hammer
1	33214	32 Oz Head, 14" Handle B.A.S.H. [®] Ball Pein Hammer
1	30216	4 Lb Head, 16" Handle B.A.S.H. [®] Cross Pein Hammer



SHOP KIT CONTENTS - STOCK NO. 11112

QTY	STOCK NO.	DESCRIPTION
1	20412	4 Lb Head, 12" Handle B.A.S.H. [®] Sledge Hammer
1	33214	32 Oz Head, 14" Handle B.A.S.H. [®] Ball Pein Hammer
1	55416	4 Lb Head, 16" Handle B.A.S.H. [®] Dead Blow Hammer



DEAD BLOW KIT CONTENTS - STOCK NO. 11113

QTY	STOCK NO.	DESCRIPTION
1	55214	2 Lb Head, 14" Handle B.A.S.H. [®] Dead Blow Hammer
1	55314	3 Lb Head, 14" Handle B.A.S.H. [®] Dead Blow Hammer
1	55416	4 Lb Head, 16" Handle B.A.S.H. [®] Dead Blow Hammer



CARRYING CASE KIT CONTENTS - STOCK NO. 3PCBASH

QTY	STOCK NO.	DESCRIPTION
1	20212	2-1/2 Lb Head, 12" Handle B.A.S.H. [®] Sledge Hammer
1	32414	24 Oz Head, 14" Handle B.A.S.H. [®] Ball Pein Hammer
1	30216	2 Lb Head, 16" Handle B.A.S.H. [®] Cross Pein Hammer
1	-	Protective Carrying Case

