

WindRestrictor®


World's First Fully Personalized Wind Deflector

Mini Cooper 4 Seat Convertible (2005-2012) Installation Instructions

Parts Included:

Wind deflector glass	Attached stabilizing bar
2 mounting hand-knobs	2 mounting nuts
4 vinyl end caps	2 mounting plates
Left & right mounting bracket	4 plate screw, 4 rubber bump-ons

Note: *This wind deflector is installed by attaching brackets to factory-designed recesses within the interior, rear-seat body panels.*



INSTALLATION INSTRUCTIONS

Step 1 Carefully attach the left or right side mounting bracket to the glass, so as not to leave any smudges or fingerprints, use gloves provided.

Step 2 Place one of the mounting plates on the opposite side of glass and securely fasten it to the bracket using, the screws provided.


Step 3 Repeat steps 1 and 2 for other side.

Step 4 Move wind deflector into place by inserting the vinyl covered weld pins, located on the back end of mounting brackets, into the back recess slots on each side of vehicle's rear-seat body panels.

Step 5 Insert one rubber bump-on into each front recessed slot. Insert both hand-knob screws into the two front recessed slots of rear-seat body panels. Turn hand-knob until it is secure and tight. Lock into place by tightening nut on the threaded rod.


(If you have purchased the illuminated wind deflector, proceed to step 6)

Step 6 Run wiring through one of the lower outside holes in glass. Route wire directly between back seat and side panel, following the carpet seams, direct it into the trunk space. There is an accessory outlet along the back wall of trunk, near the middle. Insert 12-volt accessory plug into the outlet and hide the excess wiring behind panel and under carpet.



Optional Hard Wiring:

The wind deflector can be wired directly to the vehicle's wiring harness. Connecting to the tail light wire will illuminate the deflector any time the lights are on. Tapping into the brake light wire will cause the deflector to come on only when the brakes are applied. Please refer to the owner's manual for location of harness and wiring diagram.



Accessories:

When purchased, please refer to the product specific instructions provided.