



# **YAKIMA**

# *KeelOver*




**Bow-Stern Tie Down**




## **IMPORTANT WARNING**

IT IS CRITICAL THAT ALL YAKIMA RACKS AND ACCESSORIES BE PROPERLY AND SECURELY ATTACHED TO YOUR VEHICLE. IMPROPER ATTACHMENT COULD RESULT IN AN AUTOMOBILE ACCIDENT, AND COULD CAUSE SERIOUS BODILY INJURY OR DEATH TO YOU OR TO OTHERS. YOU ARE RESPONSIBLE FOR SECURING THE RACKS AND ACCESSORIES TO YOUR CAR, CHECKING THE ATTACHMENTS PRIOR TO USE, AND PERIODICALLY INSPECTING THE PRODUCTS FOR ADJUSTMENT, WEAR, AND DAMAGE. THEREFORE, YOU MUST READ AND UNDERSTAND ALL OF THE INSTRUCTIONS AND CAUTIONS SUPPLIED WITH YOUR YAKIMA PRODUCT PRIOR TO INSTALLATION OR USE. IF YOU DO NOT UNDERSTAND ALL OF THE INSTRUCTIONS AND CAUTIONS, OR IF YOU HAVE NO MECHANICAL EXPERIENCE AND ARE NOT THOROUGHLY FAMILIAR WITH THE INSTALLATION PROCEDURES, YOU SHOULD HAVE THE PRODUCT INSTALLED BY A PROFESSIONAL INSTALLER.




Move crossbars to best position in order to center boat on vehicle while adhering to the chart below. DO NOT MOVE Q-TOWERS.


BOAT LENGTH	MIN. CROSSBAR SPREAD
UNDER 14' (426 CM)	24" (64 CM)
OVER 14' (426 CM)	30" (76CM)

**1**


**ROUND, WHISPBAR AND SQUARE BARS: UPPER NOTCH AND PRE-INSTALLED T-BOLT**




**FACTORY CROSSBARS: CHOOSE BEST NOTCH AND T-BOLT COMBINATION FOR MOST SECURE GRIP**



**WHISPBAR HD: MIDDLE NOTCH AND LONG-BOLT**



**2**

**REAR OF VEHICLE**

**3**



Do not fully tighten knobs yet.

#### 4 Mount brackets at end of bars.



#### BIG boat?


Need just a few inches more? Flipping the brackets can get you up to 3 extra inches.




Mixing directions of the brackets in application is not acceptable!

#### BIG boat?

Need more than a few inches? A Yakima base system will allow for the KeelOver to be installed outside of the towers to accommodate bigger boats.




#### 5




#### sold separately - SHOWBOAT

**ShowBoat 66**  
(Part# 8004068)











The versatile ShowBoat load-assist roller makes it painless to get your boat on top of your vehicle all by yourself.

6



7






15

## TEST BOAT

Test movement by rocking boat.  
Tighten knobs and straps if  
loose. Do not operate vehicle  
unless boat is secure.



## IMPORTANT!

Be sure to read all  
the warnings and  
warranty information  
contained in the  
insert accompanying  
these instructions!




## USE CAUTION



- Always follow posted speed limits and highway warnings.
- Adjust speed and driving based on road conditions (heavy winds, gusts, etc).

## WEIGHT LIMITS




## USE CAUTION



Failure to secure front and  
rear of long loads to ends  
of vehicle can result in  
property damage, personal  
injury, or death.

## REAR HATCH



**KEEP THESE INSTRUCTIONS!**